



Target Species

Based on 310,701 complete checklists

474 species observed in Florida, US (region/US-FL) in **Apr** that you need for your **Florida Life List**























1. Northern Cardinal <i>Cardinalis cardinalis</i>	59.52% frequency
2. Mourning Dove <i>Zenaida macroura</i>	49.09%
3. Red-bellied Woodpecker <i>Melanerpes carolinus</i>	48.36%
4. Northern Mockingbird <i>Mimus polyglottos</i>	43.06%
5. Fish Crow <i>Corvus ossifragus</i>	38.93%
6. Blue Jay <i>Cyanocitta cristata</i>	38.88%
7. Gray Catbird <i>Dumetella carolinensis</i>	33.14%
8. Osprey <i>Pandion haliaetus</i>	33.06%
9. Great Crested Flycatcher <i>Myiarchus crinitus</i>	30.81%
10. White Ibis <i>Eudocimus albus</i>	30.51%
11. Great Egret <i>Ardea alba</i>	30.13%
12. Carolina Wren <i>Thryothorus ludovicianus</i>	30.00%
13. Common Grackle <i>Quiscalus quiscula</i>	29.53%
14. Northern Parula <i>Setophaga americana</i>	28.70%
15. Boat-tailed Grackle <i>Quiscalus major</i>	27.83%
16. Red-winged Blackbird <i>Agelaius phoeniceus</i>	27.07%
17. Great Blue Heron <i>Ardea herodias</i>	25.74%
18. Turkey Vulture <i>Cathartes aura</i>	23.57%

19.	Laughing Gull <i>Leucophaeus atricilla</i>	23.41%
20.	Double-crested Cormorant <i>Nannopterum auritum</i>	23.38%
21.	Tufted Titmouse <i>Baeolophus bicolor</i>	22.61%
22.	Black Vulture <i>Coragyps atratus</i>	21.75%
23.	Anhinga <i>Anhinga anhinga</i>	21.32%
24.	Red-shouldered Hawk <i>Buteo lineatus</i>	21.22%
25.	Palm Warbler <i>Setophaga palmarum</i>	19.76%
26.	Downy Woodpecker <i>Dryobates pubescens</i>	19.09%
27.	Little Blue Heron <i>Egretta caerulea</i>	19.01%
28.	Snowy Egret <i>Egretta thula</i>	18.22%
29.	Brown Pelican <i>Pelecanus occidentalis</i>	17.88%
30.	American Crow <i>Corvus brachyrhynchos</i>	17.38%
31.	Pileated Woodpecker <i>Dryocopus pileatus</i>	16.97%
32.	Tricolored Heron <i>Egretta tricolor</i>	16.71%
33.	Common Gallinule <i>Gallinula galeata</i>	16.53%
34.	Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	16.28%
35.	White-eyed Vireo <i>Vireo griseus</i>	15.99%
36.	European Starling <i>Sturnus vulgaris</i>	15.97%
37.	Black-and-white Warbler <i>Mniotilta varia</i>	14.96%
38.	Common Yellowthroat <i>Geothlypis trichas</i>	13.77%
39.	Green Heron <i>Butorides virescens</i>	13.55%
40.	Eurasian Collared-Dove <i>Streptopelia decaocto</i>	13.25%
41.	Western Cattle Egret <i>Bubulcus ibis</i>	13.19%

42.	Common Ground Dove <i>Columbina passerina</i>	12.08%
43.	Prairie Warbler <i>Setophaga discolor</i>	12.03%
44.	Carolina Chickadee <i>Poecile carolinensis</i>	11.46%
45.	Brown Thrasher <i>Toxostoma rufum</i>	10.86%
46.	Barn Swallow <i>Hirundo rustica</i>	10.33%
47.	Royal Tern <i>Thalasseus maximus</i>	10.03%
48.	Chimney Swift <i>Chaetura pelagica</i>	9.98%
49.	Mottled Duck <i>Anas fulvigula</i>	9.86%
50.	Bald Eagle <i>Haliaeetus leucocephalus</i>	9.81%
51.	Swallow-tailed Kite <i>Elanoides forficatus</i>	9.80%
52.	Willet <i>Tringa semipalmata</i>	9.76%
53.	Eastern Bluebird <i>Sialia sialis</i>	9.52%
54.	American Redstart <i>Setophaga ruticilla</i>	9.09%
55.	Red-eyed Vireo <i>Vireo olivaceus</i>	8.76%
56.	Glossy Ibis <i>Plegadis falcinellus</i>	8.73%
57.	Sandhill Crane <i>Antigone canadensis</i>	8.28%
58.	Purple Martin <i>Progne subis</i>	8.10%
59.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	8.06%
60.	Wood Stork <i>Mycteria americana</i>	8.02%
61.	Indigo Bunting <i>Passerina cyanea</i>	7.88%
62.	Cedar Waxwing <i>Bombycilla cedrorum</i>	7.85%
63.	Limpkin <i>Aramus guarauna</i>	7.67%
64.	Least Tern <i>Sternula antillarum</i>	7.60%

65.	Killdeer <i>Charadrius vociferus</i>	7.55%
66.	House Finch <i>Haemorhous mexicanus</i>	7.48%
67.	Ruby-throated Hummingbird <i>Archilochus colubris</i>	7.08%
68.	Cape May Warbler <i>Setophaga tigrina</i>	7.03%
69.	Pine Warbler <i>Setophaga pinus</i>	6.92%
70.	Rock Pigeon <i>Columba livia</i>	6.72%
71.	Brown-headed Cowbird <i>Molothrus ater</i>	6.71%
72.	Ruddy Turnstone <i>Arenaria interpres</i>	6.68%
73.	Black-bellied Plover <i>Pluvialis squatarola</i>	6.58%
74.	Loggerhead Shrike <i>Lanius ludovicianus</i>	6.56%
75.	Summer Tanager <i>Piranga rubra</i>	6.55%
76.	Sanderling <i>Calidris alba</i>	6.51%
77.	American Coot <i>Fulica americana</i>	6.34%
78.	Painted Bunting <i>Passerina ciris</i>	6.18%
79.	Black-necked Stilt <i>Himantopus mexicanus</i>	6.16%
80.	House Sparrow <i>Passer domesticus</i>	6.03%
81.	Blue-winged Teal <i>Spatula discors</i>	5.93%
82.	Black-throated Blue Warbler <i>Setophaga caerulescens</i>	5.88%
83.	Roseate Spoonbill <i>Platalea ajaja</i>	5.83%
84.	Ring-billed Gull <i>Larus delawarensis</i>	5.62%
85.	Yellow-rumped Warbler <i>Setophaga coronata</i>	5.48%
86.	Least Sandpiper <i>Calidris minutilla</i>	5.31%

87.	Wood Duck <i>Aix sponsa</i>	5.26%
88.	Blackpoll Warbler <i>Setophaga striata</i>	5.23%
89.	House Wren <i>Troglodytes aedon</i>	5.12%
90.	Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	5.08%
91.	Magnificent Frigatebird <i>Fregata magnificens</i>	4.98%
92.	Belted Kingfisher <i>Megaceryle alcyon</i>	4.96%
93.	Barred Owl <i>Strix varia</i>	4.83%
94.	Ovenbird <i>Seiurus aurocapilla</i>	4.82%
95.	Yellow-throated Warbler <i>Setophaga dominica</i>	4.78%
96.	White-winged Dove <i>Zenaida asiatica</i>	4.78%
97.	Black-crowned Night Heron <i>Nycticorax nycticorax</i>	4.53%
98.	Tree Swallow <i>Tachycineta bicolor</i>	4.43%
99.	Eastern Kingbird <i>Tyrannus tyrannus</i>	4.42%
100.	Forster's Tern <i>Sterna forsteri</i>	4.39%
101.	Semipalmated Plover <i>Charadrius semipalmatus</i>	4.37%
102.	Yellow-throated Vireo <i>Vireo flavifrons</i>	4.29%
103.	Spotted Sandpiper <i>Actitis macularius</i>	4.23%
104.	Pied-billed Grebe <i>Podilymbus podiceps</i>	4.22%
105.	Muscovy Duck <i>Cairina moschata</i>	4.21%
106.	Hooded Warbler <i>Setophaga citrina</i>	4.21%
107.	Lesser Yellowlegs <i>Tringa flavipes</i>	4.18%
108.	Eastern Meadowlark <i>Sturnella magna</i>	4.12%

109.	Greater Yellowlegs <i>Tringa melanoleuca</i>	4.11% 
110.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	3.89% 
111.	Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	3.78% 
112.	Yellow-billed Cuckoo <i>Coccyzus americanus</i>	3.77% 
113.	Nanday Parakeet <i>Aratinga nenday</i>	3.75% 
114.	Sandwich Tern <i>Thalasseus sandvicensis</i>	3.68% 
115.	Purple Gallinule <i>Porphyrio martinica</i>	3.62% 
116.	Black Skimmer <i>Rynchops niger</i>	3.62% 
117.	Ruby-crowned Kinglet <i>Corthylio calendula</i>	3.60% 
118.	Blue-headed Vireo <i>Vireo solitarius</i>	3.50% 
119.	Northern Waterthrush <i>Parkesia noveboracensis</i>	3.43% 
120.	Short-billed Dowitcher <i>Limnodromus griseus</i>	3.34% 
121.	Prothonotary Warbler <i>Protonotaria citrea</i>	3.29% 
122.	Gray Kingbird <i>Tyrannus dominicensis</i>	3.21% 
123.	Dunlin <i>Calidris alpina</i>	3.12% 
124.	Northern Bobwhite <i>Colinus virginianus</i>	3.12% 
125.	Mallard <i>Anas platyrhynchos</i>	3.10% 
126.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	3.04% 
127.	Blue Grosbeak <i>Passerina caerulea</i>	3.01% 
128.	Reddish Egret <i>Egretta rufescens</i>	2.98% 
129.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	2.96% 
130.	Red-tailed Hawk <i>Buteo jamaicensis</i>	2.94% 

131.	Orchard Oriole <i>Icterus spurius</i>	2.93%
132.	Red-breasted Merganser <i>Mergus serrator</i>	2.86%
133.	American Kestrel <i>Falco sparverius</i>	2.74%
134.	Northern Flicker <i>Colaptes auratus</i>	2.73%
135.	Cooper's Hawk <i>Accipiter cooperii</i>	2.71%
136.	Common Nighthawk <i>Chordeiles minor</i>	2.69%
137.	Herring Gull <i>Larus argentatus</i>	2.59%
138.	Scarlet Tanager <i>Piranga olivacea</i>	2.52%
139.	American White Pelican <i>Pelecanus erythrorhynchos</i>	2.49%
140.	Solitary Sandpiper <i>Tringa solitaria</i>	2.48%
141.	Caspian Tern <i>Hydroprogne caspia</i>	2.46%
142.	Savannah Sparrow <i>Passerculus sandwichensis</i>	2.37%
143.	Wild Turkey <i>Meleagris gallopavo</i>	2.35%
144.	American Goldfinch <i>Spinus tristis</i>	2.34%
145.	Marsh Wren <i>Cistothorus palustris</i>	2.33%
146.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	2.32%
147.	Canada Goose <i>Branta canadensis</i>	2.31%
148.	Chuck-will's-widow <i>Antrostomus carolinensis</i>	2.28%
149.	Swamp Sparrow <i>Melospiza georgiana</i>	2.21%
150.	Brown-headed Nuthatch <i>Sitta pusilla</i>	2.16%
151.	Sora <i>Porzana carolina</i>	2.12%
152.	Baltimore Oriole <i>Icterus galbula</i>	2.04%

153.	Clapper Rail <i>Rallus crepitans</i>	1.98%
154.	Merlin <i>Falco columbarius</i>	1.95%
155.	Least Bittern <i>Ixobrychus exilis</i>	1.94%
156.	Northern Harrier <i>Circus hudsonius</i>	1.83%
157.	Chipping Sparrow <i>Spizella passerina</i>	1.81%
158.	American Oystercatcher <i>Haematopus palliatus</i>	1.62%
159.	Egyptian Goose <i>Alopochen aegyptiaca</i>	1.62%
160.	Great Horned Owl <i>Bubo virginianus</i>	1.58%
161.	Common Loon <i>Gavia immer</i>	1.57%
162.	Wilson's Plover <i>Anarhynchus wilsonia</i>	1.54%
163.	Black-throated Green Warbler <i>Setophaga virens</i>	1.48%
164.	Tennessee Warbler <i>Leiothlypis peregrina</i>	1.43%
165.	Monk Parakeet <i>Myiopsitta monachus</i>	1.43%
166.	Bobolink <i>Dolichonyx oryzivorus</i>	1.42%
167.	Yellow Warbler <i>Setophaga petechia</i>	1.41%
168.	Wood Thrush <i>Hylocichla mustelina</i>	1.38%
169.	Swainson's Thrush <i>Catharus ustulatus</i>	1.34%
170.	White-crowned Pigeon <i>Patagioenas leucocephala</i>	1.33%
171.	Bachman's Sparrow <i>Peucaea aestivalis</i>	1.29%
172.	Western Sandpiper <i>Calidris mauri</i>	1.25%
173.	Eastern Screech-Owl <i>Megascops asio</i>	1.25%
174.	Semipalmated Sandpiper <i>Calidris pusilla</i>	1.24%
175.	Magnolia Warbler <i>Setophaga magnolia</i>	1.22%

176.	Black-whiskered Vireo <i>Vireo altiloquus</i>	1.18%
177.	Marbled Godwit <i>Limosa fedoa</i>	1.16%
178.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	1.16%
179.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	1.14%
180.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	1.06%
181.	Snail Kite <i>Rostrhamus sociabilis</i>	1.01%
182.	Lesser Scaup <i>Aythya affinis</i>	0.9936%
183.	Northern Gannet <i>Morus bassanus</i>	0.9765%
184.	Peregrine Falcon <i>Falco peregrinus</i>	0.9395%
185.	Gray-cheeked Thrush <i>Catharus minimus</i>	0.9321%
186.	Red Knot <i>Calidris canutus</i>	0.9150%
187.	Kentucky Warbler <i>Geothlypis formosa</i>	0.8973%
188.	Whimbrel <i>Numenius phaeopus</i>	0.8925%
189.	Veery <i>Catharus fuscescens</i>	0.8346%
190.	Short-tailed Hawk <i>Buteo brachyurus</i>	0.8214%
191.	Sedge Wren <i>Cistothorus stellaris</i>	0.7956%
192.	Mississippi Kite <i>Ictinia mississippiensis</i>	0.7892%
193.	Crested Caracara <i>Caracara plancus</i>	0.7844%
194.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.7724%
195.	Northern Shoveler <i>Spatula clypeata</i>	0.7454%
196.	Sharp-shinned Hawk <i>Accipiter striatus</i>	0.7441%
197.	Stilt Sandpiper <i>Calidris himantopus</i>	0.7422%

198.	Louisiana Waterthrush <i>Parkesia motacilla</i>	0.7406%
199.	Eastern Wood-Pewee <i>Contopus virens</i>	0.7390%
200.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.7219%
201.	Piping Plover <i>Charadrius melodus</i>	0.7168%
202.	Wilson's Snipe <i>Gallinago delicata</i>	0.6891%
203.	Lesser Black-backed Gull <i>Larus fuscus</i>	0.6868%
204.	Burrowing Owl <i>Athene cunicularia</i>	0.6846%
205.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	0.6292%
206.	Snowy Plover <i>Anarhynchus nivosus</i>	0.6241%
207.	Hermit Thrush <i>Catharus guttatus</i>	0.6173%
208.	Broad-winged Hawk <i>Buteo platypterus</i>	0.5996%
209.	American Avocet <i>Recurvirostra americana</i>	0.5462%
210.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.5378%
211.	Sooty Tern <i>Onychoprion fuscatus</i>	0.5278%
212.	King Rail <i>Rallus elegans</i>	0.5159%
213.	American Bittern <i>Botaurus lentiginosus</i>	0.5066%
214.	Brown Noddy <i>Anous stolidus</i>	0.5040%
215.	Bank Swallow <i>Riparia riparia</i>	0.4915%
216.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.4802%
217.	Acadian Flycatcher <i>Empidonax virescens</i>	0.4628%
218.	American Robin <i>Turdus migratorius</i>	0.4573%
219.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.4409%
220.	Gull-billed Tern <i>Gelochelidon nilotica</i>	0.4406%

221.	Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	0.4351%
222.	Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.4297%
223.	Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	0.4223%
224.	White-throated Sparrow <i>Zonotrichia albicollis</i>	0.4068%
225.	Common Myna <i>Acridotheres tristis</i>	0.4026%
226.	Common Tern <i>Sterna hirundo</i>	0.3962%
227.	Western Kingbird <i>Tyrannus verticalis</i>	0.3721%
228.	Redhead <i>Aythya americana</i>	0.3573%
229.	Brown Booby <i>Sula leucogaster</i>	0.3395%
230.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.3328%
231.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.3309%
232.	Dickcissel <i>Spiza americana</i>	0.3238%
233.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.3235%
234.	Masked Booby <i>Sula dactylatra</i>	0.3151%
235.	Mangrove Cuckoo <i>Coccyzus minor</i>	0.3135%
236.	Cave Swallow <i>Petrochelidon fulva</i>	0.3061%
237.	Bufflehead <i>Bucephala albeola</i>	0.2990%
238.	Ring-necked Duck <i>Aythya collaris</i>	0.2906%
239.	Blackburnian Warbler <i>Setophaga fusca</i>	0.2835%
240.	Pectoral Sandpiper <i>Calidris melanotos</i>	0.2774%
241.	Mitred Parakeet <i>Psittacara mitratus</i>	0.2755%
242.	Bay-breasted Warbler <i>Setophaga castanea</i>	0.2729%
243.	Seaside Sparrow <i>Ammospiza maritima</i>	0.2678%

244.	Pine Siskin <i>Spinus pinus</i>	0.2588%
245.	Yellow-breasted Chat <i>Icteria virens</i>	0.2433%
246.	Great Black-backed Gull <i>Larus marinus</i>	0.2417%
247.	Orange-crowned Warbler <i>Leiothlypis celata</i>	0.2398%
248.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.2250%
249.	Roseate Tern <i>Sterna dougallii</i>	0.2008%
250.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.2005%
251.	Cerulean Warbler <i>Setophaga cerulea</i>	0.1950%
252.	Eastern Phoebe <i>Sayornis phoebe</i>	0.1941%
253.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.1941%
254.	Hairy Woodpecker <i>Dryobates villosus</i>	0.1793%
255.	Barn Owl <i>Tyto alba</i>	0.1783%
256.	Ruddy Duck <i>Oxyura jamaicensis</i>	0.1751%
257.	Virginia Rail <i>Rallus limicola</i>	0.1651%
258.	American Wigeon <i>Mareca americana</i>	0.1609%
259.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.1506%
260.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.1464%
261.	Horned Grebe <i>Podiceps auritus</i>	0.1419%
262.	Song Sparrow <i>Melospiza melodia</i>	0.1410%
263.	Greater Scaup <i>Aythya marila</i>	0.1358%
264.	Bridled Tern <i>Onychoprion anaethetus</i>	0.1320%
265.	Upland Sandpiper <i>Bartramia longicauda</i>	0.1313%
266.	Bahama Mockingbird <i>Mimus gundlachii</i>	0.1297%

267.	Antillean Nighthawk <i>Chordeiles gundlachii</i>	0.1287%
268.	Western Tanager <i>Piranga ludoviciana</i>	0.1252%
269.	American Flamingo <i>Phoenicopterus ruber</i>	0.1207%
270.	Hooded Merganser <i>Lophodytes cucullatus</i>	0.1155%
271.	Green-winged Teal <i>Anas crecca</i>	0.1149%
272.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.1072%
273.	Smooth-billed Ani <i>Crotophaga ani</i>	0.1017%
274.	Warbling Vireo <i>Vireo gilvus</i>	0.1007%
275.	Lincoln's Sparrow <i>Melospiza lincolnii</i>	0.0924%
276.	Black Noddy <i>Anous minutus</i>	0.0891%
277.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.0891%
278.	Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0827%
279.	Least Grebe <i>Tachybaptus dominicus</i>	0.0789%
280.	Black Scoter <i>Melanitta americana</i>	0.0782%
281.	Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.0734%
282.	Red-breasted Nuthatch <i>Sitta canadensis</i>	0.0718%
283.	American Golden-Plover <i>Pluvialis dominica</i>	0.0711%
284.	Piratic Flycatcher <i>Legatus leucophaeus</i>	0.0711%
285.	White-tailed Kite <i>Elanus leucurus</i>	0.0705%
286.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.0705%
287.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0692%
288.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.0637%

289.	Whooping Crane <i>Grus americana</i>	0.0618%
290.	Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0608%
291.	Long-billed Curlew <i>Numenius americanus</i>	0.0602%
292.	Field Sparrow <i>Spizella pusilla</i>	0.0599%
293.	Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	0.0592%
294.	Gadwall <i>Mareca strepera</i>	0.0554%
295.	Ruff <i>Calidris pugnax</i>	0.0541%
296.	White-faced Ibis <i>Plegadis chihi</i>	0.0515%
297.	Western Spindalis <i>Spindalis zena</i>	0.0515%
298.	Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.0489%
299.	Wilson's Warbler <i>Cardellina pusilla</i>	0.0489%
300.	Bell's Vireo <i>Vireo bellii</i>	0.0473%
301.	Clay-colored Sparrow <i>Spizella pallida</i>	0.0470%
302.	Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.0454%
303.	Kirtland's Warbler <i>Setophaga kirtlandii</i>	0.0451%
304.	Nelson's Sparrow <i>Ammospiza nelsoni</i>	0.0444%
305.	Surf Scoter <i>Melanitta perspicillata</i>	0.0438%
306.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0431%
307.	Black Rail <i>Laterallus jamaicensis</i>	0.0386%
308.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.0383%
309.	Black Tern <i>Chlidonias niger</i>	0.0370%
310.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0367%
311.	Baird's Sandpiper <i>Calidris bairdii</i>	0.0364%

312.	Groove-billed Ani <i>Crotophaga sulcirostris</i>	0.0357%
313.	Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0341%
314.	Least Flycatcher <i>Empidonax minimus</i>	0.0335%
315.	Cuban Vireo <i>Vireo gundlachii</i>	0.0328%
316.	Philadelphia Vireo <i>Vireo philadelphicus</i>	0.0328%
317.	Pacific Golden-Plover <i>Pluvialis fulva</i>	0.0306%
318.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0302%
319.	Short-eared Owl <i>Asio flammeus</i>	0.0293%
320.	Leach's Storm-Petrel <i>Hydrobates leucorhous</i>	0.0280%
321.	Northern Pintail <i>Anas acuta</i>	0.0274%
322.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0274%
323.	Lark Sparrow <i>Chondestes grammacus</i>	0.0270%
324.	Bananaquit <i>Coereba flaveola</i>	0.0267%
325.	Great-tailed Grackle <i>Quiscalus mexicanus</i>	0.0264%
326.	Key West Quail-Dove <i>Geotrygon chrysia</i>	0.0261%
327.	Lazuli Bunting <i>Passerina amoena</i>	0.0232%
328.	Red-legged Thrush <i>Turdus plumbeus</i>	0.0196%
329.	Red-necked Phalarope <i>Phalaropus lobatus</i>	0.0193%
330.	Vesper Sparrow <i>Pooecetes gramineus</i>	0.0187%
331.	Greater White-fronted Goose <i>Anser albifrons</i>	0.0177%
332.	Red-legged Honeycreeper <i>Cyanerpes cyaneus</i>	0.0171%
333.	Buff-breasted Sandpiper <i>Calidris subruficollis</i>	0.0167%
334.	Buff-bellied Hummingbird <i>Amazilia yucatanensis</i>	0.0161%

335.	Purple Sandpiper <i>Calidris maritima</i>	0.0161%
336.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.0154%
337.	Cassin's Kingbird <i>Tyrannus vociferans</i>	0.0154%
338.	Saltmarsh Sparrow <i>Ammospiza caudacuta</i>	0.0145%
339.	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0142%
340.	Hooded Oriole <i>Icterus cucullatus</i>	0.0122%
341.	Spotted Towhee <i>Pipilo maculatus</i>	0.0113%
342.	Glaucous Gull <i>Larus hyperboreus</i>	0.0109%
343.	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	0.0109%
344.	Arctic Tern <i>Sterna paradisaea</i>	0.0106%
345.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0106%
346.	Cinnamon Teal <i>Spatula cyanoptera</i>	0.0103%
347.	Dark-eyed Junco <i>Junco hyemalis</i>	0.0100%
348.	Great Cormorant <i>Phalacrocorax carbo</i>	0.0097%
349.	Red-footed Booby <i>Sula sula</i>	0.0093%
350.	Horned Lark <i>Eremophila alpestris</i>	0.0093%
351.	Green-tailed Towhee <i>Pipilo chlorurus</i>	0.0093%
352.	Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.0090%
353.	Golden-crowned Kinglet <i>Regulus satrapa</i>	0.0090%
354.	White-winged Scoter <i>Melanitta deglandi</i>	0.0084%
355.	American Woodcock <i>Scolopax minor</i>	0.0084%
356.	Red-billed Tropicbird <i>Phaethon aethereus</i>	0.0084%
357.	Western Flycatcher <i>Empidonax difficilis</i>	0.0081%

358.	American Pipit <i>Anthus rubescens</i>	0.0081%
359.	Purple Finch <i>Haemorhous purpureus</i>	0.0081%
360.	Zenaida Dove <i>Zenaida aurita</i>	0.0077%
361.	Bullock's Oriole <i>Icterus bullockii</i>	0.0077%
362.	White-tailed Tropicbird <i>Phaethon lepturus</i>	0.0074%
363.	Townsend's Warbler <i>Setophaga townsendi</i>	0.0074%
364.	Pacific Loon <i>Gavia pacifica</i>	0.0071%
365.	Swainson's Hawk <i>Buteo swainsoni</i>	0.0071%
366.	Yellow-headed Caracara <i>Daptrius chimachima</i>	0.0071%
367.	Budgerigar <i>Melopsittacus undulatus</i>	0.0071%
368.	Rufous Hummingbird <i>Selasphorus rufus</i>	0.0068%
369.	Iceland Gull <i>Larus glaucoides</i>	0.0064%
370.	LeConte's Sparrow <i>Ammospiza leconteii</i>	0.0064%
371.	Connecticut Warbler <i>Oporornis agilis</i>	0.0061%
372.	Lesser Nighthawk <i>Chordeiles acutipennis</i>	0.0058%
373.	Cory's Shearwater <i>Calonectris diomedea</i>	0.0055%
374.	Common Eider <i>Somateria mollissima</i>	0.0052%
375.	Black-headed Gull <i>Chroicocephalus ridibundus</i>	0.0052%
376.	Long-tailed Duck <i>Clangula hyemalis</i>	0.0045%
377.	Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0045%
378.	Canvasback <i>Aythya valisineria</i>	0.0039%
379.	Common Goldeneye <i>Bucephala clangula</i>	0.0039%
380.	Band-rumped Storm-Petrel <i>Hydrobates castro</i>	0.0039%

381.	Cuban Pewee <i>Contopus caribaeus</i>	0.0039%
382.	Canada Warbler <i>Cardellina canadensis</i>	0.0039%
383.	White-cheeked Pintail <i>Anas bahamensis</i>	0.0035%
384.	Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.0035%
385.	Red-throated Loon <i>Gavia stellata</i>	0.0035%
386.	American Black Duck <i>Anas rubripes</i>	0.0032%
387.	Tricolored Munia <i>Lonchura malacca</i>	0.0032%
388.	Rusty Blackbird <i>Euphagus carolinus</i>	0.0032%
389.	Inca Dove <i>Columbina inca</i>	0.0029%
390.	Eurasian Wigeon <i>Mareca penelope</i>	0.0026%
391.	Franklin's Gull <i>Leucophaeus pipixcan</i>	0.0026%
392.	Snow Goose <i>Anser caerulescens</i>	0.0022%
393.	Hudsonian Godwit <i>Limosa haemastica</i>	0.0022%
394.	Heermann's Gull <i>Larus heermanni</i>	0.0022%
395.	Yellow-green Vireo <i>Vireo flavoviridis</i>	0.0022%
396.	Great Shearwater <i>Ardenna gravis</i>	0.0019%
397.	Sooty Shearwater <i>Ardenna grisea</i>	0.0019%
398.	Rough-legged Hawk <i>Buteo lagopus</i>	0.0019%
399.	Loggerhead Kingbird <i>Tyrannus caudifasciatus</i>	0.0019%
400.	Winter Wren <i>Troglodytes hiemalis</i>	0.0019%
401.	Eared Grebe <i>Podiceps nigricollis</i>	0.0016%
402.	Bar-tailed Godwit <i>Limosa lapponica</i>	0.0016%

403.	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	0.0016%
404.	Brewer's Blackbird <i>Euphagus cyanocephalus</i>	0.0016%
405.	Vaux's Swift <i>Chaetura vauxi</i>	0.0013%
406.	Yellow Rail <i>Coturnicops noveboracensis</i>	0.0013%
407.	Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0013%
408.	Olive-sided Flycatcher <i>Contopus cooperi</i>	0.0013%
409.	Alder Flycatcher <i>Empidonax alnorum</i>	0.0013%
410.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0013%
411.	Common Merganser <i>Mergus merganser</i>	0.0010%
412.	Red-necked Grebe <i>Podiceps grisegena</i>	0.0010%
413.	White-tipped Dove <i>Leptotila verreauxi</i>	0.0010%
414.	Sabine's Gull <i>Xema sabini</i>	0.0010%
415.	Elegant Tern <i>Thalasseus elegans</i>	0.0010%
416.	Black-capped Petrel <i>Pterodroma hasitata</i>	0.0010%
417.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0010%
418.	Brown Creeper <i>Certhia americana</i>	0.0010%
419.	Yellow-faced Grassquit <i>Tiaris olivaceus</i>	0.0010%
420.	Razorbill <i>Alca torda</i>	0.0006%
421.	California Gull <i>Larus californicus</i>	0.0006%
422.	Pearly-eyed Thrasher <i>Margarops fuscatus</i>	0.0006%
423.	Evening Grosbeak <i>Coccothraustes vespertinus</i>	0.0006%
424.	Black-throated Gray Warbler <i>Setophaga nigrescens</i>	0.0006%

425.	Ross's Goose <i>Anser rossii</i>	0.0003%
426.	Harlequin Duck <i>Histrionicus histrionicus</i>	0.0003%
427.	Masked Duck <i>Nomonyx dominicus</i>	0.0003%
428.	Black Swift <i>Cypseloides niger</i>	0.0003%
429.	Bahama Woodstar <i>Nesophlox evelynae</i>	0.0003%
430.	Calliope Hummingbird <i>Selasphorus calliope</i>	0.0003%
431.	Broad-tailed Hummingbird <i>Selasphorus platycercus</i>	0.0003%
432.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0003%
433.	Surfbird <i>Calidris virgata</i>	0.0003%
434.	Little Gull <i>Hydrocoloeus minutus</i>	0.0003%
435.	Northern Saw-whet Owl <i>Aegolius acadicus</i>	0.0003%
436.	Willow Flycatcher <i>Empidonax traillii</i>	0.0003%
437.	Bewick's Wren <i>Thryomanes bewickii</i>	0.0003%
438.	Bicknell's Thrush <i>Catharus bicknelli</i>	0.0003%
439.	Sprague's Pipit <i>Anthus spragueii</i>	0.0003%
440.	Lapland Longspur <i>Calcarius lapponicus</i>	0.0003%
441.	Lark Bunting <i>Calamospiza melanocorys</i>	0.0003%
442.	Fox Sparrow <i>Passerella iliaca</i>	0.0003%
443.	Harris's Sparrow <i>Zonotrichia querula</i>	0.0003%
444.	Western Meadowlark <i>Sturnella neglecta</i>	0.0003%
445.	Mourning Warbler <i>Geothlypis philadelphia</i>	0.0003%
446.	European Turtle-Dove <i>Streptopelia turtur</i>	0.0000%

447.	Anna's Hummingbird <i>Calypte anna</i>	0.0000%
448.	Black-tailed Godwit <i>Limosa limosa</i>	0.0000%
449.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0000%
450.	Slaty-backed Gull <i>Larus schistisagus</i>	0.0000%
451.	Northern Fulmar <i>Fulmarus glacialis</i>	0.0000%
452.	Manx Shearwater <i>Puffinus puffinus</i>	0.0000%
453.	Golden Eagle <i>Aquila chrysaetos</i>	0.0000%
454.	Long-eared Owl <i>Asio otus</i>	0.0000%
455.	Golden-fronted Woodpecker <i>Melanerpes aurifrons</i>	0.0000%
456.	Ivory-billed Woodpecker <i>Campephilus principalis</i>	0.0000%
457.	Carolina Parakeet <i>Conuropsis carolinensis</i>	0.0000%
458.	American Tree Sparrow <i>Spizelloides arborea</i>	0.0000%
459.	Bachman's Warbler <i>Vermivora bachmanii</i>	0.0000%
460.	Cackling Goose <i>Branta hutchinsii</i>	0.0000%
EXOTIC: PROVISIONAL		
461.	Indian Peafowl <i>Pavo cristatus</i>	0.6440% frequency
462.	Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.3808%
463.	Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.2906%
464.	Red Junglefowl <i>Gallus gallus</i>	0.2494%
465.	Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.2343%
466.	Scaly-breasted Munia <i>Lonchura punctulata</i>	0.2102%
467.	Orange-winged Parrot <i>Amazona amazonica</i>	0.1812%

468. Chestnut-fronted Macaw <i>Ara severus</i>	0.0975%
469. Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0921%
470. Common Hill Myna <i>Gracula religiosa</i>	0.0875%
471. Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0531%
472. White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0515%
473. Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0460%
474. House Crow <i>Corvus splendens</i>	0.0119%
EXOTIC: ESCAPEE	
Mute Swan <i>Cygnus olor</i>	0.1719% frequency
Graylag Goose <i>Anser anser</i>	0.0824%
Swan Goose <i>Anser cygnoides</i>	0.0599%
Black Swan <i>Cygnus atratus</i>	0.0528%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0325%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0203%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0177%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0122%
Red-crested Pochard <i>Netta rufina</i>	0.0109%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0103%
Whooper Swan <i>Cygnus cygnus</i>	0.0097%
Green Parakeet <i>Psittacara holochlorus</i>	0.0093%
Cockatiel <i>Nymphicus hollandicus</i>	0.0090%
Saffron Finch <i>Sicalis flaveola</i>	0.0090%

White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0074%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0071%
Mandarin Duck <i>Aix galericulata</i>	0.0068%
Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0052%
Turquoise-fronted Parrot <i>Amazona aestiva</i>	0.0052%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0045%
Common Shelduck <i>Tadorna tadorna</i>	0.0045%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0035%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0026%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0026%
Zebra Finch <i>Taeniopygia guttata</i>	0.0026%
Red-legged Partridge <i>Alectoris rufa</i>	0.0022%
African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0019%
Ringed Teal <i>Callonetta leucophrys</i>	0.0016%
Barnacle Goose <i>Branta leucopsis</i>	0.0013%
Green Peafowl <i>Pavo muticus</i>	0.0013%
Tropical Mockingbird <i>Mimus gilvus</i>	0.0013%
Chiloe Wigeon <i>Mareca sibilatrix</i>	0.0010%
White-fronted Parrot <i>Amazona albifrons</i>	0.0010%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0010%
Harris's Hawk <i>Parabuteo unicinctus</i>	0.0006%
San Blas Jay <i>Cyanocorax sanblasianus</i>	0.0006%

Yellow-fronted Canary <i>Crithagra mozambica</i>	0.0006%
Cuban Grassquit <i>Phonipara canora</i>	0.0006%
Plumed Whistling-Duck <i>Dendrocygna eytoni</i>	0.0003%
Bar-headed Goose <i>Anser indicus</i>	0.0003%
Hawaiian Goose <i>Branta sandvicensis</i>	0.0003%
Blue-winged Goose <i>Cyanochen cyanoptera</i>	0.0003%
Sulphur-crested Cockatoo <i>Cacatua galerita</i>	0.0003%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0003%
Fischer's Lovebird <i>Agapornis fischeri</i>	0.0003%
Red-lored Parrot <i>Amazona autumnalis</i>	0.0003%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0003%
Military Macaw <i>Ara militaris</i>	0.0003%
Superb Starling <i>Lamprotornis superbus</i>	0.0003%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0003%
Orange-cheeked Waxbill <i>Estrilda melpoda</i>	0.0003%
Orinoco Goose <i>Oressochen jubatus</i>	0.0000%
Gambel's Quail <i>Callipepla gambelii</i>	0.0000%
Chukar <i>Alectoris chukar</i>	0.0000%
Diamond Dove <i>Geopelia cuneata</i>	0.0000%
Chattering Lory <i>Lorius garrulus</i>	0.0000%
Red Lory <i>Eos bornea</i>	0.0000%
Yellow-collared Lovebird <i>Agapornis personatus</i>	0.0000%

Gray Parrot <i>Psittacus erithacus</i>	0.0000%
Red-spectacled Parrot <i>Amazona pretrei</i>	0.0000%
Yellow-headed Parrot <i>Amazona oratrix</i>	0.0000%
Yellow-shouldered Parrot <i>Amazona barbadensis</i>	0.0000%
Mealy Parrot <i>Amazona farinosa</i>	0.0000%
Scarlet Macaw <i>Ara macao</i>	0.0000%
Red-shouldered Macaw <i>Diopsittaca nobilis</i>	0.0000%
Hispaniolan Parakeet <i>Psittacara chloropterus</i>	0.0000%
Java Sparrow <i>Padda oryzivora</i>	0.0000%
Pin-tailed Whydah <i>Vidua macroura</i>	0.0000%
Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%

HYBRIDS

Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	2.22% frequency ■
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0183%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	0.0132%
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	0.0097%
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	0.0087%
Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0061%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0052%

Brewster's Warbler (hybrid) <i>Vermivora chrysoptera</i> <i>x cyanoptera</i> (F1 hybrid)	0.0042%
Golden-winged x Blue-winged Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera</i>	0.0022%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta</i> <i>caerulea x thula</i>	0.0019%
Magnolia x Palm Warbler (hybrid) <i>Setophaga</i> <i>magnolia x palmarum</i>	0.0019%
Swan Goose x Canada Goose (hybrid) <i>Anser</i> <i>cygnoides x Branta canadensis</i>	0.0016%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta</i> <i>canadensis</i>	0.0013%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x</i> <i>ruber</i>	0.0006%
Tropical x Northern Mockingbird (hybrid) <i>Mimus gilvus x polyglottos</i>	0.0006%
Lawrence's Warbler (hybrid) <i>Vermivora chrysoptera</i> <i>x cyanoptera</i> (F2 backcross)	0.0006%
Graylag x Canada Goose (hybrid) <i>Anser anser</i> <i>x Branta canadensis</i>	0.0003%
Redhead x Ring-necked Duck (hybrid) <i>Aythya</i> <i>americana x collaris</i>	0.0003%
Herring x Glaucous Gull (hybrid) <i>Larus argentatus</i> <i>x hyperboreus</i>	0.0003%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0003%
Snowy x Little Egret (hybrid) <i>Egretta thula x</i> <i>garzetta</i>	0.0003%
White-winged x Yellow-chevroned Parakeet (hybrid) <i>Brotogeris versicolurus x chiriri</i>	0.0003%
Cliff x Cave Swallow (hybrid) <i>Petrochelidon</i> <i>pyrrhonota x fulva</i>	0.0003%

Bahama x Northern Mockingbird (hybrid) <i>Mimus gundlachii x polyglottos</i>	0.0003%
Bullock's x Baltimore Oriole (hybrid) <i>Icterus bullockii x galbula</i>	0.0003%
Lazuli x Indigo Bunting (hybrid) <i>Passerina amoena x cyanea</i>	0.0003%
Cerulean Warbler x Northern Parula (hybrid) <i>Setophaga cerulea x americana</i>	0.0000%
