



## Target Species

Based on 310,701 complete checklists

**474** species observed in Florida, US (region/US-FL) in **Apr** that you need for your **Florida Life List**

1. <b>Black-bellied Whistling-Duck</b> <i>Dendrocygna autumnalis</i>	<b>5.08%</b> frequency
2. <b>Fulvous Whistling-Duck</b> <i>Dendrocygna bicolor</i>	<b>0.4297%</b>
3. <b>Snow Goose</b> <i>Anser caerulescens</i>	<b>0.0022%</b>
4. <b>Ross's Goose</b> <i>Anser rossii</i>	<b>0.0003%</b>
5. <b>Greater White-fronted Goose</b> <i>Anser albifrons</i>	<b>0.0177%</b>
6. <b>Canada Goose</b> <i>Branta canadensis</i>	<b>2.31%</b>
7. <b>Egyptian Goose</b> <i>Alopochen aegyptiaca</i>	<b>1.62%</b>
8. <b>Muscovy Duck</b> <i>Cairina moschata</i>	<b>4.21%</b>
9. <b>Wood Duck</b> <i>Aix sponsa</i>	<b>5.26%</b>
10. <b>Blue-winged Teal</b> <i>Spatula discors</i>	<b>5.93%</b>
11. <b>Cinnamon Teal</b> <i>Spatula cyanoptera</i>	<b>0.0103%</b>
12. <b>Northern Shoveler</b> <i>Spatula clypeata</i>	<b>0.7454%</b>
13. <b>Gadwall</b> <i>Mareca strepera</i>	<b>0.0554%</b>
14. <b>Eurasian Wigeon</b> <i>Mareca penelope</i>	<b>0.0026%</b>
15. <b>American Wigeon</b> <i>Mareca americana</i>	<b>0.1609%</b>
16. <b>Mallard</b> <i>Anas platyrhynchos</i>	<b>3.10%</b>
17. <b>American Black Duck</b> <i>Anas rubripes</i>	<b>0.0032%</b>

18.	<b>Mottled Duck</b> <i>Anas fulvigula</i>	<b>9.86%</b>
19.	<b>White-cheeked Pintail</b> <i>Anas bahamensis</i>	<b>0.0035%</b>
20.	<b>Northern Pintail</b> <i>Anas acuta</i>	<b>0.0274%</b>
21.	<b>Green-winged Teal</b> <i>Anas crecca</i>	<b>0.1149%</b>
22.	<b>Canvasback</b> <i>Aythya valisineria</i>	<b>0.0039%</b>
23.	<b>Redhead</b> <i>Aythya americana</i>	<b>0.3573%</b>
24.	<b>Ring-necked Duck</b> <i>Aythya collaris</i>	<b>0.2906%</b>
25.	<b>Greater Scaup</b> <i>Aythya marila</i>	<b>0.1358%</b>
26.	<b>Lesser Scaup</b> <i>Aythya affinis</i>	<b>0.9936%</b>
27.	<b>Common Eider</b> <i>Somateria mollissima</i>	<b>0.0052%</b>
28.	<b>Harlequin Duck</b> <i>Histrionicus histrionicus</i>	<b>0.0003%</b>
29.	<b>Surf Scoter</b> <i>Melanitta perspicillata</i>	<b>0.0438%</b>
30.	<b>White-winged Scoter</b> <i>Melanitta deglandi</i>	<b>0.0084%</b>
31.	<b>Black Scoter</b> <i>Melanitta americana</i>	<b>0.0782%</b>
32.	<b>Long-tailed Duck</b> <i>Clangula hyemalis</i>	<b>0.0045%</b>
33.	<b>Bufflehead</b> <i>Bucephala albeola</i>	<b>0.2990%</b>
34.	<b>Common Goldeneye</b> <i>Bucephala clangula</i>	<b>0.0039%</b>
35.	<b>Hooded Merganser</b> <i>Lophodytes cucullatus</i>	<b>0.1155%</b>
36.	<b>Common Merganser</b> <i>Mergus merganser</i>	<b>0.0010%</b>
37.	<b>Red-breasted Merganser</b> <i>Mergus serrator</i>	<b>2.86%</b>
38.	<b>Masked Duck</b> <i>Nomonyx dominicus</i>	<b>0.0003%</b>
39.	<b>Ruddy Duck</b> <i>Oxyura jamaicensis</i>	<b>0.1751%</b>
40.	<b>Northern Bobwhite</b> <i>Colinus virginianus</i>	<b>3.12%</b>

41. <b>Wild Turkey</b> <i>Meleagris gallopavo</i>	2.35%
42. <b>American Flamingo</b> <i>Phoenicopterus ruber</i>	0.1207%
43. <b>Least Grebe</b> <i>Tachybaptus dominicus</i>	0.0789%
44. <b>Pied-billed Grebe</b> <i>Podilymbus podiceps</i>	4.22%
45. <b>Horned Grebe</b> <i>Podiceps auritus</i>	0.1419%
46. <b>Red-necked Grebe</b> <i>Podiceps grisegena</i>	0.0010%
47. <b>Eared Grebe</b> <i>Podiceps nigricollis</i>	0.0016%
48. <b>Rock Pigeon</b> <i>Columba livia</i>	6.72%
49. <b>White-crowned Pigeon</b> <i>Patagioenas leucocephala</i>	1.33%
50. <b>European Turtle-Dove</b> <i>Streptopelia turtur</i>	0.0000%
51. <b>Eurasian Collared-Dove</b> <i>Streptopelia decaocto</i>	13.25%
52. <b>Inca Dove</b> <i>Columbina inca</i>	0.0029%
53. <b>Common Ground Dove</b> <i>Columbina passerina</i>	12.08%
54. <b>Key West Quail-Dove</b> <i>Geotrygon chrysia</i>	0.0261%
55. <b>White-tipped Dove</b> <i>Leptotila verreauxi</i>	0.0010%
56. <b>White-winged Dove</b> <i>Zenaida asiatica</i>	4.78%
57. <b>Zenaida Dove</b> <i>Zenaida aurita</i>	0.0077%
58. <b>Mourning Dove</b> <i>Zenaida macroura</i>	49.09%
59. <b>Smooth-billed Ani</b> <i>Crotophaga ani</i>	0.1017%
60. <b>Groove-billed Ani</b> <i>Crotophaga sulcirostris</i>	0.0357%
61. <b>Yellow-billed Cuckoo</b> <i>Coccyzus americanus</i>	3.77%
62. <b>Mangrove Cuckoo</b> <i>Coccyzus minor</i>	0.3135%
63. <b>Black-billed Cuckoo</b> <i>Coccyzus erythrophthalmus</i>	0.0592%

64. <b>Lesser Nighthawk</b> <i>Chordeiles acutipennis</i>	0.0058%
65. <b>Common Nighthawk</b> <i>Chordeiles minor</i>	2.69%
66. <b>Antillean Nighthawk</b> <i>Chordeiles gundlachii</i>	0.1287%
67. <b>Chuck-will's-widow</b> <i>Antrostomus carolinensis</i>	2.28%
68. <b>Eastern Whip-poor-will</b> <i>Antrostomus vociferus</i>	0.0489%
69. <b>Black Swift</b> <i>Cypseloides niger</i>	0.0003%
70. <b>Chimney Swift</b> <i>Chaetura pelagica</i>	9.98%
71. <b>Vaux's Swift</b> <i>Chaetura vauxi</i>	0.0013%
72. <b>Ruby-throated Hummingbird</b> <i>Archilochus colubris</i>	7.08%
73. <b>Black-chinned Hummingbird</b> <i>Archilochus alexandri</i>	0.0035%
74. <b>Bahama Woodstar</b> <i>Nesophlox evelynae</i>	0.0003%
75. <b>Anna's Hummingbird</b> <i>Calypte anna</i>	0.0000%
76. <b>Calliope Hummingbird</b> <i>Selasphorus calliope</i>	0.0003%
77. <b>Rufous Hummingbird</b> <i>Selasphorus rufus</i>	0.0068%
78. <b>Broad-tailed Hummingbird</b> <i>Selasphorus platycercus</i>	0.0003%
79. <b>Buff-bellied Hummingbird</b> <i>Amazilia yucatanensis</i>	0.0161%
80. <b>King Rail</b> <i>Rallus elegans</i>	0.5159%
81. <b>Clapper Rail</b> <i>Rallus crepitans</i>	1.98%
82. <b>Virginia Rail</b> <i>Rallus limicola</i>	0.1651%
83. <b>Sora</b> <i>Porzana carolina</i>	2.12%
84. <b>Common Gallinule</b> <i>Gallinula galeata</i>	16.53%
85. <b>American Coot</b> <i>Fulica americana</i>	6.34%

86.	<b>Purple Gallinule</b> <i>Porphyrio martinica</i>	3.62%
87.	<b>Gray-headed Swamphen</b> <i>Porphyrio poliocephalus</i>	1.14%
88.	<b>Yellow Rail</b> <i>Coturnicops noveboracensis</i>	0.0013%
89.	<b>Black Rail</b> <i>Laterallus jamaicensis</i>	0.0386%
90.	<b>Limpkin</b> <i>Aramus guarauna</i>	7.67%
91.	<b>Sandhill Crane</b> <i>Antigone canadensis</i>	8.28%
92.	<b>Whooping Crane</b> <i>Grus americana</i>	0.0618%
93.	<b>Black-necked Stilt</b> <i>Himantopus mexicanus</i>	6.16%
94.	<b>American Avocet</b> <i>Recurvirostra americana</i>	0.5462%
95.	<b>American Oystercatcher</b> <i>Haematopus palliatus</i>	1.62%
96.	<b>Black-bellied Plover</b> <i>Pluvialis squatarola</i>	6.58%
97.	<b>American Golden-Plover</b> <i>Pluvialis dominica</i>	0.0711%
98.	<b>Pacific Golden-Plover</b> <i>Pluvialis fulva</i>	0.0306%
99.	<b>Killdeer</b> <i>Charadrius vociferus</i>	7.55%
100.	<b>Semipalmated Plover</b> <i>Charadrius semipalmatus</i>	4.37%
101.	<b>Piping Plover</b> <i>Charadrius melodus</i>	0.7168%
102.	<b>Wilson's Plover</b> <i>Anarhynchus wilsonia</i>	1.54%
103.	<b>Snowy Plover</b> <i>Anarhynchus nivosus</i>	0.6241%
104.	<b>Upland Sandpiper</b> <i>Bartramia longicauda</i>	0.1313%
105.	<b>Whimbrel</b> <i>Numenius phaeopus</i>	0.8925%
106.	<b>Long-billed Curlew</b> <i>Numenius americanus</i>	0.0602%
107.	<b>Bar-tailed Godwit</b> <i>Limosa lapponica</i>	0.0016%

108.	<b>Black-tailed Godwit</b> <i>Limosa limosa</i>	0.0000%
109.	<b>Hudsonian Godwit</b> <i>Limosa haemastica</i>	0.0022%
110.	<b>Marbled Godwit</b> <i>Limosa fedoa</i>	1.16%
111.	<b>Short-billed Dowitcher</b> <i>Limnodromus griseus</i>	3.34%
112.	<b>Long-billed Dowitcher</b> <i>Limnodromus scolopaceus</i>	1.16%
113.	<b>American Woodcock</b> <i>Scolopax minor</i>	0.0084%
114.	<b>Wilson's Snipe</b> <i>Gallinago delicata</i>	0.6891%
115.	<b>Wilson's Phalarope</b> <i>Phalaropus tricolor</i>	0.0383%
116.	<b>Red Phalarope</b> <i>Phalaropus fulicarius</i>	0.0003%
117.	<b>Red-necked Phalarope</b> <i>Phalaropus lobatus</i>	0.0193%
118.	<b>Spotted Sandpiper</b> <i>Actitis macularius</i>	4.23%
119.	<b>Solitary Sandpiper</b> <i>Tringa solitaria</i>	2.48%
120.	<b>Lesser Yellowlegs</b> <i>Tringa flavipes</i>	4.18%
121.	<b>Willet</b> <i>Tringa semipalmata</i>	9.76%
122.	<b>Greater Yellowlegs</b> <i>Tringa melanoleuca</i>	4.11%
123.	<b>Ruddy Turnstone</b> <i>Arenaria interpres</i>	6.68%
124.	<b>Red Knot</b> <i>Calidris canutus</i>	0.9150%
125.	<b>Surfbird</b> <i>Calidris virgata</i>	0.0003%
126.	<b>Ruff</b> <i>Calidris pugnax</i>	0.0541%
127.	<b>Curlew Sandpiper</b> <i>Calidris ferruginea</i>	0.0000%
128.	<b>Stilt Sandpiper</b> <i>Calidris himantopus</i>	0.7422%
129.	<b>Buff-breasted Sandpiper</b> <i>Calidris subruficollis</i>	0.0167%
130.	<b>Sanderling</b> <i>Calidris alba</i>	6.51%

131. <b>Dunlin</b> <i>Calidris alpina</i>	3.12%
132. <b>Purple Sandpiper</b> <i>Calidris maritima</i>	0.0161%
133. <b>Baird's Sandpiper</b> <i>Calidris bairdii</i>	0.0364%
134. <b>White-rumped Sandpiper</b> <i>Calidris fuscicollis</i>	0.1506%
135. <b>Least Sandpiper</b> <i>Calidris minutilla</i>	5.31%
136. <b>Pectoral Sandpiper</b> <i>Calidris melanotos</i>	0.2774%
137. <b>Western Sandpiper</b> <i>Calidris mauri</i>	1.25%
138. <b>Semipalmated Sandpiper</b> <i>Calidris pusilla</i>	1.24%
139. <b>Long-tailed Jaeger</b> <i>Stercorarius longicaudus</i>	0.0013%
140. <b>Parasitic Jaeger</b> <i>Stercorarius parasiticus</i>	0.0154%
141. <b>Pomarine Jaeger</b> <i>Stercorarius pomarinus</i>	0.0637%
142. <b>Razorbill</b> <i>Alca torda</i>	0.0006%
143. <b>Little Gull</b> <i>Hydrocoloeus minutus</i>	0.0003%
144. <b>Black-legged Kittiwake</b> <i>Rissa tridactyla</i>	0.0608%
145. <b>Sabine's Gull</b> <i>Xema sabini</i>	0.0010%
146. <b>Bonaparte's Gull</b> <i>Chroicocephalus philadelphia</i>	0.6292%
147. <b>Black-headed Gull</b> <i>Chroicocephalus ridibundus</i>	0.0052%
148. <b>Laughing Gull</b> <i>Leucophaeus atricilla</i>	23.41%
149. <b>Franklin's Gull</b> <i>Leucophaeus pipixcan</i>	0.0026%
150. <b>Heermann's Gull</b> <i>Larus heermanni</i>	0.0022%
151. <b>Ring-billed Gull</b> <i>Larus delawarensis</i>	5.62%
152. <b>Herring Gull</b> <i>Larus argentatus</i>	2.59%
153. <b>Great Black-backed Gull</b> <i>Larus marinus</i>	0.2417%

154. <b>Glaucous Gull</b> <i>Larus hyperboreus</i>	0.0109%
155. <b>Lesser Black-backed Gull</b> <i>Larus fuscus</i>	0.6868%
156. <b>California Gull</b> <i>Larus californicus</i>	0.0006%
157. <b>Slaty-backed Gull</b> <i>Larus schistisagus</i>	0.0000%
158. <b>Iceland Gull</b> <i>Larus glaucoides</i>	0.0064%
159. <b>Black Skimmer</b> <i>Rynchops niger</i>	3.62%
160. <b>Brown Noddy</b> <i>Anous stolidus</i>	0.5040%
161. <b>Black Noddy</b> <i>Anous minutus</i>	0.0891%
162. <b>Sooty Tern</b> <i>Onychoprion fuscatus</i>	0.5278%
163. <b>Bridled Tern</b> <i>Onychoprion anaethetus</i>	0.1320%
164. <b>Least Tern</b> <i>Sternula antillarum</i>	7.60%
165. <b>Gull-billed Tern</b> <i>Gelochelidon nilotica</i>	0.4406%
166. <b>Caspian Tern</b> <i>Hydroprogne caspia</i>	2.46%
167. <b>Black Tern</b> <i>Chlidonias niger</i>	0.0370%
168. <b>Forster's Tern</b> <i>Sterna forsteri</i>	4.39%
169. <b>Arctic Tern</b> <i>Sterna paradisaea</i>	0.0106%
170. <b>Common Tern</b> <i>Sterna hirundo</i>	0.3962%
171. <b>Roseate Tern</b> <i>Sterna dougallii</i>	0.2008%
172. <b>Sandwich Tern</b> <i>Thalasseus sandvicensis</i>	3.68%
173. <b>Elegant Tern</b> <i>Thalasseus elegans</i>	0.0010%
174. <b>Royal Tern</b> <i>Thalasseus maximus</i>	10.03%
175. <b>White-tailed Tropicbird</b> <i>Phaethon lepturus</i>	0.0074%
176. <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>	0.0084%



177. <b>Red-throated Loon</b> <i>Gavia stellata</i>	0.0035%
178. <b>Pacific Loon</b> <i>Gavia pacifica</i>	0.0071%
179. <b>Common Loon</b> <i>Gavia immer</i>	1.57%
180. <b>Wilson's Storm-Petrel</b> <i>Oceanites oceanicus</i>	0.0090%
181. <b>Leach's Storm-Petrel</b> <i>Hydrobates leucorhous</i>	0.0280%
182. <b>Band-rumped Storm-Petrel</b> <i>Hydrobates castro</i>	0.0039%
183. <b>Northern Fulmar</b> <i>Fulmarus glacialis</i>	0.0000%
184. <b>Black-capped Petrel</b> <i>Pterodroma hasitata</i>	0.0010%
185. <b>Cory's Shearwater</b> <i>Calonectris diomedea</i>	0.0055%
186. <b>Great Shearwater</b> <i>Ardenna gravis</i>	0.0019%
187. <b>Sooty Shearwater</b> <i>Ardenna grisea</i>	0.0019%
188. <b>Manx Shearwater</b> <i>Puffinus puffinus</i>	0.0000%
189. <b>Audubon's Shearwater</b> <i>Puffinus lherminieri</i>	0.0827%
190. <b>Wood Stork</b> <i>Mycteria americana</i>	8.02%
191. <b>Magnificent Frigatebird</b> <i>Fregata magnificens</i>	4.98%
192. <b>Northern Gannet</b> <i>Morus bassanus</i>	0.9765%
193. <b>Red-footed Booby</b> <i>Sula sula</i>	0.0093%
194. <b>Brown Booby</b> <i>Sula leucogaster</i>	0.3395%
195. <b>Masked Booby</b> <i>Sula dactylatra</i>	0.3151%
196. <b>Anhinga</b> <i>Anhinga anhinga</i>	21.32%
197. <b>Great Cormorant</b> <i>Phalacrocorax carbo</i>	0.0097%
198. <b>Double-crested Cormorant</b> <i>Nannopterum auritum</i>	23.38%
199. <b>Neotropic Cormorant</b> <i>Nannopterum brasilianum</i>	0.0341%

200.	<b>American White Pelican</b> <i>Pelecanus erythrorhynchos</i>	2.49%
201.	<b>Brown Pelican</b> <i>Pelecanus occidentalis</i>	17.88%
202.	<b>American Bittern</b> <i>Botaurus lentiginosus</i>	0.5066%
203.	<b>Least Bittern</b> <i>Ixobrychus exilis</i>	1.94%
204.	<b>Yellow-crowned Night Heron</b> <i>Nyctanassa violacea</i>	3.78%
205.	<b>Black-crowned Night Heron</b> <i>Nycticorax nycticorax</i>	4.53%
206.	<b>Little Blue Heron</b> <i>Egretta caerulea</i>	19.01%
207.	<b>Tricolored Heron</b> <i>Egretta tricolor</i>	16.71%
208.	<b>Reddish Egret</b> <i>Egretta rufescens</i>	2.98%
209.	<b>Snowy Egret</b> <i>Egretta thula</i>	18.22%
210.	<b>Green Heron</b> <i>Butorides virescens</i>	13.55%
211.	<b>Western Cattle Egret</b> <i>Bubulcus ibis</i>	13.19%
212.	<b>Great Egret</b> <i>Ardea alba</i>	30.13%
213.	<b>Great Blue Heron</b> <i>Ardea herodias</i>	25.74%
214.	<b>White Ibis</b> <i>Eudocimus albus</i>	30.51%
215.	<b>Glossy Ibis</b> <i>Plegadis falcinellus</i>	8.73%
216.	<b>White-faced Ibis</b> <i>Plegadis chihi</i>	0.0515%
217.	<b>Roseate Spoonbill</b> <i>Platalea ajaja</i>	5.83%
218.	<b>Black Vulture</b> <i>Coragyps atratus</i>	21.75%
219.	<b>Turkey Vulture</b> <i>Cathartes aura</i>	23.57%
220.	<b>Osprey</b> <i>Pandion haliaetus</i>	33.06%
221.	<b>White-tailed Kite</b> <i>Elanus leucurus</i>	0.0705%

222.	<b>Swallow-tailed Kite</b> <i>Elanoides forficatus</i>	<b>9.80%</b>
223.	<b>Golden Eagle</b> <i>Aquila chrysaetos</i>	<b>0.0000%</b>
224.	<b>Snail Kite</b> <i>Rostrhamus sociabilis</i>	<b>1.01%</b>
225.	<b>Mississippi Kite</b> <i>Ictinia mississippiensis</i>	<b>0.7892%</b>
226.	<b>Northern Harrier</b> <i>Circus hudsonius</i>	<b>1.83%</b>
227.	<b>Sharp-shinned Hawk</b> <i>Accipiter striatus</i>	<b>0.7441%</b>
228.	<b>Cooper's Hawk</b> <i>Accipiter cooperii</i>	<b>2.71%</b>
229.	<b>Bald Eagle</b> <i>Haliaeetus leucocephalus</i>	<b>9.81%</b>
230.	<b>Red-shouldered Hawk</b> <i>Buteo lineatus</i>	<b>21.22%</b>
231.	<b>Broad-winged Hawk</b> <i>Buteo platypterus</i>	<b>0.5996%</b>
232.	<b>Short-tailed Hawk</b> <i>Buteo brachyurus</i>	<b>0.8214%</b>
233.	<b>Swainson's Hawk</b> <i>Buteo swainsoni</i>	<b>0.0071%</b>
234.	<b>Red-tailed Hawk</b> <i>Buteo jamaicensis</i>	<b>2.94%</b>
235.	<b>Rough-legged Hawk</b> <i>Buteo lagopus</i>	<b>0.0019%</b>
236.	<b>Barn Owl</b> <i>Tyto alba</i>	<b>0.1783%</b>
237.	<b>Eastern Screech-Owl</b> <i>Megascops asio</i>	<b>1.25%</b>
238.	<b>Great Horned Owl</b> <i>Bubo virginianus</i>	<b>1.58%</b>
239.	<b>Burrowing Owl</b> <i>Athene cunicularia</i>	<b>0.6846%</b>
240.	<b>Barred Owl</b> <i>Strix varia</i>	<b>4.83%</b>
241.	<b>Long-eared Owl</b> <i>Asio otus</i>	<b>0.0000%</b>
242.	<b>Short-eared Owl</b> <i>Asio flammeus</i>	<b>0.0293%</b>
243.	<b>Northern Saw-whet Owl</b> <i>Aegolius acadicus</i>	<b>0.0003%</b>
244.	<b>Belted Kingfisher</b> <i>Megaceryle alcyon</i>	<b>4.96%</b>

245.	<b>Yellow-bellied Sapsucker</b> <i>Sphyrapicus varius</i>	<b>0.4223%</b>
246.	<b>Red-headed Woodpecker</b> <i>Melanerpes erythrocephalus</i>	<b>2.32%</b>
247.	<b>Golden-fronted Woodpecker</b> <i>Melanerpes aurifrons</i>	<b>0.0000%</b>
248.	<b>Red-bellied Woodpecker</b> <i>Melanerpes carolinus</i>	<b>48.36%</b>
249.	<b>Downy Woodpecker</b> <i>Dryobates pubescens</i>	<b>19.09%</b>
250.	<b>Red-cockaded Woodpecker</b> <i>Dryobates borealis</i>	<b>0.4802%</b>
251.	<b>Hairy Woodpecker</b> <i>Dryobates villosus</i>	<b>0.1793%</b>
252.	<b>Ivory-billed Woodpecker</b> <i>Campephilus principalis</i>	<b>0.0000%</b>
253.	<b>Pileated Woodpecker</b> <i>Dryocopus pileatus</i>	<b>16.97%</b>
254.	<b>Northern Flicker</b> <i>Colaptes auratus</i>	<b>2.73%</b>
255.	<b>Crested Caracara</b> <i>Caracara plancus</i>	<b>0.7844%</b>
256.	<b>Yellow-headed Caracara</b> <i>Daptrius chimachima</i>	<b>0.0071%</b>
257.	<b>American Kestrel</b> <i>Falco sparverius</i>	<b>2.74%</b>
258.	<b>Merlin</b> <i>Falco columbarius</i>	<b>1.95%</b>
259.	<b>Peregrine Falcon</b> <i>Falco peregrinus</i>	<b>0.9395%</b>
260.	<b>Budgerigar</b> <i>Melopsittacus undulatus</i>	<b>0.0071%</b>
261.	<b>Monk Parakeet</b> <i>Myiopsitta monachus</i>	<b>1.43%</b>
262.	<b>White-winged Parakeet</b> <i>Brotogeris versicolurus</i>	<b>0.0692%</b>
263.	<b>Carolina Parakeet</b> <i>Conuropsis carolinensis</i>	<b>0.0000%</b>
264.	<b>Nanday Parakeet</b> <i>Aratinga nenday</i>	<b>3.75%</b>
265.	<b>Mitred Parakeet</b> <i>Psittacara mitratus</i>	<b>0.2755%</b>
266.	<b>Olive-sided Flycatcher</b> <i>Contopus cooperi</i>	<b>0.0013%</b>

267.	<b>Eastern Wood-Pewee</b> <i>Contopus virens</i>	<b>0.7390%</b>
268.	<b>Cuban Pewee</b> <i>Contopus caribaeus</i>	<b>0.0039%</b>
269.	<b>Yellow-bellied Flycatcher</b> <i>Empidonax flaviventris</i>	<b>0.0045%</b>
270.	<b>Acadian Flycatcher</b> <i>Empidonax virescens</i>	<b>0.4628%</b>
271.	<b>Alder Flycatcher</b> <i>Empidonax alnorum</i>	<b>0.0013%</b>
272.	<b>Willow Flycatcher</b> <i>Empidonax traillii</i>	<b>0.0003%</b>
273.	<b>Least Flycatcher</b> <i>Empidonax minimus</i>	<b>0.0335%</b>
274.	<b>Western Flycatcher</b> <i>Empidonax difficilis</i>	<b>0.0081%</b>
275.	<b>Eastern Phoebe</b> <i>Sayornis phoebe</i>	<b>0.1941%</b>
276.	<b>Vermilion Flycatcher</b> <i>Pyrocephalus rubinus</i>	<b>0.0016%</b>
277.	<b>Ash-throated Flycatcher</b> <i>Myiarchus cinerascens</i>	<b>0.0454%</b>
278.	<b>Great Crested Flycatcher</b> <i>Myiarchus crinitus</i>	<b>30.81%</b>
279.	<b>Brown-crested Flycatcher</b> <i>Myiarchus tyrannulus</i>	<b>0.0109%</b>
280.	<b>La Sagra's Flycatcher</b> <i>Myiarchus sagrae</i>	<b>0.0431%</b>
281.	<b>Piratic Flycatcher</b> <i>Legatus leucophaeus</i>	<b>0.0711%</b>
282.	<b>Tropical Kingbird</b> <i>Tyrannus melancholicus</i>	<b>0.0705%</b>
283.	<b>Cassin's Kingbird</b> <i>Tyrannus vociferans</i>	<b>0.0154%</b>
284.	<b>Western Kingbird</b> <i>Tyrannus verticalis</i>	<b>0.3721%</b>
285.	<b>Eastern Kingbird</b> <i>Tyrannus tyrannus</i>	<b>4.42%</b>
286.	<b>Gray Kingbird</b> <i>Tyrannus dominicensis</i>	<b>3.21%</b>
287.	<b>Loggerhead Kingbird</b> <i>Tyrannus caudifasciatus</i>	<b>0.0019%</b>
288.	<b>Scissor-tailed Flycatcher</b> <i>Tyrannus forficatus</i>	<b>0.3328%</b>
289.	<b>Fork-tailed Flycatcher</b> <i>Tyrannus savana</i>	<b>0.0274%</b>

290.	<b>White-eyed Vireo</b> <i>Vireo griseus</i>	<b>15.99%</b>
291.	<b>Thick-billed Vireo</b> <i>Vireo crassirostris</i>	<b>0.0302%</b>
292.	<b>Cuban Vireo</b> <i>Vireo gundlachii</i>	<b>0.0328%</b>
293.	<b>Bell's Vireo</b> <i>Vireo bellii</i>	<b>0.0473%</b>
294.	<b>Yellow-throated Vireo</b> <i>Vireo flavifrons</i>	<b>4.29%</b>
295.	<b>Blue-headed Vireo</b> <i>Vireo solitarius</i>	<b>3.50%</b>
296.	<b>Philadelphia Vireo</b> <i>Vireo philadelphicus</i>	<b>0.0328%</b>
297.	<b>Warbling Vireo</b> <i>Vireo gilvus</i>	<b>0.1007%</b>
298.	<b>Red-eyed Vireo</b> <i>Vireo olivaceus</i>	<b>8.76%</b>
299.	<b>Yellow-green Vireo</b> <i>Vireo flavoviridis</i>	<b>0.0022%</b>
300.	<b>Black-whiskered Vireo</b> <i>Vireo altiloquus</i>	<b>1.18%</b>
301.	<b>Loggerhead Shrike</b> <i>Lanius ludovicianus</i>	<b>6.56%</b>
302.	<b>Blue Jay</b> <i>Cyanocitta cristata</i>	<b>38.88%</b>
303.	<b>Florida Scrub-Jay</b> <i>Aphelocoma coerulescens</i>	<b>1.06%</b>
304.	<b>American Crow</b> <i>Corvus brachyrhynchos</i>	<b>17.38%</b>
305.	<b>Fish Crow</b> <i>Corvus ossifragus</i>	<b>38.93%</b>
306.	<b>Carolina Chickadee</b> <i>Poecile carolinensis</i>	<b>11.46%</b>
307.	<b>Tufted Titmouse</b> <i>Baeolophus bicolor</i>	<b>22.61%</b>
308.	<b>Horned Lark</b> <i>Eremophila alpestris</i>	<b>0.0093%</b>
309.	<b>Bank Swallow</b> <i>Riparia riparia</i>	<b>0.4915%</b>
310.	<b>Tree Swallow</b> <i>Tachycineta bicolor</i>	<b>4.43%</b>
311.	<b>Bahama Swallow</b> <i>Tachycineta cyaneoviridis</i>	<b>0.0010%</b>
312.	<b>Purple Martin</b> <i>Progne subis</i>	<b>8.10%</b>

313.	<b>Northern Rough-winged Swallow</b> <i>Stelgidopteryx serripennis</i>	<b>2.96%</b>
314.	<b>Barn Swallow</b> <i>Hirundo rustica</i>	<b>10.33%</b>
315.	<b>Cliff Swallow</b> <i>Petrochelidon pyrrhonota</i>	<b>0.5378%</b>
316.	<b>Cave Swallow</b> <i>Petrochelidon fulva</i>	<b>0.3061%</b>
317.	<b>Red-whiskered Bulbul</b> <i>Pycnonotus jocosus</i>	<b>0.1464%</b>
318.	<b>Ruby-crowned Kinglet</b> <i>Corthylio calendula</i>	<b>3.60%</b>
319.	<b>Golden-crowned Kinglet</b> <i>Regulus satrapa</i>	<b>0.0090%</b>
320.	<b>White-breasted Nuthatch</b> <i>Sitta carolinensis</i>	<b>0.3235%</b>
321.	<b>Brown-headed Nuthatch</b> <i>Sitta pusilla</i>	<b>2.16%</b>
322.	<b>Red-breasted Nuthatch</b> <i>Sitta canadensis</i>	<b>0.0718%</b>
323.	<b>Brown Creeper</b> <i>Certhia americana</i>	<b>0.0010%</b>
324.	<b>Blue-gray Gnatcatcher</b> <i>Polioptila caerulea</i>	<b>16.28%</b>
325.	<b>House Wren</b> <i>Troglodytes aedon</i>	<b>5.12%</b>
326.	<b>Winter Wren</b> <i>Troglodytes hiemalis</i>	<b>0.0019%</b>
327.	<b>Sedge Wren</b> <i>Cistothorus stellaris</i>	<b>0.7956%</b>
328.	<b>Marsh Wren</b> <i>Cistothorus palustris</i>	<b>2.33%</b>
329.	<b>Carolina Wren</b> <i>Thryothorus ludovicianus</i>	<b>30.00%</b>
330.	<b>Bewick's Wren</b> <i>Thryomanes bewickii</i>	<b>0.0003%</b>
331.	<b>European Starling</b> <i>Sturnus vulgaris</i>	<b>15.97%</b>
332.	<b>Common Myna</b> <i>Acridotheres tristis</i>	<b>0.4026%</b>
333.	<b>Gray Catbird</b> <i>Dumetella carolinensis</i>	<b>33.14%</b>
334.	<b>Pearly-eyed Thrasher</b> <i>Margarops fuscatus</i>	<b>0.0006%</b>

335.	<b>Brown Thrasher</b> <i>Toxostoma rufum</i>	<b>10.86%</b>
336.	<b>Bahama Mockingbird</b> <i>Mimus gundlachii</i>	<b>0.1297%</b>
337.	<b>Northern Mockingbird</b> <i>Mimus polyglottos</i>	<b>43.06%</b>
338.	<b>Eastern Bluebird</b> <i>Sialia sialis</i>	<b>9.52%</b>
339.	<b>Veery</b> <i>Catharus fuscescens</i>	<b>0.8346%</b>
340.	<b>Gray-cheeked Thrush</b> <i>Catharus minimus</i>	<b>0.9321%</b>
341.	<b>Bicknell's Thrush</b> <i>Catharus bicknelli</i>	<b>0.0003%</b>
342.	<b>Swainson's Thrush</b> <i>Catharus ustulatus</i>	<b>1.34%</b>
343.	<b>Hermit Thrush</b> <i>Catharus guttatus</i>	<b>0.6173%</b>
344.	<b>Wood Thrush</b> <i>Hylocichla mustelina</i>	<b>1.38%</b>
345.	<b>American Robin</b> <i>Turdus migratorius</i>	<b>0.4573%</b>
346.	<b>Red-legged Thrush</b> <i>Turdus plumbeus</i>	<b>0.0196%</b>
347.	<b>Cedar Waxwing</b> <i>Bombycilla cedrorum</i>	<b>7.85%</b>
348.	<b>Tricolored Munia</b> <i>Lonchura malacca</i>	<b>0.0032%</b>
349.	<b>House Sparrow</b> <i>Passer domesticus</i>	<b>6.03%</b>
350.	<b>American Pipit</b> <i>Anthus rubescens</i>	<b>0.0081%</b>
351.	<b>Sprague's Pipit</b> <i>Anthus spragueii</i>	<b>0.0003%</b>
352.	<b>Evening Grosbeak</b> <i>Coccothraustes vespertinus</i>	<b>0.0006%</b>
353.	<b>House Finch</b> <i>Haemorhous mexicanus</i>	<b>7.48%</b>
354.	<b>Purple Finch</b> <i>Haemorhous purpureus</i>	<b>0.0081%</b>
355.	<b>Pine Siskin</b> <i>Spinus pinus</i>	<b>0.2588%</b>
356.	<b>American Goldfinch</b> <i>Spinus tristis</i>	<b>2.34%</b>
357.	<b>Lapland Longspur</b> <i>Calcarius lapponicus</i>	<b>0.0003%</b>



358.	<b>Bachman's Sparrow</b> <i>Peucaea aestivalis</i>	<b>1.29%</b>
359.	<b>Grasshopper Sparrow</b> <i>Ammodramus savannarum</i>	<b>0.2250%</b>
360.	<b>Chipping Sparrow</b> <i>Spizella passerina</i>	<b>1.81%</b>
361.	<b>Clay-colored Sparrow</b> <i>Spizella pallida</i>	<b>0.0470%</b>
362.	<b>Field Sparrow</b> <i>Spizella pusilla</i>	<b>0.0599%</b>
363.	<b>Lark Sparrow</b> <i>Chondestes grammacus</i>	<b>0.0270%</b>
364.	<b>Lark Bunting</b> <i>Calamospiza melanocorys</i>	<b>0.0003%</b>
365.	<b>American Tree Sparrow</b> <i>Spizelloides arborea</i>	<b>0.0000%</b>
366.	<b>Fox Sparrow</b> <i>Passerella iliaca</i>	<b>0.0003%</b>
367.	<b>Dark-eyed Junco</b> <i>Junco hyemalis</i>	<b>0.0100%</b>
368.	<b>White-crowned Sparrow</b> <i>Zonotrichia leucophrys</i>	<b>0.2005%</b>
369.	<b>Harris's Sparrow</b> <i>Zonotrichia querula</i>	<b>0.0003%</b>
370.	<b>White-throated Sparrow</b> <i>Zonotrichia albicollis</i>	<b>0.4068%</b>
371.	<b>Vesper Sparrow</b> <i>Pooecetes gramineus</i>	<b>0.0187%</b>
372.	<b>LeConte's Sparrow</b> <i>Ammospiza leconteii</i>	<b>0.0064%</b>
373.	<b>Seaside Sparrow</b> <i>Ammospiza maritima</i>	<b>0.2678%</b>
374.	<b>Nelson's Sparrow</b> <i>Ammospiza nelsoni</i>	<b>0.0444%</b>
375.	<b>Saltmarsh Sparrow</b> <i>Ammospiza caudacuta</i>	<b>0.0145%</b>
376.	<b>Savannah Sparrow</b> <i>Passerculus sandwichensis</i>	<b>2.37%</b>
377.	<b>Henslow's Sparrow</b> <i>Centronyx henslowii</i>	<b>0.0106%</b>
378.	<b>Song Sparrow</b> <i>Melospiza melodia</i>	<b>0.1410%</b>
379.	<b>Lincoln's Sparrow</b> <i>Melospiza lincolnii</i>	<b>0.0924%</b>
380.	<b>Swamp Sparrow</b> <i>Melospiza georgiana</i>	<b>2.21%</b>

381.	<b>Green-tailed Towhee</b> <i>Pipilo chlorurus</i>	0.0093%
382.	<b>Spotted Towhee</b> <i>Pipilo maculatus</i>	0.0113%
383.	<b>Eastern Towhee</b> <i>Pipilo erythrophthalmus</i>	8.06%
384.	<b>Western Spindalis</b> <i>Spindalis zena</i>	0.0515%
385.	<b>Yellow-breasted Chat</b> <i>Icteria virens</i>	0.2433%
386.	<b>Yellow-headed Blackbird</b> <i>Xanthocephalus xanthocephalus</i>	0.0891%
387.	<b>Bobolink</b> <i>Dolichonyx oryzivorus</i>	1.42%
388.	<b>Western Meadowlark</b> <i>Sturnella neglecta</i>	0.0003%
389.	<b>Eastern Meadowlark</b> <i>Sturnella magna</i>	4.12%
390.	<b>Orchard Oriole</b> <i>Icterus spurius</i>	2.93%
391.	<b>Hooded Oriole</b> <i>Icterus cucullatus</i>	0.0122%
392.	<b>Bullock's Oriole</b> <i>Icterus bullockii</i>	0.0077%
393.	<b>Spot-breasted Oriole</b> <i>Icterus pectoralis</i>	0.4409%
394.	<b>Baltimore Oriole</b> <i>Icterus galbula</i>	2.04%
395.	<b>Red-winged Blackbird</b> <i>Agelaius phoeniceus</i>	27.07%
396.	<b>Shiny Cowbird</b> <i>Molothrus bonariensis</i>	0.1941%
397.	<b>Bronzed Cowbird</b> <i>Molothrus aeneus</i>	0.3309%
398.	<b>Brown-headed Cowbird</b> <i>Molothrus ater</i>	6.71%
399.	<b>Rusty Blackbird</b> <i>Euphagus carolinus</i>	0.0032%
400.	<b>Brewer's Blackbird</b> <i>Euphagus cyanocephalus</i>	0.0016%
401.	<b>Common Grackle</b> <i>Quiscalus quiscula</i>	29.53%
402.	<b>Boat-tailed Grackle</b> <i>Quiscalus major</i>	27.83%

403.	<b>Great-tailed Grackle</b> <i>Quiscalus mexicanus</i>	<b>0.0264%</b>
404.	<b>Ovenbird</b> <i>Seiurus aurocapilla</i>	<b>4.82%</b>
405.	<b>Worm-eating Warbler</b> <i>Helmitheros vermivorum</i>	<b>3.89%</b>
406.	<b>Louisiana Waterthrush</b> <i>Parkesia motacilla</i>	<b>0.7406%</b>
407.	<b>Northern Waterthrush</b> <i>Parkesia noveboracensis</i>	<b>3.43%</b>
408.	<b>Bachman's Warbler</b> <i>Vermivora bachmanii</i>	<b>0.0000%</b>
409.	<b>Golden-winged Warbler</b> <i>Vermivora chrysoptera</i>	<b>0.1072%</b>
410.	<b>Blue-winged Warbler</b> <i>Vermivora cyanoptera</i>	<b>0.7724%</b>
411.	<b>Black-and-white Warbler</b> <i>Mniotilta varia</i>	<b>14.96%</b>
412.	<b>Prothonotary Warbler</b> <i>Protonotaria citrea</i>	<b>3.29%</b>
413.	<b>Swainson's Warbler</b> <i>Limnothlypis swainsonii</i>	<b>0.7219%</b>
414.	<b>Tennessee Warbler</b> <i>Leiothlypis peregrina</i>	<b>1.43%</b>
415.	<b>Orange-crowned Warbler</b> <i>Leiothlypis celata</i>	<b>0.2398%</b>
416.	<b>Nashville Warbler</b> <i>Leiothlypis ruficapilla</i>	<b>0.0734%</b>
417.	<b>Connecticut Warbler</b> <i>Oporornis agilis</i>	<b>0.0061%</b>
418.	<b>MacGillivray's Warbler</b> <i>Geothlypis tolmiei</i>	<b>0.0142%</b>
419.	<b>Mourning Warbler</b> <i>Geothlypis philadelphia</i>	<b>0.0003%</b>
420.	<b>Kentucky Warbler</b> <i>Geothlypis formosa</i>	<b>0.8973%</b>
421.	<b>Common Yellowthroat</b> <i>Geothlypis trichas</i>	<b>13.77%</b>
422.	<b>Hooded Warbler</b> <i>Setophaga citrina</i>	<b>4.21%</b>
423.	<b>American Redstart</b> <i>Setophaga ruticilla</i>	<b>9.09%</b>
424.	<b>Kirtland's Warbler</b> <i>Setophaga kirtlandii</i>	<b>0.0451%</b>
425.	<b>Cape May Warbler</b> <i>Setophaga tigrina</i>	<b>7.03%</b>

426.	<b>Cerulean Warbler</b> <i>Setophaga cerulea</i>	0.1950%
427.	<b>Northern Parula</b> <i>Setophaga americana</i>	28.70%
428.	<b>Magnolia Warbler</b> <i>Setophaga magnolia</i>	1.22%
429.	<b>Bay-breasted Warbler</b> <i>Setophaga castanea</i>	0.2729%
430.	<b>Blackburnian Warbler</b> <i>Setophaga fusca</i>	0.2835%
431.	<b>Yellow Warbler</b> <i>Setophaga petechia</i>	1.41%
432.	<b>Chestnut-sided Warbler</b> <i>Setophaga pensylvanica</i>	0.4351%
433.	<b>Blackpoll Warbler</b> <i>Setophaga striata</i>	5.23%
434.	<b>Black-throated Blue Warbler</b> <i>Setophaga caerulescens</i>	5.88%
435.	<b>Palm Warbler</b> <i>Setophaga palmarum</i>	19.76%
436.	<b>Pine Warbler</b> <i>Setophaga pinus</i>	6.92%
437.	<b>Yellow-rumped Warbler</b> <i>Setophaga coronata</i>	5.48%
438.	<b>Yellow-throated Warbler</b> <i>Setophaga dominica</i>	4.78%
439.	<b>Prairie Warbler</b> <i>Setophaga discolor</i>	12.03%
440.	<b>Black-throated Gray Warbler</b> <i>Setophaga nigrescens</i>	0.0006%
441.	<b>Townsend's Warbler</b> <i>Setophaga townsendi</i>	0.0074%
442.	<b>Black-throated Green Warbler</b> <i>Setophaga virens</i>	1.48%
443.	<b>Canada Warbler</b> <i>Cardellina canadensis</i>	0.0039%
444.	<b>Wilson's Warbler</b> <i>Cardellina pusilla</i>	0.0489%
445.	<b>Summer Tanager</b> <i>Piranga rubra</i>	6.55%
446.	<b>Scarlet Tanager</b> <i>Piranga olivacea</i>	2.52%
447.	<b>Western Tanager</b> <i>Piranga ludoviciana</i>	0.1252%

448.	<b>Northern Cardinal</b> <i>Cardinalis cardinalis</i>	<b>59.52%</b>
449.	<b>Rose-breasted Grosbeak</b> <i>Pheucticus ludovicianus</i>	<b>3.04%</b>
450.	<b>Black-headed Grosbeak</b> <i>Pheucticus melanocephalus</i>	<b>0.0013%</b>
451.	<b>Blue Grosbeak</b> <i>Passerina caerulea</i>	<b>3.01%</b>
452.	<b>Lazuli Bunting</b> <i>Passerina amoena</i>	<b>0.0232%</b>
453.	<b>Indigo Bunting</b> <i>Passerina cyanea</i>	<b>7.88%</b>
454.	<b>Painted Bunting</b> <i>Passerina ciris</i>	<b>6.18%</b>
455.	<b>Dickcissel</b> <i>Spiza americana</i>	<b>0.3238%</b>
456.	<b>Red-legged Honeycreeper</b> <i>Cyanerpes cyaneus</i>	<b>0.0171%</b>
457.	<b>Bananaquit</b> <i>Coereba flaveola</i>	<b>0.0267%</b>
458.	<b>Yellow-faced Grassquit</b> <i>Tiaris olivaceus</i>	<b>0.0010%</b>
459.	<b>Black-faced Grassquit</b> <i>Melanospiza bicolor</i>	<b>0.0367%</b>
460.	<b>Cackling Goose</b> <i>Branta hutchinsii</i>	<b>0.0000%</b>
<b>EXOTIC: PROVISIONAL</b>		
461.	<b>Indian Peafowl</b> <i>Pavo cristatus</i>	<b>0.6440%</b> frequency
462.	<b>Red Junglefowl</b> <i>Gallus gallus</i>	<b>0.2494%</b>
463.	<b>Rose-ringed Parakeet</b> <i>Psittacula krameri</i>	<b>0.0460%</b>
464.	<b>Yellow-chevroned Parakeet</b> <i>Brotogeris chiriri</i>	<b>0.2906%</b>
465.	<b>Red-crowned Parrot</b> <i>Amazona viridigenalis</i>	<b>0.0531%</b>
466.	<b>Orange-winged Parrot</b> <i>Amazona amazonica</i>	<b>0.1812%</b>
467.	<b>Blue-and-yellow Macaw</b> <i>Ara ararauna</i>	<b>0.0921%</b>
468.	<b>Chestnut-fronted Macaw</b> <i>Ara severus</i>	<b>0.0975%</b>

469. <b>Blue-crowned Parakeet</b> <i>Thectocercus acuticaudatus</i>	<b>0.3808%</b>
470. <b>Red-masked Parakeet</b> <i>Psittacara erythrogenys</i>	<b>0.2343%</b>
471. <b>White-eyed Parakeet</b> <i>Psittacara leucophthalmus</i>	<b>0.0515%</b>
472. <b>House Crow</b> <i>Corvus splendens</i>	<b>0.0119%</b>
473. <b>Common Hill Myna</b> <i>Gracula religiosa</i>	<b>0.0875%</b>
474. <b>Scaly-breasted Munia</b> <i>Lonchura punctulata</i>	<b>0.2102%</b>
<b>EXOTIC: ESCAPEE</b>	
<b>Plumed Whistling-Duck</b> <i>Dendrocygna eytoni</i>	<b>0.0003%</b> frequency
<b>White-faced Whistling-Duck</b> <i>Dendrocygna viduata</i>	<b>0.0074%</b>
<b>Bar-headed Goose</b> <i>Anser indicus</i>	<b>0.0003%</b>
<b>Graylag Goose</b> <i>Anser anser</i>	<b>0.0824%</b>
<b>Swan Goose</b> <i>Anser cygnoides</i>	<b>0.0599%</b>
<b>Barnacle Goose</b> <i>Branta leucopsis</i>	<b>0.0013%</b>
<b>Hawaiian Goose</b> <i>Branta sandvicensis</i>	<b>0.0003%</b>
<b>Blue-winged Goose</b> <i>Cyanochen cyanoptera</i>	<b>0.0003%</b>
<b>Mute Swan</b> <i>Cygnus olor</i>	<b>0.1719%</b>
<b>Black Swan</b> <i>Cygnus atratus</i>	<b>0.0528%</b>
<b>Black-necked Swan</b> <i>Cygnus melancoryphus</i>	<b>0.0177%</b>
<b>Trumpeter Swan</b> <i>Cygnus buccinator</i>	<b>0.0203%</b>
<b>Whooper Swan</b> <i>Cygnus cygnus</i>	<b>0.0097%</b>
<b>Coscoroba Swan</b> <i>Coscoroba coscoroba</i>	<b>0.0045%</b>

<b>Orinoco Goose</b> <i>Oressochen jubatus</i>	0.0000%
<b>Ruddy Shelduck</b> <i>Tadorna ferruginea</i>	0.0103%
<b>Common Shelduck</b> <i>Tadorna tadorna</i>	0.0045%
<b>Ringed Teal</b> <i>Callonetta leucophrys</i>	0.0016%
<b>Mandarin Duck</b> <i>Aix galericulata</i>	0.0068%
<b>Chiloe Wigeon</b> <i>Mareca sibilatrix</i>	0.0010%
<b>Red-crested Pochard</b> <i>Netta rufina</i>	0.0109%
<b>Helmeted Guineafowl</b> <i>Numida meleagris</i>	0.0325%
<b>Gambel's Quail</b> <i>Callipepla gambelii</i>	0.0000%
<b>Ring-necked Pheasant</b> <i>Phasianus colchicus</i>	0.0026%
<b>Green Peafowl</b> <i>Pavo muticus</i>	0.0013%
<b>Red-legged Partridge</b> <i>Alectoris rufa</i>	0.0022%
<b>Chukar</b> <i>Alectoris chukar</i>	0.0000%
<b>African Collared-Dove</b> <i>Streptopelia roseogrisea</i>	0.0019%
<b>Diamond Dove</b> <i>Geopelia cuneata</i>	0.0000%
<b>Great Black Hawk</b> <i>Buteogallus urubitinga</i>	0.0026%
<b>Harris's Hawk</b> <i>Parabuteo unicinctus</i>	0.0006%
<b>Cockatiel</b> <i>Nymphicus hollandicus</i>	0.0090%
<b>Sulphur-crested Cockatoo</b> <i>Cacatua galerita</i>	0.0003%
<b>Chattering Lory</b> <i>Lorius garrulus</i>	0.0000%
<b>Red Lory</b> <i>Eos bornea</i>	0.0000%
<b>Rosy-faced Lovebird</b> <i>Agapornis roseicollis</i>	0.0003%

<b>Fischer's Lovebird</b> <i>Agapornis fischeri</i>	0.0003%
<b>Yellow-collared Lovebird</b> <i>Agapornis personatus</i>	0.0000%
<b>Gray Parrot</b> <i>Psittacus erithacus</i>	0.0000%
<b>Scaly-headed Parrot</b> <i>Pionus maximiliani</i>	0.0035%
<b>Red-spectacled Parrot</b> <i>Amazona pretrei</i>	0.0000%
<b>Lilac-crowned Parrot</b> <i>Amazona finschi</i>	0.0122%
<b>Red-lored Parrot</b> <i>Amazona autumnalis</i>	0.0003%
<b>Yellow-headed Parrot</b> <i>Amazona oratrix</i>	0.0000%
<b>Yellow-crowned Parrot</b> <i>Amazona ochrocephala</i>	0.0052%
<b>Yellow-shouldered Parrot</b> <i>Amazona barbadensis</i>	0.0000%
<b>Turquoise-fronted Parrot</b> <i>Amazona aestiva</i>	0.0052%
<b>White-fronted Parrot</b> <i>Amazona albifrons</i>	0.0010%
<b>Mealy Parrot</b> <i>Amazona farinosa</i>	0.0000%
<b>Dusky-headed Parakeet</b> <i>Aratinga weddellii</i>	0.0010%
<b>Sun Parakeet</b> <i>Aratinga solstitialis</i>	0.0003%
<b>Military Macaw</b> <i>Ara militaris</i>	0.0003%
<b>Scarlet Macaw</b> <i>Ara macao</i>	0.0000%
<b>Red-shouldered Macaw</b> <i>Diopsittaca nobilis</i>	0.0000%
<b>Green Parakeet</b> <i>Psittacara holochlorus</i>	0.0093%
<b>Crimson-fronted Parakeet</b> <i>Psittacara finschi</i>	0.0071%
<b>Hispaniolan Parakeet</b> <i>Psittacara chloropterus</i>	0.0000%
<b>San Blas Jay</b> <i>Cyanocorax sanblasianus</i>	0.0006%



<b>Superb Starling</b> <i>Lamprotornis superbus</i>	0.0003%
<b>Tropical Mockingbird</b> <i>Mimus gilvus</i>	0.0013%
<b>Northern Red Bishop</b> <i>Euplectes franciscanus</i>	0.0003%
<b>Zebra Finch</b> <i>Taeniopygia guttata</i>	0.0026%
<b>Java Sparrow</b> <i>Padda oryzivora</i>	0.0000%
<b>Orange-cheeked Waxbill</b> <i>Estrilda melpoda</i>	0.0003%
<b>Pin-tailed Whydah</b> <i>Vidua macroura</i>	0.0000%
<b>Yellow-fronted Canary</b> <i>Crithagra mozambica</i>	0.0006%
<b>Saffron Finch</b> <i>Sicalis flaveola</i>	0.0090%
<b>Cuban Grassquit</b> <i>Phonipara canora</i>	0.0006%
<b>Scarlet Ibis</b> <i>Eudocimus ruber</i>	0.0000%

## HYBRIDS

Graylag x Swan Goose (hybrid) <i>Anser anser</i> x <i>cygnoides</i>	0.0061% frequency
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides</i> x <i>Branta canadensis</i>	0.0016%
Graylag x Canada Goose (hybrid) <i>Anser anser</i> x <i>Branta canadensis</i>	0.0003%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser</i> sp. (Domestic type) x <i>Branta canadensis</i>	0.0013%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors</i> x <i>cyanoptera</i>	0.0132%
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata</i> x <i>Anas platyrhynchos</i>	0.0183%
Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos</i> x <i>fulvigula</i>	2.22%

Redhead x Ring-necked Duck (hybrid) <i>Aythya americana x collaris</i>	0.0003%
Herring x Glaucous Gull (hybrid) <i>Larus argentatus x hyperboreus</i>	0.0003%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0003%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0019%
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	0.0097%
Snowy x Little Egret (hybrid) <i>Egretta thula x garzetta</i>	0.0003%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0052%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0006%
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	0.0087%
White-winged x Yellow-chevroned Parakeet (hybrid) <i>Brotogeris versicolurus x chiriri</i>	0.0003%
Cliff x Cave Swallow (hybrid) <i>Petrochelidon pyrrhonota x fulva</i>	0.0003%
Bahama x Northern Mockingbird (hybrid) <i>Mimus gundlachii x polyglottos</i>	0.0003%
Tropical x Northern Mockingbird (hybrid) <i>Mimus gilvus x polyglottos</i>	0.0006%
Bullock's x Baltimore Oriole (hybrid) <i>Icterus bullockii x galbula</i>	0.0003%
Golden-winged x Blue-winged Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera</i>	0.0022%
Brewster's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F1 hybrid)</i>	0.0042%
Lawrence's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F2 backcross)</i>	0.0006%

---

Cerulean Warbler x Northern Parula (hybrid) <i>Setophaga cerulea x americana</i>	<b>0.0000%</b>
Magnolia x Palm Warbler (hybrid) <i>Setophaga magnolia x palmarum</i>	<b>0.0019%</b>
Lazuli x Indigo Bunting (hybrid) <i>Passerina amoena x cyanea</i>	<b>0.0003%</b>

---