



## Target Species

Based on 127,397 complete checklists
























**378** species observed in Florida, US (region/US-FL) in Aug that you need for your Florida Life List

1. <b>Mourning Dove</b> <i>Zenaida macroura</i>	<b>52.65%</b> frequency
2. <b>Northern Cardinal</b> <i>Cardinalis cardinalis</i>	<b>50.80%</b>
3. <b>Red-bellied Woodpecker</b> <i>Melanerpes carolinus</i>	<b>43.94%</b>
4. <b>Blue Jay</b> <i>Cyanocitta cristata</i>	<b>39.80%</b>
5. <b>White Ibis</b> <i>Eudocimus albus</i>	<b>35.00%</b>
6. <b>Northern Mockingbird</b> <i>Mimus polyglottos</i>	<b>34.02%</b>
7. <b>Great Egret</b> <i>Ardea alba</i>	<b>33.47%</b>
8. <b>Carolina Wren</b> <i>Thryothorus ludovicianus</i>	<b>30.58%</b>
9. <b>Osprey</b> <i>Pandion haliaetus</i>	<b>26.11%</b>
10. <b>Little Blue Heron</b> <i>Egretta caerulea</i>	<b>24.87%</b>
11. <b>Red-shouldered Hawk</b> <i>Buteo lineatus</i>	<b>24.39%</b>
12. <b>Downy Woodpecker</b> <i>Dryobates pubescens</i>	<b>23.53%</b>
13. <b>Fish Crow</b> <i>Corvus ossifragus</i>	<b>23.21%</b>
14. <b>Great Blue Heron</b> <i>Ardea herodias</i>	<b>23.20%</b>
15. <b>Anhinga</b> <i>Anhinga anhinga</i>	<b>22.74%</b>
16. <b>Snowy Egret</b> <i>Egretta thula</i>	<b>22.66%</b>
17. <b>Laughing Gull</b> <i>Leucophaeus atricilla</i>	<b>22.33%</b>
18. <b>Barn Swallow</b> <i>Hirundo rustica</i>	<b>22.27%</b>

19. <b>Tufted Titmouse</b> <i>Baeolophus bicolor</i>	<b>21.54%</b>
20. <b>Blue-gray Gnatcatcher</b> <i>Polioptila caerulea</i>	<b>21.15%</b>
21. <b>Tricolored Heron</b> <i>Egretta tricolor</i>	<b>19.77%</b>
22. <b>Boat-tailed Grackle</b> <i>Quiscalus major</i>	<b>19.32%</b>
23. <b>Turkey Vulture</b> <i>Cathartes aura</i>	<b>18.10%</b>
24. <b>Pileated Woodpecker</b> <i>Dryocopus pileatus</i>	<b>17.45%</b>
25. <b>Common Grackle</b> <i>Quiscalus quiscula</i>	<b>17.44%</b>
26. <b>American Crow</b> <i>Corvus brachyrhynchos</i>	<b>17.36%</b>
27. <b>Black Vulture</b> <i>Coragyps atratus</i>	<b>17.02%</b>
28. <b>Common Gallinule</b> <i>Gallinula galeata</i>	<b>15.76%</b>
29. <b>Red-winged Blackbird</b> <i>Agelaius phoeniceus</i>	<b>14.49%</b>
30. <b>Northern Parula</b> <i>Setophaga americana</i>	<b>14.40%</b>
31. <b>Double-crested Cormorant</b> <i>Nannopterum auritum</i>	<b>14.28%</b>
32. <b>Common Ground Dove</b> <i>Columbina passerina</i>	<b>14.17%</b>
33. <b>Western Cattle Egret</b> <i>Bubulcus ibis</i>	<b>14.13%</b>
34. <b>Green Heron</b> <i>Butorides virescens</i>	<b>13.67%</b>
35. <b>Brown Pelican</b> <i>Pelecanus occidentalis</i>	<b>13.42%</b>
36. <b>Carolina Chickadee</b> <i>Poecile carolinensis</i>	<b>13.10%</b>
37. <b>Eurasian Collared-Dove</b> <i>Streptopelia decaocto</i>	<b>12.70%</b>
38. <b>Black-bellied Whistling-Duck</b> <i>Dendrocygna autumnalis</i>	<b>11.30%</b>
39. <b>Royal Tern</b> <i>Thalasseus maximus</i>	<b>11.12%</b>
40. <b>Great Crested Flycatcher</b> <i>Myiarchus crinitus</i>	<b>10.91%</b>

41. <b>European Starling</b> <i>Sturnus vulgaris</i>	<b>10.90%</b>
42. <b>White-eyed Vireo</b> <i>Vireo griseus</i>	<b>10.71%</b>
43. <b>Willet</b> <i>Tringa semipalmata</i>	<b>10.70%</b>
44. <b>Chimney Swift</b> <i>Chaetura pelagica</i>	<b>9.78%</b>
45. <b>Prairie Warbler</b> <i>Setophaga discolor</i>	<b>9.14%</b>
46. <b>Ruddy Turnstone</b> <i>Arenaria interpres</i>	<b>8.90%</b>
47. <b>Loggerhead Shrike</b> <i>Lanius ludovicianus</i>	<b>8.81%</b>
48. <b>Killdeer</b> <i>Charadrius vociferus</i>	<b>8.70%</b>
49. <b>Ruby-throated Hummingbird</b> <i>Archilochus colubris</i>	<b>8.45%</b>
50. <b>Rock Pigeon</b> <i>Columba livia</i>	<b>8.38%</b>
51. <b>Sanderling</b> <i>Calidris alba</i>	<b>8.33%</b>
52. <b>Sandhill Crane</b> <i>Antigone canadensis</i>	<b>8.31%</b>
53. <b>Yellow-throated Warbler</b> <i>Setophaga dominica</i>	<b>8.12%</b>
54. <b>Sandwich Tern</b> <i>Thalasseus sandvicensis</i>	<b>8.12%</b>
55. <b>House Finch</b> <i>Haemorhous mexicanus</i>	<b>7.76%</b>
56. <b>Belted Kingfisher</b> <i>Megaceryle alcyon</i>	<b>7.69%</b>
57. <b>Red-eyed Vireo</b> <i>Vireo olivaceus</i>	<b>7.59%</b>
58. <b>Eastern Bluebird</b> <i>Sialia sialis</i>	<b>7.57%</b>
59. <b>Least Sandpiper</b> <i>Calidris minutilla</i>	<b>7.45%</b>
60. <b>Glossy Ibis</b> <i>Plegadis falcinellus</i>	<b>7.42%</b>
61. <b>Spotted Sandpiper</b> <i>Actitis macularius</i>	<b>7.10%</b>
62. <b>Mottled Duck</b> <i>Anas fulvigula</i>	<b>7.08%</b>
63. <b>Eastern Towhee</b> <i>Pipilo erythrophthalmus</i>	<b>7.05%</b>

64.	<b>Limpkin</b> <i>Aramus guarauna</i>	<b>6.92%</b>
65.	<b>Semipalmated Plover</b> <i>Charadrius semipalmatus</i>	<b>6.89%</b>
66.	<b>Wood Stork</b> <i>Mycteria americana</i>	<b>6.85%</b>
67.	<b>American Redstart</b> <i>Setophaga ruticilla</i>	<b>6.84%</b>
68.	<b>Brown Thrasher</b> <i>Toxostoma rufum</i>	<b>6.54%</b>
69.	<b>Black-and-white Warbler</b> <i>Mniotilta varia</i>	<b>6.47%</b>
70.	<b>Black-bellied Plover</b> <i>Pluvialis squatarola</i>	<b>6.11%</b>
71.	<b>Roseate Spoonbill</b> <i>Platalea ajaja</i>	<b>6.06%</b>
72.	<b>Least Tern</b> <i>Sternula antillarum</i>	<b>5.73%</b>
73.	<b>Black Skimmer</b> <i>Rynchops niger</i>	<b>5.09%</b>
74.	<b>House Sparrow</b> <i>Passer domesticus</i>	<b>5.07%</b>
75.	<b>Gray Kingbird</b> <i>Tyrannus dominicensis</i>	<b>4.61%</b>
76.	<b>Yellow Warbler</b> <i>Setophaga petechia</i>	<b>4.59%</b>
77.	<b>Yellow-crowned Night Heron</b> <i>Nyctanassa violacea</i>	<b>4.58%</b>
78.	<b>White-winged Dove</b> <i>Zenaida asiatica</i>	<b>4.46%</b>
79.	<b>Black-crowned Night Heron</b> <i>Nycticorax nycticorax</i>	<b>4.43%</b>
80.	<b>Muscovy Duck</b> <i>Cairina moschata</i>	<b>4.40%</b>
81.	<b>Eastern Kingbird</b> <i>Tyrannus tyrannus</i>	<b>4.21%</b>
82.	<b>Reddish Egret</b> <i>Egretta rufescens</i>	<b>4.11%</b>
83.	<b>Cooper's Hawk</b> <i>Accipiter cooperii</i>	<b>4.03%</b>
84.	<b>Short-billed Dowitcher</b> <i>Limnodromus griseus</i>	<b>4.03%</b>
85.	<b>Black-necked Stilt</b> <i>Himantopus mexicanus</i>	<b>3.81%</b>

86.	<b>Common Nighthawk</b> <i>Chordeiles minor</i>	<b>3.72%</b> 
87.	<b>Purple Martin</b> <i>Progne subis</i>	<b>3.68%</b> 
88.	<b>Magnificent Frigatebird</b> <i>Fregata magnificens</i>	<b>3.65%</b> 
89.	<b>Black Tern</b> <i>Chlidonias niger</i>	<b>3.60%</b> 
90.	<b>Greater Yellowlegs</b> <i>Tringa melanoleuca</i>	<b>3.59%</b> 
91.	<b>Semipalmated Sandpiper</b> <i>Calidris pusilla</i>	<b>3.54%</b> 
92.	<b>Lesser Yellowlegs</b> <i>Tringa flavipes</i>	<b>3.52%</b> 
93.	<b>Wood Duck</b> <i>Aix sponsa</i>	<b>3.46%</b> 
94.	<b>Forster's Tern</b> <i>Sterna forsteri</i>	<b>3.41%</b> 
95.	<b>Purple Gallinule</b> <i>Porphyrio martinica</i>	<b>3.32%</b> 
96.	<b>Pectoral Sandpiper</b> <i>Calidris melanotos</i>	<b>3.22%</b> 
97.	<b>Barred Owl</b> <i>Strix varia</i>	<b>3.13%</b> 
98.	<b>Western Sandpiper</b> <i>Calidris mauri</i>	<b>3.07%</b> 
99.	<b>Pine Warbler</b> <i>Setophaga pinus</i>	<b>3.05%</b> 
100.	<b>Red-tailed Hawk</b> <i>Buteo jamaicensis</i>	<b>3.05%</b> 
101.	<b>Swallow-tailed Kite</b> <i>Elanoides forficatus</i>	<b>3.00%</b> 
102.	<b>Bald Eagle</b> <i>Haliaeetus leucocephalus</i>	<b>2.99%</b> 
103.	<b>Prothonotary Warbler</b> <i>Protonotaria citrea</i>	<b>2.88%</b> 
104.	<b>Yellow-throated Vireo</b> <i>Vireo flavifrons</i>	<b>2.88%</b> 
105.	<b>Summer Tanager</b> <i>Piranga rubra</i>	<b>2.66%</b> 
106.	<b>Northern Bobwhite</b> <i>Colinus virginianus</i>	<b>2.65%</b> 
107.	<b>Pied-billed Grebe</b> <i>Podilymbus podiceps</i>	<b>2.52%</b> 
108.	<b>Northern Flicker</b> <i>Colaptes auratus</i>	<b>2.46%</b> 

109.	<b>Eastern Meadowlark</b> <i>Sturnella magna</i>	2.46%
110.	<b>Mississippi Kite</b> <i>Ictinia mississippiensis</i>	2.45%
111.	<b>Common Yellowthroat</b> <i>Geothlypis trichas</i>	2.31%
112.	<b>Red-headed Woodpecker</b> <i>Melanerpes erythrocephalus</i>	2.22%
113.	<b>Yellow-billed Cuckoo</b> <i>Coccyzus americanus</i>	2.22%
114.	<b>Wilson's Plover</b> <i>Anarhynchus wilsonia</i>	2.18%
115.	<b>Bank Swallow</b> <i>Riparia riparia</i>	2.18%
116.	<b>Nanday Parakeet</b> <i>Aratinga nenday</i>	2.00%
117.	<b>Solitary Sandpiper</b> <i>Tringa solitaria</i>	2.00%
118.	<b>Northern Waterthrush</b> <i>Parkesia noveboracensis</i>	2.00%
119.	<b>Louisiana Waterthrush</b> <i>Parkesia motacilla</i>	1.96%
120.	<b>Common Tern</b> <i>Sterna hirundo</i>	1.94%
121.	<b>Blue Grosbeak</b> <i>Passerina caerulea</i>	1.92%
122.	<b>Ovenbird</b> <i>Seiurus aurocapilla</i>	1.91%
123.	<b>Clapper Rail</b> <i>Rallus crepitans</i>	1.88%
124.	<b>American Oystercatcher</b> <i>Haematopus palliatus</i>	1.83%
125.	<b>Marbled Godwit</b> <i>Limosa fedoa</i>	1.83%
126.	<b>American Coot</b> <i>Fulica americana</i>	1.82%
127.	<b>Wild Turkey</b> <i>Meleagris gallopavo</i>	1.78%
128.	<b>Least Bittern</b> <i>Ixobrychus exilis</i>	1.75%
129.	<b>Cliff Swallow</b> <i>Petrochelidon pyrrhonota</i>	1.72%
130.	<b>Monk Parakeet</b> <i>Myiopsitta monachus</i>	1.70%

131.	<b>American Kestrel</b> <i>Falco sparverius</i>	1.65%
132.	<b>Brown-headed Cowbird</b> <i>Molothrus ater</i>	1.62%
133.	<b>Piping Plover</b> <i>Charadrius melodus</i>	1.61%
134.	<b>Canada Goose</b> <i>Branta canadensis</i>	1.57%
135.	<b>Hooded Warbler</b> <i>Setophaga citrina</i>	1.56%
136.	<b>Northern Rough-winged Swallow</b> <i>Stelgidopteryx serripennis</i>	1.48%
137.	<b>Caspian Tern</b> <i>Hydroprogne caspia</i>	1.43%
138.	<b>Blue-winged Teal</b> <i>Spatula discors</i>	1.42%
139.	<b>Great Horned Owl</b> <i>Bubo virginianus</i>	1.37%
140.	<b>Stilt Sandpiper</b> <i>Calidris himantopus</i>	1.37%
141.	<b>Egyptian Goose</b> <i>Alopochen aegyptiaca</i>	1.36%
142.	<b>Brown-headed Nuthatch</b> <i>Sitta pusilla</i>	1.36%
143.	<b>Mallard</b> <i>Anas platyrhynchos</i>	1.31%
144.	<b>White-crowned Pigeon</b> <i>Patagioenas leucocephala</i>	1.25%
145.	<b>Eastern Wood-Pewee</b> <i>Contopus virens</i>	1.21%
146.	<b>Snowy Plover</b> <i>Anarhynchus nivosus</i>	1.18%
147.	<b>Gull-billed Tern</b> <i>Gelochelidon nilotica</i>	1.06%
148.	<b>Red Knot</b> <i>Calidris canutus</i>	1.01%
149.	<b>Acadian Flycatcher</b> <i>Empidonax virens</i>	0.9883%
150.	<b>Ring-billed Gull</b> <i>Larus delawarensis</i>	0.9718%
151.	<b>Fulvous Whistling-Duck</b> <i>Dendrocygna bicolor</i>	0.9561%
152.	<b>Crested Caracara</b> <i>Caracara plancus</i>	0.9498%

153.	<b>Indigo Bunting</b> <i>Passerina cyanea</i>	<b>0.9490%</b>
154.	<b>Painted Bunting</b> <i>Passerina ciris</i>	<b>0.9451%</b>
155.	<b>Worm-eating Warbler</b> <i>Helmitheros vermivorum</i>	<b>0.9035%</b>
156.	<b>Snail Kite</b> <i>Rostrhamus sociabilis</i>	<b>0.8525%</b>
157.	<b>Tree Swallow</b> <i>Tachycineta bicolor</i>	<b>0.8517%</b>
158.	<b>Gray-headed Swamphen</b> <i>Porphyrio poliocephalus</i>	<b>0.8336%</b>
159.	<b>Bachman's Sparrow</b> <i>Peucaea aestivalis</i>	<b>0.7763%</b>
160.	<b>Florida Scrub-Jay</b> <i>Aphelocoma coerulescens</i>	<b>0.7575%</b>
161.	<b>American Avocet</b> <i>Recurvirostra americana</i>	<b>0.7426%</b>
162.	<b>Short-tailed Hawk</b> <i>Buteo brachyurus</i>	<b>0.7316%</b>
163.	<b>King Rail</b> <i>Rallus elegans</i>	<b>0.7010%</b>
164.	<b>Herring Gull</b> <i>Larus argentatus</i>	<b>0.6853%</b>
165.	<b>Whimbrel</b> <i>Numenius phaeopus</i>	<b>0.6578%</b>
166.	<b>American White Pelican</b> <i>Pelecanus erythrorhynchos</i>	<b>0.6578%</b>
167.	<b>Eastern Screech-Owl</b> <i>Megascops asio</i>	<b>0.6295%</b>
168.	<b>Long-billed Dowitcher</b> <i>Limnodromus scolopaceus</i>	<b>0.6170%</b>
169.	<b>White-breasted Nuthatch</b> <i>Sitta carolinensis</i>	<b>0.6091%</b>
170.	<b>Lesser Black-backed Gull</b> <i>Larus fuscus</i>	<b>0.5259%</b>
171.	<b>Wilson's Phalarope</b> <i>Phalaropus tricolor</i>	<b>0.4655%</b>
172.	<b>Spot-breasted Oriole</b> <i>Icterus pectoralis</i>	<b>0.4639%</b>
173.	<b>Upland Sandpiper</b> <i>Bartramia longicauda</i>	<b>0.4309%</b>
174.	<b>Orchard Oriole</b> <i>Icterus spurius</i>	<b>0.4294%</b>



175. <b>Cerulean Warbler</b> <i>Setophaga cerulea</i>	<b>0.4058%</b>
176. <b>Burrowing Owl</b> <i>Athene cunicularia</i>	<b>0.3933%</b>
177. <b>Barn Owl</b> <i>Tyto alba</i>	<b>0.3650%</b>
178. <b>Kentucky Warbler</b> <i>Geothlypis formosa</i>	<b>0.3548%</b>
179. <b>Bobolink</b> <i>Dolichonyx oryzivorus</i>	<b>0.3242%</b>
180. <b>Cave Swallow</b> <i>Petrochelidon fulva</i>	<b>0.3077%</b>
181. <b>Chuck-will's-widow</b> <i>Antrostomus carolinensis</i>	<b>0.3030%</b>
182. <b>Great Black-backed Gull</b> <i>Larus marinus</i>	<b>0.2983%</b>
183. <b>Gray Catbird</b> <i>Dumetella carolinensis</i>	<b>0.2771%</b>
184. <b>Black-throated Blue Warbler</b> <i>Setophaga caeruleascens</i>	<b>0.2692%</b>
185. <b>Black-whiskered Vireo</b> <i>Vireo altiloquus</i>	<b>0.2614%</b>
186. <b>Sooty Tern</b> <i>Onychoprion fuscatus</i>	<b>0.2512%</b>
187. <b>Blackburnian Warbler</b> <i>Setophaga fusca</i>	<b>0.2370%</b>
188. <b>Common Myna</b> <i>Acridotheres tristis</i>	<b>0.2323%</b>
189. <b>Red-cockaded Woodpecker</b> <i>Dryobates borealis</i>	<b>0.2072%</b>
190. <b>Broad-winged Hawk</b> <i>Buteo platypterus</i>	<b>0.1797%</b>
191. <b>Alder Flycatcher</b> <i>Empidonax alnorum</i>	<b>0.1774%</b>
192. <b>Northern Harrier</b> <i>Circus hudsonius</i>	<b>0.1711%</b>
193. <b>American Flamingo</b> <i>Phoenicopterus ruber</i>	<b>0.1625%</b>
194. <b>Buff-breasted Sandpiper</b> <i>Calidris subruficollis</i>	<b>0.1531%</b>
195. <b>Brown Noddy</b> <i>Anous stolidus</i>	<b>0.1444%</b>
196. <b>Mitred Parakeet</b> <i>Psittacara mitratus</i>	<b>0.1350%</b>

197.	<b>Brown Booby</b> <i>Sula leucogaster</i>	<b>0.1311%</b>
198.	<b>Hairy Woodpecker</b> <i>Dryobates villosus</i>	<b>0.1295%</b>
199.	<b>Mangrove Cuckoo</b> <i>Coccyzus minor</i>	<b>0.1248%</b>
200.	<b>Blue-winged Warbler</b> <i>Vermivora cyanoptera</i>	<b>0.1193%</b>
201.	<b>Bridled Tern</b> <i>Onychoprion anaethetus</i>	<b>0.1162%</b>
202.	<b>Smooth-billed Ani</b> <i>Crotophaga ani</i>	<b>0.1083%</b>
203.	<b>White-tailed Kite</b> <i>Elanus leucurus</i>	<b>0.1020%</b>
204.	<b>Marsh Wren</b> <i>Cistothorus palustris</i>	<b>0.1013%</b>
205.	<b>Shiny Cowbird</b> <i>Molothrus bonariensis</i>	<b>0.0926%</b>
206.	<b>White-rumped Sandpiper</b> <i>Calidris fuscicollis</i>	<b>0.0918%</b>
207.	<b>Wilson's Snipe</b> <i>Gallinago delicata</i>	<b>0.0848%</b>
208.	<b>Ring-necked Duck</b> <i>Aythya collaris</i>	<b>0.0840%</b>
209.	<b>Swainson's Warbler</b> <i>Limnothlypis swainsonii</i>	<b>0.0832%</b>
210.	<b>Yellow-breasted Chat</b> <i>Icteria virens</i>	<b>0.0793%</b>
211.	<b>Antillean Nighthawk</b> <i>Chordeiles gundlachii</i>	<b>0.0785%</b>
212.	<b>Bronzed Cowbird</b> <i>Molothrus aeneus</i>	<b>0.0769%</b>
213.	<b>Lesser Scaup</b> <i>Aythya affinis</i>	<b>0.0761%</b>
214.	<b>American Golden-Plover</b> <i>Pluvialis dominica</i>	<b>0.0691%</b>
215.	<b>Red-necked Phalarope</b> <i>Phalaropus lobatus</i>	<b>0.0691%</b>
216.	<b>Dunlin</b> <i>Calidris alpina</i>	<b>0.0667%</b>
217.	<b>Ruff</b> <i>Calidris pugnax</i>	<b>0.0652%</b>
218.	<b>Seaside Sparrow</b> <i>Ammospiza maritima</i>	<b>0.0597%</b>
219.	<b>Northern Shoveler</b> <i>Spatula clypeata</i>	<b>0.0589%</b>

220.	<b>American Bittern</b> <i>Botaurus lentiginosus</i>	<b>0.0557%</b>
221.	<b>Heermann's Gull</b> <i>Larus heermanni</i>	<b>0.0549%</b>
222.	<b>Roseate Tern</b> <i>Sterna dougallii</i>	<b>0.0549%</b>
223.	<b>Ruddy Duck</b> <i>Oxyura jamaicensis</i>	<b>0.0542%</b>
224.	<b>Red-whiskered Bulbul</b> <i>Pycnonotus jocosus</i>	<b>0.0542%</b>
225.	<b>Large-billed Tern</b> <i>Phaetusa simplex</i>	<b>0.0510%</b>
226.	<b>American Robin</b> <i>Turdus migratorius</i>	<b>0.0510%</b>
227.	<b>Whooping Crane</b> <i>Grus americana</i>	<b>0.0479%</b>
228.	<b>Neotropic Cormorant</b> <i>Nannopterum brasilianum</i>	<b>0.0447%</b>
229.	<b>Long-billed Curlew</b> <i>Numenius americanus</i>	<b>0.0440%</b>
230.	<b>Common Loon</b> <i>Gavia immer</i>	<b>0.0432%</b>
231.	<b>Great Shearwater</b> <i>Ardenna gravis</i>	<b>0.0432%</b>
232.	<b>Masked Booby</b> <i>Sula dactylatra</i>	<b>0.0432%</b>
233.	<b>Baltimore Oriole</b> <i>Icterus galbula</i>	<b>0.0432%</b>
234.	<b>South Polar Skua</b> <i>Stercorarius maccormicki</i>	<b>0.0416%</b>
235.	<b>Sharp-shinned Hawk</b> <i>Accipiter striatus</i>	<b>0.0393%</b>
236.	<b>Bahama Mockingbird</b> <i>Mimus gundlachii</i>	<b>0.0377%</b>
237.	<b>Baird's Sandpiper</b> <i>Calidris bairdii</i>	<b>0.0361%</b>
238.	<b>Tropical Kingbird</b> <i>Tyrannus melancholicus</i>	<b>0.0353%</b>
239.	<b>Peregrine Falcon</b> <i>Falco peregrinus</i>	<b>0.0330%</b>
240.	<b>Northern Gannet</b> <i>Morus bassanus</i>	<b>0.0322%</b>
241.	<b>Golden-winged Warbler</b> <i>Vermivora chrysoptera</i>	<b>0.0322%</b>
242.	<b>Pacific Golden-Plover</b> <i>Pluvialis fulva</i>	<b>0.0314%</b>

243.	<b>Black Rail</b> <i>Laterallus jamaicensis</i>	<b>0.0306%</b>
244.	<b>Thick-billed Vireo</b> <i>Vireo crassirostris</i>	<b>0.0306%</b>
245.	<b>Lark Sparrow</b> <i>Chondestes grammacus</i>	<b>0.0306%</b>
246.	<b>Chestnut-sided Warbler</b> <i>Setophaga pensylvanica</i>	<b>0.0298%</b>
247.	<b>Dickcissel</b> <i>Spiza americana</i>	<b>0.0290%</b>
248.	<b>Black-faced Grassquit</b> <i>Melanospiza bicolor</i>	<b>0.0290%</b>
249.	<b>Greater Scaup</b> <i>Aythya marila</i>	<b>0.0275%</b>
250.	<b>Fork-tailed Flycatcher</b> <i>Tyrannus savana</i>	<b>0.0267%</b>
251.	<b>Field Sparrow</b> <i>Spizella pusilla</i>	<b>0.0267%</b>
252.	<b>Black Scoter</b> <i>Melanitta americana</i>	<b>0.0259%</b>
253.	<b>Palm Warbler</b> <i>Setophaga palmarum</i>	<b>0.0259%</b>
254.	<b>Grasshopper Sparrow</b> <i>Ammodramus savannarum</i>	<b>0.0251%</b>
255.	<b>White-faced Ibis</b> <i>Plegadis chihi</i>	<b>0.0243%</b>
256.	<b>Audubon's Shearwater</b> <i>Puffinus lherminieri</i>	<b>0.0236%</b>
257.	<b>Merlin</b> <i>Falco columbarius</i>	<b>0.0236%</b>
258.	<b>Yellow-headed Blackbird</b> <i>Xanthocephalus xanthocephalus</i>	<b>0.0228%</b>
259.	<b>Redhead</b> <i>Aythya americana</i>	<b>0.0204%</b>
260.	<b>Cory's Shearwater</b> <i>Calonectris diomedea</i>	<b>0.0204%</b>
261.	<b>Willow Flycatcher</b> <i>Empidonax traillii</i>	<b>0.0188%</b>
262.	<b>Least Flycatcher</b> <i>Empidonax minimus</i>	<b>0.0188%</b>
263.	<b>Canada Warbler</b> <i>Cardellina canadensis</i>	<b>0.0188%</b>
264.	<b>Zenaida Dove</b> <i>Zenaida aurita</i>	<b>0.0181%</b>

265.	<b>Band-rumped Storm-Petrel</b> <i>Hydrobates castro</i>	<b>0.0181%</b>
266.	<b>Sora</b> <i>Porzana carolina</i>	<b>0.0173%</b>
267.	<b>Pomarine Jaeger</b> <i>Stercorarius pomarinus</i>	<b>0.0165%</b>
268.	<b>White-winged Parakeet</b> <i>Brotogeris versicolurus</i>	<b>0.0157%</b>
269.	<b>Red-breasted Merganser</b> <i>Mergus serrator</i>	<b>0.0149%</b>
270.	<b>Black-billed Cuckoo</b> <i>Coccyzus erythrophthalmus</i>	<b>0.0141%</b>
271.	<b>Hudsonian Godwit</b> <i>Limosa haemastica</i>	<b>0.0141%</b>
272.	<b>Wilson's Storm-Petrel</b> <i>Oceanites oceanicus</i>	<b>0.0133%</b>
273.	<b>Cape May Warbler</b> <i>Setophaga tigrina</i>	<b>0.0133%</b>
274.	<b>Veery</b> <i>Catharus fuscescens</i>	<b>0.0126%</b>
275.	<b>Wood Thrush</b> <i>Hylocichla mustelina</i>	<b>0.0126%</b>
276.	<b>Magnolia Warbler</b> <i>Setophaga magnolia</i>	<b>0.0118%</b>
277.	<b>Parasitic Jaeger</b> <i>Stercorarius parasiticus</i>	<b>0.0110%</b>
278.	<b>Rufous Hummingbird</b> <i>Selasphorus rufus</i>	<b>0.0094%</b>
279.	<b>Sooty Shearwater</b> <i>Ardenna grisea</i>	<b>0.0094%</b>
280.	<b>Green-winged Teal</b> <i>Anas crecca</i>	<b>0.0086%</b>
281.	<b>Olive-sided Flycatcher</b> <i>Contopus cooperi</i>	<b>0.0086%</b>
282.	<b>La Sagra's Flycatcher</b> <i>Myiarchus sagrae</i>	<b>0.0086%</b>
283.	<b>American Wigeon</b> <i>Mareca americana</i>	<b>0.0071%</b>
284.	<b>Curlew Sandpiper</b> <i>Calidris ferruginea</i>	<b>0.0071%</b>
285.	<b>Eastern Phoebe</b> <i>Sayornis phoebe</i>	<b>0.0071%</b>
286.	<b>Western Spindalis</b> <i>Spindalis zena</i>	<b>0.0071%</b>

287.	<b>Tennessee Warbler</b> <i>Leiothlypis peregrina</i>	0.0071%
288.	<b>Black-throated Green Warbler</b> <i>Setophaga virens</i>	0.0071%
289.	<b>Scarlet Tanager</b> <i>Piranga olivacea</i>	0.0071%
290.	<b>Inca Dove</b> <i>Columbina inca</i>	0.0063%
291.	<b>Yellow-bellied Flycatcher</b> <i>Empidonax flaviventris</i>	0.0063%
292.	<b>American Goldfinch</b> <i>Spinus tristis</i>	0.0063%
293.	<b>Harlequin Duck</b> <i>Histrionicus histrionicus</i>	0.0055%
294.	<b>Surf Scoter</b> <i>Melanitta perspicillata</i>	0.0055%
295.	<b>Eastern Whip-poor-will</b> <i>Antrostomus vociferus</i>	0.0055%
296.	<b>Long-tailed Jaeger</b> <i>Stercorarius longicaudus</i>	0.0055%
297.	<b>Blue-headed Vireo</b> <i>Vireo solitarius</i>	0.0055%
298.	<b>American Woodcock</b> <i>Scolopax minor</i>	0.0047%
299.	<b>Arctic Tern</b> <i>Sterna paradisaea</i>	0.0047%
300.	<b>White-tailed Tropicbird</b> <i>Phaethon lepturus</i>	0.0047%
301.	<b>Wilson's Warbler</b> <i>Cardellina pusilla</i>	0.0047%
302.	<b>Common Eider</b> <i>Somateria mollissima</i>	0.0039%
303.	<b>Western Kingbird</b> <i>Tyrannus verticalis</i>	0.0039%
304.	<b>Rose-breasted Grosbeak</b> <i>Pheucticus ludovicianus</i>	0.0039%
305.	<b>Eurasian Wigeon</b> <i>Mareca penelope</i>	0.0031%
306.	<b>White-winged Scoter</b> <i>Melanitta deglandi</i>	0.0031%
307.	<b>Black-chinned Hummingbird</b> <i>Archilochus alexandri</i>	0.0031%
308.	<b>Scissor-tailed Flycatcher</b> <i>Tyrannus forficatus</i>	0.0031%

309.	<b>Chipping Sparrow</b> <i>Spizella passerina</i>	0.0031%
310.	<b>Western Tanager</b> <i>Piranga ludoviciana</i>	0.0031%
311.	<b>Hooded Merganser</b> <i>Lophodytes cucullatus</i>	0.0023%
312.	<b>Sabine's Gull</b> <i>Xema sabini</i>	0.0023%
313.	<b>Black Noddy</b> <i>Anous minutus</i>	0.0023%
314.	<b>Leach's Storm-Petrel</b> <i>Hydrobates leucorhous</i>	0.0023%
315.	<b>Black-capped Petrel</b> <i>Pterodroma hasitata</i>	0.0023%
316.	<b>Horned Lark</b> <i>Eremophila alpestris</i>	0.0023%
317.	<b>Nashville Warbler</b> <i>Leiothlypis ruficapilla</i>	0.0023%
318.	<b>Greater White-fronted Goose</b> <i>Anser albifrons</i>	0.0016%
319.	<b>Red Phalarope</b> <i>Phalaropus fulicarius</i>	0.0016%
320.	<b>Bonaparte's Gull</b> <i>Chroicocephalus philadelphia</i>	0.0016%
321.	<b>Red-footed Booby</b> <i>Sula sula</i>	0.0016%
322.	<b>Short-eared Owl</b> <i>Asio flammeus</i>	0.0016%
323.	<b>Bell's Vireo</b> <i>Vireo bellii</i>	0.0016%
324.	<b>Great-tailed Grackle</b> <i>Quiscalus mexicanus</i>	0.0016%
325.	<b>Bufflehead</b> <i>Bucephala albeola</i>	0.0008%
326.	<b>Masked Duck</b> <i>Nomonyx dominicus</i>	0.0008%
327.	<b>Horned Grebe</b> <i>Podiceps auritus</i>	0.0008%
328.	<b>Antillean Palm Swift</b> <i>Tachornis phoenicobia</i>	0.0008%
329.	<b>Bahama Woodstar</b> <i>Nesophlox evelynae</i>	0.0008%
330.	<b>Virginia Rail</b> <i>Rallus limicola</i>	0.0008%
331.	<b>Bar-tailed Godwit</b> <i>Limosa lapponica</i>	0.0008%

332.	<b>Franklin's Gull</b> <i>Leucophaeus pipixcan</i>	0.0008%
333.	<b>Iceland Gull</b> <i>Larus glaucoides</i>	0.0008%
334.	<b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>	0.0008%
335.	<b>Wedge-tailed Shearwater</b> <i>Ardenna pacifica</i>	0.0008%
336.	<b>Great Cormorant</b> <i>Phalacrocorax carbo</i>	0.0008%
337.	<b>Swainson's Hawk</b> <i>Buteo swainsoni</i>	0.0008%
338.	<b>Yellow-bellied Sapsucker</b> <i>Sphyrapicus varius</i>	0.0008%
339.	<b>Cassin's Kingbird</b> <i>Tyrannus vociferans</i>	0.0008%
340.	<b>Ruby-crowned Kinglet</b> <i>Corthylio calendula</i>	0.0008%
341.	<b>Swainson's Thrush</b> <i>Catharus ustulatus</i>	0.0008%
342.	<b>Orange-crowned Warbler</b> <i>Leiothlypis celata</i>	0.0008%
343.	<b>Mourning Warbler</b> <i>Geothlypis philadelphia</i>	0.0008%
344.	<b>Townsend's Warbler</b> <i>Setophaga townsendi</i>	0.0008%
345.	<b>Golden-cheeked Warbler</b> <i>Setophaga chrysoparia</i>	0.0008%
346.	<b>Black-headed Grosbeak</b> <i>Pheucticus melanocephalus</i>	0.0008%
347.	<b>Ross's Goose</b> <i>Anser rossii</i>	0.0000%
348.	<b>Northern Pintail</b> <i>Anas acuta</i>	0.0000%
349.	<b>Sharp-tailed Sandpiper</b> <i>Calidris acuminata</i>	0.0000%
350.	<b>Black-headed Gull</b> <i>Chroicocephalus ridibundus</i>	0.0000%
351.	<b>Belcher's Gull</b> <i>Larus belcheri</i>	0.0000%
352.	<b>Slaty-backed Gull</b> <i>Larus schistisagus</i>	0.0000%
353.	<b>Elegant Tern</b> <i>Thalasseus elegans</i>	0.0000%



354.	<b>Scarlet Ibis</b> <i>Eudocimus ruber</i>	0.0000%
355.	<b>Bahama Swallow</b> <i>Tachycineta cyaneoviridis</i>	0.0000%
356.	<b>Southern Martin</b> <i>Progne elegans</i>	0.0000%
357.	<b>Sedge Wren</b> <i>Cistothorus stellaris</i>	0.0000%
358.	<b>Northern Wheatear</b> <i>Oenanthe oenanthe</i>	0.0000%
359.	<b>Bachman's Warbler</b> <i>Vermivora bachmanii</i>	0.0000%
360.	<b>Connecticut Warbler</b> <i>Oporornis agilis</i>	0.0000%
361.	<b>Bay-breasted Warbler</b> <i>Setophaga castanea</i>	0.0000%
362.	<b>Blackpoll Warbler</b> <i>Setophaga striata</i>	0.0000%
<b>EXOTIC: PROVISIONAL</b>		
363.	<b>Scaly-breasted Munia</b> <i>Lonchura punctulata</i>	0.3980% frequency
364.	<b>Blue-crowned Parakeet</b> <i>Thectocercus acuticaudatus</i>	0.3454%
365.	<b>Indian Peafowl</b> <i>Pavo cristatus</i>	0.2802%
366.	<b>Red-masked Parakeet</b> <i>Psittacara erythrogenys</i>	0.1633%
367.	<b>Yellow-chevroned Parakeet</b> <i>Brotogeris chiriri</i>	0.1240%
368.	<b>Red Junglefowl</b> <i>Gallus gallus</i>	0.0738%
369.	<b>Orange-winged Parrot</b> <i>Amazona amazonica</i>	0.0667%
370.	<b>Blue-and-yellow Macaw</b> <i>Ara ararauna</i>	0.0510%
371.	<b>Common Hill Myna</b> <i>Gracula religiosa</i>	0.0471%
372.	<b>White-eyed Parakeet</b> <i>Psittacara leucophthalmus</i>	0.0408%
373.	<b>Chestnut-fronted Macaw</b> <i>Ara severus</i>	0.0369%
374.	<b>Rose-ringed Parakeet</b> <i>Psittacula krameri</i>	0.0322%

375. <b>Budgerigar</b> <i>Melopsittacus undulatus</i>	0.0071%
376. <b>Red-crowned Parrot</b> <i>Amazona viridigenalis</i>	0.0071%
377. <b>House Crow</b> <i>Corvus splendens</i>	0.0063%
378. <b>White-cheeked Pintail</b> <i>Anas bahamensis</i>	0.0008%
<b>EXOTIC: ESCAPEE</b>	
<b>Mute Swan</b> <i>Cygnus olor</i>	0.1743% frequency
<b>Graylag Goose</b> <i>Anser anser</i>	0.0832%
<b>Swan Goose</b> <i>Anser cygnoides</i>	0.0785%
<b>Black Swan</b> <i>Cygnus atratus</i>	0.0487%
<b>Helmeted Guineafowl</b> <i>Numida meleagris</i>	0.0479%
<b>Black-necked Swan</b> <i>Cygnus melancoryphus</i>	0.0243%
<b>Trumpeter Swan</b> <i>Cygnus buccinator</i>	0.0220%
<b>Cockatiel</b> <i>Nymphicus hollandicus</i>	0.0188%
<b>Northern Red Bishop</b> <i>Euplectes franciscanus</i>	0.0157%
<b>Ruddy Shelduck</b> <i>Tadorna ferruginea</i>	0.0149%
<b>Yellow-collared Lovebird</b> <i>Agapornis personatus</i>	0.0133%
<b>Rosy-faced Lovebird</b> <i>Agapornis roseicollis</i>	0.0126%
<b>Whooper Swan</b> <i>Cygnus cygnus</i>	0.0118%
<b>Pin-tailed Whydah</b> <i>Vidua macroura</i>	0.0110%
<b>Silver-beaked Tanager</b> <i>Ramphocelus carbo</i>	0.0110%
<b>Green Parakeet</b> <i>Psittacara holochlorus</i>	0.0078%
<b>Coscoroba Swan</b> <i>Coscoroba coscoroba</i>	0.0071%

<b>Mandarin Duck</b> <i>Aix galericulata</i>	<b>0.0063%</b>
<b>Crimson-fronted Parakeet</b> <i>Psittacara finschi</i>	<b>0.0063%</b>
<b>White-faced Whistling-Duck</b> <i>Dendrocygna viduata</i>	<b>0.0055%</b>
<b>Diamond Dove</b> <i>Geopelia cuneata</i>	<b>0.0055%</b>
<b>Common Shelduck</b> <i>Tadorna tadorna</i>	<b>0.0047%</b>
<b>Bar-headed Goose</b> <i>Anser indicus</i>	<b>0.0039%</b>
<b>Ringed Teal</b> <i>Callonetta leucophrys</i>	<b>0.0039%</b>
<b>Red-crested Pochard</b> <i>Netta rufina</i>	<b>0.0039%</b>
<b>Barnacle Goose</b> <i>Branta leucopsis</i>	<b>0.0031%</b>
<b>Ring-necked Pheasant</b> <i>Phasianus colchicus</i>	<b>0.0023%</b>
<b>African Collared-Dove</b> <i>Streptopelia roseogrisea</i>	<b>0.0023%</b>
<b>Gray Crowned-Crane</b> <i>Balearica regulorum</i>	<b>0.0023%</b>
<b>Great Black Hawk</b> <i>Buteogallus urubitinga</i>	<b>0.0023%</b>
<b>Scaly-headed Parrot</b> <i>Pionus maximiliani</i>	<b>0.0023%</b>
<b>Orange-cheeked Waxbill</b> <i>Estrilda melpoda</i>	<b>0.0023%</b>
<b>Saffron Finch</b> <i>Sicalis flaveola</i>	<b>0.0023%</b>
<b>Cuban Grassquit</b> <i>Phonipara canora</i>	<b>0.0023%</b>
<b>Green Peafowl</b> <i>Pavo muticus</i>	<b>0.0016%</b>
<b>Sulphur-crested Cockatoo</b> <i>Cacatua galerita</i>	<b>0.0016%</b>
<b>Lilac-crowned Parrot</b> <i>Amazona finschi</i>	<b>0.0016%</b>
<b>Scarlet-fronted Parakeet</b> <i>Psittacara wagleri</i>	<b>0.0016%</b>
<b>Lavender Waxbill</b> <i>Glaucostrelda caerulea</i>	<b>0.0016%</b>

<b>Rosy-billed Pochard</b> <i>Netta peposaca</i>	<b>0.0008%</b>
<b>Fischer's Lovebird</b> <i>Agapornis fischeri</i>	<b>0.0008%</b>
<b>Dusky-headed Parakeet</b> <i>Aratinga weddellii</i>	<b>0.0008%</b>
<b>Military Macaw</b> <i>Ara militaris</i>	<b>0.0008%</b>
<b>Village Weaver</b> <i>Ploceus cucullatus</i>	<b>0.0008%</b>
<b>Zebra Finch</b> <i>Taeniopygia guttata</i>	<b>0.0008%</b>
<b>Black-and-white Mannikin</b> <i>Spermestes bicolor</i>	<b>0.0008%</b>
<b>Red Avadavat</b> <i>Amandava amandava</i>	<b>0.0008%</b>
<b>Red-cheeked Cordonbleu</b> <i>Uraeginthus bengalus</i>	<b>0.0008%</b>
<b>Yellow-fronted Canary</b> <i>Crithagra mozambica</i>	<b>0.0008%</b>
<b>African Woolly-necked Stork</b> <i>Ciconia microscelis</i>	<b>0.0000%</b>
<b>African Sacred Ibis</b> <i>Threskiornis aethiopicus</i>	<b>0.0000%</b>
<b>Blue-bellied Roller</b> <i>Coracias cyanogaster</i>	<b>0.0000%</b>
<b>Yellow-headed Parrot</b> <i>Amazona oratrix</i>	<b>0.0000%</b>
<b>Yellow-crowned Parrot</b> <i>Amazona ochrocephala</i>	<b>0.0000%</b>
<b>Orange-fronted Parakeet</b> <i>Eupsittula canicularis</i>	<b>0.0000%</b>
<b>Sun Parakeet</b> <i>Aratinga solstitialis</i>	<b>0.0000%</b>
<b>Pied Crow</b> <i>Corvus albus</i>	<b>0.0000%</b>

## HYBRIDS

<b>Mallard x Mottled Duck (hybrid)</b> <i>Anas platyrhynchos x fulvigula</i>	<b>1.54%</b> frequency ■
--	-----------------------------

Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	<b>0.0322%</b>
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	<b>0.0149%</b>
Tropical x Gray Kingbird (hybrid) <i>Tyrannus melancholicus x dominicensis</i>	<b>0.0071%</b>
Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	<b>0.0063%</b>
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	<b>0.0023%</b>
Brewster's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F1 hybrid)</i>	<b>0.0023%</b>
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	<b>0.0016%</b>
Lawrence's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F2 backcross)</i>	<b>0.0016%</b>
Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	<b>0.0008%</b>
Trumpeter x Tundra Swan (hybrid) <i>Cygnus buccinator x columbianus</i>	<b>0.0008%</b>
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	<b>0.0008%</b>
Bahama x Northern Mockingbird (hybrid) <i>Mimus gundlachii x polyglottos</i>	<b>0.0008%</b>
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	<b>0.0000%</b>