



Target Species

Based on 127,397 complete checklists

378 species observed in Florida, US (region/US-FL) in **Aug** that you need for your **Florida Life List**

1. Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	11.30% frequency
2. Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.9561%
3. Ross's Goose <i>Anser rossii</i>	0.0000%
4. Greater White-fronted Goose <i>Anser albifrons</i>	0.0016%
5. Canada Goose <i>Branta canadensis</i>	1.57%
6. Egyptian Goose <i>Alopochen aegyptiaca</i>	1.36%
7. Muscovy Duck <i>Cairina moschata</i>	4.40%
8. Wood Duck <i>Aix sponsa</i>	3.46%
9. Blue-winged Teal <i>Spatula discors</i>	1.42%
10. Northern Shoveler <i>Spatula clypeata</i>	0.0589%
11. Eurasian Wigeon <i>Mareca penelope</i>	0.0031%
12. American Wigeon <i>Mareca americana</i>	0.0071%
13. Mallard <i>Anas platyrhynchos</i>	1.31%
14. Mottled Duck <i>Anas fulvigula</i>	7.08%
15. Northern Pintail <i>Anas acuta</i>	0.0000%
16. Green-winged Teal <i>Anas crecca</i>	0.0086%
17. Redhead <i>Aythya americana</i>	0.0204%

18.	Ring-necked Duck <i>Aythya collaris</i>	0.0840%
19.	Greater Scaup <i>Aythya marila</i>	0.0275%
20.	Lesser Scaup <i>Aythya affinis</i>	0.0761%
21.	Common Eider <i>Somateria mollissima</i>	0.0039%
22.	Harlequin Duck <i>Histrionicus histrionicus</i>	0.0055%
23.	Surf Scoter <i>Melanitta perspicillata</i>	0.0055%
24.	White-winged Scoter <i>Melanitta deglandi</i>	0.0031%
25.	Black Scoter <i>Melanitta americana</i>	0.0259%
26.	Bufflehead <i>Bucephala albeola</i>	0.0008%
27.	Hooded Merganser <i>Lophodytes cucullatus</i>	0.0023%
28.	Red-breasted Merganser <i>Mergus serrator</i>	0.0149%
29.	Masked Duck <i>Nomonyx dominicus</i>	0.0008%
30.	Ruddy Duck <i>Oxyura jamaicensis</i>	0.0542%
31.	Northern Bobwhite <i>Colinus virginianus</i>	2.65%
32.	Wild Turkey <i>Meleagris gallopavo</i>	1.78%
33.	American Flamingo <i>Phoenicopterus ruber</i>	0.1625%
34.	Pied-billed Grebe <i>Podilymbus podiceps</i>	2.52%
35.	Horned Grebe <i>Podiceps auritus</i>	0.0008%
36.	Rock Pigeon <i>Columba livia</i>	8.38%
37.	White-crowned Pigeon <i>Patagioenas leucocephala</i>	1.25%
38.	Eurasian Collared-Dove <i>Streptopelia decaocto</i>	12.70%
39.	Inca Dove <i>Columbina inca</i>	0.0063%
40.	Common Ground Dove <i>Columbina passerina</i>	14.17%

41. White-winged Dove <i>Zenaida asiatica</i>	4.46%
42. Zenaida Dove <i>Zenaida aurita</i>	0.0181%
43. Mourning Dove <i>Zenaida macroura</i>	52.65%
44. Smooth-billed Ani <i>Crotophaga ani</i>	0.1083%
45. Yellow-billed Cuckoo <i>Coccyzus americanus</i>	2.22%
46. Mangrove Cuckoo <i>Coccyzus minor</i>	0.1248%
47. Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	0.0141%
48. Common Nighthawk <i>Chordeiles minor</i>	3.72%
49. Antillean Nighthawk <i>Chordeiles gundlachii</i>	0.0785%
50. Chuck-will's-widow <i>Antrostomus carolinensis</i>	0.3030%
51. Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.0055%
52. Chimney Swift <i>Chaetura pelagica</i>	9.78%
53. Antillean Palm Swift <i>Tachornis phoenicobia</i>	0.0008%
54. Ruby-throated Hummingbird <i>Archilochus colubris</i>	8.45%
55. Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.0031%
56. Bahama Woodstar <i>Nesophlox evelynae</i>	0.0008%
57. Rufous Hummingbird <i>Selasphorus rufus</i>	0.0094%
58. King Rail <i>Rallus elegans</i>	0.7010%
59. Clapper Rail <i>Rallus crepitans</i>	1.88%
60. Virginia Rail <i>Rallus limicola</i>	0.0008%
61. Sora <i>Porzana carolina</i>	0.0173%
62. Common Gallinule <i>Gallinula galeata</i>	15.76%

63.	American Coot <i>Fulica americana</i>	1.82%
64.	Purple Gallinule <i>Porphyrio martinica</i>	3.32%
65.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	0.8336%
66.	Black Rail <i>Laterallus jamaicensis</i>	0.0306%
67.	Limpkin <i>Aramus guarauna</i>	6.92%
68.	Sandhill Crane <i>Antigone canadensis</i>	8.31%
69.	Whooping Crane <i>Grus americana</i>	0.0479%
70.	Black-necked Stilt <i>Himantopus mexicanus</i>	3.81%
71.	American Avocet <i>Recurvirostra americana</i>	0.7426%
72.	American Oystercatcher <i>Haematopus palliatus</i>	1.83%
73.	Black-bellied Plover <i>Pluvialis squatarola</i>	6.11%
74.	American Golden-Plover <i>Pluvialis dominica</i>	0.0691%
75.	Pacific Golden-Plover <i>Pluvialis fulva</i>	0.0314%
76.	Killdeer <i>Charadrius vociferus</i>	8.70%
77.	Semipalmated Plover <i>Charadrius semipalmatus</i>	6.89%
78.	Piping Plover <i>Charadrius melodus</i>	1.61%
79.	Wilson's Plover <i>Anarhynchus wilsonia</i>	2.18%
80.	Snowy Plover <i>Anarhynchus nivosus</i>	1.18%
81.	Upland Sandpiper <i>Bartramia longicauda</i>	0.4309%
82.	Whimbrel <i>Numenius phaeopus</i>	0.6578%
83.	Long-billed Curlew <i>Numenius americanus</i>	0.0440%
84.	Bar-tailed Godwit <i>Limosa lapponica</i>	0.0008%

85.	Hudsonian Godwit <i>Limosa haemastica</i>	0.0141%
86.	Marbled Godwit <i>Limosa fedoa</i>	1.83%
87.	Short-billed Dowitcher <i>Limnodromus griseus</i>	4.03%
88.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	0.6170%
89.	American Woodcock <i>Scolopax minor</i>	0.0047%
90.	Wilson's Snipe <i>Gallinago delicata</i>	0.0848%
91.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.4655%
92.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0016%
93.	Red-necked Phalarope <i>Phalaropus lobatus</i>	0.0691%
94.	Spotted Sandpiper <i>Actitis macularius</i>	7.10%
95.	Solitary Sandpiper <i>Tringa solitaria</i>	2.00%
96.	Lesser Yellowlegs <i>Tringa flavipes</i>	3.52%
97.	Willet <i>Tringa semipalmata</i>	10.70%
98.	Greater Yellowlegs <i>Tringa melanoleuca</i>	3.59%
99.	Ruddy Turnstone <i>Arenaria interpres</i>	8.90%
100.	Red Knot <i>Calidris canutus</i>	1.01%
101.	Ruff <i>Calidris pugnax</i>	0.0652%
102.	Sharp-tailed Sandpiper <i>Calidris acuminata</i>	0.0000%
103.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0071%
104.	Stilt Sandpiper <i>Calidris himantopus</i>	1.37%
105.	Buff-breasted Sandpiper <i>Calidris subruficollis</i>	0.1531%
106.	Sanderling <i>Calidris alba</i>	8.33%
107.	Dunlin <i>Calidris alpina</i>	0.0667%

108.	Baird's Sandpiper <i>Calidris bairdii</i>	0.0361%
109.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.0918%
110.	Least Sandpiper <i>Calidris minutilla</i>	7.45%
111.	Pectoral Sandpiper <i>Calidris melanotos</i>	3.22%
112.	Western Sandpiper <i>Calidris mauri</i>	3.07%
113.	Semipalmated Sandpiper <i>Calidris pusilla</i>	3.54%
114.	Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0055%
115.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.0110%
116.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.0165%
117.	South Polar Skua <i>Stercorarius maccormicki</i>	0.0416%
118.	Sabine's Gull <i>Xema sabini</i>	0.0023%
119.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	0.0016%
120.	Black-headed Gull <i>Chroicocephalus ridibundus</i>	0.0000%
121.	Laughing Gull <i>Leucophaeus atricilla</i>	22.33%
122.	Franklin's Gull <i>Leucophaeus pipixcan</i>	0.0008%
123.	Belcher's Gull <i>Larus belcheri</i>	0.0000%
124.	Heermann's Gull <i>Larus heermanni</i>	0.0549%
125.	Ring-billed Gull <i>Larus delawarensis</i>	0.9718%
126.	Herring Gull <i>Larus argentatus</i>	0.6853%
127.	Great Black-backed Gull <i>Larus marinus</i>	0.2983%
128.	Lesser Black-backed Gull <i>Larus fuscus</i>	0.5259%
129.	Slaty-backed Gull <i>Larus schistisagus</i>	0.0000%
130.	Iceland Gull <i>Larus glaucooides</i>	0.0008%

131. Black Skimmer <i>Rynchops niger</i>	5.09%
132. Brown Noddy <i>Anous stolidus</i>	0.1444%
133. Black Noddy <i>Anous minutus</i>	0.0023%
134. Sooty Tern <i>Onychoprion fuscatus</i>	0.2512%
135. Bridled Tern <i>Onychoprion anaethetus</i>	0.1162%
136. Least Tern <i>Sternula antillarum</i>	5.73%
137. Large-billed Tern <i>Phaetusa simplex</i>	0.0510%
138. Gull-billed Tern <i>Gelochelidon nilotica</i>	1.06%
139. Caspian Tern <i>Hydroprogne caspia</i>	1.43%
140. Black Tern <i>Chlidonias niger</i>	3.60%
141. Forster's Tern <i>Sterna forsteri</i>	3.41%
142. Arctic Tern <i>Sterna paradisaea</i>	0.0047%
143. Common Tern <i>Sterna hirundo</i>	1.94%
144. Roseate Tern <i>Sterna dougallii</i>	0.0549%
145. Sandwich Tern <i>Thalasseus sandvicensis</i>	8.12%
146. Elegant Tern <i>Thalasseus elegans</i>	0.0000%
147. Royal Tern <i>Thalasseus maximus</i>	11.12%
148. White-tailed Tropicbird <i>Phaethon lepturus</i>	0.0047%
149. Red-billed Tropicbird <i>Phaethon aethereus</i>	0.0008%
150. Common Loon <i>Gavia immer</i>	0.0432%
151. Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.0133%
152. Leach's Storm-Petrel <i>Hydrobates leucorhous</i>	0.0023%
153. Band-rumped Storm-Petrel <i>Hydrobates castro</i>	0.0181%

154. Black-capped Petrel <i>Pterodroma hasitata</i>	0.0023%
155. Cory's Shearwater <i>Calonectris diomedea</i>	0.0204%
156. Great Shearwater <i>Ardenna gravis</i>	0.0432%
157. Wedge-tailed Shearwater <i>Ardenna pacifica</i>	0.0008%
158. Sooty Shearwater <i>Ardenna grisea</i>	0.0094%
159. Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0236%
160. Wood Stork <i>Mycteria americana</i>	6.85%
161. Magnificent Frigatebird <i>Fregata magnificens</i>	3.65%
162. Northern Gannet <i>Morus bassanus</i>	0.0322%
163. Red-footed Booby <i>Sula sula</i>	0.0016%
164. Brown Booby <i>Sula leucogaster</i>	0.1311%
165. Masked Booby <i>Sula dactylatra</i>	0.0432%
166. Anhinga <i>Anhinga anhinga</i>	22.74%
167. Great Cormorant <i>Phalacrocorax carbo</i>	0.0008%
168. Double-crested Cormorant <i>Nannopterum auritum</i>	14.28%
169. Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0447%
170. American White Pelican <i>Pelecanus erythrorhynchos</i>	0.6578%
171. Brown Pelican <i>Pelecanus occidentalis</i>	13.42%
172. American Bittern <i>Botaurus lentiginosus</i>	0.0557%
173. Least Bittern <i>Ixobrychus exilis</i>	1.75%
174. Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	4.58%
175. Black-crowned Night Heron <i>Nycticorax nycticorax</i>	4.43%

176. Little Blue Heron <i>Egretta caerulea</i>	24.87%
177. Tricolored Heron <i>Egretta tricolor</i>	19.77%
178. Reddish Egret <i>Egretta rufescens</i>	4.11%
179. Snowy Egret <i>Egretta thula</i>	22.66%
180. Green Heron <i>Butorides virescens</i>	13.67%
181. Western Cattle Egret <i>Bubulcus ibis</i>	14.13%
182. Great Egret <i>Ardea alba</i>	33.47%
183. Great Blue Heron <i>Ardea herodias</i>	23.20%
184. White Ibis <i>Eudocimus albus</i>	35.00%
185. Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%
186. Glossy Ibis <i>Plegadis falcinellus</i>	7.42%
187. White-faced Ibis <i>Plegadis chihi</i>	0.0243%
188. Roseate Spoonbill <i>Platalea ajaja</i>	6.06%
189. Black Vulture <i>Coragyps atratus</i>	17.02%
190. Turkey Vulture <i>Cathartes aura</i>	18.10%
191. Osprey <i>Pandion haliaetus</i>	26.11%
192. White-tailed Kite <i>Elanus leucurus</i>	0.1020%
193. Swallow-tailed Kite <i>Elanoides forficatus</i>	3.00%
194. Snail Kite <i>Rostrhamus sociabilis</i>	0.8525%
195. Mississippi Kite <i>Ictinia mississippiensis</i>	2.45%
196. Northern Harrier <i>Circus hudsonius</i>	0.1711%
197. Sharp-shinned Hawk <i>Accipiter striatus</i>	0.0393%
198. Cooper's Hawk <i>Accipiter cooperii</i>	4.03%

199.	Bald Eagle <i>Haliaeetus leucocephalus</i>	2.99%
200.	Red-shouldered Hawk <i>Buteo lineatus</i>	24.39%
201.	Broad-winged Hawk <i>Buteo platypterus</i>	0.1797%
202.	Short-tailed Hawk <i>Buteo brachyurus</i>	0.7316%
203.	Swainson's Hawk <i>Buteo swainsoni</i>	0.0008%
204.	Red-tailed Hawk <i>Buteo jamaicensis</i>	3.05%
205.	Barn Owl <i>Tyto alba</i>	0.3650%
206.	Eastern Screech-Owl <i>Megascops asio</i>	0.6295%
207.	Great Horned Owl <i>Bubo virginianus</i>	1.37%
208.	Burrowing Owl <i>Athene cunicularia</i>	0.3933%
209.	Barred Owl <i>Strix varia</i>	3.13%
210.	Short-eared Owl <i>Asio flammeus</i>	0.0016%
211.	Belted Kingfisher <i>Megaceryle alcyon</i>	7.69%
212.	Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	0.0008%
213.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	2.22%
214.	Red-bellied Woodpecker <i>Melanerpes carolinus</i>	43.94%
215.	Downy Woodpecker <i>Dryobates pubescens</i>	23.53%
216.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.2072%
217.	Hairy Woodpecker <i>Dryobates villosus</i>	0.1295%
218.	Pileated Woodpecker <i>Dryocopus pileatus</i>	17.45%
219.	Northern Flicker <i>Colaptes auratus</i>	2.46%
220.	Crested Caracara <i>Caracara plancus</i>	0.9498%

221.	American Kestrel <i>Falco sparverius</i>	1.65%
222.	Merlin <i>Falco columbarius</i>	0.0236%
223.	Peregrine Falcon <i>Falco peregrinus</i>	0.0330%
224.	Monk Parakeet <i>Myiopsitta monachus</i>	1.70%
225.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0157%
226.	Nanday Parakeet <i>Aratinga nenday</i>	2.00%
227.	Mitred Parakeet <i>Psittacara mitratus</i>	0.1350%
228.	Olive-sided Flycatcher <i>Contopus cooperi</i>	0.0086%
229.	Eastern Wood-Pewee <i>Contopus virens</i>	1.21%
230.	Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0063%
231.	Acadian Flycatcher <i>Empidonax virescens</i>	0.9883%
232.	Alder Flycatcher <i>Empidonax alnorum</i>	0.1774%
233.	Willow Flycatcher <i>Empidonax traillii</i>	0.0188%
234.	Least Flycatcher <i>Empidonax minimus</i>	0.0188%
235.	Eastern Phoebe <i>Sayornis phoebe</i>	0.0071%
236.	Great Crested Flycatcher <i>Myiarchus crinitus</i>	10.91%
237.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0086%
238.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.0353%
239.	Cassin's Kingbird <i>Tyrannus vociferans</i>	0.0008%
240.	Western Kingbird <i>Tyrannus verticalis</i>	0.0039%
241.	Eastern Kingbird <i>Tyrannus tyrannus</i>	4.21%
242.	Gray Kingbird <i>Tyrannus dominicensis</i>	4.61%

243.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.0031%
244.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0267%
245.	White-eyed Vireo <i>Vireo griseus</i>	10.71%
246.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0306%
247.	Bell's Vireo <i>Vireo bellii</i>	0.0016%
248.	Yellow-throated Vireo <i>Vireo flavifrons</i>	2.88%
249.	Blue-headed Vireo <i>Vireo solitarius</i>	0.0055%
250.	Red-eyed Vireo <i>Vireo olivaceus</i>	7.59%
251.	Black-whiskered Vireo <i>Vireo altiloquus</i>	0.2614%
252.	Loggerhead Shrike <i>Lanius ludovicianus</i>	8.81%
253.	Blue Jay <i>Cyanocitta cristata</i>	39.80%
254.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	0.7575%
255.	American Crow <i>Corvus brachyrhynchos</i>	17.36%
256.	Fish Crow <i>Corvus ossifragus</i>	23.21%
257.	Carolina Chickadee <i>Poecile carolinensis</i>	13.10%
258.	Tufted Titmouse <i>Baeolophus bicolor</i>	21.54%
259.	Horned Lark <i>Eremophila alpestris</i>	0.0023%
260.	Bank Swallow <i>Riparia riparia</i>	2.18%
261.	Tree Swallow <i>Tachycineta bicolor</i>	0.8517%
262.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0000%
263.	Purple Martin <i>Progne subis</i>	3.68%
264.	Southern Martin <i>Progne elegans</i>	0.0000%

265.	Northern Rough-winged Swallow <i>Stelgidopteryx</i> <i>serripennis</i>	1.48%
266.	Barn Swallow <i>Hirundo rustica</i>	22.27%
267.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	1.72%
268.	Cave Swallow <i>Petrochelidon fulva</i>	0.3077%
269.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.0542%
270.	Ruby-crowned Kinglet <i>Corthylio calendula</i>	0.0008%
271.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.6091%
272.	Brown-headed Nuthatch <i>Sitta pusilla</i>	1.36%
273.	Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	21.15%
274.	Sedge Wren <i>Cistothorus stellaris</i>	0.0000%
275.	Marsh Wren <i>Cistothorus palustris</i>	0.1013%
276.	Carolina Wren <i>Thryothorus ludovicianus</i>	30.58%
277.	European Starling <i>Sturnus vulgaris</i>	10.90%
278.	Common Myna <i>Acridotheres tristis</i>	0.2323%
279.	Gray Catbird <i>Dumetella carolinensis</i>	0.2771%
280.	Brown Thrasher <i>Toxostoma rufum</i>	6.54%
281.	Bahama Mockingbird <i>Mimus gundlachii</i>	0.0377%
282.	Northern Mockingbird <i>Mimus polyglottos</i>	34.02%
283.	Eastern Bluebird <i>Sialia sialis</i>	7.57%
284.	Veery <i>Catharus fuscescens</i>	0.0126%
285.	Swainson's Thrush <i>Catharus ustulatus</i>	0.0008%
286.	Wood Thrush <i>Hylocichla mustelina</i>	0.0126%

287.	American Robin <i>Turdus migratorius</i>	0.0510%
288.	Northern Wheatear <i>Oenanthe oenanthe</i>	0.0000%
289.	House Sparrow <i>Passer domesticus</i>	5.07%
290.	House Finch <i>Haemorhous mexicanus</i>	7.76%
291.	American Goldfinch <i>Spinus tristis</i>	0.0063%
292.	Bachman's Sparrow <i>Peucaea aestivalis</i>	0.7763%
293.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.0251%
294.	Chipping Sparrow <i>Spizella passerina</i>	0.0031%
295.	Field Sparrow <i>Spizella pusilla</i>	0.0267%
296.	Lark Sparrow <i>Chondestes grammacus</i>	0.0306%
297.	Seaside Sparrow <i>Ammospiza maritima</i>	0.0597%
298.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	7.05%
299.	Western Spindalis <i>Spindalis zena</i>	0.0071%
300.	Yellow-breasted Chat <i>Icteria virens</i>	0.0793%
301.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.0228%
302.	Bobolink <i>Dolichonyx oryzivorus</i>	0.3242%
303.	Eastern Meadowlark <i>Sturnella magna</i>	2.46%
304.	Orchard Oriole <i>Icterus spurius</i>	0.4294%
305.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.4639%
306.	Baltimore Oriole <i>Icterus galbula</i>	0.0432%
307.	Red-winged Blackbird <i>Agelaius phoeniceus</i>	14.49%
308.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.0926%

309.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.0769%
310.	Brown-headed Cowbird <i>Molothrus ater</i>	1.62%
311.	Common Grackle <i>Quiscalus quiscula</i>	17.44%
312.	Boat-tailed Grackle <i>Quiscalus major</i>	19.32%
313.	Great-tailed Grackle <i>Quiscalus mexicanus</i>	0.0016%
314.	Ovenbird <i>Seiurus aurocapilla</i>	1.91%
315.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	0.9035%
316.	Louisiana Waterthrush <i>Parkesia motacilla</i>	1.96%
317.	Northern Waterthrush <i>Parkesia noveboracensis</i>	2.00%
318.	Bachman's Warbler <i>Vermivora bachmanii</i>	0.0000%
319.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.0322%
320.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.1193%
321.	Black-and-white Warbler <i>Mniotilta varia</i>	6.47%
322.	Prothonotary Warbler <i>Protonotaria citrea</i>	2.88%
323.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.0832%
324.	Tennessee Warbler <i>Leiothlypis peregrina</i>	0.0071%
325.	Orange-crowned Warbler <i>Leiothlypis celata</i>	0.0008%
326.	Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.0023%
327.	Connecticut Warbler <i>Oporornis agilis</i>	0.0000%
328.	Mourning Warbler <i>Geothlypis philadelphia</i>	0.0008%
329.	Kentucky Warbler <i>Geothlypis formosa</i>	0.3548%
330.	Common Yellowthroat <i>Geothlypis trichas</i>	2.31%
331.	Hooded Warbler <i>Setophaga citrina</i>	1.56%

332.	American Redstart <i>Setophaga ruticilla</i>	6.84%
333.	Cape May Warbler <i>Setophaga tigrina</i>	0.0133%
334.	Cerulean Warbler <i>Setophaga cerulea</i>	0.4058%
335.	Northern Parula <i>Setophaga americana</i>	14.40%
336.	Magnolia Warbler <i>Setophaga magnolia</i>	0.0118%
337.	Bay-breasted Warbler <i>Setophaga castanea</i>	0.0000%
338.	Blackburnian Warbler <i>Setophaga fusca</i>	0.2370%
339.	Yellow Warbler <i>Setophaga petechia</i>	4.59%
340.	Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	0.0298%
341.	Blackpoll Warbler <i>Setophaga striata</i>	0.0000%
342.	Black-throated Blue Warbler <i>Setophaga caerulescens</i>	0.2692%
343.	Palm Warbler <i>Setophaga palmarum</i>	0.0259%
344.	Pine Warbler <i>Setophaga pinus</i>	3.05%
345.	Yellow-throated Warbler <i>Setophaga dominica</i>	8.12%
346.	Prairie Warbler <i>Setophaga discolor</i>	9.14%
347.	Townsend's Warbler <i>Setophaga townsendi</i>	0.0008%
348.	Golden-cheeked Warbler <i>Setophaga chrysoparia</i>	0.0008%
349.	Black-throated Green Warbler <i>Setophaga virens</i>	0.0071%
350.	Canada Warbler <i>Cardellina canadensis</i>	0.0188%
351.	Wilson's Warbler <i>Cardellina pusilla</i>	0.0047%
352.	Summer Tanager <i>Piranga rubra</i>	2.66%
353.	Scarlet Tanager <i>Piranga olivacea</i>	0.0071%

354.	Western Tanager <i>Piranga ludoviciana</i>	0.0031%
355.	Northern Cardinal <i>Cardinalis cardinalis</i>	50.80%
356.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	0.0039%
357.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0008%
358.	Blue Grosbeak <i>Passerina caerulea</i>	1.92%
359.	Indigo Bunting <i>Passerina cyanea</i>	0.9490%
360.	Painted Bunting <i>Passerina ciris</i>	0.9451%
361.	Dickcissel <i>Spiza americana</i>	0.0290%
362.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0290%
EXOTIC: PROVISIONAL		
363.	White-cheeked Pintail <i>Anas bahamensis</i>	0.0008% frequency
364.	Indian Peafowl <i>Pavo cristatus</i>	0.2802%
365.	Red Junglefowl <i>Gallus gallus</i>	0.0738%
366.	Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0322%
367.	Budgerigar <i>Melopsittacus undulatus</i>	0.0071%
368.	Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.1240%
369.	Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0071%
370.	Orange-winged Parrot <i>Amazona amazonica</i>	0.0667%
371.	Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0510%
372.	Chestnut-fronted Macaw <i>Ara severus</i>	0.0369%
373.	Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.3454%
374.	Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.1633%

375. White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0408%
376. House Crow <i>Corvus splendens</i>	0.0063%
377. Common Hill Myna <i>Gracula religiosa</i>	0.0471%
378. Scaly-breasted Munia <i>Lonchura punctulata</i>	0.3980%

EXOTIC: ESCAPEE

White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0055% frequency
Bar-headed Goose <i>Anser indicus</i>	0.0039%
Graylag Goose <i>Anser anser</i>	0.0832%
Swan Goose <i>Anser cygnoides</i>	0.0785%
Barnacle Goose <i>Branta leucopsis</i>	0.0031%
Mute Swan <i>Cygnus olor</i>	0.1743%
Black Swan <i>Cygnus atratus</i>	0.0487%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0243%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0220%
Whooper Swan <i>Cygnus cygnus</i>	0.0118%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0071%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0149%
Common Shelduck <i>Tadorna tadorna</i>	0.0047%
Ringed Teal <i>Callonetta leucophrys</i>	0.0039%
Mandarin Duck <i>Aix galericulata</i>	0.0063%
Red-crested Pochard <i>Netta rufina</i>	0.0039%
Rosy-billed Pochard <i>Netta peposaca</i>	0.0008%

Helmeted Guineafowl <i>Numida meleagris</i>	0.0479%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0023%
Green Peafowl <i>Pavo muticus</i>	0.0016%
African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0023%
Diamond Dove <i>Geopelia cuneata</i>	0.0055%
Gray Crowned-Crane <i>Balearica regulorum</i>	0.0023%
African Woolly-necked Stork <i>Ciconia microscelis</i>	0.0000%
African Sacred Ibis <i>Threskiornis aethiopicus</i>	0.0000%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0023%
Blue-bellied Roller <i>Coracias cyanogaster</i>	0.0000%
Cockatiel <i>Nymphicus hollandicus</i>	0.0188%
Sulphur-crested Cockatoo <i>Cacatua galerita</i>	0.0016%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0126%
Fischer's Lovebird <i>Agapornis fischeri</i>	0.0008%
Yellow-collared Lovebird <i>Agapornis personatus</i>	0.0133%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0023%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0016%
Yellow-headed Parrot <i>Amazona oratrix</i>	0.0000%
Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0000%
Orange-fronted Parakeet <i>Eupsittula canicularis</i>	0.0000%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0008%

Sun Parakeet <i>Aratinga solstitialis</i>	0.0000%
Military Macaw <i>Ara militaris</i>	0.0008%
Green Parakeet <i>Psittacara holochlorus</i>	0.0078%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0063%
Scarlet-fronted Parakeet <i>Psittacara wagleri</i>	0.0016%
Pied Crow <i>Corvus albus</i>	0.0000%
Village Weaver <i>Ploceus cucullatus</i>	0.0008%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0157%
Zebra Finch <i>Taeniopygia guttata</i>	0.0008%
Black-and-white Mannikin <i>Spermestes bicolor</i>	0.0008%
Lavender Waxbill <i>Glaucostrelda caerulescens</i>	0.0016%
Orange-cheeked Waxbill <i>Estrilda melpoda</i>	0.0023%
Red Avadavat <i>Amandava amandava</i>	0.0008%
Red-cheeked Cordonbleu <i>Uraeginthus bengalus</i>	0.0008%
Pin-tailed Whydah <i>Vidua macroura</i>	0.0110%
Yellow-fronted Canary <i>Crithagra mozambica</i>	0.0008%
Silver-beaked Tanager <i>Ramphocelus carbo</i>	0.0110%
Saffron Finch <i>Sicalis flaveola</i>	0.0023%
Cuban Grassquit <i>Phonipara canora</i>	0.0023%
HYBRIDS	
Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0063% frequency
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	0.0023%

Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	0.0008%
Trumpeter x Tundra Swan (hybrid) <i>Cygnus buccinator x columbianus</i>	0.0008%
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0322%
Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	1.54%
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	0.0016%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0149%
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	0.0008%
Tropical x Gray Kingbird (hybrid) <i>Tyrannus melancholicus x dominicensis</i>	0.0071%
Bahama x Northern Mockingbird (hybrid) <i>Mimus gundlachii x polyglottos</i>	0.0008%
Brewster's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F1 hybrid)</i>	0.0023%
Lawrence's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F2 backcross)</i>	0.0016%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0000%