



Target Species

Based on 239,520 complete checklists

453 species observed in Florida, US (region/US-FL) in Dec that you need for your **Florida Life List**

1. Palm Warbler <i>Setophaga palmarum</i>	46.06% frequency
2. Turkey Vulture <i>Cathartes aura</i>	44.81%
3. Great Egret <i>Ardea alba</i>	39.54%
4. Red-bellied Woodpecker <i>Melanerpes carolinus</i>	38.50%
5. White Ibis <i>Eudocimus albus</i>	37.77%
6. Yellow-rumped Warbler <i>Setophaga coronata</i>	35.87%
7. Great Blue Heron <i>Ardea herodias</i>	34.43%
8. Northern Cardinal <i>Cardinalis cardinalis</i>	34.29%
9. Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	34.18%
10. Double-crested Cormorant <i>Nannopterum auritum</i>	34.03%
11. Mourning Dove <i>Zenaida macroura</i>	33.67%
12. Northern Mockingbird <i>Mimus polyglottos</i>	33.55%
13. Eastern Phoebe <i>Sayornis phoebe</i>	31.06%
14. Osprey <i>Pandion haliaetus</i>	30.99%
15. Anhinga <i>Anhinga anhinga</i>	30.60%
16. Little Blue Heron <i>Egretta caerulea</i>	30.03%
17. Blue Jay <i>Cyanocitta cristata</i>	28.88%
18. Red-shouldered Hawk <i>Buteo lineatus</i>	27.91%

19. Black Vulture <i>Coragyps atratus</i>	25.42%
20. Snowy Egret <i>Egretta thula</i>	25.05%
21. Boat-tailed Grackle <i>Quiscalus major</i>	24.09%
22. Gray Catbird <i>Dumetella carolinensis</i>	23.79%
23. Tricolored Heron <i>Egretta tricolor</i>	23.69%
24. Belted Kingfisher <i>Megaceryle alcyon</i>	22.66%
25. Fish Crow <i>Corvus ossifragus</i>	21.31%
26. Common Gallinule <i>Gallinula galeata</i>	20.69%
27. Ring-billed Gull <i>Larus delawarensis</i>	20.56%
28. Pied-billed Grebe <i>Podilymbus podiceps</i>	20.37%
29. Brown Pelican <i>Pelecanus occidentalis</i>	20.03%
30. Carolina Wren <i>Thryothorus ludovicianus</i>	19.73%
31. Laughing Gull <i>Leucophaeus atricilla</i>	19.69%
32. American Crow <i>Corvus brachyrhynchos</i>	18.99%
33. Common Grackle <i>Quiscalus quiscula</i>	18.58%
34. Red-winged Blackbird <i>Agelaius phoeniceus</i>	17.71%
35. Wood Stork <i>Mycteria americana</i>	17.36%
36. Downy Woodpecker <i>Dryobates pubescens</i>	17.09%
37. Tufted Titmouse <i>Baeolophus bicolor</i>	15.68%
38. American Kestrel <i>Falco sparverius</i>	15.66%
39. Bald Eagle <i>Haliaeetus leucocephalus</i>	14.74%
40. American Coot <i>Fulica americana</i>	14.43%
41. House Wren <i>Troglodytes aedon</i>	13.97%

42.	Common Yellowthroat <i>Geothlypis trichas</i>	13.55%
43.	Killdeer <i>Charadrius vociferus</i>	13.50%
44.	Western Cattle Egret <i>Bubulcus ibis</i>	13.37%
45.	Ruby-crowned Kinglet <i>Corthylio calendula</i>	13.10%
46.	Pileated Woodpecker <i>Dryocopus pileatus</i>	12.98%
47.	Sandhill Crane <i>Antigone canadensis</i>	12.69%
48.	American Robin <i>Turdus migratorius</i>	12.24%
49.	Glossy Ibis <i>Plegadis falcinellus</i>	12.11%
50.	Pine Warbler <i>Setophaga pinus</i>	11.86%
51.	Tree Swallow <i>Tachycineta bicolor</i>	11.48%
52.	Loggerhead Shrike <i>Lanius ludovicianus</i>	11.28%
53.	Royal Tern <i>Thalasseus maximus</i>	11.15%
54.	European Starling <i>Sturnus vulgaris</i>	11.04%
55.	Carolina Chickadee <i>Poecile carolinensis</i>	10.45%
56.	Green Heron <i>Butorides virescens</i>	9.83%
57.	Blue-winged Teal <i>Spatula discors</i>	9.71%
58.	Eurasian Collared-Dove <i>Streptopelia decaocto</i>	9.12%
59.	Black-and-white Warbler <i>Mniotilta varia</i>	9.01%
60.	Eastern Bluebird <i>Sialia sialis</i>	8.98%
61.	Willet <i>Tringa semipalmata</i>	8.93%
62.	Forster's Tern <i>Sterna forsteri</i>	8.54%
63.	Mottled Duck <i>Anas fulvigula</i>	8.40%
64.	Limpkin <i>Aramus guarauna</i>	8.31%

65. American Goldfinch <i>Spinus tristis</i>	8.15%
66. Sanderling <i>Calidris alba</i>	8.02%
67. Northern Harrier <i>Circus hudsonius</i>	7.87%
68. Rock Pigeon <i>Columba livia</i>	7.83%
69. American White Pelican <i>Pelecanus erythrorhynchos</i>	7.66%
70. Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	7.56%
71. Ruddy Turnstone <i>Arenaria interpres</i>	7.55%
72. Roseate Spoonbill <i>Platalea ajaja</i>	7.18%
73. Hooded Merganser <i>Lophodytes cucullatus</i>	7.14%
74. Swamp Sparrow <i>Melospiza georgiana</i>	7.06%
75. Yellow-throated Warbler <i>Setophaga dominica</i>	6.95%
76. Common Ground Dove <i>Columbina passerina</i>	6.91%
77. Blue-headed Vireo <i>Vireo solitarius</i>	6.84%
78. White-eyed Vireo <i>Vireo griseus</i>	6.76%
79. Savannah Sparrow <i>Passerculus sandwichensis</i>	6.46%
80. Greater Yellowlegs <i>Tringa melanoleuca</i>	6.42%
81. Chipping Sparrow <i>Spizella passerina</i>	6.35%
82. Black-bellied Plover <i>Pluvialis squatarola</i>	6.19%
83. Herring Gull <i>Larus argentatus</i>	5.77%
84. Ring-necked Duck <i>Aythya collaris</i>	5.74%
85. Muscovy Duck <i>Cairina moschata</i>	5.64%
86. Lesser Scaup <i>Aythya affinis</i>	5.58%
87. Black-crowned Night Heron <i>Nycticorax nycticorax</i>	5.51%

88.	Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	5.22%
89.	Orange-crowned Warbler <i>Leiothlypis celata</i>	5.17%
90.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	5.07%
91.	Red-tailed Hawk <i>Buteo jamaicensis</i>	4.96%
92.	House Finch <i>Haemorhous mexicanus</i>	4.92%
93.	Least Sandpiper <i>Calidris minutilla</i>	4.81%
94.	Painted Bunting <i>Passerina ciris</i>	4.81%
95.	Red-breasted Merganser <i>Mergus serrator</i>	4.80%
96.	Northern Flicker <i>Colaptes auratus</i>	4.71%
97.	Prairie Warbler <i>Setophaga discolor</i>	4.65%
98.	Dunlin <i>Calidris alpina</i>	4.43%
99.	Wilson's Snipe <i>Gallinago delicata</i>	4.42%
100.	Cooper's Hawk <i>Accipiter cooperii</i>	3.87%
101.	Bufflehead <i>Bucephala albeola</i>	3.69%
102.	Northern Shoveler <i>Spatula clypeata</i>	3.66%
103.	Semipalmated Plover <i>Charadrius semipalmatus</i>	3.58%
104.	Sandwich Tern <i>Thalasseus sandvicensis</i>	3.57%
105.	Spotted Sandpiper <i>Actitis macularius</i>	3.57%
106.	Purple Gallinule <i>Porphyrio martinica</i>	3.56%
107.	Caspian Tern <i>Hydroprogne caspia</i>	3.54%
108.	House Sparrow <i>Passer domesticus</i>	3.50%
109.	Black Skimmer <i>Rynchops niger</i>	3.47%

110.	Common Loon <i>Gavia immer</i>	3.46%
111.	Lesser Yellowlegs <i>Tringa flavipes</i>	3.45%
112.	Eastern Meadowlark <i>Sturnella magna</i>	3.43%
113.	Mallard <i>Anas platyrhynchos</i>	3.36%
114.	Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	3.29%
115.	Reddish Egret <i>Egretta rufescens</i>	3.28%
116.	Sora <i>Porzana carolina</i>	3.17%
117.	Brown-headed Cowbird <i>Molothrus ater</i>	3.13%
118.	Ruby-throated Hummingbird <i>Archilochus colubris</i>	3.10%
119.	Barred Owl <i>Strix varia</i>	3.01%
120.	Marsh Wren <i>Cistothorus palustris</i>	2.98%
121.	Green-winged Teal <i>Anas crecca</i>	2.78%
122.	Magnificent Frigatebird <i>Fregata magnificens</i>	2.74%
123.	Northern Parula <i>Setophaga americana</i>	2.72%
124.	Brown Thrasher <i>Toxostoma rufum</i>	2.70%
125.	Wood Duck <i>Aix sponsa</i>	2.65%
126.	Great Crested Flycatcher <i>Myiarchus crinitus</i>	2.55%
127.	Hermit Thrush <i>Catharus guttatus</i>	2.54%
128.	White-winged Dove <i>Zenaida asiatica</i>	2.48%
129.	Short-billed Dowitcher <i>Limnodromus griseus</i>	2.40%
130.	Lesser Black-backed Gull <i>Larus fuscus</i>	2.33%
131.	Ruddy Duck <i>Oxyura jamaicensis</i>	2.32%

132.	Song Sparrow <i>Melospiza melodia</i>	2.29%
133.	Redhead <i>Aythya americana</i>	2.25%
134.	American Wigeon <i>Mareca americana</i>	2.23%
135.	Cedar Waxwing <i>Bombycilla cedrorum</i>	2.22%
136.	Canada Goose <i>Branta canadensis</i>	2.19%
137.	Great Horned Owl <i>Bubo virginianus</i>	2.18%
138.	Horned Grebe <i>Podiceps auritus</i>	2.14%
139.	Nanday Parakeet <i>Aratinga nenday</i>	2.12%
140.	Monk Parakeet <i>Myiopsitta monachus</i>	2.07%
141.	Sedge Wren <i>Cistothorus stellaris</i>	1.99%
142.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	1.95%
143.	Northern Gannet <i>Morus bassanus</i>	1.94%
144.	Western Sandpiper <i>Calidris mauri</i>	1.88%
145.	Brown-headed Nuthatch <i>Sitta pusilla</i>	1.85%
146.	Egyptian Goose <i>Alopochen aegyptiaca</i>	1.84%
147.	American Bittern <i>Botaurus lentiginosus</i>	1.76%
148.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	1.74%
149.	Sharp-shinned Hawk <i>Accipiter striatus</i>	1.71%
150.	Merlin <i>Falco columbarius</i>	1.67%
151.	American Oystercatcher <i>Haematopus palliatus</i>	1.66%
152.	Clapper Rail <i>Rallus crepitans</i>	1.62%
153.	American Redstart <i>Setophaga ruticilla</i>	1.58%

154.	Gadwall <i>Mareca strepera</i>	1.58%
155.	Snail Kite <i>Rostrhamus sociabilis</i>	1.57%
156.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	1.54%
157.	Ovenbird <i>Seiurus aurocapilla</i>	1.49%
158.	Northern Pintail <i>Anas acuta</i>	1.43%
159.	Wild Turkey <i>Meleagris gallopavo</i>	1.41%
160.	Baltimore Oriole <i>Icterus galbula</i>	1.40%
161.	Red Knot <i>Calidris canutus</i>	1.37%
162.	Short-tailed Hawk <i>Buteo brachyurus</i>	1.36%
163.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	1.30%
164.	Peregrine Falcon <i>Falco peregrinus</i>	1.23%
165.	Black Scoter <i>Melanitta americana</i>	1.12%
166.	Great Black-backed Gull <i>Larus marinus</i>	1.12%
167.	Marbled Godwit <i>Limosa fedoa</i>	1.11%
168.	Piping Plover <i>Charadrius melodus</i>	1.10%
169.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	1.06%
170.	Crested Caracara <i>Caracara plancus</i>	1.01%
171.	American Avocet <i>Recurvirostra americana</i>	1.01%
172.	Wilson's Plover <i>Anarhynchus wilsonia</i>	0.9665%
173.	White-throated Sparrow <i>Zonotrichia albicollis</i>	0.9523%
174.	Eastern Screech-Owl <i>Megascops asio</i>	0.8763%
175.	Least Bittern <i>Ixobrychus exilis</i>	0.8738%

176.	Northern Waterthrush <i>Parkesia noveboracensis</i>	0.8563%
177.	Canvasback <i>Aythya valisineria</i>	0.8538%
178.	Indigo Bunting <i>Passerina cyanea</i>	0.8500%
179.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.8471%
180.	Vesper Sparrow <i>Pooecetes gramineus</i>	0.8137%
181.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	0.8120%
182.	Greater Scaup <i>Aythya marila</i>	0.7874%
183.	Black-necked Stilt <i>Himantopus mexicanus</i>	0.7611%
184.	King Rail <i>Rallus elegans</i>	0.7352%
185.	Western Kingbird <i>Tyrannus verticalis</i>	0.7315%
186.	Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.7223%
187.	Black-throated Green Warbler <i>Setophaga virens</i>	0.6743%
188.	Virginia Rail <i>Rallus limicola</i>	0.6480%
189.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.6012%
190.	American Pipit <i>Anthus rubescens</i>	0.5949%
191.	Snowy Plover <i>Anarhynchus nivosus</i>	0.5816%
192.	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	0.5791%
193.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.5695%
194.	Summer Tanager <i>Piranga rubra</i>	0.5306%
195.	Northern Bobwhite <i>Colinus virginianus</i>	0.4960%
196.	Black-throated Blue Warbler <i>Setophaga caerulescens</i>	0.4947%
197.	White-crowned Pigeon <i>Patagioenas leucocephala</i>	0.4822%

198.	Snow Goose <i>Anser caerulescens</i>	0.4743%
199.	Common Goldeneye <i>Bucephala clangula</i>	0.4526%
200.	Broad-winged Hawk <i>Buteo platypterus</i>	0.4421%
201.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.4125%
202.	Field Sparrow <i>Spizella pusilla</i>	0.3912%
203.	Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.3908%
204.	Golden-crowned Kinglet <i>Regulus satrapa</i>	0.3745%
205.	Burrowing Owl <i>Athene cunicularia</i>	0.3494%
206.	Magnolia Warbler <i>Setophaga magnolia</i>	0.3232%
207.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.3140%
208.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.3127%
209.	Barn Owl <i>Tyto alba</i>	0.3110%
210.	Surf Scoter <i>Melanitta perspicillata</i>	0.3102%
211.	Yellow-throated Vireo <i>Vireo flavifrons</i>	0.3010%
212.	Nelson's Sparrow <i>Ammospiza nelsoni</i>	0.2589%
213.	Least Flycatcher <i>Empidonax minimus</i>	0.2551%
214.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.2538%
215.	Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.2513%
216.	Hairy Woodpecker <i>Dryobates villosus</i>	0.2513%
217.	Mitred Parakeet <i>Psittacara mitratus</i>	0.2346%
218.	Bachman's Sparrow <i>Peucaea aestivalis</i>	0.2346%
219.	Whooping Crane <i>Grus americana</i>	0.2209%
220.	American Flamingo <i>Phoenicopterus ruber</i>	0.2179%

221.	Common Myna <i>Acridotheres tristis</i>	0.2100%
222.	American Woodcock <i>Scolopax minor</i>	0.2092%
223.	Cape May Warbler <i>Setophaga tigrina</i>	0.2054%
224.	Common Tern <i>Sterna hirundo</i>	0.1971%
225.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.1895%
226.	Whimbrel <i>Numenius phaeopus</i>	0.1866%
227.	Lincoln's Sparrow <i>Melospiza lincolni</i>	0.1854%
228.	Stilt Sandpiper <i>Calidris himantopus</i>	0.1841%
229.	Rufous Hummingbird <i>Selasphorus rufus</i>	0.1804%
230.	Pine Siskin <i>Spinus pinus</i>	0.1804%
231.	Solitary Sandpiper <i>Tringa solitaria</i>	0.1770%
232.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.1691%
233.	Seaside Sparrow <i>Ammospiza maritima</i>	0.1687%
234.	Yellow Warbler <i>Setophaga petechia</i>	0.1637%
235.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.1541%
236.	Long-tailed Duck <i>Clangula hyemalis</i>	0.1524%
237.	Purple Sandpiper <i>Calidris maritima</i>	0.1495%
238.	White-tailed Kite <i>Elanus leucurus</i>	0.1453%
239.	Blue Grosbeak <i>Passerina caerulea</i>	0.1424%
240.	Purple Finch <i>Haemorhous purpureus</i>	0.1415%
241.	Franklin's Gull <i>Leucophaeus pipixcan</i>	0.1386%
242.	Smooth-billed Ani <i>Crotophaga ani</i>	0.1382%
243.	Brown Booby <i>Sula leucogaster</i>	0.1340%

244.	Wilson's Warbler <i>Cardellina pusilla</i>	0.1340%
245.	Red-breasted Nuthatch <i>Sitta canadensis</i>	0.1273%
246.	Rusty Blackbird <i>Euphagus carolinus</i>	0.1273%
247.	American Black Duck <i>Anas rubripes</i>	0.1252%
248.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.1236%
249.	Saltmarsh Sparrow <i>Ammospiza caudacuta</i>	0.1219%
250.	White-faced Ibis <i>Plegadis chihi</i>	0.1202%
251.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	0.1198%
252.	Barn Swallow <i>Hirundo rustica</i>	0.1182%
253.	Swainson's Hawk <i>Buteo swainsoni</i>	0.1169%
254.	Clay-colored Sparrow <i>Spizella pallida</i>	0.1102%
255.	Western Tanager <i>Piranga ludoviciana</i>	0.1094%
256.	Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.1085%
257.	Razorbill <i>Alca torda</i>	0.1048%
258.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.1015%
259.	Cinnamon Teal <i>Spatula cyanoptera</i>	0.0952%
260.	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	0.0948%
261.	White-winged Scoter <i>Melanitta deglandi</i>	0.0910%
262.	Cave Swallow <i>Petrochelidon fulva</i>	0.0906%
263.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0877%
264.	White Wagtail <i>Motacilla alba</i>	0.0856%
265.	Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0827%

266.	Greater White-fronted Goose <i>Anser albifrons</i>	0.0822%
267.	Dark-eyed Junco <i>Junco hyemalis</i>	0.0818%
268.	Yellow-breasted Chat <i>Icteria virens</i>	0.0818%
269.	Winter Wren <i>Troglodytes hiemalis</i>	0.0814%
270.	Lark Sparrow <i>Chondestes grammacus</i>	0.0781%
271.	Brewer's Blackbird <i>Euphagus cyanocephalus</i>	0.0772%
272.	Western Spindalis <i>Spindalis zena</i>	0.0764%
273.	Gull-billed Tern <i>Gelochelidon nilotica</i>	0.0760%
274.	Vaux's Swift <i>Chaetura vauxi</i>	0.0743%
275.	Eared Grebe <i>Podiceps nigricollis</i>	0.0731%
276.	American Golden-Plover <i>Pluvialis dominica</i>	0.0718%
277.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	0.0701%
278.	Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.0685%
279.	Short-eared Owl <i>Asio flammeus</i>	0.0680%
280.	Chuck-will's-widow <i>Antrostomus carolinensis</i>	0.0676%
281.	Ross's Goose <i>Anser rossii</i>	0.0664%
282.	King Eider <i>Somateria spectabilis</i>	0.0664%
283.	Common Eider <i>Somateria mollissima</i>	0.0651%
284.	Cassin's Kingbird <i>Tyrannus vociferans</i>	0.0614%
285.	Buff-bellied Hummingbird <i>Amazilia yucatanensis</i>	0.0597%
286.	Red-throated Loon <i>Gavia stellata</i>	0.0589%
287.	Mangrove Cuckoo <i>Coccyzus minor</i>	0.0572%

288.	Lesser Nighthawk <i>Chordeiles acutipennis</i>	0.0572%
289.	Groove-billed Ani <i>Crotophaga sulcirostris</i>	0.0526%
290.	Brant <i>Branta bernicla</i>	0.0522%
291.	Dickcissel <i>Spiza americana</i>	0.0509%
292.	Great Cormorant <i>Phalacrocorax carbo</i>	0.0501%
293.	Harlequin Duck <i>Histrionicus histrionicus</i>	0.0497%
294.	Brown Creeper <i>Certhia americana</i>	0.0480%
295.	Long-billed Curlew <i>Numenius americanus</i>	0.0468%
296.	LeConte's Sparrow <i>Ammospiza leconteii</i>	0.0451%
297.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0426%
298.	Cuban Pewee <i>Contopus caribaeus</i>	0.0413%
299.	Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0409%
300.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.0405%
301.	Louisiana Waterthrush <i>Parkesia motacilla</i>	0.0405%
302.	Red-necked Grebe <i>Podiceps grisegena</i>	0.0397%
303.	Heermann's Gull <i>Larus heermanni</i>	0.0393%
304.	Fox Sparrow <i>Passerella iliaca</i>	0.0380%
305.	Broad-billed Hummingbird <i>Cyanthus latirostris</i>	0.0367%
306.	Bell's Vireo <i>Vireo bellii</i>	0.0363%
307.	Eurasian Wigeon <i>Mareca penelope</i>	0.0359%
308.	Bullock's Oriole <i>Icterus bullockii</i>	0.0359%
309.	Willow Flycatcher <i>Empidonax traillii</i>	0.0351%

310.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0347%
311.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0334%
312.	Black-throated Gray Warbler <i>Setophaga nigrescens</i>	0.0305%
313.	Couch's Kingbird <i>Tyrannus couchii</i>	0.0271%
314.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.0263%
315.	Red-legged Thrush <i>Turdus plumbeus</i>	0.0259%
316.	Sprague's Pipit <i>Anthus spragueii</i>	0.0250%
317.	Common Merganser <i>Mergus merganser</i>	0.0238%
318.	Lapland Longspur <i>Calcarius lapponicus</i>	0.0238%
319.	Gray Kingbird <i>Tyrannus dominicensis</i>	0.0230%
320.	Masked Booby <i>Sula dactylatra</i>	0.0221%
321.	Snow Bunting <i>Plectrophenax nivalis</i>	0.0213%
322.	Iceland Gull <i>Larus glaucoides</i>	0.0209%
323.	White-cheeked Pintail <i>Anas bahamensis</i>	0.0196%
324.	Snowy Owl <i>Bubo scandiacus</i>	0.0196%
325.	Horned Lark <i>Eremophila alpestris</i>	0.0192%
326.	Hooded Oriole <i>Icterus cucullatus</i>	0.0192%
327.	Great Shearwater <i>Ardenna gravis</i>	0.0188%
328.	Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0188%
329.	Antillean Palm Swift <i>Tachornis phoenicobia</i>	0.0175%
330.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0175%
331.	Sabine's Gull <i>Xema sabini</i>	0.0171%

332.	Tennessee Warbler <i>Leiothlypis peregrina</i>	0.0171%
333.	Orchard Oriole <i>Icterus spurius</i>	0.0167%
334.	Yellow-billed Cuckoo <i>Coccyzus americanus</i>	0.0159%
335.	Cory's Shearwater <i>Calonectris diomedea</i>	0.0159%
336.	Purple Martin <i>Progne subis</i>	0.0159%
337.	Say's Phoebe <i>Sayornis saya</i>	0.0154%
338.	Western Grebe <i>Aechmophorus occidentalis</i>	0.0150%
339.	Loggerhead Kingbird <i>Tyrannus caudifasciatus</i>	0.0150%
340.	Green-tailed Towhee <i>Pipilo chlorurus</i>	0.0150%
341.	Harris's Sparrow <i>Zonotrichia querula</i>	0.0142%
342.	Hooded Warbler <i>Setophaga citrina</i>	0.0142%
343.	Black Rail <i>Laterallus jamaicensis</i>	0.0138%
344.	Calliope Hummingbird <i>Selasphorus calliope</i>	0.0134%
345.	Masked Duck <i>Nomonyx dominicus</i>	0.0129%
346.	Bar-tailed Godwit <i>Limosa lapponica</i>	0.0129%
347.	Least Grebe <i>Tachybaptus dominicus</i>	0.0125%
348.	Key West Quail-Dove <i>Geotrygon chrysia</i>	0.0125%
349.	Townsend's Warbler <i>Setophaga townsendi</i>	0.0121%
350.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.0117%
351.	Glaucous Gull <i>Larus hyperboreus</i>	0.0109%
352.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0092%
353.	Black Tern <i>Chlidonias niger</i>	0.0088%
354.	Blackpoll Warbler <i>Setophaga striata</i>	0.0088%

355.	Tundra Swan <i>Cygnus columbianus</i>	0.0079%
356.	Pacific Loon <i>Gavia pacifica</i>	0.0079%
357.	Sooty Tern <i>Onychoprion fuscatus</i>	0.0071%
358.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.0067%
359.	Pectoral Sandpiper <i>Calidris melanotos</i>	0.0058%
360.	Sooty Shearwater <i>Ardenna grisea</i>	0.0058%
361.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0058%
362.	Wood Thrush <i>Hylocichla mustelina</i>	0.0058%
363.	Hudsonian Godwit <i>Limosa haemastica</i>	0.0054%
364.	Ruff <i>Calidris pugnax</i>	0.0054%
365.	Large-billed Tern <i>Phaetusa simplex</i>	0.0054%
366.	Western Flycatcher <i>Empidonax difficilis</i>	0.0054%
367.	Scarlet Tanager <i>Piranga olivacea</i>	0.0054%
368.	Costa's Hummingbird <i>Calypte costae</i>	0.0050%
369.	Warbling Vireo <i>Vireo gilvus</i>	0.0050%
370.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.0050%
371.	Semipalmated Sandpiper <i>Calidris pusilla</i>	0.0046%
372.	Bank Swallow <i>Riparia riparia</i>	0.0046%
373.	Great-tailed Grackle <i>Quiscalus mexicanus</i>	0.0046%
374.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0046%
375.	Black-headed Gull <i>Chroicocephalus ridibundus</i>	0.0042%
376.	Red-footed Booby <i>Sula sula</i>	0.0042%

377.	Common Nighthawk <i>Chordeiles minor</i>	0.0038%
378.	Eastern Kingbird <i>Tyrannus tyrannus</i>	0.0038%
379.	Elegant Tern <i>Thalasseus elegans</i>	0.0033%
380.	Manx Shearwater <i>Puffinus puffinus</i>	0.0033%
381.	Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0033%
382.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.0033%
383.	Northern Lapwing <i>Vanellus vanellus</i>	0.0029%
384.	Swainson's Thrush <i>Catharus ustulatus</i>	0.0029%
385.	Bobolink <i>Dolichonyx oryzivorus</i>	0.0029%
386.	Western Meadowlark <i>Sturnella neglecta</i>	0.0029%
387.	Golden Eagle <i>Aquila chrysaetos</i>	0.0025%
388.	Hammond's Flycatcher <i>Empidonax hammondii</i>	0.0025%
389.	Prothonotary Warbler <i>Protonotaria citrea</i>	0.0025%
390.	Yellow-headed Caracara <i>Daptrius chimachima</i>	0.0021%
391.	Blackburnian Warbler <i>Setophaga fusca</i>	0.0021%
392.	Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	0.0021%
393.	Eastern Wood-Pewee <i>Contopus virens</i>	0.0017%
394.	Bananaquit <i>Coereba flaveola</i>	0.0017%
395.	Ruddy Quail-Dove <i>Geotrygon montana</i>	0.0012%
396.	Chimney Swift <i>Chaetura pelagica</i>	0.0012%
397.	Thick-billed Murre <i>Uria lomvia</i>	0.0012%
398.	Brown Noddy <i>Anous stolidus</i>	0.0012%
399.	Varied Thrush <i>Ixoreus naevius</i>	0.0012%

400.	Tricolored Munia <i>Lonchura malacca</i>	0.0012%
401.	Evening Grosbeak <i>Coccothraustes vespertinus</i>	0.0012%
402.	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0012%
403.	Bay-breasted Warbler <i>Setophaga castanea</i>	0.0012%
404.	Zenaida Dove <i>Zenaida aurita</i>	0.0008%
405.	Yellow Rail <i>Coturnicops noveboracensis</i>	0.0008%
406.	Red-necked Phalarope <i>Phalaropus lobatus</i>	0.0008%
407.	Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0008%
408.	Long-billed Murrelet <i>Brachyramphus perdix</i>	0.0008%
409.	Little Gull <i>Hydrocoloeus minutus</i>	0.0008%
410.	Rough-legged Hawk <i>Buteo lagopus</i>	0.0008%
411.	Philadelphia Vireo <i>Vireo philadelphicus</i>	0.0008%
412.	Red-eyed Vireo <i>Vireo olivaceus</i>	0.0008%
413.	Lazuli Bunting <i>Passerina amoena</i>	0.0008%
414.	Scaly-naped Pigeon <i>Patagioenas squamosa</i>	0.0004%
415.	Broad-tailed Hummingbird <i>Selasphorus platycercus</i>	0.0004%
416.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0004%
417.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.0004%
418.	South Polar Skua <i>Stercorarius maccormicki</i>	0.0004%
419.	California Gull <i>Larus californicus</i>	0.0004%
420.	Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.0004%
421.	Mississippi Kite <i>Ictinia mississippiensis</i>	0.0004%

422.	Ferruginous Hawk <i>Buteo regalis</i>	0.0004%
423.	Mountain Bluebird <i>Sialia currucoides</i>	0.0004%
424.	Gray-cheeked Thrush <i>Catharus minimus</i>	0.0004%
425.	Chestnut-collared Longspur <i>Calcarius ornatus</i>	0.0004%
426.	Allen's Hummingbird <i>Selasphorus sasin</i>	0.0000%
427.	Atlantic Puffin <i>Fratercula arctica</i>	0.0000%
428.	Gray-hooded Gull <i>Chroicocephalus cirrocephalus</i>	0.0000%
429.	Kelp Gull <i>Larus dominicanus</i>	0.0000%
430.	White-tailed Tropicbird <i>Phaethon lepturus</i>	0.0000%
431.	Black-capped Petrel <i>Pterodroma hasitata</i>	0.0000%
432.	Swallow-tailed Kite <i>Elanoides forficatus</i>	0.0000%
433.	American Goshawk <i>Accipiter atricapillus</i>	0.0000%
434.	Zone-tailed Hawk <i>Buteo albonotatus</i>	0.0000%
435.	Northern Saw-whet Owl <i>Aegolius acadicus</i>	0.0000%
436.	Acadian Flycatcher <i>Empidonax virescens</i>	0.0000%
437.	Smith's Longspur <i>Calcarius pictus</i>	0.0000%
438.	Scott's Oriole <i>Icterus parisorum</i>	0.0000%
439.	Canada Warbler <i>Cardellina canadensis</i>	0.0000%
EXOTIC: PROVISIONAL		
440.	Indian Peafowl <i>Pavo cristatus</i>	0.3035% frequency
441.	Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.2714%
442.	Scaly-breasted Munia <i>Lonchura punctulata</i>	0.2426%

443. Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.2376%
444. Red Junglefowl <i>Gallus gallus</i>	0.1340%
445. Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.1273%
446. Orange-winged Parrot <i>Amazona amazonica</i>	0.1077%
447. Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0743%
448. Chestnut-fronted Macaw <i>Ara severus</i>	0.0643%
449. Common Hill Myna <i>Gracula religiosa</i>	0.0451%
450. Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0326%
451. White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0322%
452. Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0196%
453. Budgerigar <i>Melopsittacus undulatus</i>	0.0104%

EXOTIC: ESCAPEE










Mute Swan <i>Cygnus olor</i>	0.2889% frequency
Graylag Goose <i>Anser anser</i>	0.2025%
Swan Goose <i>Anser cygnoides</i>	0.1845%
Black Swan <i>Cygnus atratus</i>	0.1211%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0505%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0276%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0230%
Mandarin Duck <i>Aix galericulata</i>	0.0217%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0209%
Common Shelduck <i>Tadorna tadorna</i>	0.0142%

Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0134%
Green Parakeet <i>Psittacara holochlorus</i>	0.0129%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0121%
Whooper Swan <i>Cygnus cygnus</i>	0.0096%
Cockatiel <i>Nymphicus hollandicus</i>	0.0096%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0071%
White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0054%
Yellow-collared Lovebird <i>Agapornis personatus</i>	0.0050%
African Sacred Ibis <i>Threskiornis aethiopicus</i>	0.0046%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0038%
Bar-headed Goose <i>Anser indicus</i>	0.0029%
Ringed Teal <i>Callonetta leucophrys</i>	0.0029%
White-fronted Parrot <i>Amazona albifrons</i>	0.0029%
African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0021%
Turquoise-fronted Parrot <i>Amazona aestiva</i>	0.0021%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0017%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0017%
Red-crested Pochard <i>Netta rufina</i>	0.0012%
Red-billed Firefinch <i>Lagonosticta senegala</i>	0.0012%
Cuban Bullfinch <i>Melopyrrha nigra</i>	0.0012%
Rosy-billed Pochard <i>Netta peposaca</i>	0.0008%
Red-legged Partridge <i>Alectoris rufa</i>	0.0008%

Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0008%
Plumed Whistling-Duck <i>Dendrocygna eytoni</i>	0.0004%
Orinoco Goose <i>Oressochen jubatus</i>	0.0004%
Common Pochard <i>Aythya ferina</i>	0.0004%
Green Peafowl <i>Pavo muticus</i>	0.0004%
Chukar <i>Alectoris chukar</i>	0.0004%
Diamond Dove <i>Geopelia cuneata</i>	0.0004%
Crimson Rosella <i>Platycercus elegans</i>	0.0004%
Yellow-headed Parrot <i>Amazona oratrix</i>	0.0004%
Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0004%
Green-cheeked Parakeet <i>Pyrrhura molinae</i>	0.0004%
Great Green Macaw <i>Ara ambiguus</i>	0.0004%
Hispaniolan Parakeet <i>Psittacara chloropterus</i>	0.0004%
Long-tailed Glossy Starling <i>Lamprotornis caudatus</i>	0.0004%
Village Weaver <i>Ploceus cucullatus</i>	0.0004%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0004%
Zebra Finch <i>Taeniopygia guttata</i>	0.0004%
Orange-cheeked Waxbill <i>Estrilda melpoda</i>	0.0004%
Barnacle Goose <i>Branta leucopsis</i>	0.0000%
Black-necked Stork <i>Ephippiorhynchus asiaticus</i>	0.0000%
Eurasian Spoonbill <i>Platalea leucorodia</i>	0.0000%
White Cockatoo <i>Cacatua alba</i>	0.0000%

Fischer's Lovebird <i>Agapornis fischeri</i>	0.0000%
Mealy Parrot <i>Amazona farinosa</i>	0.0000%
Hyacinth Macaw <i>Anodorhynchus hyacinthinus</i>	0.0000%
Orange-fronted Parakeet <i>Eupsittula canicularis</i>	0.0000%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0000%
Great White Pelican <i>Pelecanus onocrotalus</i>	0.0000%
Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%
Cackling Goose <i>Branta hutchinsii</i>	0.0000%

HYBRIDS

Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	2.11% frequency 
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0397% 
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	0.0196% 
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0109% 
Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0092% 
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0025% 
Herring x Lesser Black-backed Gull (hybrid) <i>Larus argentatus x fuscus</i>	0.0021% 
Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	0.0017% 
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	0.0012% 

Eurasian x American Wigeon (hybrid) <i>Mareca penelope x americana</i>	0.0008%
Mallard x American Black Duck (hybrid) <i>Anas platyrhynchos x rubripes</i>	0.0008%
Mallard x Ring-necked Duck (hybrid) <i>Anas platyrhynchos x Aythya collaris</i>	0.0008%
Graylag x Canada Goose (hybrid) <i>Anser anser x Branta canadensis</i>	0.0004%
American Wigeon x Mallard (hybrid) <i>Mareca americana x Anas platyrhynchos</i>	0.0004%
Blue-winged x Green-winged Teal (hybrid) <i>Spatula discors x Anas crecca</i>	0.0004%
Canvasback x Redhead (hybrid) <i>Aythya valisineria x americana</i>	0.0004%
Ring-necked Duck x Lesser Scaup (hybrid) <i>Aythya collaris x affinis</i>	0.0004%
Herring x Glaucous Gull (hybrid) <i>Larus argentatus x hyperboreus</i>	0.0004%
Sandwich x Elegant Tern (hybrid) <i>Thalasseus sandvicensis x elegans</i>	0.0004%
Yellow-bellied x Red-naped Sapsucker (hybrid) <i>Sphyrapicus varius x nuchalis</i>	0.0004%
Indigo x Painted Bunting (hybrid) <i>Passerina cyanea x ciris</i>	0.0004%
Herring x Great Black-backed Gull (hybrid) <i>Larus argentatus x marinus</i>	0.0000%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0000%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0000%