



# Target Species

Based on 239,520 complete checklists

**453** species observed in Florida, US (region/US-FL) in Dec that you need for your **Florida Life List**

1. <b>Black-bellied Whistling-Duck</b> <i>Dendrocygna autumnalis</i>	5.22% frequency
2. <b>Fulvous Whistling-Duck</b> <i>Dendrocygna bicolor</i>	0.7223%
3. <b>Snow Goose</b> <i>Anser caerulescens</i>	0.4743%
4. <b>Ross's Goose</b> <i>Anser rossii</i>	0.0664%
5. <b>Greater White-fronted Goose</b> <i>Anser albifrons</i>	0.0822%
6. <b>Brant</b> <i>Branta bernicla</i>	0.0522%
7. <b>Canada Goose</b> <i>Branta canadensis</i>	2.19%
8. <b>Tundra Swan</b> <i>Cygnus columbianus</i>	0.0079%
9. <b>Egyptian Goose</b> <i>Alopochen aegyptiaca</i>	1.84%
10. <b>Muscovy Duck</b> <i>Cairina moschata</i>	5.64%
11. <b>Wood Duck</b> <i>Aix sponsa</i>	2.65%
12. <b>Blue-winged Teal</b> <i>Spatula discors</i>	9.71%
13. <b>Cinnamon Teal</b> <i>Spatula cyanoptera</i>	0.0952%
14. <b>Northern Shoveler</b> <i>Spatula clypeata</i>	3.66%
15. <b>Gadwall</b> <i>Mareca strepera</i>	1.58%
16. <b>Eurasian Wigeon</b> <i>Mareca penelope</i>	0.0359%
17. <b>American Wigeon</b> <i>Mareca americana</i>	2.23%

18.	<b>Mallard</b> <i>Anas platyrhynchos</i>	3.36%
19.	<b>American Black Duck</b> <i>Anas rubripes</i>	0.1252%
20.	<b>Mottled Duck</b> <i>Anas fulvigula</i>	8.40%
21.	<b>White-cheeked Pintail</b> <i>Anas bahamensis</i>	0.0196%
22.	<b>Northern Pintail</b> <i>Anas acuta</i>	1.43%
23.	<b>Green-winged Teal</b> <i>Anas crecca</i>	2.78%
24.	<b>Canvasback</b> <i>Aythya valisineria</i>	0.8538%
25.	<b>Redhead</b> <i>Aythya americana</i>	2.25%
26.	<b>Ring-necked Duck</b> <i>Aythya collaris</i>	5.74%
27.	<b>Greater Scaup</b> <i>Aythya marila</i>	0.7874%
28.	<b>Lesser Scaup</b> <i>Aythya affinis</i>	5.58%
29.	<b>King Eider</b> <i>Somateria spectabilis</i>	0.0664%
30.	<b>Common Eider</b> <i>Somateria mollissima</i>	0.0651%
31.	<b>Harlequin Duck</b> <i>Histrionicus histrionicus</i>	0.0497%
32.	<b>Surf Scoter</b> <i>Melanitta perspicillata</i>	0.3102%
33.	<b>White-winged Scoter</b> <i>Melanitta deglandi</i>	0.0910%
34.	<b>Black Scoter</b> <i>Melanitta americana</i>	1.12%
35.	<b>Long-tailed Duck</b> <i>Clangula hyemalis</i>	0.1524%
36.	<b>Bufflehead</b> <i>Bucephala albeola</i>	3.69%
37.	<b>Common Goldeneye</b> <i>Bucephala clangula</i>	0.4526%
38.	<b>Hooded Merganser</b> <i>Lophodytes cucullatus</i>	7.14%
39.	<b>Common Merganser</b> <i>Mergus merganser</i>	0.0238%
40.	<b>Red-breasted Merganser</b> <i>Mergus serrator</i>	4.80%

41. <b>Masked Duck</b> <i>Nomonyx dominicus</i>	0.0129%
42. <b>Ruddy Duck</b> <i>Oxyura jamaicensis</i>	2.32%
43. <b>Northern Bobwhite</b> <i>Colinus virginianus</i>	0.4960%
44. <b>Wild Turkey</b> <i>Meleagris gallopavo</i>	1.41%
45. <b>American Flamingo</b> <i>Phoenicopterus ruber</i>	0.2179%
46. <b>Least Grebe</b> <i>Tachybaptus dominicus</i>	0.0125%
47. <b>Pied-billed Grebe</b> <i>Podilymbus podiceps</i>	20.37%
48. <b>Horned Grebe</b> <i>Podiceps auritus</i>	2.14%
49. <b>Red-necked Grebe</b> <i>Podiceps grisegena</i>	0.0397%
50. <b>Eared Grebe</b> <i>Podiceps nigricollis</i>	0.0731%
51. <b>Western Grebe</b> <i>Aechmophorus occidentalis</i>	0.0150%
52. <b>Rock Pigeon</b> <i>Columba livia</i>	7.83%
53. <b>Scaly-naped Pigeon</b> <i>Patagioenas squamosa</i>	0.0004%
54. <b>White-crowned Pigeon</b> <i>Patagioenas leucocephala</i>	0.4822%
55. <b>Eurasian Collared-Dove</b> <i>Streptopelia decaocto</i>	9.12%
56. <b>Common Ground Dove</b> <i>Columbina passerina</i>	6.91%
57. <b>Ruddy Quail-Dove</b> <i>Geotrygon montana</i>	0.0012%
58. <b>Key West Quail-Dove</b> <i>Geotrygon chrysia</i>	0.0125%
59. <b>White-winged Dove</b> <i>Zenaida asiatica</i>	2.48%
60. <b>Zenaida Dove</b> <i>Zenaida aurita</i>	0.0008%
61. <b>Mourning Dove</b> <i>Zenaida macroura</i>	33.67%
62. <b>Smooth-billed Ani</b> <i>Crotophaga ani</i>	0.1382%
63. <b>Groove-billed Ani</b> <i>Crotophaga sulcirostris</i>	0.0526%

64.	<b>Yellow-billed Cuckoo</b> <i>Coccyzus americanus</i>	<b>0.0159%</b>
65.	<b>Mangrove Cuckoo</b> <i>Coccyzus minor</i>	<b>0.0572%</b>
66.	<b>Lesser Nighthawk</b> <i>Chordeiles acutipennis</i>	<b>0.0572%</b>
67.	<b>Common Nighthawk</b> <i>Chordeiles minor</i>	<b>0.0038%</b>
68.	<b>Chuck-will's-widow</b> <i>Antrostomus carolinensis</i>	<b>0.0676%</b>
69.	<b>Eastern Whip-poor-will</b> <i>Antrostomus vociferus</i>	<b>0.2513%</b>
70.	<b>Chimney Swift</b> <i>Chaetura pelagica</i>	<b>0.0012%</b>
71.	<b>Vaux's Swift</b> <i>Chaetura vauxi</i>	<b>0.0743%</b>
72.	<b>Antillean Palm Swift</b> <i>Tachornis phoenicobia</i>	<b>0.0175%</b>
73.	<b>Ruby-throated Hummingbird</b> <i>Archilochus colubris</i>	<b>3.10%</b>
74.	<b>Black-chinned Hummingbird</b> <i>Archilochus alexandri</i>	<b>0.0685%</b>
75.	<b>Costa's Hummingbird</b> <i>Calypte costae</i>	<b>0.0050%</b>
76.	<b>Calliope Hummingbird</b> <i>Selasphorus calliope</i>	<b>0.0134%</b>
77.	<b>Rufous Hummingbird</b> <i>Selasphorus rufus</i>	<b>0.1804%</b>
78.	<b>Allen's Hummingbird</b> <i>Selasphorus sasin</i>	<b>0.0000%</b>
79.	<b>Broad-tailed Hummingbird</b> <i>Selasphorus platycercus</i>	<b>0.0004%</b>
80.	<b>Broad-billed Hummingbird</b> <i>Cynanthus latirostris</i>	<b>0.0367%</b>
81.	<b>Buff-bellied Hummingbird</b> <i>Amazilia yucatanensis</i>	<b>0.0597%</b>
82.	<b>King Rail</b> <i>Rallus elegans</i>	<b>0.7352%</b>
83.	<b>Clapper Rail</b> <i>Rallus crepitans</i>	<b>1.62%</b>
84.	<b>Virginia Rail</b> <i>Rallus limicola</i>	<b>0.6480%</b>
85.	<b>Sora</b> <i>Porzana carolina</i>	<b>3.17%</b>

86. <b>Common Gallinule</b> <i>Gallinula galeata</i>	<b>20.69%</b>
87. <b>American Coot</b> <i>Fulica americana</i>	<b>14.43%</b>
88. <b>Purple Gallinule</b> <i>Porphyrio martinica</i>	<b>3.56%</b>
89. <b>Gray-headed Swamphen</b> <i>Porphyrio poliocephalus</i>	<b>1.74%</b>
90. <b>Yellow Rail</b> <i>Coturnicops noveboracensis</i>	<b>0.0008%</b>
91. <b>Black Rail</b> <i>Laterallus jamaicensis</i>	<b>0.0138%</b>
92. <b>Limpkin</b> <i>Aramus guarauna</i>	<b>8.31%</b>
93. <b>Sandhill Crane</b> <i>Antigone canadensis</i>	<b>12.69%</b>
94. <b>Whooping Crane</b> <i>Grus americana</i>	<b>0.2209%</b>
95. <b>Black-necked Stilt</b> <i>Himantopus mexicanus</i>	<b>0.7611%</b>
96. <b>American Avocet</b> <i>Recurvirostra americana</i>	<b>1.01%</b>
97. <b>American Oystercatcher</b> <i>Haematopus palliatus</i>	<b>1.66%</b>
98. <b>Black-bellied Plover</b> <i>Pluvialis squatarola</i>	<b>6.19%</b>
99. <b>American Golden-Plover</b> <i>Pluvialis dominica</i>	<b>0.0718%</b>
100. <b>Killdeer</b> <i>Charadrius vociferus</i>	<b>13.50%</b>
101. <b>Semipalmated Plover</b> <i>Charadrius semipalmatus</i>	<b>3.58%</b>
102. <b>Piping Plover</b> <i>Charadrius melodus</i>	<b>1.10%</b>
103. <b>Northern Lapwing</b> <i>Vanellus vanellus</i>	<b>0.0029%</b>
104. <b>Wilson's Plover</b> <i>Anarhynchus wilsonia</i>	<b>0.9665%</b>
105. <b>Snowy Plover</b> <i>Anarhynchus nivosus</i>	<b>0.5816%</b>
106. <b>Whimbrel</b> <i>Numenius phaeopus</i>	<b>0.1866%</b>
107. <b>Long-billed Curlew</b> <i>Numenius americanus</i>	<b>0.0468%</b>

108.	<b>Bar-tailed Godwit</b> <i>Limosa lapponica</i>	0.0129%
109.	<b>Hudsonian Godwit</b> <i>Limosa haemastica</i>	0.0054%
110.	<b>Marbled Godwit</b> <i>Limosa fedoa</i>	1.11%
111.	<b>Short-billed Dowitcher</b> <i>Limnodromus griseus</i>	2.40%
112.	<b>Long-billed Dowitcher</b> <i>Limnodromus scolopaceus</i>	1.30%
113.	<b>American Woodcock</b> <i>Scolopax minor</i>	0.2092%
114.	<b>Wilson's Snipe</b> <i>Gallinago delicata</i>	4.42%
115.	<b>Wilson's Phalarope</b> <i>Phalaropus tricolor</i>	0.0067%
116.	<b>Red Phalarope</b> <i>Phalaropus fulicarius</i>	0.0092%
117.	<b>Red-necked Phalarope</b> <i>Phalaropus lobatus</i>	0.0008%
118.	<b>Spotted Sandpiper</b> <i>Actitis macularius</i>	3.57%
119.	<b>Solitary Sandpiper</b> <i>Tringa solitaria</i>	0.1770%
120.	<b>Lesser Yellowlegs</b> <i>Tringa flavipes</i>	3.45%
121.	<b>Willet</b> <i>Tringa semipalmata</i>	8.93%
122.	<b>Greater Yellowlegs</b> <i>Tringa melanoleuca</i>	6.42%
123.	<b>Ruddy Turnstone</b> <i>Arenaria interpres</i>	7.55%
124.	<b>Red Knot</b> <i>Calidris canutus</i>	1.37%
125.	<b>Ruff</b> <i>Calidris pugnax</i>	0.0054%
126.	<b>Curlew Sandpiper</b> <i>Calidris ferruginea</i>	0.0004%
127.	<b>Stilt Sandpiper</b> <i>Calidris himantopus</i>	0.1841%
128.	<b>Sanderling</b> <i>Calidris alba</i>	8.02%
129.	<b>Dunlin</b> <i>Calidris alpina</i>	4.43%
130.	<b>Purple Sandpiper</b> <i>Calidris maritima</i>	0.1495%

131. <b>White-rumped Sandpiper</b> <i>Calidris fuscicollis</i>	0.0004%
132. <b>Least Sandpiper</b> <i>Calidris minutilla</i>	4.81%
133. <b>Pectoral Sandpiper</b> <i>Calidris melanotos</i>	0.0058%
134. <b>Western Sandpiper</b> <i>Calidris mauri</i>	1.88%
135. <b>Semipalmated Sandpiper</b> <i>Calidris pusilla</i>	0.0046%
136. <b>Long-tailed Jaeger</b> <i>Stercorarius longicaudus</i>	0.0008%
137. <b>Parasitic Jaeger</b> <i>Stercorarius parasiticus</i>	0.1691%
138. <b>Pomarine Jaeger</b> <i>Stercorarius pomarinus</i>	0.1541%
139. <b>South Polar Skua</b> <i>Stercorarius maccormicki</i>	0.0004%
140. <b>Atlantic Puffin</b> <i>Fratercula arctica</i>	0.0000%
141. <b>Long-billed Murrelet</b> <i>Brachyramphus perdix</i>	0.0008%
142. <b>Razorbill</b> <i>Alca torda</i>	0.1048%
143. <b>Thick-billed Murre</b> <i>Uria lomvia</i>	0.0012%
144. <b>Little Gull</b> <i>Hydrocoloeus minutus</i>	0.0008%
145. <b>Black-legged Kittiwake</b> <i>Rissa tridactyla</i>	0.0409%
146. <b>Sabine's Gull</b> <i>Xema sabini</i>	0.0171%
147. <b>Bonaparte's Gull</b> <i>Chroicocephalus philadelphia</i>	1.95%
148. <b>Black-headed Gull</b> <i>Chroicocephalus ridibundus</i>	0.0042%
149. <b>Gray-hooded Gull</b> <i>Chroicocephalus cirrocephalus</i>	0.0000%
150. <b>Laughing Gull</b> <i>Leucophaeus atricilla</i>	19.69%
151. <b>Franklin's Gull</b> <i>Leucophaeus pipixcan</i>	0.1386%
152. <b>Heermann's Gull</b> <i>Larus heermanni</i>	0.0393%
153. <b>Ring-billed Gull</b> <i>Larus delawarensis</i>	20.56%

154.	<b>Kelp Gull</b> <i>Larus dominicanus</i>	0.0000%
155.	<b>Herring Gull</b> <i>Larus argentatus</i>	5.77%
156.	<b>Great Black-backed Gull</b> <i>Larus marinus</i>	1.12%
157.	<b>Glaucous Gull</b> <i>Larus hyperboreus</i>	0.0109%
158.	<b>Lesser Black-backed Gull</b> <i>Larus fuscus</i>	2.33%
159.	<b>California Gull</b> <i>Larus californicus</i>	0.0004%
160.	<b>Iceland Gull</b> <i>Larus glaucoides</i>	0.0209%
161.	<b>Black Skimmer</b> <i>Rynchops niger</i>	3.47%
162.	<b>Brown Noddy</b> <i>Anous stolidus</i>	0.0012%
163.	<b>Sooty Tern</b> <i>Onychoprion fuscatus</i>	0.0071%
164.	<b>Large-billed Tern</b> <i>Phaetusa simplex</i>	0.0054%
165.	<b>Gull-billed Tern</b> <i>Gelochelidon nilotica</i>	0.0760%
166.	<b>Caspian Tern</b> <i>Hydroprogne caspia</i>	3.54%
167.	<b>Black Tern</b> <i>Chlidonias niger</i>	0.0088%
168.	<b>Forster's Tern</b> <i>Sterna forsteri</i>	8.54%
169.	<b>Common Tern</b> <i>Sterna hirundo</i>	0.1971%
170.	<b>Sandwich Tern</b> <i>Thalasseus sandvicensis</i>	3.57%
171.	<b>Elegant Tern</b> <i>Thalasseus elegans</i>	0.0033%
172.	<b>Royal Tern</b> <i>Thalasseus maximus</i>	11.15%
173.	<b>White-tailed Tropicbird</b> <i>Phaethon lepturus</i>	0.0000%
174.	<b>Red-throated Loon</b> <i>Gavia stellata</i>	0.0589%
175.	<b>Pacific Loon</b> <i>Gavia pacifica</i>	0.0079%
176.	<b>Common Loon</b> <i>Gavia immer</i>	3.46%



177. <b>Wilson's Storm-Petrel</b> <i>Oceanites oceanicus</i>	0.0004%
178. <b>Black-capped Petrel</b> <i>Pterodroma hasitata</i>	0.0000%
179. <b>Cory's Shearwater</b> <i>Calonectris diomedea</i>	0.0159%
180. <b>Great Shearwater</b> <i>Ardenna gravis</i>	0.0188%
181. <b>Sooty Shearwater</b> <i>Ardenna grisea</i>	0.0058%
182. <b>Manx Shearwater</b> <i>Puffinus puffinus</i>	0.0033%
183. <b>Audubon's Shearwater</b> <i>Puffinus lherminieri</i>	0.0033%
184. <b>Wood Stork</b> <i>Mycteria americana</i>	17.36%
185. <b>Magnificent Frigatebird</b> <i>Fregata magnificens</i>	2.74%
186. <b>Northern Gannet</b> <i>Morus bassanus</i>	1.94%
187. <b>Red-footed Booby</b> <i>Sula sula</i>	0.0042%
188. <b>Brown Booby</b> <i>Sula leucogaster</i>	0.1340%
189. <b>Masked Booby</b> <i>Sula dactylatra</i>	0.0221%
190. <b>Anhinga</b> <i>Anhinga anhinga</i>	30.60%
191. <b>Great Cormorant</b> <i>Phalacrocorax carbo</i>	0.0501%
192. <b>Double-crested Cormorant</b> <i>Nannopterum auritum</i>	34.03%
193. <b>Neotropic Cormorant</b> <i>Nannopterum brasilianum</i>	0.0827%
194. <b>American White Pelican</b> <i>Pelecanus erythrorhynchos</i>	7.66%
195. <b>Brown Pelican</b> <i>Pelecanus occidentalis</i>	20.03%
196. <b>American Bittern</b> <i>Botaurus lentiginosus</i>	1.76%
197. <b>Least Bittern</b> <i>Ixobrychus exilis</i>	0.8738%
198. <b>Yellow-crowned Night Heron</b> <i>Nyctanassa violacea</i>	3.29%

199.	<b>Black-crowned Night Heron</b> <i>Nycticorax nycticorax</i>	5.51%
200.	<b>Little Blue Heron</b> <i>Egretta caerulea</i>	30.03%
201.	<b>Tricolored Heron</b> <i>Egretta tricolor</i>	23.69%
202.	<b>Reddish Egret</b> <i>Egretta rufescens</i>	3.28%
203.	<b>Snowy Egret</b> <i>Egretta thula</i>	25.05%
204.	<b>Green Heron</b> <i>Butorides virescens</i>	9.83%
205.	<b>Western Cattle Egret</b> <i>Bubulcus ibis</i>	13.37%
206.	<b>Great Egret</b> <i>Ardea alba</i>	39.54%
207.	<b>Great Blue Heron</b> <i>Ardea herodias</i>	34.43%
208.	<b>White Ibis</b> <i>Eudocimus albus</i>	37.77%
209.	<b>Glossy Ibis</b> <i>Plegadis falcinellus</i>	12.11%
210.	<b>White-faced Ibis</b> <i>Plegadis chihi</i>	0.1202%
211.	<b>Roseate Spoonbill</b> <i>Platalea ajaja</i>	7.18%
212.	<b>Black Vulture</b> <i>Coragyps atratus</i>	25.42%
213.	<b>Turkey Vulture</b> <i>Cathartes aura</i>	44.81%
214.	<b>Osprey</b> <i>Pandion haliaetus</i>	30.99%
215.	<b>White-tailed Kite</b> <i>Elanus leucurus</i>	0.1453%
216.	<b>Swallow-tailed Kite</b> <i>Elanoides forficatus</i>	0.0000%
217.	<b>Golden Eagle</b> <i>Aquila chrysaetos</i>	0.0025%
218.	<b>Snail Kite</b> <i>Rostrhamus sociabilis</i>	1.57%
219.	<b>Mississippi Kite</b> <i>Ictinia mississippiensis</i>	0.0004%
220.	<b>Northern Harrier</b> <i>Circus hudsonius</i>	7.87%

221.	<b>Sharp-shinned Hawk</b> <i>Accipiter striatus</i>	1.71%
222.	<b>Cooper's Hawk</b> <i>Accipiter cooperii</i>	3.87%
223.	<b>American Goshawk</b> <i>Accipiter atricapillus</i>	0.0000%
224.	<b>Bald Eagle</b> <i>Haliaeetus leucocephalus</i>	14.74%
225.	<b>Red-shouldered Hawk</b> <i>Buteo lineatus</i>	27.91%
226.	<b>Broad-winged Hawk</b> <i>Buteo platypterus</i>	0.4421%
227.	<b>Short-tailed Hawk</b> <i>Buteo brachyurus</i>	1.36%
228.	<b>Swainson's Hawk</b> <i>Buteo swainsoni</i>	0.1169%
229.	<b>Zone-tailed Hawk</b> <i>Buteo albonotatus</i>	0.0000%
230.	<b>Red-tailed Hawk</b> <i>Buteo jamaicensis</i>	4.96%
231.	<b>Rough-legged Hawk</b> <i>Buteo lagopus</i>	0.0008%
232.	<b>Ferruginous Hawk</b> <i>Buteo regalis</i>	0.0004%
233.	<b>Barn Owl</b> <i>Tyto alba</i>	0.3110%
234.	<b>Eastern Screech-Owl</b> <i>Megascops asio</i>	0.8763%
235.	<b>Snowy Owl</b> <i>Bubo scandiacus</i>	0.0196%
236.	<b>Great Horned Owl</b> <i>Bubo virginianus</i>	2.18%
237.	<b>Burrowing Owl</b> <i>Athene cunicularia</i>	0.3494%
238.	<b>Barred Owl</b> <i>Strix varia</i>	3.01%
239.	<b>Short-eared Owl</b> <i>Asio flammeus</i>	0.0680%
240.	<b>Northern Saw-whet Owl</b> <i>Aegolius acadicus</i>	0.0000%
241.	<b>Belted Kingfisher</b> <i>Megaceryle alcyon</i>	22.66%
242.	<b>Yellow-bellied Sapsucker</b> <i>Sphyrapicus varius</i>	7.56%

243.	<b>Red-headed Woodpecker</b> <i>Melanerpes erythrocephalus</i>	1.54%
244.	<b>Red-bellied Woodpecker</b> <i>Melanerpes carolinus</i>	38.50%
245.	<b>Downy Woodpecker</b> <i>Dryobates pubescens</i>	17.09%
246.	<b>Red-cockaded Woodpecker</b> <i>Dryobates borealis</i>	0.3140%
247.	<b>Hairy Woodpecker</b> <i>Dryobates villosus</i>	0.2513%
248.	<b>Pileated Woodpecker</b> <i>Dryocopus pileatus</i>	12.98%
249.	<b>Northern Flicker</b> <i>Colaptes auratus</i>	4.71%
250.	<b>Crested Caracara</b> <i>Caracara plancus</i>	1.01%
251.	<b>Yellow-headed Caracara</b> <i>Daptrius chimachima</i>	0.0021%
252.	<b>American Kestrel</b> <i>Falco sparverius</i>	15.66%
253.	<b>Merlin</b> <i>Falco columbarius</i>	1.67%
254.	<b>Peregrine Falcon</b> <i>Falco peregrinus</i>	1.23%
255.	<b>Monk Parakeet</b> <i>Myiopsitta monachus</i>	2.07%
256.	<b>White-winged Parakeet</b> <i>Brotogeris versicolurus</i>	0.0347%
257.	<b>Nanday Parakeet</b> <i>Aratinga nenday</i>	2.12%
258.	<b>Mitred Parakeet</b> <i>Psittacara mitratus</i>	0.2346%
259.	<b>Eastern Wood-Pewee</b> <i>Contopus virens</i>	0.0017%
260.	<b>Cuban Pewee</b> <i>Contopus caribaeus</i>	0.0413%
261.	<b>Yellow-bellied Flycatcher</b> <i>Empidonax flaviventris</i>	0.0188%
262.	<b>Acadian Flycatcher</b> <i>Empidonax virens</i>	0.0000%
263.	<b>Willow Flycatcher</b> <i>Empidonax traillii</i>	0.0351%
264.	<b>Least Flycatcher</b> <i>Empidonax minimus</i>	0.2551%

265.	<b>Hammond's Flycatcher</b> <i>Empidonax hammondii</i>	<b>0.0025%</b>
266.	<b>Western Flycatcher</b> <i>Empidonax difficilis</i>	<b>0.0054%</b>
267.	<b>Eastern Phoebe</b> <i>Sayornis phoebe</i>	<b>31.06%</b>
268.	<b>Say's Phoebe</b> <i>Sayornis saya</i>	<b>0.0154%</b>
269.	<b>Vermilion Flycatcher</b> <i>Pyrocephalus rubinus</i>	<b>0.5791%</b>
270.	<b>Ash-throated Flycatcher</b> <i>Myiarchus cinerascens</i>	<b>0.3908%</b>
271.	<b>Great Crested Flycatcher</b> <i>Myiarchus crinitus</i>	<b>2.55%</b>
272.	<b>Brown-crested Flycatcher</b> <i>Myiarchus tyrannulus</i>	<b>0.0948%</b>
273.	<b>La Sagra's Flycatcher</b> <i>Myiarchus sagrae</i>	<b>0.0334%</b>
274.	<b>Tropical Kingbird</b> <i>Tyrannus melancholicus</i>	<b>0.2538%</b>
275.	<b>Couch's Kingbird</b> <i>Tyrannus couchii</i>	<b>0.0271%</b>
276.	<b>Cassin's Kingbird</b> <i>Tyrannus vociferans</i>	<b>0.0614%</b>
277.	<b>Western Kingbird</b> <i>Tyrannus verticalis</i>	<b>0.7315%</b>
278.	<b>Eastern Kingbird</b> <i>Tyrannus tyrannus</i>	<b>0.0038%</b>
279.	<b>Gray Kingbird</b> <i>Tyrannus dominicensis</i>	<b>0.0230%</b>
280.	<b>Loggerhead Kingbird</b> <i>Tyrannus caudifasciatus</i>	<b>0.0150%</b>
281.	<b>Scissor-tailed Flycatcher</b> <i>Tyrannus forficatus</i>	<b>0.5695%</b>
282.	<b>Fork-tailed Flycatcher</b> <i>Tyrannus savana</i>	<b>0.0426%</b>
283.	<b>White-eyed Vireo</b> <i>Vireo griseus</i>	<b>6.76%</b>
284.	<b>Thick-billed Vireo</b> <i>Vireo crassirostris</i>	<b>0.0058%</b>
285.	<b>Bell's Vireo</b> <i>Vireo bellii</i>	<b>0.0363%</b>
286.	<b>Yellow-throated Vireo</b> <i>Vireo flavifrons</i>	<b>0.3010%</b>
287.	<b>Blue-headed Vireo</b> <i>Vireo solitarius</i>	<b>6.84%</b>

288.	<b>Philadelphia Vireo</b> <i>Vireo philadelphicus</i>	0.0008%
289.	<b>Warbling Vireo</b> <i>Vireo gilvus</i>	0.0050%
290.	<b>Red-eyed Vireo</b> <i>Vireo olivaceus</i>	0.0008%
291.	<b>Loggerhead Shrike</b> <i>Lanius ludovicianus</i>	11.28%
292.	<b>Blue Jay</b> <i>Cyanocitta cristata</i>	28.88%
293.	<b>Florida Scrub-Jay</b> <i>Aphelocoma coerulescens</i>	1.06%
294.	<b>American Crow</b> <i>Corvus brachyrhynchos</i>	18.99%
295.	<b>Fish Crow</b> <i>Corvus ossifragus</i>	21.31%
296.	<b>Carolina Chickadee</b> <i>Poecile carolinensis</i>	10.45%
297.	<b>Tufted Titmouse</b> <i>Baeolophus bicolor</i>	15.68%
298.	<b>Horned Lark</b> <i>Eremophila alpestris</i>	0.0192%
299.	<b>Bank Swallow</b> <i>Riparia riparia</i>	0.0046%
300.	<b>Tree Swallow</b> <i>Tachycineta bicolor</i>	11.48%
301.	<b>Purple Martin</b> <i>Progne subis</i>	0.0159%
302.	<b>Northern Rough-winged Swallow</b> <i>Stelgidopteryx serripennis</i>	0.8120%
303.	<b>Barn Swallow</b> <i>Hirundo rustica</i>	0.1182%
304.	<b>Cliff Swallow</b> <i>Petrochelidon pyrrhonota</i>	0.0033%
305.	<b>Cave Swallow</b> <i>Petrochelidon fulva</i>	0.0906%
306.	<b>Red-whiskered Bulbul</b> <i>Pycnonotus jocosus</i>	0.1015%
307.	<b>Ruby-crowned Kinglet</b> <i>Corthylio calendula</i>	13.10%
308.	<b>Golden-crowned Kinglet</b> <i>Regulus satrapa</i>	0.3745%
309.	<b>White-breasted Nuthatch</b> <i>Sitta carolinensis</i>	0.4125%

310.	<b>Brown-headed Nuthatch</b> <i>Sitta pusilla</i>	1.85%
311.	<b>Red-breasted Nuthatch</b> <i>Sitta canadensis</i>	0.1273%
312.	<b>Brown Creeper</b> <i>Certhia americana</i>	0.0480%
313.	<b>Blue-gray Gnatcatcher</b> <i>Polioptila caerulea</i>	34.18%
314.	<b>House Wren</b> <i>Troglodytes aedon</i>	13.97%
315.	<b>Winter Wren</b> <i>Troglodytes hiemalis</i>	0.0814%
316.	<b>Sedge Wren</b> <i>Cistothorus stellaris</i>	1.99%
317.	<b>Marsh Wren</b> <i>Cistothorus palustris</i>	2.98%
318.	<b>Carolina Wren</b> <i>Thryothorus ludovicianus</i>	19.73%
319.	<b>European Starling</b> <i>Sturnus vulgaris</i>	11.04%
320.	<b>Common Myna</b> <i>Acridotheres tristis</i>	0.2100%
321.	<b>Gray Catbird</b> <i>Dumetella carolinensis</i>	23.79%
322.	<b>Brown Thrasher</b> <i>Toxostoma rufum</i>	2.70%
323.	<b>Northern Mockingbird</b> <i>Mimus polyglottos</i>	33.55%
324.	<b>Eastern Bluebird</b> <i>Sialia sialis</i>	8.98%
325.	<b>Mountain Bluebird</b> <i>Sialia currucoides</i>	0.0004%
326.	<b>Varied Thrush</b> <i>Ixoreus naevius</i>	0.0012%
327.	<b>Gray-cheeked Thrush</b> <i>Catharus minimus</i>	0.0004%
328.	<b>Swainson's Thrush</b> <i>Catharus ustulatus</i>	0.0029%
329.	<b>Hermit Thrush</b> <i>Catharus guttatus</i>	2.54%
330.	<b>Wood Thrush</b> <i>Hylocichla mustelina</i>	0.0058%
331.	<b>American Robin</b> <i>Turdus migratorius</i>	12.24%
332.	<b>Red-legged Thrush</b> <i>Turdus plumbeus</i>	0.0259%

333.	<b>Cedar Waxwing</b> <i>Bombycilla cedrorum</i>	2.22%
334.	<b>Tricolored Munia</b> <i>Lonchura malacca</i>	0.0012%
335.	<b>House Sparrow</b> <i>Passer domesticus</i>	3.50%
336.	<b>White Wagtail</b> <i>Motacilla alba</i>	0.0856%
337.	<b>American Pipit</b> <i>Anthus rubescens</i>	0.5949%
338.	<b>Sprague's Pipit</b> <i>Anthus spragueii</i>	0.0250%
339.	<b>Evening Grosbeak</b> <i>Coccothraustes vespertinus</i>	0.0012%
340.	<b>House Finch</b> <i>Haemorhous mexicanus</i>	4.92%
341.	<b>Purple Finch</b> <i>Haemorhous purpureus</i>	0.1415%
342.	<b>Pine Siskin</b> <i>Spinus pinus</i>	0.1804%
343.	<b>American Goldfinch</b> <i>Spinus tristis</i>	8.15%
344.	<b>Lapland Longspur</b> <i>Calcarius lapponicus</i>	0.0238%
345.	<b>Chestnut-collared Longspur</b> <i>Calcarius ornatus</i>	0.0004%
346.	<b>Smith's Longspur</b> <i>Calcarius pictus</i>	0.0000%
347.	<b>Snow Bunting</b> <i>Plectrophenax nivalis</i>	0.0213%
348.	<b>Bachman's Sparrow</b> <i>Peucaea aestivalis</i>	0.2346%
349.	<b>Grasshopper Sparrow</b> <i>Ammodramus savannarum</i>	0.8471%
350.	<b>Chipping Sparrow</b> <i>Spizella passerina</i>	6.35%
351.	<b>Clay-colored Sparrow</b> <i>Spizella pallida</i>	0.1102%
352.	<b>Field Sparrow</b> <i>Spizella pusilla</i>	0.3912%
353.	<b>Lark Sparrow</b> <i>Chondestes grammacus</i>	0.0781%
354.	<b>Fox Sparrow</b> <i>Passerella iliaca</i>	0.0380%
355.	<b>Dark-eyed Junco</b> <i>Junco hyemalis</i>	0.0818%



356.	<b>White-crowned Sparrow</b> <i>Zonotrichia leucophrys</i>	<b>0.6012%</b>
357.	<b>Harris's Sparrow</b> <i>Zonotrichia querula</i>	<b>0.0142%</b>
358.	<b>White-throated Sparrow</b> <i>Zonotrichia albicollis</i>	<b>0.9523%</b>
359.	<b>Vesper Sparrow</b> <i>Pooecetes gramineus</i>	<b>0.8137%</b>
360.	<b>LeConte's Sparrow</b> <i>Ammospiza leconteii</i>	<b>0.0451%</b>
361.	<b>Seaside Sparrow</b> <i>Ammospiza maritima</i>	<b>0.1687%</b>
362.	<b>Nelson's Sparrow</b> <i>Ammospiza nelsoni</i>	<b>0.2589%</b>
363.	<b>Saltmarsh Sparrow</b> <i>Ammospiza caudacuta</i>	<b>0.1219%</b>
364.	<b>Savannah Sparrow</b> <i>Passerculus sandwichensis</i>	<b>6.46%</b>
365.	<b>Henslow's Sparrow</b> <i>Centronyx henslowii</i>	<b>0.0877%</b>
366.	<b>Song Sparrow</b> <i>Melospiza melodia</i>	<b>2.29%</b>
367.	<b>Lincoln's Sparrow</b> <i>Melospiza lincolnii</i>	<b>0.1854%</b>
368.	<b>Swamp Sparrow</b> <i>Melospiza georgiana</i>	<b>7.06%</b>
369.	<b>Green-tailed Towhee</b> <i>Pipilo chlorurus</i>	<b>0.0150%</b>
370.	<b>Eastern Towhee</b> <i>Pipilo erythrophthalmus</i>	<b>5.07%</b>
371.	<b>Western Spindalis</b> <i>Spindalis zena</i>	<b>0.0764%</b>
372.	<b>Yellow-breasted Chat</b> <i>Icteria virens</i>	<b>0.0818%</b>
373.	<b>Yellow-headed Blackbird</b> <i>Xanthocephalus xanthocephalus</i>	<b>0.1236%</b>
374.	<b>Bobolink</b> <i>Dolichonyx oryzivorus</i>	<b>0.0029%</b>
375.	<b>Western Meadowlark</b> <i>Sturnella neglecta</i>	<b>0.0029%</b>
376.	<b>Eastern Meadowlark</b> <i>Sturnella magna</i>	<b>3.43%</b>
377.	<b>Orchard Oriole</b> <i>Icterus spurius</i>	<b>0.0167%</b>

378.	<b>Hooded Oriole</b> <i>Icterus cucullatus</i>	0.0192%
379.	<b>Bullock's Oriole</b> <i>Icterus bullockii</i>	0.0359%
380.	<b>Spot-breasted Oriole</b> <i>Icterus pectoralis</i>	0.3127%
381.	<b>Baltimore Oriole</b> <i>Icterus galbula</i>	1.40%
382.	<b>Scott's Oriole</b> <i>Icterus parisorum</i>	0.0000%
383.	<b>Red-winged Blackbird</b> <i>Agelaius phoeniceus</i>	17.71%
384.	<b>Shiny Cowbird</b> <i>Molothrus bonariensis</i>	0.0405%
385.	<b>Bronzed Cowbird</b> <i>Molothrus aeneus</i>	0.1895%
386.	<b>Brown-headed Cowbird</b> <i>Molothrus ater</i>	3.13%
387.	<b>Rusty Blackbird</b> <i>Euphagus carolinus</i>	0.1273%
388.	<b>Brewer's Blackbird</b> <i>Euphagus cyanocephalus</i>	0.0772%
389.	<b>Common Grackle</b> <i>Quiscalus quiscula</i>	18.58%
390.	<b>Boat-tailed Grackle</b> <i>Quiscalus major</i>	24.09%
391.	<b>Great-tailed Grackle</b> <i>Quiscalus mexicanus</i>	0.0046%
392.	<b>Ovenbird</b> <i>Seiurus aurocapilla</i>	1.49%
393.	<b>Worm-eating Warbler</b> <i>Helmitheros vermivorum</i>	0.1198%
394.	<b>Louisiana Waterthrush</b> <i>Parkesia motacilla</i>	0.0405%
395.	<b>Northern Waterthrush</b> <i>Parkesia noveboracensis</i>	0.8563%
396.	<b>Golden-winged Warbler</b> <i>Vermivora chrysoptera</i>	0.0050%
397.	<b>Blue-winged Warbler</b> <i>Vermivora cyanoptera</i>	0.0263%
398.	<b>Black-and-white Warbler</b> <i>Mniotilta varia</i>	9.01%
399.	<b>Prothonotary Warbler</b> <i>Protonotaria citrea</i>	0.0025%
400.	<b>Swainson's Warbler</b> <i>Limnothlypis swainsonii</i>	0.0117%

401. <b>Tennessee Warbler</b> <i>Leiothlypis peregrina</i>	0.0171%
402. <b>Orange-crowned Warbler</b> <i>Leiothlypis celata</i>	5.17%
403. <b>Nashville Warbler</b> <i>Leiothlypis ruficapilla</i>	0.1085%
404. <b>MacGillivray's Warbler</b> <i>Geothlypis tolmiei</i>	0.0012%
405. <b>Common Yellowthroat</b> <i>Geothlypis trichas</i>	13.55%
406. <b>Hooded Warbler</b> <i>Setophaga citrina</i>	0.0142%
407. <b>American Redstart</b> <i>Setophaga ruticilla</i>	1.58%
408. <b>Cape May Warbler</b> <i>Setophaga tigrina</i>	0.2054%
409. <b>Northern Parula</b> <i>Setophaga americana</i>	2.72%
410. <b>Magnolia Warbler</b> <i>Setophaga magnolia</i>	0.3232%
411. <b>Bay-breasted Warbler</b> <i>Setophaga castanea</i>	0.0012%
412. <b>Blackburnian Warbler</b> <i>Setophaga fusca</i>	0.0021%
413. <b>Yellow Warbler</b> <i>Setophaga petechia</i>	0.1637%
414. <b>Chestnut-sided Warbler</b> <i>Setophaga pensylvanica</i>	0.0021%
415. <b>Blackpoll Warbler</b> <i>Setophaga striata</i>	0.0088%
416. <b>Black-throated Blue Warbler</b> <i>Setophaga caerulescens</i>	0.4947%
417. <b>Palm Warbler</b> <i>Setophaga palmarum</i>	46.06%
418. <b>Pine Warbler</b> <i>Setophaga pinus</i>	11.86%
419. <b>Yellow-rumped Warbler</b> <i>Setophaga coronata</i>	35.87%
420. <b>Yellow-throated Warbler</b> <i>Setophaga dominica</i>	6.95%
421. <b>Prairie Warbler</b> <i>Setophaga discolor</i>	4.65%
422. <b>Black-throated Gray Warbler</b> <i>Setophaga nigrescens</i>	0.0305%

423.	<b>Townsend's Warbler</b> <i>Setophaga townsendi</i>	0.0121%
424.	<b>Black-throated Green Warbler</b> <i>Setophaga virens</i>	0.6743%
425.	<b>Canada Warbler</b> <i>Cardellina canadensis</i>	0.0000%
426.	<b>Wilson's Warbler</b> <i>Cardellina pusilla</i>	0.1340%
427.	<b>Summer Tanager</b> <i>Piranga rubra</i>	0.5306%
428.	<b>Scarlet Tanager</b> <i>Piranga olivacea</i>	0.0054%
429.	<b>Western Tanager</b> <i>Piranga ludoviciana</i>	0.1094%
430.	<b>Northern Cardinal</b> <i>Cardinalis cardinalis</i>	34.29%
431.	<b>Rose-breasted Grosbeak</b> <i>Pheucticus ludovicianus</i>	0.0701%
432.	<b>Black-headed Grosbeak</b> <i>Pheucticus melanocephalus</i>	0.0046%
433.	<b>Blue Grosbeak</b> <i>Passerina caerulea</i>	0.1424%
434.	<b>Lazuli Bunting</b> <i>Passerina amoena</i>	0.0008%
435.	<b>Indigo Bunting</b> <i>Passerina cyanea</i>	0.8500%
436.	<b>Painted Bunting</b> <i>Passerina ciris</i>	4.81%
437.	<b>Dickcissel</b> <i>Spiza americana</i>	0.0509%
438.	<b>Bananaquit</b> <i>Coereba flaveola</i>	0.0017%
439.	<b>Black-faced Grassquit</b> <i>Melanospiza bicolor</i>	0.0175%
<b>EXOTIC: PROVISIONAL</b>		
440.	<b>Indian Peafowl</b> <i>Pavo cristatus</i>	0.3035% frequency
441.	<b>Red Junglefowl</b> <i>Gallus gallus</i>	0.1340%
442.	<b>Rose-ringed Parakeet</b> <i>Psittacula krameri</i>	0.0196%
443.	<b>Budgerigar</b> <i>Melopsittacus undulatus</i>	0.0104%

444. <b>Yellow-chevroned Parakeet</b> <i>Brotogeris chiriri</i>	<b>0.2714%</b>
445. <b>Red-crowned Parrot</b> <i>Amazona viridigenalis</i>	<b>0.0326%</b>
446. <b>Orange-winged Parrot</b> <i>Amazona amazonica</i>	<b>0.1077%</b>
447. <b>Blue-and-yellow Macaw</b> <i>Ara ararauna</i>	<b>0.0743%</b>
448. <b>Chestnut-fronted Macaw</b> <i>Ara severus</i>	<b>0.0643%</b>
449. <b>Blue-crowned Parakeet</b> <i>Thectocercus acuticaudatus</i>	<b>0.2376%</b>
450. <b>Red-masked Parakeet</b> <i>Psittacara erythrogenys</i>	<b>0.1273%</b>
451. <b>White-eyed Parakeet</b> <i>Psittacara leucophthalmus</i>	<b>0.0322%</b>
452. <b>Common Hill Myna</b> <i>Gracula religiosa</i>	<b>0.0451%</b>
453. <b>Scaly-breasted Munia</b> <i>Lonchura punctulata</i>	<b>0.2426%</b>

## EXOTIC: ESCAPEE

<b>Plumed Whistling-Duck</b> <i>Dendrocygna eytoni</i>	<b>0.0004%</b> frequency
<b>White-faced Whistling-Duck</b> <i>Dendrocygna viduata</i>	<b>0.0054%</b>
<b>Bar-headed Goose</b> <i>Anser indicus</i>	<b>0.0029%</b>
<b>Graylag Goose</b> <i>Anser anser</i>	<b>0.2025%</b>
<b>Swan Goose</b> <i>Anser cygnoides</i>	<b>0.1845%</b>
<b>Barnacle Goose</b> <i>Branta leucopsis</i>	<b>0.0000%</b>
<b>Mute Swan</b> <i>Cygnus olor</i>	<b>0.2889%</b>
<b>Black Swan</b> <i>Cygnus atratus</i>	<b>0.1211%</b>
<b>Black-necked Swan</b> <i>Cygnus melancoryphus</i>	<b>0.0505%</b>
<b>Trumpeter Swan</b> <i>Cygnus buccinator</i>	<b>0.0209%</b>

<b>Whooper Swan</b> <i>Cygnus cygnus</i>	<b>0.0096%</b>
<b>Coscoroba Swan</b> <i>Coscoroba coscoroba</i>	<b>0.0134%</b>
<b>Orinoco Goose</b> <i>Oressochen jubatus</i>	<b>0.0004%</b>
<b>Ruddy Shelduck</b> <i>Tadorna ferruginea</i>	<b>0.0230%</b>
<b>Common Shelduck</b> <i>Tadorna tadorna</i>	<b>0.0142%</b>
<b>Ringed Teal</b> <i>Callonetta leucophrys</i>	<b>0.0029%</b>
<b>Mandarin Duck</b> <i>Aix galericulata</i>	<b>0.0217%</b>
<b>Red-crested Pochard</b> <i>Netta rufina</i>	<b>0.0012%</b>
<b>Rosy-billed Pochard</b> <i>Netta peposaca</i>	<b>0.0008%</b>
<b>Common Pochard</b> <i>Aythya ferina</i>	<b>0.0004%</b>
<b>Helmeted Guineafowl</b> <i>Numida meleagris</i>	<b>0.0276%</b>
<b>Ring-necked Pheasant</b> <i>Phasianus colchicus</i>	<b>0.0017%</b>
<b>Green Peafowl</b> <i>Pavo muticus</i>	<b>0.0004%</b>
<b>Red-legged Partridge</b> <i>Alectoris rufa</i>	<b>0.0008%</b>
<b>Chukar</b> <i>Alectoris chukar</i>	<b>0.0004%</b>
<b>African Collared-Dove</b> <i>Streptopelia roseogrisea</i>	<b>0.0021%</b>
<b>Diamond Dove</b> <i>Geopelia cuneata</i>	<b>0.0004%</b>
<b>Black-necked Stork</b> <i>Ephippiorhynchus asiaticus</i>	<b>0.0000%</b>
<b>African Sacred Ibis</b> <i>Threskiornis aethiopicus</i>	<b>0.0046%</b>
<b>Eurasian Spoonbill</b> <i>Platalea leucorodia</i>	<b>0.0000%</b>
<b>Great Black Hawk</b> <i>Buteogallus urubitinga</i>	<b>0.0038%</b>
<b>Cockatiel</b> <i>Nymphicus hollandicus</i>	<b>0.0096%</b>

<b>White Cockatoo</b> <i>Cacatua alba</i>	0.0000%
<b>Crimson Rosella</b> <i>Platycercus elegans</i>	0.0004%
<b>Rosy-faced Lovebird</b> <i>Agapornis roseicollis</i>	0.0008%
<b>Fischer's Lovebird</b> <i>Agapornis fischeri</i>	0.0000%
<b>Yellow-collared Lovebird</b> <i>Agapornis personatus</i>	0.0050%
<b>Scaly-headed Parrot</b> <i>Pionus maximiliani</i>	0.0017%
<b>Lilac-crowned Parrot</b> <i>Amazona finschi</i>	0.0071%
<b>Yellow-headed Parrot</b> <i>Amazona oratrix</i>	0.0004%
<b>Yellow-crowned Parrot</b> <i>Amazona ochrocephala</i>	0.0004%
<b>Turquoise-fronted Parrot</b> <i>Amazona aestiva</i>	0.0021%
<b>White-fronted Parrot</b> <i>Amazona albifrons</i>	0.0029%
<b>Mealy Parrot</b> <i>Amazona farinosa</i>	0.0000%
<b>Green-cheeked Parakeet</b> <i>Pyrrhura molinae</i>	0.0004%
<b>Hyacinth Macaw</b> <i>Anodorhynchus hyacinthinus</i>	0.0000%
<b>Orange-fronted Parakeet</b> <i>Eupsittula canicularis</i>	0.0000%
<b>Dusky-headed Parakeet</b> <i>Aratinga weddellii</i>	0.0000%
<b>Great Green Macaw</b> <i>Ara ambiguus</i>	0.0004%
<b>Green Parakeet</b> <i>Psittacara holochlorus</i>	0.0129%
<b>Crimson-fronted Parakeet</b> <i>Psittacara finschi</i>	0.0121%
<b>Hispaniolan Parakeet</b> <i>Psittacara chloropterus</i>	0.0004%
<b>Long-tailed Glossy Starling</b> <i>Lamprotornis caudatus</i>	0.0004%

<b>Village Weaver</b> <i>Ploceus cucullatus</i>	<b>0.0004%</b>
<b>Northern Red Bishop</b> <i>Euplectes franciscanus</i>	<b>0.0004%</b>
<b>Zebra Finch</b> <i>Taeniopygia guttata</i>	<b>0.0004%</b>
<b>Orange-cheeked Waxbill</b> <i>Estrilda melpoda</i>	<b>0.0004%</b>
<b>Red-billed Firefinch</b> <i>Lagonosticta senegala</i>	<b>0.0012%</b>
<b>Cuban Bullfinch</b> <i>Melopyrrha nigra</i>	<b>0.0012%</b>
<b>Great White Pelican</b> <i>Pelecanus onocrotalus</i>	<b>0.0000%</b>
<b>Scarlet Ibis</b> <i>Eudocimus ruber</i>	<b>0.0000%</b>
<b>Cackling Goose</b> <i>Branta hutchinsii</i>	<b>0.0000%</b>

**HYBRIDS**

Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	<b>0.0092%</b> frequency
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	<b>0.0012%</b>
Graylag x Canada Goose (hybrid) <i>Anser anser x Branta canadensis</i>	<b>0.0004%</b>
Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	<b>0.0017%</b>
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	<b>0.0196%</b>
Eurasian x American Wigeon (hybrid) <i>Mareca penelope x americana</i>	<b>0.0008%</b>
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	<b>0.0397%</b>
American Wigeon x Mallard (hybrid) <i>Mareca americana x Anas platyrhynchos</i>	<b>0.0004%</b>
Mallard x American Black Duck (hybrid) <i>Anas platyrhynchos x rubripes</i>	<b>0.0008%</b>



Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	2.11% ■
Blue-winged x Green-winged Teal (hybrid) <i>Spatula discors x Anas crecca</i>	0.0004%
Canvasback x Redhead (hybrid) <i>Aythya valisineria x americana</i>	0.0004%
Mallard x Ring-necked Duck (hybrid) <i>Anas platyrhynchos x Aythya collaris</i>	0.0008%
Ring-necked Duck x Lesser Scaup (hybrid) <i>Aythya collaris x affinis</i>	0.0004%
Herring x Great Black-backed Gull (hybrid) <i>Larus argentatus x marinus</i>	0.0000%
Herring x Glaucous Gull (hybrid) <i>Larus argentatus x hyperboreus</i>	0.0004%
Herring x Lesser Black-backed Gull (hybrid) <i>Larus argentatus x fuscus</i>	0.0021%
Sandwich x Elegant Tern (hybrid) <i>Thalasseus sandvicensis x elegans</i>	0.0004%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0025%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0000%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0109% ■
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0000%
Yellow-bellied x Red-naped Sapsucker (hybrid) <i>Sphyrapicus varius x nuchalis</i>	0.0004%
Indigo x Painted Bunting (hybrid) <i>Passerina cyanea x ciris</i>	0.0004%