



Target Species

Based on 344,773 complete checklists

453 species observed in Florida, US (region/US-FL) in Feb that you need for your Florida Life List

1. Northern Cardinal <i>Cardinalis cardinalis</i>	47.58% frequency
2. Turkey Vulture <i>Cathartes aura</i>	43.84%
3. Yellow-rumped Warbler <i>Setophaga coronata</i>	43.54%
4. Mourning Dove <i>Zenaida macroura</i>	40.92%
5. Red-bellied Woodpecker <i>Melanerpes carolinus</i>	39.56%
6. Northern Mockingbird <i>Mimus polyglottos</i>	37.08%
7. Palm Warbler <i>Setophaga palmarum</i>	37.06%
8. White Ibis <i>Eudocimus albus</i>	34.84%
9. Great Egret <i>Ardea alba</i>	34.20%
10. Blue Jay <i>Cyanocitta cristata</i>	33.77%
11. Osprey <i>Pandion haliaetus</i>	31.50%
12. Double-crested Cormorant <i>Nannopterum auritum</i>	30.71%
13. Great Blue Heron <i>Ardea herodias</i>	30.55%
14. Red-shouldered Hawk <i>Buteo lineatus</i>	27.16%
15. Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	26.67%
16. Anhinga <i>Anhinga anhinga</i>	26.48%
17. Little Blue Heron <i>Egretta caerulea</i>	25.76%
18. Boat-tailed Grackle <i>Quiscalus major</i>	25.44%

19. Gray Catbird <i>Dumetella carolinensis</i>	24.86%
20. Black Vulture <i>Coragyps atratus</i>	24.83%
21. Fish Crow <i>Corvus ossifragus</i>	24.81%
22. Carolina Wren <i>Thryothorus ludovicianus</i>	23.77%
23. Red-winged Blackbird <i>Agelaius phoeniceus</i>	22.82%
24. Snowy Egret <i>Egretta thula</i>	21.81%
25. Common Grackle <i>Quiscalus quiscula</i>	21.47%
26. Eastern Phoebe <i>Sayornis phoebe</i>	21.43%
27. Tricolored Heron <i>Egretta tricolor</i>	20.65%
28. Tufted Titmouse <i>Baeolophus bicolor</i>	19.88%
29. Common Gallinule <i>Gallinula galeata</i>	19.10%
30. Ring-billed Gull <i>Larus delawarensis</i>	18.90%
31. American Crow <i>Corvus brachyrhynchos</i>	18.87%
32. American Robin <i>Turdus migratorius</i>	18.41%
33. Brown Pelican <i>Pelecanus occidentalis</i>	18.10%
34. Downy Woodpecker <i>Dryobates pubescens</i>	17.92%
35. Laughing Gull <i>Leucophaeus atricilla</i>	16.97%
36. Pied-billed Grebe <i>Podilymbus podiceps</i>	16.31%
37. Belted Kingfisher <i>Megasceryle alcyon</i>	15.57%
38. Wood Stork <i>Mycteria americana</i>	14.76%
39. Tree Swallow <i>Tachycineta bicolor</i>	13.31%
40. Pileated Woodpecker <i>Dryocopus pileatus</i>	13.26%
41. American Coot <i>Fulica americana</i>	13.06%

42.	Bald Eagle <i>Haliaeetus leucocephalus</i>	12.92%
43.	Pine Warbler <i>Setophaga pinus</i>	12.62%
44.	Western Cattle Egret <i>Bubulcus ibis</i>	12.00%
45.	Glossy Ibis <i>Plegadis falcinellus</i>	11.73%
46.	Carolina Chickadee <i>Poecile carolinensis</i>	11.49%
47.	Sandhill Crane <i>Antigone canadensis</i>	11.18%
48.	American Kestrel <i>Falco sparverius</i>	10.64%
49.	European Starling <i>Sturnus vulgaris</i>	10.45%
50.	White-eyed Vireo <i>Vireo griseus</i>	10.41%
51.	Eastern Bluebird <i>Sialia sialis</i>	10.26%
52.	Common Yellowthroat <i>Geothlypis trichas</i>	10.07%
53.	Killdeer <i>Charadrius vociferus</i>	10.00%
54.	Eurasian Collared-Dove <i>Streptopelia decaocto</i>	9.74%
55.	Mottled Duck <i>Anas fulvigula</i>	9.36%
56.	Limpkin <i>Aramus guarauna</i>	9.27%
57.	Blue-winged Teal <i>Spatula discors</i>	9.19%
58.	Royal Tern <i>Thalasseus maximus</i>	8.94%
59.	Ruby-crowned Kinglet <i>Corthylio calendula</i>	8.85%
60.	Green Heron <i>Butorides virescens</i>	8.44%
61.	Northern Parula <i>Setophaga americana</i>	8.04%
62.	Common Ground Dove <i>Columbina passerina</i>	8.01%
63.	Loggerhead Shrike <i>Lanius ludovicianus</i>	7.99%
64.	Forster's Tern <i>Sterna forsteri</i>	7.86%

65.	American White Pelican <i>Pelecanus erythrorhynchos</i>	7.61%
66.	Chipping Sparrow <i>Spizella passerina</i>	7.51%
67.	American Goldfinch <i>Spinus tristis</i>	7.35%
68.	Willet <i>Tringa semipalmata</i>	7.08%
69.	Black-and-white Warbler <i>Mniotilta varia</i>	7.05%
70.	Roseate Spoonbill <i>Platalea ajaja</i>	6.66%
71.	House Wren <i>Troglodytes aedon</i>	6.57%
72.	Painted Bunting <i>Passerina ciris</i>	6.42%
73.	Rock Pigeon <i>Columba livia</i>	6.36%
74.	Yellow-throated Warbler <i>Setophaga dominica</i>	6.04%
75.	Sanderling <i>Calidris alba</i>	5.94%
76.	House Finch <i>Haemorhous mexicanus</i>	5.83%
77.	Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	5.80%
78.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	5.76%
79.	Cedar Waxwing <i>Bombycilla cedrorum</i>	5.56%
80.	Ruddy Turnstone <i>Arenaria interpres</i>	5.47%
81.	Northern Harrier <i>Circus hudsonius</i>	5.38%
82.	Brown Thrasher <i>Toxostoma rufum</i>	5.23%
83.	Savannah Sparrow <i>Passerculus sandwichensis</i>	5.11%
84.	Herring Gull <i>Larus argentatus</i>	5.05%
85.	Lesser Scaup <i>Aythya affinis</i>	5.04%
86.	Muscovy Duck <i>Cairina moschata</i>	5.03%
87.	Blue-headed Vireo <i>Vireo solitarius</i>	4.92%

88.	Black-crowned Night Heron <i>Nycticorax nycticorax</i>	4.76%
89.	Brown-headed Cowbird <i>Molothrus ater</i>	4.68%
90.	Greater Yellowlegs <i>Tringa melanoleuca</i>	4.53%
91.	House Sparrow <i>Passer domesticus</i>	4.34%
92.	Black-bellied Plover <i>Pluvialis squatarola</i>	4.25%
93.	Ring-necked Duck <i>Aythya collaris</i>	4.20%
94.	Purple Gallinule <i>Porphyrio martinica</i>	4.18%
95.	Swamp Sparrow <i>Melospiza georgiana</i>	4.06%
96.	Northern Flicker <i>Colaptes auratus</i>	4.04%
97.	Red-tailed Hawk <i>Buteo jamaicensis</i>	4.00%
98.	Hooded Merganser <i>Lophodytes cucullatus</i>	3.93%
99.	Purple Martin <i>Progne subis</i>	3.91%
100.	Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	3.81%
101.	Black Skimmer <i>Rynchops niger</i>	3.71%
102.	Prairie Warbler <i>Setophaga discolor</i>	3.66%
103.	Mallard <i>Anas platyrhynchos</i>	3.63%
104.	Eastern Meadowlark <i>Sturnella magna</i>	3.58%
105.	White-winged Dove <i>Zenaida asiatica</i>	3.54%
106.	Barred Owl <i>Strix varia</i>	3.48%
107.	Least Sandpiper <i>Calidris minutilla</i>	3.45%
108.	Wood Duck <i>Aix sponsa</i>	3.42%
109.	Red-breasted Merganser <i>Mergus serrator</i>	3.41%

110.	Dunlin <i>Calidris alpina</i>	3.20%
111.	Orange-crowned Warbler <i>Leiothlypis celata</i>	3.19%
112.	Great Crested Flycatcher <i>Myiarchus crinitus</i>	3.12%
113.	Lesser Yellowlegs <i>Tringa flavipes</i>	3.06%
114.	Cooper's Hawk <i>Accipiter cooperii</i>	3.03%
115.	Northern Shoveler <i>Spatula clypeata</i>	3.00%
116.	Wilson's Snipe <i>Gallinago delicata</i>	2.99%
117.	Caspian Tern <i>Hydroprogne caspia</i>	2.92%
118.	Reddish Egret <i>Egretta rufescens</i>	2.91%
119.	Ruby-throated Hummingbird <i>Archilochus colubris</i>	2.83%
120.	Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	2.68%
121.	Common Loon <i>Gavia immer</i>	2.62%
122.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	2.59%
123.	Canada Goose <i>Branta canadensis</i>	2.58%
124.	Nanday Parakeet <i>Aratinga nenday</i>	2.55%
125.	Semipalmated Plover <i>Charadrius semipalmatus</i>	2.48%
126.	Spotted Sandpiper <i>Actitis macularius</i>	2.37%
127.	Sora <i>Porzana carolina</i>	2.10%
128.	Bufflehead <i>Bucephala albeola</i>	2.09%
129.	Hermit Thrush <i>Catharus guttatus</i>	2.03%
130.	Great Horned Owl <i>Bubo virginianus</i>	1.88%
131.	Brown-headed Nuthatch <i>Sitta pusilla</i>	1.84%

132.	Short-billed Dowitcher <i>Limnodromus griseus</i>	1.80%
133.	Baltimore Oriole <i>Icterus galbula</i>	1.77%
134.	Green-winged Teal <i>Anas crecca</i>	1.74%
135.	Lesser Black-backed Gull <i>Larus fuscus</i>	1.69%
136.	Monk Parakeet <i>Myiopsitta monachus</i>	1.68%
137.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	1.68%
138.	Sandwich Tern <i>Thalasseus sandvicensis</i>	1.67%
139.	American Bittern <i>Botaurus lentiginosus</i>	1.66%
140.	Wild Turkey <i>Meleagris gallopavo</i>	1.65%
141.	Egyptian Goose <i>Alopochen aegyptiaca</i>	1.64%
142.	Song Sparrow <i>Melospiza melodia</i>	1.57%
143.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	1.55%
144.	Snail Kite <i>Rostrhamus sociabilis</i>	1.53%
145.	American Wigeon <i>Mareca americana</i>	1.40%
146.	American Oystercatcher <i>Haematopus palliatus</i>	1.39%
147.	Marsh Wren <i>Cistothorus palustris</i>	1.36%
148.	Western Sandpiper <i>Calidris mauri</i>	1.34%
149.	Redhead <i>Aythya americana</i>	1.33%
150.	Ovenbird <i>Seiurus aurocapilla</i>	1.33%
151.	Northern Gannet <i>Morus bassanus</i>	1.31%
152.	Magnificent Frigatebird <i>Fregata magnificens</i>	1.30%
153.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	1.26%

154.	Indigo Bunting <i>Passerina cyanea</i>	1.25%
155.	Swallow-tailed Kite <i>Elanoides forficatus</i>	1.17%
156.	Crested Caracara <i>Caracara plancus</i>	1.16%
157.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	1.09%
158.	Great Black-backed Gull <i>Larus marinus</i>	1.09%
159.	Horned Grebe <i>Podiceps auritus</i>	1.05%
160.	Ruddy Duck <i>Oxyura jamaicensis</i>	1.03%
161.	Sharp-shinned Hawk <i>Accipiter striatus</i>	0.9807%
162.	Clapper Rail <i>Rallus crepitans</i>	0.9769%
163.	Short-tailed Hawk <i>Buteo brachyurus</i>	0.9438%
164.	Merlin <i>Falco columbarius</i>	0.9235%
165.	American Avocet <i>Recurvirostra americana</i>	0.9203%
166.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	0.9009%
167.	Wilson's Plover <i>Anarhynchus wilsonia</i>	0.8974%
168.	American Redstart <i>Setophaga ruticilla</i>	0.8936%
169.	Black-necked Stilt <i>Himantopus mexicanus</i>	0.8603%
170.	Northern Pintail <i>Anas acuta</i>	0.8501%
171.	Piping Plover <i>Charadrius melodus</i>	0.8310%
172.	Red Knot <i>Calidris canutus</i>	0.8249%
173.	Marbled Godwit <i>Limosa fedoa</i>	0.8243%
174.	Peregrine Falcon <i>Falco peregrinus</i>	0.8063%
175.	Gadwall <i>Mareca strepera</i>	0.8058%

176.	Sedge Wren <i>Cistothorus stellaris</i>	0.7791%
177.	Northern Bobwhite <i>Colinus virginianus</i>	0.6601%
178.	White-throated Sparrow <i>Zonotrichia albicollis</i>	0.6601%
179.	Northern Waterthrush <i>Parkesia noveboracensis</i>	0.6195%
180.	Eastern Screech-Owl <i>Megascops asio</i>	0.6053%
181.	Least Bittern <i>Ixobrychus exilis</i>	0.5960%
182.	Summer Tanager <i>Piranga rubra</i>	0.5836%
183.	Black-throated Green Warbler <i>Setophaga virens</i>	0.5543%
184.	Bachman's Sparrow <i>Peucaea aestivalis</i>	0.5354%
185.	Burrowing Owl <i>Athene cunicularia</i>	0.5218%
186.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.5203%
187.	Snowy Plover <i>Anarhynchus nivosus</i>	0.4983%
188.	Vesper Sparrow <i>Pooecetes gramineus</i>	0.4980%
189.	Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.4716%
190.	Greater Scaup <i>Aythya marila</i>	0.4693%
191.	King Rail <i>Rallus elegans</i>	0.4655%
192.	Western Kingbird <i>Tyrannus verticalis</i>	0.4644%
193.	Pine Siskin <i>Spinus pinus</i>	0.4536%
194.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.4336%
195.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.4327%
196.	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	0.4191%
197.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.4063%
198.	Canvasback <i>Aythya valisineria</i>	0.4040%

199.	White-crowned Pigeon <i>Patagioenas leucocephala</i>	0.3591%
200.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.3237%
201.	Field Sparrow <i>Spizella pusilla</i>	0.3217%
202.	American Pipit <i>Anthus rubescens</i>	0.2956%
203.	Yellow-throated Vireo <i>Vireo flavifrons</i>	0.2752%
204.	Black-throated Blue Warbler <i>Setophaga caeruleascens</i>	0.2706%
205.	Virginia Rail <i>Rallus limicola</i>	0.2663%
206.	Purple Finch <i>Haemorhous purpureus</i>	0.2628%
207.	Hairy Woodpecker <i>Dryobates villosus</i>	0.2590%
208.	Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.2491%
209.	Broad-winged Hawk <i>Buteo platypterus</i>	0.2486%
210.	Black Scoter <i>Melanitta americana</i>	0.2399%
211.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.2196%
212.	Magnolia Warbler <i>Setophaga magnolia</i>	0.2106%
213.	Common Myna <i>Acridotheres tristis</i>	0.2100%
214.	Rufous Hummingbird <i>Selasphorus rufus</i>	0.2042%
215.	Barn Owl <i>Tyto alba</i>	0.2027%
216.	Common Goldeneye <i>Bucephala clangula</i>	0.2007%
217.	Solitary Sandpiper <i>Tringa solitaria</i>	0.1966%
218.	Stilt Sandpiper <i>Calidris himantopus</i>	0.1966%
219.	American Flamingo <i>Phoenicopterus ruber</i>	0.1955%
220.	Mitred Parakeet <i>Psittacara mitratus</i>	0.1937%

221.	Golden-crowned Kinglet <i>Regulus satrapa</i>	0.1920%
222.	Chuck-will's-widow <i>Antrostomus carolinensis</i>	0.1758%
223.	Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.1752%
224.	Cinnamon Teal <i>Spatula cyanoptera</i>	0.1734%
225.	Western Tanager <i>Piranga ludoviciana</i>	0.1717%
226.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.1703%
227.	Yellow Warbler <i>Setophaga petechia</i>	0.1653%
228.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.1630%
229.	Whooping Crane <i>Grus americana</i>	0.1616%
230.	Barn Swallow <i>Hirundo rustica</i>	0.1511%
231.	Whimbrel <i>Numenius phaeopus</i>	0.1407%
232.	Louisiana Waterthrush <i>Parkesia motacilla</i>	0.1270%
233.	White-tailed Kite <i>Elanus leucurus</i>	0.1265%
234.	Blue Grosbeak <i>Passerina caerulea</i>	0.1204%
235.	Lincoln's Sparrow <i>Melospiza lincolnii</i>	0.1181%
236.	Snow Goose <i>Anser caerulescens</i>	0.1175%
237.	Least Flycatcher <i>Empidonax minimus</i>	0.1166%
238.	Purple Sandpiper <i>Calidris maritima</i>	0.1143%
239.	Cape May Warbler <i>Setophaga tigrina</i>	0.1128%
240.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.1105%
241.	Rusty Blackbird <i>Euphagus carolinus</i>	0.1096%
242.	Yellow-breasted Chat <i>Icteria virens</i>	0.1047%

243.	Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.1015%
244.	Brown Booby <i>Sula leucogaster</i>	0.1015%
245.	Nelson's Sparrow <i>Ammospiza nelsoni</i>	0.1009%
246.	Seaside Sparrow <i>Ammospiza maritima</i>	0.0978%
247.	White-faced Ibis <i>Plegadis chihi</i>	0.0969%
248.	Smooth-billed Ani <i>Crotophaga ani</i>	0.0960%
249.	Clay-colored Sparrow <i>Spizella pallida</i>	0.0943%
250.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.0940%
251.	American Woodcock <i>Scolopax minor</i>	0.0928%
252.	Surf Scoter <i>Melanitta perspicillata</i>	0.0841%
253.	Gull-billed Tern <i>Gelochelidon nilotica</i>	0.0830%
254.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.0821%
255.	Red-breasted Nuthatch <i>Sitta canadensis</i>	0.0803%
256.	Common Tern <i>Sterna hirundo</i>	0.0757%
257.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	0.0745%
258.	Saltmarsh Sparrow <i>Ammospiza caudacuta</i>	0.0742%
259.	Cave Swallow <i>Petrochelidon fulva</i>	0.0731%
260.	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	0.0728%
261.	Lark Sparrow <i>Chondestes grammacus</i>	0.0719%
262.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0711%
263.	Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.0696%
264.	Mangrove Cuckoo <i>Coccyzus minor</i>	0.0693%

265.	Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0682%
266.	Iceland Gull <i>Larus glaucoides</i>	0.0661%
267.	Wilson's Warbler <i>Cardellina pusilla</i>	0.0650%
268.	Buff-bellied Hummingbird <i>Amazilia yucatanensis</i>	0.0644%
269.	White-winged Scoter <i>Melanitta deglandi</i>	0.0627%
270.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	0.0618%
271.	Long-billed Curlew <i>Numenius americanus</i>	0.0597%
272.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.0577%
273.	Swainson's Hawk <i>Buteo swainsoni</i>	0.0566%
274.	Dark-eyed Junco <i>Junco hyemalis</i>	0.0557%
275.	Eurasian Wigeon <i>Mareca penelope</i>	0.0545%
276.	Winter Wren <i>Troglodytes hiemalis</i>	0.0516%
277.	Cassin's Kingbird <i>Tyrannus vociferans</i>	0.0502%
278.	Black-headed Gull <i>Chroicocephalus ridibundus</i>	0.0481%
279.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0479%
280.	Dickcissel <i>Spiza americana</i>	0.0464%
281.	Common Eider <i>Somateria mollissima</i>	0.0452%
282.	Short-eared Owl <i>Asio flammeus</i>	0.0447%
283.	Glaucous Gull <i>Larus hyperboreus</i>	0.0444%
284.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0435%
285.	Red-throated Loon <i>Gavia stellata</i>	0.0432%
286.	Ross's Goose <i>Anser rossii</i>	0.0426%
287.	Bell's Vireo <i>Vireo bellii</i>	0.0421%

288.	Groove-billed Ani <i>Crotophaga sulcirostris</i>	0.0418%
289.	American Black Duck <i>Anas rubripes</i>	0.0412%
290.	LeConte's Sparrow <i>Ammospiza leconteii</i>	0.0412%
291.	Long-tailed Duck <i>Clangula hyemalis</i>	0.0403%
292.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.0395%
293.	Bullock's Oriole <i>Icterus bullockii</i>	0.0386%
294.	Sooty Tern <i>Onychoprion fuscatus</i>	0.0366%
295.	Bahama Mockingbird <i>Mimus gundlachii</i>	0.0366%
296.	Green-tailed Towhee <i>Pipilo chlorurus</i>	0.0316%
297.	Dark-billed Cuckoo <i>Coccyzus melacoryphus</i>	0.0304%
298.	Calliope Hummingbird <i>Selasphorus calliope</i>	0.0302%
299.	Brown Noddy <i>Anous stolidus</i>	0.0281%
300.	Western Spindalis <i>Spindalis zena</i>	0.0281%
301.	Vaux's Swift <i>Chaetura vauxi</i>	0.0278%
302.	Greater White-fronted Goose <i>Anser albifrons</i>	0.0264%
303.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0264%
304.	Brewer's Blackbird <i>Euphagus cyanocephalus</i>	0.0255%
305.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0247%
306.	Black-throated Gray Warbler <i>Setophaga nigrescens</i>	0.0241%
307.	Gray Kingbird <i>Tyrannus dominicensis</i>	0.0238%
308.	Bananaquit <i>Coereba flaveola</i>	0.0238%
309.	Zenaida Dove <i>Zenaida aurita</i>	0.0229%

310.	Fox Sparrow <i>Passerella iliaca</i>	0.0223%
311.	Broad-billed Hummingbird <i>Cynanthus latirostris</i>	0.0220%
312.	Tricolored Munia <i>Lonchura malacca</i>	0.0220%
313.	California Gull <i>Larus californicus</i>	0.0217%
314.	Hammond's Flycatcher <i>Empidonax hammondii</i>	0.0215%
315.	Lesser Nighthawk <i>Chordeiles acutipennis</i>	0.0212%
316.	Say's Phoebe <i>Sayornis saya</i>	0.0209%
317.	Ruff <i>Calidris pugnax</i>	0.0203%
318.	Masked Booby <i>Sula dactylatra</i>	0.0203%
319.	Brown Creeper <i>Certhia americana</i>	0.0197%
320.	Eared Grebe <i>Podiceps nigricollis</i>	0.0194%
321.	Pacific Loon <i>Gavia pacifica</i>	0.0191%
322.	Pectoral Sandpiper <i>Calidris melanotos</i>	0.0168%
323.	Brant <i>Branta bernicla</i>	0.0165%
324.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.0162%
325.	Orchard Oriole <i>Icterus spurius</i>	0.0157%
326.	Black Rail <i>Laterallus jamaicensis</i>	0.0154%
327.	Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0145%
328.	Harris's Sparrow <i>Zonotrichia querula</i>	0.0133%
329.	Mountain Bluebird <i>Sialia currucoides</i>	0.0131%
330.	Hooded Warbler <i>Setophaga citrina</i>	0.0131%
331.	Heermann's Gull <i>Larus heermanni</i>	0.0128%
332.	Great-tailed Grackle <i>Quiscalus mexicanus</i>	0.0128%

333.	Scott's Oriole <i>Icterus parisorum</i>	0.0125%
334.	Lazuli Bunting <i>Passerina amoena</i>	0.0122%
335.	Harlequin Duck <i>Histrionicus histrionicus</i>	0.0119%
336.	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0119%
337.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0110%
338.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.0107%
339.	Wood Thrush <i>Hylocichla mustelina</i>	0.0104%
340.	Willow Flycatcher <i>Empidonax traillii</i>	0.0102%
341.	Cuban Pewee <i>Contopus caribaeus</i>	0.0099%
342.	Franklin's Gull <i>Leucophaeus pipixcan</i>	0.0096%
343.	Least Grebe <i>Tachybaptus dominicus</i>	0.0093%
344.	Warbling Vireo <i>Vireo gilvus</i>	0.0090%
345.	Horned Lark <i>Eremophila alpestris</i>	0.0084%
346.	White-cheeked Pintail <i>Anas bahamensis</i>	0.0081%
347.	American Golden-Plover <i>Pluvialis dominica</i>	0.0081%
348.	Philadelphia Vireo <i>Vireo philadelphicus</i>	0.0078%
349.	Great Cormorant <i>Phalacrocorax carbo</i>	0.0075%
350.	Couch's Kingbird <i>Tyrannus couchii</i>	0.0075%
351.	Elegant Tern <i>Thalasseus elegans</i>	0.0072%
352.	Yellow-headed Caracara <i>Daptrius chimachima</i>	0.0072%
353.	Razorbill <i>Alca torda</i>	0.0067%
354.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.0067%

355.	Western Meadowlark <i>Sturnella neglecta</i>	0.0064%
356.	Allen's Hummingbird <i>Selasphorus sasin</i>	0.0061%
357.	Sprague's Pipit <i>Anthus spragueii</i>	0.0061%
358.	Key West Quail-Dove <i>Geotrygon chrysia</i>	0.0058%
359.	Kirtland's Warbler <i>Setophaga kirtlandii</i>	0.0058%
360.	Masked Duck <i>Nomonyx dominicus</i>	0.0055%
361.	Bay-breasted Warbler <i>Setophaga castanea</i>	0.0055%
362.	Thick-billed Murre <i>Uria lomvia</i>	0.0049%
363.	Tennessee Warbler <i>Leiothlypis peregrina</i>	0.0049%
364.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0046%
365.	Budgerigar <i>Melopsittacus undulatus</i>	0.0046%
366.	Western Flycatcher <i>Empidonax difficilis</i>	0.0046%
367.	Bank Swallow <i>Riparia riparia</i>	0.0046%
368.	Semipalmated Sandpiper <i>Calidris pusilla</i>	0.0044%
369.	Prothonotary Warbler <i>Protonotaria citrea</i>	0.0044%
370.	Snow Bunting <i>Plectrophenax nivalis</i>	0.0041%
371.	Inca Dove <i>Columbina inca</i>	0.0038%
372.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0038%
373.	Lapland Longspur <i>Calcarius lapponicus</i>	0.0035%
374.	Red-necked Grebe <i>Podiceps grisegena</i>	0.0032%
375.	Bar-tailed Godwit <i>Limosa lapponica</i>	0.0032%
376.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.0032%
377.	Lark Bunting <i>Calamospiza melanocorys</i>	0.0032%

378.	Rough-legged Hawk <i>Buteo lagopus</i>	0.0029%
379.	Manx Shearwater <i>Puffinus puffinus</i>	0.0026%
380.	White Wagtail <i>Motacilla alba</i>	0.0026%
381.	Hooded Oriole <i>Icterus cucullatus</i>	0.0026%
382.	Great Shearwater <i>Ardenna gravis</i>	0.0023%
383.	Yellow-faced Grassquit <i>Tiaris olivaceus</i>	0.0023%
384.	Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0020%
385.	Sage Thrasher <i>Oreoscoptes montanus</i>	0.0020%
386.	Tundra Swan <i>Cygnus columbianus</i>	0.0017%
387.	Roseate Tern <i>Sterna dougallii</i>	0.0017%
388.	Swainson's Thrush <i>Catharus ustulatus</i>	0.0017%
389.	Scarlet Tanager <i>Piranga olivacea</i>	0.0017%
390.	Common Nighthawk <i>Chordeiles minor</i>	0.0014%
391.	Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0014%
392.	Yellow-billed Cuckoo <i>Coccyzus americanus</i>	0.0012%
393.	Black Tern <i>Chlidonias niger</i>	0.0012%
394.	Eurasian Kestrel <i>Falco tinnunculus</i>	0.0012%
395.	Red-eyed Vireo <i>Vireo olivaceus</i>	0.0012%
396.	Blackburnian Warbler <i>Setophaga fusca</i>	0.0012%
397.	Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	0.0012%
398.	Yellow Rail <i>Coturnicops noveboracensis</i>	0.0009%
399.	Black-tailed Godwit <i>Limosa limosa</i>	0.0009%
400.	Sooty Shearwater <i>Ardenna grisea</i>	0.0009%

401.	Red-footed Booby <i>Sula sula</i>	0.0009%
402.	Blackpoll Warbler <i>Setophaga striata</i>	0.0009%
403.	Townsend's Warbler <i>Setophaga townsendi</i>	0.0009%
404.	Cackling Goose <i>Branta hutchinsii</i>	0.0006%
405.	Common Merganser <i>Mergus merganser</i>	0.0006%
406.	Chimney Swift <i>Chaetura pelagica</i>	0.0006%
407.	Slaty-backed Gull <i>Larus schistisagus</i>	0.0006%
408.	Bridled Tern <i>Onychoprion anaethetus</i>	0.0006%
409.	Golden Eagle <i>Aquila chrysaetos</i>	0.0006%
410.	Black-whiskered Vireo <i>Vireo altiloquus</i>	0.0006%
411.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.0006%
412.	Bewick's Wren <i>Thryomanes bewickii</i>	0.0006%
413.	Spotted Towhee <i>Pipilo maculatus</i>	0.0006%
414.	Bobolink <i>Dolichonyx oryzivorus</i>	0.0006%
415.	Western Grebe <i>Aechmophorus occidentalis</i>	0.0003%
416.	Pacific Golden-Plover <i>Pluvialis fulva</i>	0.0003%
417.	Mountain Plover <i>Anarhynchus montanus</i>	0.0003%
418.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0003%
419.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.0003%
420.	Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0003%
421.	Atlantic Puffin <i>Fratercula arctica</i>	0.0003%
422.	Black-tailed Gull <i>Larus crassirostris</i>	0.0003%
423.	Least Tern <i>Sternula antillarum</i>	0.0003%

424.	Black-capped Petrel <i>Pterodroma hasitata</i>	0.0003%
425.	Mississippi Kite <i>Ictinia mississippiensis</i>	0.0003%
426.	Carolina Parakeet <i>Conuropsis carolinensis</i>	0.0003%
427.	Eastern Kingbird <i>Tyrannus tyrannus</i>	0.0003%
428.	Red-legged Thrush <i>Turdus plumbeus</i>	0.0003%
429.	Common Redpoll <i>Acanthis flammea</i>	0.0003%
430.	Golden-crowned Sparrow <i>Zonotrichia atricapilla</i>	0.0003%
431.	King Eider <i>Somateria spectabilis</i>	0.0000%
432.	Broad-tailed Hummingbird <i>Selasphorus platycercus</i>	0.0000%
433.	Dovekie <i>Alle alle</i>	0.0000%
434.	White-tailed Tropicbird <i>Phaethon lepturus</i>	0.0000%
435.	Evening Grosbeak <i>Coccothraustes vespertinus</i>	0.0000%
436.	Black-throated Sparrow <i>Amphispiza bilineata</i>	0.0000%
437.	Tawny-shouldered Blackbird <i>Agelaius humeralis</i>	0.0000%
438.	Red-legged Honeycreeper <i>Cyanerpes cyaneus</i>	0.0000%
EXOTIC: PROVISIONAL		
439.	Indian Peafowl <i>Pavo cristatus</i>	0.3362% frequency
440.	Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.2938%
441.	Scaly-breasted Munia <i>Lonchura punctulata</i>	0.2169%
442.	Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.1856%
443.	Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.1091%
444.	Red Junglefowl <i>Gallus gallus</i>	0.0922%

445. Orange-winged Parrot <i>Amazona amazonica</i>	0.0832%
446. Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0629%
447. Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0499%
448. Chestnut-fronted Macaw <i>Ara severus</i>	0.0490%
449. Common Hill Myna <i>Gracula religiosa</i>	0.0418%
450. White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0310%
451. Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0304%
452. Great White Pelican <i>Pelecanus onocrotalus</i>	0.0220%
453. House Crow <i>Corvus splendens</i>	0.0012%

EXOTIC: ESCAPEE

Mute Swan <i>Cygnus olor</i>	0.2758% frequency
Graylag Goose <i>Anser anser</i>	0.1555%
Swan Goose <i>Anser cygnoides</i>	0.1328%
Black Swan <i>Cygnus atratus</i>	0.1166%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0421%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0334%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0206%
Mandarin Duck <i>Aix galericulata</i>	0.0168%
Whooper Swan <i>Cygnus cygnus</i>	0.0148%
White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0136%
Common Shelduck <i>Tadorna tadorna</i>	0.0133%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0102%

Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0078%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0078%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0064%
Turquoise-fronted Parrot <i>Amazona aestiva</i>	0.0058%
Green Parakeet <i>Psittacara holochlorus</i>	0.0052%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0046%
Red-legged Partridge <i>Alectoris rufa</i>	0.0046%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0046%
Cockatiel <i>Nymphicus hollandicus</i>	0.0029%
Bar-headed Goose <i>Anser indicus</i>	0.0020%
African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0017%
Giant Wood-Rail <i>Aramides ypecaha</i>	0.0017%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0017%
White-fronted Parrot <i>Amazona albifrons</i>	0.0017%
Red-crested Pochard <i>Netta rufina</i>	0.0014%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0012%
Tropical Mockingbird <i>Mimus gilvus</i>	0.0012%
Zebra Finch <i>Taeniopygia guttata</i>	0.0012%
Green Peafowl <i>Pavo muticus</i>	0.0009%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0009%
Yellow-headed Parrot <i>Amazona oratrix</i>	0.0009%
Plumed Whistling-Duck <i>Dendrocygna eytoni</i>	0.0006%

Barnacle Goose <i>Branta leucopsis</i>	0.0006%
Ringed Teal <i>Callonetta leucophrys</i>	0.0006%
Yellow-naped Parrot <i>Amazona auropalliata</i>	0.0006%
Mealy Parrot <i>Amazona farinosa</i>	0.0006%
Hawaiian Goose <i>Branta sandvicensis</i>	0.0003%
Radjah Shelduck <i>Radjah radjah</i>	0.0003%
Rosy-billed Pochard <i>Netta peposaca</i>	0.0003%
Black-necked Stork <i>Ephippiorhynchus asiaticus</i>	0.0003%
African Sacred Ibis <i>Threskiornis aethiopicus</i>	0.0003%
Harris's Hawk <i>Parabuteo unicinctus</i>	0.0003%
Red-lored Parrot <i>Amazona autumnalis</i>	0.0003%
Hyacinth Macaw <i>Anodorhynchus hyacinthinus</i>	0.0003%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0003%
Red-and-green Macaw <i>Ara chloropterus</i>	0.0003%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0003%
Saffron Finch <i>Sicalis flaveola</i>	0.0003%
Emu <i>Dromaius novaehollandiae</i>	0.0000%
Common Pochard <i>Aythya ferina</i>	0.0000%
Silver Pheasant <i>Lophura nycthemera</i>	0.0000%
Ring-necked Dove <i>Streptopelia capicola</i>	0.0000%
Chattering Lory <i>Lorius garrulus</i>	0.0000%
Fischer's Lovebird <i>Agapornis fischeri</i>	0.0000%
Gray Parrot <i>Psittacus erithacus</i>	0.0000%

Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0000%
Military Macaw <i>Ara militaris</i>	0.0000%
Golden Parakeet <i>Guaruba guarouba</i>	0.0000%
Black-throated Magpie-Jay <i>Calocitta colliei</i>	0.0000%
Bronze Mannikin <i>Spermestes cucullata</i>	0.0000%
Yellow-fronted Canary <i>Crithagra mozambica</i>	0.0000%
Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%

HYBRIDS

Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	1.76% frequency ■
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0415%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	0.0145%
Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0102%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0049%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0049%
Herring x Glaucous Gull (hybrid) <i>Larus argentatus x hyperboreus</i>	0.0038%
Herring x Lesser Black-backed Gull (hybrid) <i>Larus argentatus x fuscus</i>	0.0026%
Indigo x Painted Bunting (hybrid) <i>Passerina cyanea x ciris</i>	0.0023%
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	0.0014%
Rufous x Allen's Hummingbird (hybrid) <i>Selasphorus rufus x sasin</i>	0.0012%

White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0012%
Graylag x Canada Goose (hybrid) <i>Anser anser x Branta canadensis</i>	0.0009%
Eurasian x American Wigeon (hybrid) <i>Mareca penelope x americana</i>	0.0009%
Mallard x Eastern Spot-billed Duck (hybrid) <i>Anas platyrhynchos x zonorhyncha</i>	0.0009%
Redhead x Lesser Scaup (hybrid) <i>Aythya americana x affinis</i>	0.0009%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	0.0006%
Herring x Great Black-backed Gull (hybrid) <i>Larus argentatus x marinus</i>	0.0006%
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	0.0006%
Blue-winged Teal x Northern Shoveler (hybrid) <i>Spatula discors x clypeata</i>	0.0003%
Northern Shoveler x Mallard (hybrid) <i>Spatula clypeata x Anas platyrhynchos</i>	0.0003%
Mallard x American Black Duck (hybrid) <i>Anas platyrhynchos x rubripes</i>	0.0003%
Little Blue x Tricolored Heron (hybrid) <i>Egretta caerulea x tricolor</i>	0.0003%
Tropical x Northern Mockingbird (hybrid) <i>Mimus gilvus x polyglottos</i>	0.0003%
Blue-and-yellow x Scarlet Macaw (hybrid) <i>Ara ararauna x macao</i>	0.0000%