



## Target Species

Based on 355,307 complete checklists

**459** species observed in Florida, US (region/US-FL) in Jan that you need for your Florida Life List

1. <b>Turkey Vulture</b> <i>Cathartes aura</i>	<b>46.40%</b> frequency
2. <b>Palm Warbler</b> <i>Setophaga palmarum</i>	<b>42.58%</b>
3. <b>Yellow-rumped Warbler</b> <i>Setophaga coronata</i>	<b>39.49%</b>
4. <b>Great Egret</b> <i>Ardea alba</i>	<b>38.29%</b>
5. <b>Red-bellied Woodpecker</b> <i>Melanerpes carolinus</i>	<b>37.01%</b>
6. <b>White Ibis</b> <i>Eudocimus albus</i>	<b>36.76%</b>
7. <b>Northern Cardinal</b> <i>Cardinalis cardinalis</i>	<b>36.42%</b>
8. <b>Mourning Dove</b> <i>Zenaida macroura</i>	<b>35.55%</b>
9. <b>Double-crested Cormorant</b> <i>Nannopterum auritum</i>	<b>34.06%</b>
10. <b>Great Blue Heron</b> <i>Ardea herodias</i>	<b>33.68%</b>
11. <b>Northern Mockingbird</b> <i>Mimus polyglottos</i>	<b>32.82%</b>
12. <b>Osprey</b> <i>Pandion haliaetus</i>	<b>31.45%</b>
13. <b>Blue-gray Gnatcatcher</b> <i>Polioptila caerulea</i>	<b>30.33%</b>
14. <b>Anhinga</b> <i>Anhinga anhinga</i>	<b>30.04%</b>
15. <b>Little Blue Heron</b> <i>Egretta caerulea</i>	<b>29.22%</b>
16. <b>Blue Jay</b> <i>Cyanocitta cristata</i>	<b>27.94%</b>
17. <b>Red-shouldered Hawk</b> <i>Buteo lineatus</i>	<b>27.40%</b>
18. <b>Eastern Phoebe</b> <i>Sayornis phoebe</i>	<b>26.59%</b>

19. <b>Black Vulture</b> <i>Coragyps atratus</i>	<b>25.18%</b>
20. <b>Boat-tailed Grackle</b> <i>Quiscalus major</i>	<b>24.67%</b>
21. <b>Snowy Egret</b> <i>Egretta thula</i>	<b>24.45%</b>
22. <b>Tricolored Heron</b> <i>Egretta tricolor</i>	<b>23.54%</b>
23. <b>Gray Catbird</b> <i>Dumetella carolinensis</i>	<b>23.35%</b>
24. <b>Ring-billed Gull</b> <i>Larus delawarensis</i>	<b>22.89%</b>
25. <b>Common Gallinule</b> <i>Gallinula galeata</i>	<b>21.30%</b>
26. <b>Brown Pelican</b> <i>Pelecanus occidentalis</i>	<b>20.32%</b>
27. <b>Fish Crow</b> <i>Corvus ossifragus</i>	<b>20.17%</b>
28. <b>Pied-billed Grebe</b> <i>Podilymbus podiceps</i>	<b>20.11%</b>
29. <b>Belted Kingfisher</b> <i>Megaceryle alcyon</i>	<b>19.80%</b>
30. <b>Carolina Wren</b> <i>Thryothorus ludovicianus</i>	<b>19.40%</b>
31. <b>Red-winged Blackbird</b> <i>Agelaius phoeniceus</i>	<b>18.88%</b>
32. <b>Common Grackle</b> <i>Quiscalus quiscula</i>	<b>18.72%</b>
33. <b>Laughing Gull</b> <i>Leucophaeus atricilla</i>	<b>18.64%</b>
34. <b>American Crow</b> <i>Corvus brachyrhynchos</i>	<b>17.69%</b>
35. <b>Wood Stork</b> <i>Mycteria americana</i>	<b>17.32%</b>
36. <b>American Robin</b> <i>Turdus migratorius</i>	<b>17.08%</b>
37. <b>Downy Woodpecker</b> <i>Dryobates pubescens</i>	<b>16.00%</b>
38. <b>American Coot</b> <i>Fulica americana</i>	<b>15.51%</b>
39. <b>Tufted Titmouse</b> <i>Baeolophus bicolor</i>	<b>15.16%</b>
40. <b>Bald Eagle</b> <i>Haliaeetus leucocephalus</i>	<b>14.66%</b>
41. <b>Tree Swallow</b> <i>Tachycineta bicolor</i>	<b>14.47%</b>

42. <b>Western Cattle Egret</b> <i>Bubulcus ibis</i>	<b>14.01%</b>
43. <b>American Kestrel</b> <i>Falco sparverius</i>	<b>13.94%</b>
44. <b>Killdeer</b> <i>Charadrius vociferus</i>	<b>13.45%</b>
45. <b>Glossy Ibis</b> <i>Plegadis falcinellus</i>	<b>13.06%</b>
46. <b>Common Yellowthroat</b> <i>Geothlypis trichas</i>	<b>12.14%</b>
47. <b>Pileated Woodpecker</b> <i>Dryocopus pileatus</i>	<b>11.95%</b>
48. <b>Sandhill Crane</b> <i>Antigone canadensis</i>	<b>11.95%</b>
49. <b>Pine Warbler</b> <i>Setophaga pinus</i>	<b>11.85%</b>
50. <b>Loggerhead Shrike</b> <i>Lanius ludovicianus</i>	<b>10.87%</b>
51. <b>Blue-winged Teal</b> <i>Spatula discors</i>	<b>10.70%</b>
52. <b>European Starling</b> <i>Sturnus vulgaris</i>	<b>10.70%</b>
53. <b>Royal Tern</b> <i>Thalasseus maximus</i>	<b>10.62%</b>
54. <b>Ruby-crowned Kinglet</b> <i>Corthylio calendula</i>	<b>10.49%</b>
55. <b>Forster's Tern</b> <i>Sterna forsteri</i>	<b>10.12%</b>
56. <b>Green Heron</b> <i>Butorides virescens</i>	<b>9.58%</b>
57. <b>Carolina Chickadee</b> <i>Poecile carolinensis</i>	<b>9.50%</b>
58. <b>House Wren</b> <i>Troglodytes aedon</i>	<b>9.36%</b>
59. <b>American White Pelican</b> <i>Pelecanus erythrorhynchos</i>	<b>9.20%</b>
60. <b>Eurasian Collared-Dove</b> <i>Streptopelia decaocto</i>	<b>9.16%</b>
61. <b>Mottled Duck</b> <i>Anas fulvigula</i>	<b>9.16%</b>
62. <b>Limpkin</b> <i>Aramus guarauna</i>	<b>8.73%</b>
63. <b>Eastern Bluebird</b> <i>Sialia sialis</i>	<b>8.34%</b>
64. <b>Willet</b> <i>Tringa semipalmata</i>	<b>8.23%</b>

65.	<b>Black-and-white Warbler</b> <i>Mniotilta varia</i>	<b>7.89%</b>
66.	<b>Roseate Spoonbill</b> <i>Platalea ajaja</i>	<b>7.73%</b>
67.	<b>Rock Pigeon</b> <i>Columba livia</i>	<b>7.33%</b>
68.	<b>Northern Harrier</b> <i>Circus hudsonius</i>	<b>7.29%</b>
69.	<b>Sanderling</b> <i>Calidris alba</i>	<b>7.24%</b>
70.	<b>Common Ground Dove</b> <i>Columbina passerina</i>	<b>7.11%</b>
71.	<b>American Goldfinch</b> <i>Spinus tristis</i>	<b>7.09%</b>
72.	<b>Ruddy Turnstone</b> <i>Arenaria interpres</i>	<b>6.93%</b>
73.	<b>Lesser Scaup</b> <i>Aythya affinis</i>	<b>6.86%</b>
74.	<b>White-eyed Vireo</b> <i>Vireo griseus</i>	<b>6.83%</b>
75.	<b>Hooded Merganser</b> <i>Lophodytes cucullatus</i>	<b>6.79%</b>
76.	<b>Yellow-bellied Sapsucker</b> <i>Sphyrapicus varius</i>	<b>6.75%</b>
77.	<b>Chipping Sparrow</b> <i>Spizella passerina</i>	<b>6.39%</b>
78.	<b>Savannah Sparrow</b> <i>Passerculus sandwichensis</i>	<b>6.36%</b>
79.	<b>Yellow-throated Warbler</b> <i>Setophaga dominica</i>	<b>6.06%</b>
80.	<b>Greater Yellowlegs</b> <i>Tringa melanoleuca</i>	<b>6.05%</b>
81.	<b>Herring Gull</b> <i>Larus argentatus</i>	<b>5.95%</b>
82.	<b>Ring-necked Duck</b> <i>Aythya collaris</i>	<b>5.94%</b>
83.	<b>Blue-headed Vireo</b> <i>Vireo solitarius</i>	<b>5.88%</b>
84.	<b>Black-bellied Plover</b> <i>Pluvialis squatarola</i>	<b>5.66%</b>
85.	<b>Black-crowned Night Heron</b> <i>Nycticorax nycticorax</i>	<b>5.65%</b>
86.	<b>Swamp Sparrow</b> <i>Melospiza georgiana</i>	<b>5.64%</b>
87.	<b>Painted Bunting</b> <i>Passerina ciris</i>	<b>5.56%</b>

88.	<b>Muscovy Duck</b> <i>Cairina moschata</i>	5.12%
89.	<b>Eastern Towhee</b> <i>Pipilo erythrophthalmus</i>	5.08%
90.	<b>Least Sandpiper</b> <i>Calidris minutilla</i>	4.45%
91.	<b>Black Skimmer</b> <i>Rynchops niger</i>	4.44%
92.	<b>House Finch</b> <i>Haemorhous mexicanus</i>	4.44%
93.	<b>Black-bellied Whistling-Duck</b> <i>Dendrocygna autumnalis</i>	4.43%
94.	<b>Red-tailed Hawk</b> <i>Buteo jamaicensis</i>	4.39%
95.	<b>Northern Shoveler</b> <i>Spatula clypeata</i>	4.30%
96.	<b>Purple Gallinule</b> <i>Porphyrio martinica</i>	4.29%
97.	<b>Orange-crowned Warbler</b> <i>Leiothlypis celata</i>	4.27%
98.	<b>Red-breasted Merganser</b> <i>Mergus serrator</i>	4.18%
99.	<b>Dunlin</b> <i>Calidris alpina</i>	4.16%
100.	<b>Northern Flicker</b> <i>Colaptes auratus</i>	4.13%
101.	<b>Wilson's Snipe</b> <i>Gallinago delicata</i>	3.95%
102.	<b>Cedar Waxwing</b> <i>Bombycilla cedrorum</i>	3.95%
103.	<b>Prairie Warbler</b> <i>Setophaga discolor</i>	3.90%
104.	<b>Eastern Meadowlark</b> <i>Sturnella magna</i>	3.65%
105.	<b>Caspian Tern</b> <i>Hydroprogne caspia</i>	3.64%
106.	<b>Reddish Egret</b> <i>Egretta rufescens</i>	3.61%
107.	<b>Bonaparte's Gull</b> <i>Chroicocephalus philadelphia</i>	3.58%
108.	<b>Lesser Yellowlegs</b> <i>Tringa flavipes</i>	3.57%
109.	<b>Brown-headed Cowbird</b> <i>Molothrus ater</i>	3.51%

110.	<b>Common Loon</b> <i>Gavia immer</i>	<b>3.42%</b>
111.	<b>Bufflehead</b> <i>Bucephala albeola</i>	<b>3.36%</b>
112.	<b>House Sparrow</b> <i>Passer domesticus</i>	<b>3.35%</b>
113.	<b>Semipalmated Plover</b> <i>Charadrius semipalmatus</i>	<b>3.23%</b>
114.	<b>Mallard</b> <i>Anas platyrhynchos</i>	<b>3.21%</b>
115.	<b>Yellow-crowned Night Heron</b> <i>Nyctanassa violacea</i>	<b>3.18%</b>
116.	<b>Spotted Sandpiper</b> <i>Actitis macularius</i>	<b>3.17%</b>
117.	<b>Cooper's Hawk</b> <i>Accipiter cooperii</i>	<b>3.14%</b>
118.	<b>Barred Owl</b> <i>Strix varia</i>	<b>3.08%</b>
119.	<b>Sora</b> <i>Porzana carolina</i>	<b>2.91%</b>
120.	<b>Brown Thrasher</b> <i>Toxostoma rufum</i>	<b>2.74%</b>
121.	<b>Green-winged Teal</b> <i>Anas crecca</i>	<b>2.66%</b>
122.	<b>Great Crested Flycatcher</b> <i>Myiarchus crinitus</i>	<b>2.62%</b>
123.	<b>Northern Parula</b> <i>Setophaga americana</i>	<b>2.57%</b>
124.	<b>White-winged Dove</b> <i>Zenaida asiatica</i>	<b>2.56%</b>
125.	<b>Ruby-throated Hummingbird</b> <i>Archilochus colubris</i>	<b>2.48%</b>
126.	<b>Nanday Parakeet</b> <i>Aratinga nenday</i>	<b>2.35%</b>
127.	<b>Redhead</b> <i>Aythya americana</i>	<b>2.33%</b>
128.	<b>American Wigeon</b> <i>Mareca americana</i>	<b>2.30%</b>
129.	<b>Short-billed Dowitcher</b> <i>Limnodromus griseus</i>	<b>2.30%</b>
130.	<b>Sandwich Tern</b> <i>Thalasseus sandvicensis</i>	<b>2.27%</b>
131.	<b>Wood Duck</b> <i>Aix sponsa</i>	<b>2.26%</b>

132.	<b>Canada Goose</b> <i>Branta canadensis</i>	2.26%
133.	<b>Lesser Black-backed Gull</b> <i>Larus fuscus</i>	2.18%
134.	<b>Marsh Wren</b> <i>Cistothorus palustris</i>	2.12%
135.	<b>Hermit Thrush</b> <i>Catharus guttatus</i>	2.12%
136.	<b>Ruddy Duck</b> <i>Oxyura jamaicensis</i>	1.99%
137.	<b>Monk Parakeet</b> <i>Myiopsitta monachus</i>	1.96%
138.	<b>Horned Grebe</b> <i>Podiceps auritus</i>	1.93%
139.	<b>Great Horned Owl</b> <i>Bubo virginianus</i>	1.90%
140.	<b>Brown-headed Nuthatch</b> <i>Sitta pusilla</i>	1.90%
141.	<b>Song Sparrow</b> <i>Melospiza melodia</i>	1.88%
142.	<b>American Bittern</b> <i>Botaurus lentiginosus</i>	1.83%
143.	<b>Gray-headed Swamphen</b> <i>Porphyrio poliocephalus</i>	1.81%
144.	<b>Western Sandpiper</b> <i>Calidris mauri</i>	1.77%
145.	<b>Magnificent Frigatebird</b> <i>Fregata magnificens</i>	1.77%
146.	<b>Egyptian Goose</b> <i>Alopochen aegyptiaca</i>	1.67%
147.	<b>Snail Kite</b> <i>Rostrhamus sociabilis</i>	1.67%
148.	<b>Northern Pintail</b> <i>Anas acuta</i>	1.63%
149.	<b>American Oystercatcher</b> <i>Haematopus palliatus</i>	1.59%
150.	<b>Northern Gannet</b> <i>Morus bassanus</i>	1.56%
151.	<b>Red-headed Woodpecker</b> <i>Melanerpes erythrocephalus</i>	1.54%
152.	<b>Baltimore Oriole</b> <i>Icterus galbula</i>	1.54%
153.	<b>Great Black-backed Gull</b> <i>Larus marinus</i>	1.53%

154.	<b>Long-billed Dowitcher</b> <i>Limnodromus scolopaceus</i>	1.45%
155.	<b>Gadwall</b> <i>Mareca strepera</i>	1.44%
156.	<b>Florida Scrub-Jay</b> <i>Aphelocoma coerulescens</i>	1.43%
157.	<b>Wild Turkey</b> <i>Meleagris gallopavo</i>	1.40%
158.	<b>Ovenbird</b> <i>Seiurus aurocapilla</i>	1.36%
159.	<b>Merlin</b> <i>Falco columbarius</i>	1.36%
160.	<b>American Avocet</b> <i>Recurvirostra americana</i>	1.34%
161.	<b>Sedge Wren</b> <i>Cistothorus stellaris</i>	1.31%
162.	<b>Crested Caracara</b> <i>Caracara plancus</i>	1.30%
163.	<b>Short-tailed Hawk</b> <i>Buteo brachyurus</i>	1.24%
164.	<b>Sharp-shinned Hawk</b> <i>Accipiter striatus</i>	1.23%
165.	<b>Red Knot</b> <i>Calidris canutus</i>	1.21%
166.	<b>Clapper Rail</b> <i>Rallus crepitans</i>	1.19%
167.	<b>Purple Martin</b> <i>Progne subis</i>	1.16%
168.	<b>American Redstart</b> <i>Setophaga ruticilla</i>	1.14%
169.	<b>Indigo Bunting</b> <i>Passerina cyanea</i>	1.11%
170.	<b>Peregrine Falcon</b> <i>Falco peregrinus</i>	1.10%
171.	<b>Marbled Godwit</b> <i>Limosa fedoa</i>	1.08%
172.	<b>Piping Plover</b> <i>Charadrius melodus</i>	1.03%
173.	<b>Northern Rough-winged Swallow</b> <i>Stelgidopteryx serripennis</i>	0.9606%
174.	<b>Canvasback</b> <i>Aythya valisineria</i>	0.9226%
175.	<b>Wilson's Plover</b> <i>Anarhynchus wilsonia</i>	0.9186%



176.	<b>Greater Scaup</b> <i>Aythya marila</i>	<b>0.8252%</b>
177.	<b>White-throated Sparrow</b> <i>Zonotrichia albicollis</i>	<b>0.8007%</b>
178.	<b>Black-necked Stilt</b> <i>Himantopus mexicanus</i>	<b>0.7726%</b>
179.	<b>Vesper Sparrow</b> <i>Pooecetes gramineus</i>	<b>0.7577%</b>
180.	<b>Northern Waterthrush</b> <i>Parkesia noveboracensis</i>	<b>0.7309%</b>
181.	<b>Grasshopper Sparrow</b> <i>Ammodramus savannarum</i>	<b>0.7275%</b>
182.	<b>Least Bittern</b> <i>Ixobrychus exilis</i>	<b>0.7014%</b>
183.	<b>Western Kingbird</b> <i>Tyrannus verticalis</i>	<b>0.6445%</b>
184.	<b>King Rail</b> <i>Rallus elegans</i>	<b>0.6313%</b>
185.	<b>Black Scoter</b> <i>Melanitta americana</i>	<b>0.6150%</b>
186.	<b>Vermilion Flycatcher</b> <i>Pyrocephalus rubinus</i>	<b>0.6144%</b>
187.	<b>White-crowned Sparrow</b> <i>Zonotrichia leucophrys</i>	<b>0.6119%</b>
188.	<b>Eastern Screech-Owl</b> <i>Megascops asio</i>	<b>0.6046%</b>
189.	<b>Fulvous Whistling-Duck</b> <i>Dendrocygna bicolor</i>	<b>0.6029%</b>
190.	<b>Black-throated Green Warbler</b> <i>Setophaga virens</i>	<b>0.6029%</b>
191.	<b>Summer Tanager</b> <i>Piranga rubra</i>	<b>0.5773%</b>
192.	<b>Snowy Plover</b> <i>Anarhynchus nivosus</i>	<b>0.5713%</b>
193.	<b>Common Goldeneye</b> <i>Bucephala clangula</i>	<b>0.5623%</b>
194.	<b>Burrowing Owl</b> <i>Athene cunicularia</i>	<b>0.5277%</b>
195.	<b>Scissor-tailed Flycatcher</b> <i>Tyrannus forficatus</i>	<b>0.5032%</b>
196.	<b>Red-cockaded Woodpecker</b> <i>Dryobates borealis</i>	<b>0.4939%</b>
197.	<b>American Pipit</b> <i>Anthus rubescens</i>	<b>0.4903%</b>
198.	<b>Northern Bobwhite</b> <i>Colinus virginianus</i>	<b>0.4649%</b>

199.	<b>Virginia Rail</b> <i>Rallus limicola</i>	<b>0.4483%</b>
200.	<b>White-breasted Nuthatch</b> <i>Sitta carolinensis</i>	<b>0.3875%</b>
201.	<b>White-crowned Pigeon</b> <i>Patagioenas leucocephala</i>	<b>0.3830%</b>
202.	<b>Ash-throated Flycatcher</b> <i>Myiarchus cinerascens</i>	<b>0.3718%</b>
203.	<b>Field Sparrow</b> <i>Spizella pusilla</i>	<b>0.3600%</b>
204.	<b>Black-throated Blue Warbler</b> <i>Setophaga caerulescens</i>	<b>0.3425%</b>
205.	<b>Broad-winged Hawk</b> <i>Buteo platypterus</i>	<b>0.3051%</b>
206.	<b>American Flamingo</b> <i>Phoenicopterus ruber</i>	<b>0.3042%</b>
207.	<b>Golden-crowned Kinglet</b> <i>Regulus satrapa</i>	<b>0.2893%</b>
208.	<b>Hairy Woodpecker</b> <i>Dryobates villosus</i>	<b>0.2857%</b>
209.	<b>Barn Owl</b> <i>Tyto alba</i>	<b>0.2806%</b>
210.	<b>Bachman's Sparrow</b> <i>Peucaea aestivalis</i>	<b>0.2679%</b>
211.	<b>Whooping Crane</b> <i>Grus americana</i>	<b>0.2558%</b>
212.	<b>Magnolia Warbler</b> <i>Setophaga magnolia</i>	<b>0.2389%</b>
213.	<b>Common Myna</b> <i>Acridotheres tristis</i>	<b>0.2344%</b>
214.	<b>Yellow-throated Vireo</b> <i>Vireo flavifrons</i>	<b>0.2325%</b>
215.	<b>Spot-breasted Oriole</b> <i>Icterus pectoralis</i>	<b>0.2302%</b>
216.	<b>Stilt Sandpiper</b> <i>Calidris himantopus</i>	<b>0.2297%</b>
217.	<b>Tropical Kingbird</b> <i>Tyrannus melancholicus</i>	<b>0.2254%</b>
218.	<b>Rufous Hummingbird</b> <i>Selasphorus rufus</i>	<b>0.2201%</b>
219.	<b>Purple Finch</b> <i>Haemorhous purpureus</i>	<b>0.2147%</b>
220.	<b>Bronzed Cowbird</b> <i>Molothrus aeneus</i>	<b>0.2131%</b>

221.	<b>Least Flycatcher</b> <i>Empidonax minimus</i>	<b>0.2105%</b>
222.	<b>Snow Goose</b> <i>Anser caerulescens</i>	<b>0.2088%</b>
223.	<b>Nelson's Sparrow</b> <i>Ammospiza nelsoni</i>	<b>0.2077%</b>
224.	<b>Yellow Warbler</b> <i>Setophaga petechia</i>	<b>0.1948%</b>
225.	<b>Whimbrel</b> <i>Numenius phaeopus</i>	<b>0.1829%</b>
226.	<b>Solitary Sandpiper</b> <i>Tringa solitaria</i>	<b>0.1798%</b>
227.	<b>Mitred Parakeet</b> <i>Psittacara mitratus</i>	<b>0.1768%</b>
228.	<b>Pine Siskin</b> <i>Spinus pinus</i>	<b>0.1768%</b>
229.	<b>Purple Sandpiper</b> <i>Calidris maritima</i>	<b>0.1765%</b>
230.	<b>American Woodcock</b> <i>Scolopax minor</i>	<b>0.1753%</b>
231.	<b>Rusty Blackbird</b> <i>Euphagus carolinus</i>	<b>0.1753%</b>
232.	<b>Wilson's Warbler</b> <i>Cardellina pusilla</i>	<b>0.1697%</b>
233.	<b>Eastern Whip-poor-will</b> <i>Antrostomus vociferus</i>	<b>0.1618%</b>
234.	<b>Western Tanager</b> <i>Piranga ludoviciana</i>	<b>0.1613%</b>
235.	<b>Smooth-billed Ani</b> <i>Crotophaga ani</i>	<b>0.1610%</b>
236.	<b>Cinnamon Teal</b> <i>Spatula cyanoptera</i>	<b>0.1604%</b>
237.	<b>Surf Scoter</b> <i>Melanitta perspicillata</i>	<b>0.1517%</b>
238.	<b>White-tailed Kite</b> <i>Elanus leucurus</i>	<b>0.1511%</b>
239.	<b>Long-tailed Duck</b> <i>Clangula hyemalis</i>	<b>0.1486%</b>
240.	<b>Parasitic Jaeger</b> <i>Stercorarius parasiticus</i>	<b>0.1444%</b>
241.	<b>Lincoln's Sparrow</b> <i>Melospiza lincolnii</i>	<b>0.1444%</b>
242.	<b>Blue Grosbeak</b> <i>Passerina caerulea</i>	<b>0.1433%</b>
243.	<b>Cape May Warbler</b> <i>Setophaga tigrina</i>	<b>0.1286%</b>

244.	<b>White-faced Ibis</b> <i>Plegadis chihi</i>	0.1267%
245.	<b>Nashville Warbler</b> <i>Leiothlypis ruficapilla</i>	0.1230%
246.	<b>Seaside Sparrow</b> <i>Ammospiza maritima</i>	0.1188%
247.	<b>Yellow-headed Blackbird</b> <i>Xanthocephalus xanthocephalus</i>	0.1168%
248.	<b>Clay-colored Sparrow</b> <i>Spizella pallida</i>	0.1106%
249.	<b>Brown Booby</b> <i>Sula leucogaster</i>	0.1081%
250.	<b>American Black Duck</b> <i>Anas rubripes</i>	0.1055%
251.	<b>Common Tern</b> <i>Sterna hirundo</i>	0.1050%
252.	<b>Worm-eating Warbler</b> <i>Helmitheros vermivorum</i>	0.1030%
253.	<b>Saltmarsh Sparrow</b> <i>Ammospiza caudacuta</i>	0.1008%
254.	<b>Gull-billed Tern</b> <i>Gelochelidon nilotica</i>	0.0993%
255.	<b>Lark Sparrow</b> <i>Chondestes grammacus</i>	0.0988%
256.	<b>Dickcissel</b> <i>Spiza americana</i>	0.0962%
257.	<b>Buff-bellied Hummingbird</b> <i>Amazilia yucatanensis</i>	0.0960%
258.	<b>Swainson's Hawk</b> <i>Buteo swainsoni</i>	0.0946%
259.	<b>Red-whiskered Bulbul</b> <i>Pycnonotus jocosus</i>	0.0934%
260.	<b>Henslow's Sparrow</b> <i>Centronyx henslowii</i>	0.0932%
261.	<b>Pomarine Jaeger</b> <i>Stercorarius pomarinus</i>	0.0903%
262.	<b>Neotropic Cormorant</b> <i>Nannopterum brasilianum</i>	0.0895%
263.	<b>Red-breasted Nuthatch</b> <i>Sitta canadensis</i>	0.0861%
264.	<b>Yellow-breasted Chat</b> <i>Icteria virens</i>	0.0858%
265.	<b>Black-chinned Hummingbird</b> <i>Archilochus alexandri</i>	0.0828%

266.	<b>Common Eider</b> <i>Somateria mollissima</i>	<b>0.0813%</b>
267.	<b>Groove-billed Ani</b> <i>Crotophaga sulcirostris</i>	<b>0.0811%</b>
268.	<b>Dark-eyed Junco</b> <i>Junco hyemalis</i>	<b>0.0791%</b>
269.	<b>Brown-crested Flycatcher</b> <i>Myiarchus tyrannulus</i>	<b>0.0774%</b>
270.	<b>Ruff</b> <i>Calidris pugnax</i>	<b>0.0757%</b>
271.	<b>Winter Wren</b> <i>Troglodytes hiemalis</i>	<b>0.0757%</b>
272.	<b>Cave Swallow</b> <i>Petrochelidon fulva</i>	<b>0.0689%</b>
273.	<b>White-winged Scoter</b> <i>Melanitta deglandi</i>	<b>0.0656%</b>
274.	<b>Red-throated Loon</b> <i>Gavia stellata</i>	<b>0.0650%</b>
275.	<b>Brewer's Blackbird</b> <i>Euphagus cyanocephalus</i>	<b>0.0645%</b>
276.	<b>Mangrove Cuckoo</b> <i>Coccyzus minor</i>	<b>0.0639%</b>
277.	<b>Iceland Gull</b> <i>Larus glaucoides</i>	<b>0.0630%</b>
278.	<b>Lesser Nighthawk</b> <i>Chordeiles acutipennis</i>	<b>0.0625%</b>
279.	<b>La Sagra's Flycatcher</b> <i>Myiarchus sagrae</i>	<b>0.0616%</b>
280.	<b>Eared Grebe</b> <i>Podiceps nigricollis</i>	<b>0.0614%</b>
281.	<b>Short-eared Owl</b> <i>Asio flammeus</i>	<b>0.0614%</b>
282.	<b>Vaux's Swift</b> <i>Chaetura vauxi</i>	<b>0.0605%</b>
283.	<b>Long-billed Curlew</b> <i>Numenius americanus</i>	<b>0.0605%</b>
284.	<b>Greater White-fronted Goose</b> <i>Anser albifrons</i>	<b>0.0600%</b>
285.	<b>Calliope Hummingbird</b> <i>Selasphorus calliope</i>	<b>0.0597%</b>
286.	<b>Cassin's Kingbird</b> <i>Tyrannus vociferans</i>	<b>0.0574%</b>
287.	<b>Louisiana Waterthrush</b> <i>Parkesia motacilla</i>	<b>0.0566%</b>
288.	<b>Chuck-will's-widow</b> <i>Antrostomus carolinensis</i>	<b>0.0563%</b>

289.	<b>Rose-breasted Grosbeak</b> <i>Pheucticus ludovicianus</i>	<b>0.0560%</b>
290.	<b>Bullock's Oriole</b> <i>Icterus bullockii</i>	<b>0.0552%</b>
291.	<b>Brown Creeper</b> <i>Certhia americana</i>	<b>0.0521%</b>
292.	<b>Barn Swallow</b> <i>Hirundo rustica</i>	<b>0.0509%</b>
293.	<b>Harlequin Duck</b> <i>Histrionicus histrionicus</i>	<b>0.0490%</b>
294.	<b>Brant</b> <i>Branta bernicla</i>	<b>0.0467%</b>
295.	<b>Ross's Goose</b> <i>Anser rossii</i>	<b>0.0456%</b>
296.	<b>LeConte's Sparrow</b> <i>Ammospiza leconteii</i>	<b>0.0456%</b>
297.	<b>Glaucous Gull</b> <i>Larus hyperboreus</i>	<b>0.0450%</b>
298.	<b>White Wagtail</b> <i>Motacilla alba</i>	<b>0.0445%</b>
299.	<b>Tricolored Munia</b> <i>Lonchura malacca</i>	<b>0.0428%</b>
300.	<b>American Golden-Plover</b> <i>Pluvialis dominica</i>	<b>0.0425%</b>
301.	<b>Eurasian Wigeon</b> <i>Mareca penelope</i>	<b>0.0419%</b>
302.	<b>Bell's Vireo</b> <i>Vireo bellii</i>	<b>0.0414%</b>
303.	<b>White-cheeked Pintail</b> <i>Anas bahamensis</i>	<b>0.0397%</b>
304.	<b>Harris's Sparrow</b> <i>Zonotrichia querula</i>	<b>0.0388%</b>
305.	<b>Shiny Cowbird</b> <i>Molothrus bonariensis</i>	<b>0.0383%</b>
306.	<b>Hammond's Flycatcher</b> <i>Empidonax hammondii</i>	<b>0.0380%</b>
307.	<b>Franklin's Gull</b> <i>Leucophaeus pipixcan</i>	<b>0.0374%</b>
308.	<b>Bahama Mockingbird</b> <i>Mimus gundlachii</i>	<b>0.0357%</b>
309.	<b>Black-throated Gray Warbler</b> <i>Setophaga nigrescens</i>	<b>0.0357%</b>
310.	<b>Snowy Owl</b> <i>Bubo scandiacus</i>	<b>0.0355%</b>

311.	<b>Gray Kingbird</b> <i>Tyrannus dominicensis</i>	<b>0.0349%</b>
312.	<b>Mountain Bluebird</b> <i>Sialia currucoides</i>	<b>0.0349%</b>
313.	<b>Western Spindalis</b> <i>Spindalis zena</i>	<b>0.0346%</b>
314.	<b>Razorbill</b> <i>Alca torda</i>	<b>0.0338%</b>
315.	<b>Broad-billed Hummingbird</b> <i>Cyananthus latirostris</i>	<b>0.0327%</b>
316.	<b>Black-headed Gull</b> <i>Chroicocephalus ridibundus</i>	<b>0.0318%</b>
317.	<b>Bananaquit</b> <i>Coereba flaveola</i>	<b>0.0307%</b>
318.	<b>Fox Sparrow</b> <i>Passerella iliaca</i>	<b>0.0298%</b>
319.	<b>Black Rail</b> <i>Laterallus jamaicensis</i>	<b>0.0284%</b>
320.	<b>Red-necked Grebe</b> <i>Podiceps grisegena</i>	<b>0.0276%</b>
321.	<b>Heermann's Gull</b> <i>Larus heermanni</i>	<b>0.0273%</b>
322.	<b>Green-tailed Towhee</b> <i>Pipilo chlorurus</i>	<b>0.0265%</b>
323.	<b>Hooded Warbler</b> <i>Setophaga citrina</i>	<b>0.0265%</b>
324.	<b>Cuban Pewee</b> <i>Contopus caribaeus</i>	<b>0.0245%</b>
325.	<b>White-winged Parakeet</b> <i>Brotogeris versicolurus</i>	<b>0.0231%</b>
326.	<b>Masked Duck</b> <i>Nomonyx dominicus</i>	<b>0.0217%</b>
327.	<b>Swainson's Warbler</b> <i>Limnothlypis swainsonii</i>	<b>0.0214%</b>
328.	<b>Say's Phoebe</b> <i>Sayornis saya</i>	<b>0.0205%</b>
329.	<b>Willow Flycatcher</b> <i>Empidonax traillii</i>	<b>0.0203%</b>
330.	<b>Black-legged Kittiwake</b> <i>Rissa tridactyla</i>	<b>0.0191%</b>
331.	<b>Yellow-headed Caracara</b> <i>Daptrius chimachima</i>	<b>0.0191%</b>
332.	<b>Horned Lark</b> <i>Eremophila alpestris</i>	<b>0.0180%</b>

333.	<b>Red-legged Thrush</b> <i>Turdus plumbeus</i>	<b>0.0160%</b>
334.	<b>Orchard Oriole</b> <i>Icterus spurius</i>	<b>0.0160%</b>
335.	<b>Common Merganser</b> <i>Mergus merganser</i>	<b>0.0158%</b>
336.	<b>King Eider</b> <i>Somateria spectabilis</i>	<b>0.0152%</b>
337.	<b>Blue-winged Warbler</b> <i>Vermivora cyanoptera</i>	<b>0.0152%</b>
338.	<b>Sprague's Pipit</b> <i>Anthus spragueii</i>	<b>0.0149%</b>
339.	<b>Pacific Golden-Plover</b> <i>Pluvialis fulva</i>	<b>0.0143%</b>
340.	<b>Couch's Kingbird</b> <i>Tyrannus couchii</i>	<b>0.0143%</b>
341.	<b>Least Grebe</b> <i>Tachybaptus dominicus</i>	<b>0.0141%</b>
342.	<b>Fork-tailed Flycatcher</b> <i>Tyrannus savana</i>	<b>0.0141%</b>
343.	<b>Great Cormorant</b> <i>Phalacrocorax carbo</i>	<b>0.0132%</b>
344.	<b>Western Flycatcher</b> <i>Empidonax difficilis</i>	<b>0.0132%</b>
345.	<b>Warbling Vireo</b> <i>Vireo gilvus</i>	<b>0.0130%</b>
346.	<b>Great-tailed Grackle</b> <i>Quiscalus mexicanus</i>	<b>0.0130%</b>
347.	<b>Thick-billed Vireo</b> <i>Vireo crassirostris</i>	<b>0.0124%</b>
348.	<b>Key West Quail-Dove</b> <i>Geotrygon chrysia</i>	<b>0.0121%</b>
349.	<b>Black-faced Grassquit</b> <i>Melanospiza bicolor</i>	<b>0.0121%</b>
350.	<b>Golden-crowned Sparrow</b> <i>Zonotrichia atricapilla</i>	<b>0.0104%</b>
351.	<b>Great Shearwater</b> <i>Ardenna gravis</i>	<b>0.0101%</b>
352.	<b>Masked Booby</b> <i>Sula dactylatra</i>	<b>0.0101%</b>
353.	<b>Red Phalarope</b> <i>Phalaropus fulicarius</i>	<b>0.0099%</b>
354.	<b>Tennessee Warbler</b> <i>Leiothlypis peregrina</i>	<b>0.0096%</b>
355.	<b>Lazuli Bunting</b> <i>Passerina amoena</i>	<b>0.0093%</b>



356.	<b>Bar-tailed Godwit</b> <i>Limosa lapponica</i>	<b>0.0084%</b>
357.	<b>Yellow-bellied Flycatcher</b> <i>Empidonax flaviventris</i>	<b>0.0084%</b>
358.	<b>Pectoral Sandpiper</b> <i>Calidris melanotos</i>	<b>0.0079%</b>
359.	<b>Semipalmated Sandpiper</b> <i>Calidris pusilla</i>	<b>0.0079%</b>
360.	<b>Zenaida Dove</b> <i>Zenaida aurita</i>	<b>0.0076%</b>
361.	<b>Audubon's Shearwater</b> <i>Puffinus lherminieri</i>	<b>0.0073%</b>
362.	<b>Tundra Swan</b> <i>Cygnus columbianus</i>	<b>0.0070%</b>
363.	<b>Wood Thrush</b> <i>Hylocichla mustelina</i>	<b>0.0068%</b>
364.	<b>Snow Bunting</b> <i>Plectrophenax nivalis</i>	<b>0.0068%</b>
365.	<b>Prothonotary Warbler</b> <i>Protonotaria citrea</i>	<b>0.0068%</b>
366.	<b>Lapland Longspur</b> <i>Calcarius lapponicus</i>	<b>0.0065%</b>
367.	<b>Bay-breasted Warbler</b> <i>Setophaga castanea</i>	<b>0.0062%</b>
368.	<b>Bank Swallow</b> <i>Riparia riparia</i>	<b>0.0059%</b>
369.	<b>California Gull</b> <i>Larus californicus</i>	<b>0.0056%</b>
370.	<b>Common Nighthawk</b> <i>Chordeiles minor</i>	<b>0.0048%</b>
371.	<b>Allen's Hummingbird</b> <i>Selasphorus sasin</i>	<b>0.0048%</b>
372.	<b>Buff-breasted Sandpiper</b> <i>Calidris subruficollis</i>	<b>0.0048%</b>
373.	<b>Philadelphia Vireo</b> <i>Vireo philadelphicus</i>	<b>0.0048%</b>
374.	<b>Western Grebe</b> <i>Aechmophorus occidentalis</i>	<b>0.0045%</b>
375.	<b>Cackling Goose</b> <i>Branta hutchinsii</i>	<b>0.0042%</b>
376.	<b>Pacific Loon</b> <i>Gavia pacifica</i>	<b>0.0039%</b>
377.	<b>Loggerhead Kingbird</b> <i>Tyrannus caudifasciatus</i>	<b>0.0039%</b>
378.	<b>Hooded Oriole</b> <i>Icterus cucullatus</i>	<b>0.0039%</b>

379.	<b>Broad-tailed Hummingbird</b> <i>Selasphorus platycercus</i>	0.0034%
380.	<b>Red-footed Booby</b> <i>Sula sula</i>	0.0034%
381.	<b>MacGillivray's Warbler</b> <i>Geothlypis tolmiei</i>	0.0034%
382.	<b>Black-headed Grosbeak</b> <i>Pheucticus melanocephalus</i>	0.0034%
383.	<b>Red-legged Honeycreeper</b> <i>Cyanerpes cyaneus</i>	0.0034%
384.	<b>Yellow-billed Cuckoo</b> <i>Coccyzus americanus</i>	0.0031%
385.	<b>Kelp Gull</b> <i>Larus dominicanus</i>	0.0031%
386.	<b>Cliff Swallow</b> <i>Petrochelidon pyrrhonota</i>	0.0031%
387.	<b>Anna's Hummingbird</b> <i>Calypte anna</i>	0.0028%
388.	<b>Costa's Hummingbird</b> <i>Calypte costae</i>	0.0028%
389.	<b>Sooty Tern</b> <i>Onychoprion fuscatus</i>	0.0028%
390.	<b>Black Tern</b> <i>Chlidonias niger</i>	0.0028%
391.	<b>Bridled Tern</b> <i>Onychoprion anaethetus</i>	0.0022%
392.	<b>Red-eyed Vireo</b> <i>Vireo olivaceus</i>	0.0022%
393.	<b>Swainson's Thrush</b> <i>Catharus ustulatus</i>	0.0022%
394.	<b>Yellow-faced Grassquit</b> <i>Tiaris olivaceus</i>	0.0022%
395.	<b>Wilson's Phalarope</b> <i>Phalaropus tricolor</i>	0.0020%
396.	<b>Sage Thrasher</b> <i>Oreoscoptes montanus</i>	0.0020%
397.	<b>Chestnut-sided Warbler</b> <i>Setophaga pensylvanica</i>	0.0017%
398.	<b>Sabine's Gull</b> <i>Xema sabini</i>	0.0014%
399.	<b>Bobolink</b> <i>Dolichonyx oryzivorus</i>	0.0014%
400.	<b>Golden-winged Warbler</b> <i>Vermivora chrysoptera</i>	0.0014%

401.	<b>Yellow Rail</b> <i>Coturnicops noveboracensis</i>	0.0011%
402.	<b>Little Gull</b> <i>Hydrocoloeus minutus</i>	0.0011%
403.	<b>Cory's Shearwater</b> <i>Calonectris diomedea</i>	0.0011%
404.	<b>Sooty Shearwater</b> <i>Ardenna grisea</i>	0.0011%
405.	<b>Golden Eagle</b> <i>Aquila chrysaetos</i>	0.0011%
406.	<b>Scarlet Tanager</b> <i>Piranga olivacea</i>	0.0011%
407.	<b>Dovekie</b> <i>Alle alle</i>	0.0008%
408.	<b>Swallow-tailed Kite</b> <i>Elanoides forficatus</i>	0.0008%
409.	<b>Eastern Kingbird</b> <i>Tyrannus tyrannus</i>	0.0008%
410.	<b>Western Meadowlark</b> <i>Sturnella neglecta</i>	0.0008%
411.	<b>Mountain Plover</b> <i>Anarhynchus montanus</i>	0.0006%
412.	<b>Red-necked Phalarope</b> <i>Phalaropus lobatus</i>	0.0006%
413.	<b>Elegant Tern</b> <i>Thalasseus elegans</i>	0.0006%
414.	<b>Wilson's Storm-Petrel</b> <i>Oceanites oceanicus</i>	0.0006%
415.	<b>Eastern Wood-Pewee</b> <i>Contopus virens</i>	0.0006%
416.	<b>Violet-green Swallow</b> <i>Tachycineta thalassina</i>	0.0006%
417.	<b>Blackburnian Warbler</b> <i>Setophaga fusca</i>	0.0006%
418.	<b>Townsend's Warbler</b> <i>Setophaga townsendi</i>	0.0006%
419.	<b>Hudsonian Godwit</b> <i>Limosa haemastica</i>	0.0003%
420.	<b>White-rumped Sandpiper</b> <i>Calidris fuscicollis</i>	0.0003%
421.	<b>Thick-billed Murre</b> <i>Uria lomvia</i>	0.0003%
422.	<b>Common Murre</b> <i>Uria aalge</i>	0.0003%
423.	<b>Brown Noddy</b> <i>Anous stolidus</i>	0.0003%

424.	<b>Least Tern</b> <i>Sternula antillarum</i>	0.0003%
425.	<b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>	0.0003%
426.	<b>Manx Shearwater</b> <i>Puffinus puffinus</i>	0.0003%
427.	<b>Ferruginous Hawk</b> <i>Buteo regalis</i>	0.0003%
428.	<b>Long-eared Owl</b> <i>Asio otus</i>	0.0003%
429.	<b>Ivory-billed Woodpecker</b> <i>Campephilus principalis</i>	0.0003%
430.	<b>Bahama Swallow</b> <i>Tachycineta cyaneoviridis</i>	0.0003%
431.	<b>Rock Wren</b> <i>Salpinctes obsoletus</i>	0.0003%
432.	<b>Evening Grosbeak</b> <i>Coccothraustes vespertinus</i>	0.0003%
433.	<b>Lark Bunting</b> <i>Calamospiza melanocorys</i>	0.0003%
434.	<b>Spotted Towhee</b> <i>Pipilo maculatus</i>	0.0003%
435.	<b>Inca Dove</b> <i>Columbina inca</i>	0.0000%
436.	<b>Ruddy Quail-Dove</b> <i>Geotrygon montana</i>	0.0000%
437.	<b>Chimney Swift</b> <i>Chaetura pelagica</i>	0.0000%
438.	<b>Flammulated Owl</b> <i>Psiloscopus flammeolus</i>	0.0000%
439.	<b>Carolina Parakeet</b> <i>Conuropsis carolinensis</i>	0.0000%
440.	<b>Varied Thrush</b> <i>Ixoreus naevius</i>	0.0000%
441.	<b>Gray-cheeked Thrush</b> <i>Catharus minimus</i>	0.0000%
442.	<b>Chestnut-collared Longspur</b> <i>Calcarius ornatus</i>	0.0000%
443.	<b>American Tree Sparrow</b> <i>Spizelloides arborea</i>	0.0000%
444.	<b>Bachman's Warbler</b> <i>Vermivora bachmanii</i>	0.0000%

**EXOTIC: PROVISIONAL**

445.	<b>Indian Peafowl</b> <i>Pavo cristatus</i>	0.3059% frequency
------	---	-------------------

446.	<b>Blue-crowned Parakeet</b> <i>Thectocercus acuticaudatus</i>	<b>0.2615%</b>
447.	<b>Scaly-breasted Munia</b> <i>Lonchura punctulata</i>	<b>0.2260%</b>
448.	<b>Yellow-chevroned Parakeet</b> <i>Brotogeris chiriri</i>	<b>0.1745%</b>
449.	<b>Red-masked Parakeet</b> <i>Psittacara erythrogenys</i>	<b>0.1134%</b>
450.	<b>Red Junglefowl</b> <i>Gallus gallus</i>	<b>0.1061%</b>
451.	<b>Orange-winged Parrot</b> <i>Amazona amazonica</i>	<b>0.0659%</b>
452.	<b>Chestnut-fronted Macaw</b> <i>Ara severus</i>	<b>0.0574%</b>
453.	<b>Blue-and-yellow Macaw</b> <i>Ara ararauna</i>	<b>0.0532%</b>
454.	<b>Common Hill Myna</b> <i>Gracula religiosa</i>	<b>0.0310%</b>
455.	<b>Rose-ringed Parakeet</b> <i>Psittacula krameri</i>	<b>0.0267%</b>
456.	<b>White-eyed Parakeet</b> <i>Psittacara leucophthalmus</i>	<b>0.0250%</b>
457.	<b>Red-crowned Parrot</b> <i>Amazona viridigenalis</i>	<b>0.0222%</b>
458.	<b>Budgerigar</b> <i>Melopsittacus undulatus</i>	<b>0.0068%</b>
459.	<b>Great White Pelican</b> <i>Pelecanus onocrotalus</i>	<b>0.0006%</b>
<b>EXOTIC: ESCAPEE</b>		
	<b>Mute Swan</b> <i>Cygnus olor</i>	<b>0.3372%</b> frequency
	<b>Graylag Goose</b> <i>Anser anser</i>	<b>0.1931%</b>
	<b>Swan Goose</b> <i>Anser cygnoides</i>	<b>0.1655%</b>
	<b>Black Swan</b> <i>Cygnus atratus</i>	<b>0.1250%</b>
	<b>Black-necked Swan</b> <i>Cygnus melancoryphus</i>	<b>0.0453%</b>
	<b>Trumpeter Swan</b> <i>Cygnus buccinator</i>	<b>0.0312%</b>
	<b>Helmeted Guineafowl</b> <i>Numida meleagris</i>	<b>0.0301%</b>

<b>Mandarin Duck</b> <i>Aix galericulata</i>	<b>0.0236%</b>
<b>Common Shelduck</b> <i>Tadorna tadorna</i>	<b>0.0200%</b>
<b>Ruddy Shelduck</b> <i>Tadorna ferruginea</i>	<b>0.0183%</b>
<b>Whooper Swan</b> <i>Cygnus cygnus</i>	<b>0.0143%</b>
<b>Coscoroba Swan</b> <i>Coscoroba coscoroba</i>	<b>0.0096%</b>
<b>Cockatiel</b> <i>Nymphicus hollandicus</i>	<b>0.0076%</b>
<b>Red-crested Pochard</b> <i>Netta rufina</i>	<b>0.0062%</b>
<b>White-faced Whistling-Duck</b> <i>Dendrocygna viduata</i>	<b>0.0056%</b>
<b>Red-legged Partridge</b> <i>Alectoris rufa</i>	<b>0.0056%</b>
<b>Giant Wood-Rail</b> <i>Aramides ypecaha</i>	<b>0.0056%</b>
<b>Ring-necked Pheasant</b> <i>Phasianus colchicus</i>	<b>0.0034%</b>
<b>Crimson-fronted Parakeet</b> <i>Psittacara finschi</i>	<b>0.0034%</b>
<b>Bar-headed Goose</b> <i>Anser indicus</i>	<b>0.0031%</b>
<b>Green Parakeet</b> <i>Psittacara holochlorus</i>	<b>0.0031%</b>
<b>Ringed Teal</b> <i>Callonetta leucophrys</i>	<b>0.0025%</b>
<b>Great Black Hawk</b> <i>Buteogallus urubitinga</i>	<b>0.0025%</b>
<b>Tropical Mockingbird</b> <i>Mimus gilvus</i>	<b>0.0020%</b>
<b>African Collared-Dove</b> <i>Streptopelia roseogrisea</i>	<b>0.0017%</b>
<b>Pin-tailed Whydah</b> <i>Vidua macroura</i>	<b>0.0017%</b>
<b>Green Peafowl</b> <i>Pavo muticus</i>	<b>0.0014%</b>
<b>Turquoise-fronted Parrot</b> <i>Amazona aestiva</i>	<b>0.0014%</b>
<b>Plumed Whistling-Duck</b> <i>Dendrocygna eytoni</i>	<b>0.0011%</b>

<b>Lilac-crowned Parrot</b> <i>Amazona finschi</i>	0.0011%
<b>Yellow-fronted Canary</b> <i>Crithagra mozambica</i>	0.0011%
<b>Rosy-billed Pochard</b> <i>Netta peposaca</i>	0.0008%
<b>White-fronted Parrot</b> <i>Amazona albifrons</i>	0.0008%
<b>Yellow-collared Lovebird</b> <i>Agapornis personatus</i>	0.0003%
<b>Gray Parrot</b> <i>Psittacus erithacus</i>	0.0003%
<b>Yellow-naped Parrot</b> <i>Amazona auropalliata</i>	0.0003%
<b>Yellow-headed Parrot</b> <i>Amazona oratrix</i>	0.0003%
<b>Yellow-crowned Parrot</b> <i>Amazona ochrocephala</i>	0.0003%
<b>Dusky-headed Parakeet</b> <i>Aratinga weddellii</i>	0.0003%
<b>Sun Parakeet</b> <i>Aratinga solstitialis</i>	0.0003%
<b>Scarlet Macaw</b> <i>Ara macao</i>	0.0003%
<b>Saffron Finch</b> <i>Sicalis flaveola</i>	0.0003%
<b>Cuban Grassquit</b> <i>Phonipara canora</i>	0.0003%
<b>Emu</b> <i>Dromaius novaehollandiae</i>	0.0000%
<b>South African Shelduck</b> <i>Tadorna cana</i>	0.0000%
<b>Black-casqued Hornbill</b> <i>Ceratogymna atrata</i>	0.0000%
<b>White Cockatoo</b> <i>Cacatua alba</i>	0.0000%
<b>Dusky Lory</b> <i>Pseudeos fuscata</i>	0.0000%
<b>Fischer's Lovebird</b> <i>Agapornis fischeri</i>	0.0000%
<b>Scaly-headed Parrot</b> <i>Pionus maximiliani</i>	0.0000%
<b>Red-lored Parrot</b> <i>Amazona autumnalis</i>	0.0000%

<b>Military Macaw</b> <i>Ara militaris</i>	<b>0.0000%</b>
<b>Red-shouldered Macaw</b> <i>Diopsittaca nobilis</i>	<b>0.0000%</b>
<b>Black-billed Magpie</b> <i>Pica hudsonia</i>	<b>0.0000%</b>
<b>Long-tailed Glossy Starling</b> <i>Lamprotornis caudatus</i>	<b>0.0000%</b>
<b>Scarlet Ibis</b> <i>Eudocimus ruber</i>	<b>0.0000%</b>

**HYBRIDS**

Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	<b>2.11% frequency</b> ■
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	<b>0.0363%</b> 
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	<b>0.0295%</b> 
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	<b>0.0113%</b> 
Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	<b>0.0110%</b> 
Herring x Lesser Black-backed Gull (hybrid) <i>Larus argentatus x fuscus</i>	<b>0.0042%</b>
Herring x Glaucous Gull (hybrid) <i>Larus argentatus x hyperboreus</i>	<b>0.0039%</b>
Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	<b>0.0028%</b>
Eurasian x American Wigeon (hybrid) <i>Mareca penelope x americana</i>	<b>0.0028%</b>
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	<b>0.0025%</b>
Mallard x Eastern Spot-billed Duck (hybrid) <i>Anas platyrhynchos x zonorhyncha</i>	<b>0.0022%</b>



Indigo x Painted Bunting (hybrid) <i>Passerina cyanea x ciris</i>	0.0020%
Graylag x Canada Goose (hybrid) <i>Anser anser x Branta canadensis</i>	0.0017%
Blue-winged x Green-winged Teal (hybrid) <i>Spatula discors x Anas crecca</i>	0.0017%
Snow x Ross's Goose (hybrid) <i>Anser caerulescens x rossii</i>	0.0011%
Canvasback x Redhead (hybrid) <i>Aythya valisineria x americana</i>	0.0011%
Redhead x Lesser Scaup (hybrid) <i>Aythya americana x affinis</i>	0.0011%
Clay-colored x Field Sparrow (hybrid) <i>Spizella pallida x pusilla</i>	0.0011%
Blue-winged Teal x Northern Shoveler (hybrid) <i>Spatula discors x clypeata</i>	0.0008%
Mallard x American Black Duck (hybrid) <i>Anas platyrhynchos x rubripes</i>	0.0008%
Redhead x Ring-necked Duck (hybrid) <i>Aythya americana x collaris</i>	0.0008%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0008%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0008%
Ring-necked Duck x Lesser Scaup (hybrid) <i>Aythya collaris x affinis</i>	0.0006%
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	0.0006%
Mallard x Ring-necked Duck (hybrid) <i>Anas platyrhynchos x Aythya collaris</i>	0.0003%
Rufous x Allen's Hummingbird (hybrid) <i>Selasphorus rufus x sasin</i>	0.0003%
Herring x Great Black-backed Gull (hybrid) <i>Larus argentatus x marinus</i>	0.0003%

---

Little Blue x Tricolored Heron (hybrid) <i>Egretta caerulea x tricolor</i>	<b>0.0003%</b>
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	<b>0.0003%</b>
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	<b>0.0003%</b>
Blue-and-yellow x Scarlet Macaw (hybrid) <i>Ara ararauna x macao</i>	<b>0.0003%</b>
Mallard x Northern Pintail (hybrid) <i>Anas platyrhynchos x acuta</i>	<b>0.0000%</b>
Canvasback x Ring-necked Duck (hybrid) <i>Aythya valisineria x collaris</i>	<b>0.0000%</b>

---