



Target Species

Based on 355,307 complete checklists

459 species observed in Florida, US (region/US-FL) in Jan that you need for your Florida Life List

1. Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	4.43% frequency
2. Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.6029%
3. Snow Goose <i>Anser caerulescens</i>	0.2088%
4. Ross's Goose <i>Anser rossii</i>	0.0456%
5. Greater White-fronted Goose <i>Anser albifrons</i>	0.0600%
6. Brant <i>Branta bernicla</i>	0.0467%
7. Cackling Goose <i>Branta hutchinsii</i>	0.0042%
8. Canada Goose <i>Branta canadensis</i>	2.26%
9. Tundra Swan <i>Cygnus columbianus</i>	0.0070%
10. Egyptian Goose <i>Alopochen aegyptiaca</i>	1.67%
11. Muscovy Duck <i>Cairina moschata</i>	5.12%
12. Wood Duck <i>Aix sponsa</i>	2.26%
13. Blue-winged Teal <i>Spatula discors</i>	10.70%
14. Cinnamon Teal <i>Spatula cyanoptera</i>	0.1604%
15. Northern Shoveler <i>Spatula clypeata</i>	4.30%
16. Gadwall <i>Mareca strepera</i>	1.44%
17. Eurasian Wigeon <i>Mareca penelope</i>	0.0419%

18. American Wigeon <i>Mareca americana</i>	2.30%
19. Mallard <i>Anas platyrhynchos</i>	3.21%
20. American Black Duck <i>Anas rubripes</i>	0.1055%
21. Mottled Duck <i>Anas fulvigula</i>	9.16%
22. White-cheeked Pintail <i>Anas bahamensis</i>	0.0397%
23. Northern Pintail <i>Anas acuta</i>	1.63%
24. Green-winged Teal <i>Anas crecca</i>	2.66%
25. Canvasback <i>Aythya valisineria</i>	0.9226%
26. Redhead <i>Aythya americana</i>	2.33%
27. Ring-necked Duck <i>Aythya collaris</i>	5.94%
28. Greater Scaup <i>Aythya marila</i>	0.8252%
29. Lesser Scaup <i>Aythya affinis</i>	6.86%
30. King Eider <i>Somateria spectabilis</i>	0.0152%
31. Common Eider <i>Somateria mollissima</i>	0.0813%
32. Harlequin Duck <i>Histrionicus histrionicus</i>	0.0490%
33. Surf Scoter <i>Melanitta perspicillata</i>	0.1517%
34. White-winged Scoter <i>Melanitta deglandi</i>	0.0656%
35. Black Scoter <i>Melanitta americana</i>	0.6150%
36. Long-tailed Duck <i>Clangula hyemalis</i>	0.1486%
37. Bufflehead <i>Bucephala albeola</i>	3.36%
38. Common Goldeneye <i>Bucephala clangula</i>	0.5623%
39. Hooded Merganser <i>Lophodytes cucullatus</i>	6.79%
40. Common Merganser <i>Mergus merganser</i>	0.0158%

41. Red-breasted Merganser <i>Mergus serrator</i>	4.18%
42. Masked Duck <i>Nomonyx dominicus</i>	0.0217%
43. Ruddy Duck <i>Oxyura jamaicensis</i>	1.99%
44. Northern Bobwhite <i>Colinus virginianus</i>	0.4649%
45. Wild Turkey <i>Meleagris gallopavo</i>	1.40%
46. American Flamingo <i>Phoenicopterus ruber</i>	0.3042%
47. Least Grebe <i>Tachybaptus dominicus</i>	0.0141%
48. Pied-billed Grebe <i>Podilymbus podiceps</i>	20.11%
49. Horned Grebe <i>Podiceps auritus</i>	1.93%
50. Red-necked Grebe <i>Podiceps grisegena</i>	0.0276%
51. Eared Grebe <i>Podiceps nigricollis</i>	0.0614%
52. Western Grebe <i>Aechmophorus occidentalis</i>	0.0045%
53. Rock Pigeon <i>Columba livia</i>	7.33%
54. White-crowned Pigeon <i>Patagioenas leucocephala</i>	0.3830%
55. Eurasian Collared-Dove <i>Streptopelia decaocto</i>	9.16%
56. Inca Dove <i>Columbina inca</i>	0.0000%
57. Common Ground Dove <i>Columbina passerina</i>	7.11%
58. Ruddy Quail-Dove <i>Geotrygon montana</i>	0.0000%
59. Key West Quail-Dove <i>Geotrygon chrysia</i>	0.0121%
60. White-winged Dove <i>Zenaida asiatica</i>	2.56%
61. Zenaida Dove <i>Zenaida aurita</i>	0.0076%
62. Mourning Dove <i>Zenaida macroura</i>	35.55%
63. Smooth-billed Ani <i>Crotophaga ani</i>	0.1610%

64.	Groove-billed Ani <i>Crotophaga sulcirostris</i>	0.0811%
65.	Yellow-billed Cuckoo <i>Coccyzus americanus</i>	0.0031%
66.	Mangrove Cuckoo <i>Coccyzus minor</i>	0.0639%
67.	Lesser Nighthawk <i>Chordeiles acutipennis</i>	0.0625%
68.	Common Nighthawk <i>Chordeiles minor</i>	0.0048%
69.	Chuck-will's-widow <i>Antrostomus carolinensis</i>	0.0563%
70.	Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.1618%
71.	Chimney Swift <i>Chaetura pelagica</i>	0.0000%
72.	Vaux's Swift <i>Chaetura vauxi</i>	0.0605%
73.	Ruby-throated Hummingbird <i>Archilochus colubris</i>	2.48%
74.	Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.0828%
75.	Anna's Hummingbird <i>Calypte anna</i>	0.0028%
76.	Costa's Hummingbird <i>Calypte costae</i>	0.0028%
77.	Calliope Hummingbird <i>Selasphorus calliope</i>	0.0597%
78.	Rufous Hummingbird <i>Selasphorus rufus</i>	0.2201%
79.	Allen's Hummingbird <i>Selasphorus sasin</i>	0.0048%
80.	Broad-tailed Hummingbird <i>Selasphorus platycercus</i>	0.0034%
81.	Broad-billed Hummingbird <i>Cynanthus latirostris</i>	0.0327%
82.	Buff-bellied Hummingbird <i>Amazilia yucatanensis</i>	0.0960%
83.	King Rail <i>Rallus elegans</i>	0.6313%
84.	Clapper Rail <i>Rallus crepitans</i>	1.19%
85.	Virginia Rail <i>Rallus limicola</i>	0.4483%

86.	Sora <i>Porzana carolina</i>	2.91%
87.	Common Gallinule <i>Gallinula galeata</i>	21.30%
88.	American Coot <i>Fulica americana</i>	15.51%
89.	Purple Gallinule <i>Porphyrio martinica</i>	4.29%
90.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	1.81%
91.	Yellow Rail <i>Coturnicops noveboracensis</i>	0.0011%
92.	Black Rail <i>Laterallus jamaicensis</i>	0.0284%
93.	Limpkin <i>Aramus guarauna</i>	8.73%
94.	Sandhill Crane <i>Antigone canadensis</i>	11.95%
95.	Whooping Crane <i>Grus americana</i>	0.2558%
96.	Black-necked Stilt <i>Himantopus mexicanus</i>	0.7726%
97.	American Avocet <i>Recurvirostra americana</i>	1.34%
98.	American Oystercatcher <i>Haematopus palliatus</i>	1.59%
99.	Black-bellied Plover <i>Pluvialis squatarola</i>	5.66%
100.	American Golden-Plover <i>Pluvialis dominica</i>	0.0425%
101.	Pacific Golden-Plover <i>Pluvialis fulva</i>	0.0143%
102.	Killdeer <i>Charadrius vociferus</i>	13.45%
103.	Semipalmated Plover <i>Charadrius semipalmatus</i>	3.23%
104.	Piping Plover <i>Charadrius melodus</i>	1.03%
105.	Wilson's Plover <i>Anarhynchus wilsonia</i>	0.9186%
106.	Mountain Plover <i>Anarhynchus montanus</i>	0.0006%
107.	Snowy Plover <i>Anarhynchus nivosus</i>	0.5713%

108.	Whimbrel <i>Numenius phaeopus</i>	0.1829%
109.	Long-billed Curlew <i>Numenius americanus</i>	0.0605%
110.	Bar-tailed Godwit <i>Limosa lapponica</i>	0.0084%
111.	Hudsonian Godwit <i>Limosa haemastica</i>	0.0003%
112.	Marbled Godwit <i>Limosa fedoa</i>	1.08%
113.	Short-billed Dowitcher <i>Limnodromus griseus</i>	2.30%
114.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	1.45%
115.	American Woodcock <i>Scolopax minor</i>	0.1753%
116.	Wilson's Snipe <i>Gallinago delicata</i>	3.95%
117.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.0020%
118.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0099%
119.	Red-necked Phalarope <i>Phalaropus lobatus</i>	0.0006%
120.	Spotted Sandpiper <i>Actitis macularius</i>	3.17%
121.	Solitary Sandpiper <i>Tringa solitaria</i>	0.1798%
122.	Lesser Yellowlegs <i>Tringa flavipes</i>	3.57%
123.	Willet <i>Tringa semipalmata</i>	8.23%
124.	Greater Yellowlegs <i>Tringa melanoleuca</i>	6.05%
125.	Ruddy Turnstone <i>Arenaria interpres</i>	6.93%
126.	Red Knot <i>Calidris canutus</i>	1.21%
127.	Ruff <i>Calidris pugnax</i>	0.0757%
128.	Stilt Sandpiper <i>Calidris himantopus</i>	0.2297%
129.	Buff-breasted Sandpiper <i>Calidris subruficollis</i>	0.0048%
130.	Sanderling <i>Calidris alba</i>	7.24%

131. Dunlin <i>Calidris alpina</i>	4.16%
132. Purple Sandpiper <i>Calidris maritima</i>	0.1765%
133. White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.0003%
134. Least Sandpiper <i>Calidris minutilla</i>	4.45%
135. Pectoral Sandpiper <i>Calidris melanotos</i>	0.0079%
136. Western Sandpiper <i>Calidris mauri</i>	1.77%
137. Semipalmated Sandpiper <i>Calidris pusilla</i>	0.0079%
138. Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.1444%
139. Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.0903%
140. Razorbill <i>Alca torda</i>	0.0338%
141. Dovekie <i>Alle alle</i>	0.0008%
142. Thick-billed Murre <i>Uria lomvia</i>	0.0003%
143. Common Murre <i>Uria aalge</i>	0.0003%
144. Little Gull <i>Hydrocoloeus minutus</i>	0.0011%
145. Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0191%
146. Sabine's Gull <i>Xema sabini</i>	0.0014%
147. Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	3.58%
148. Black-headed Gull <i>Chroicocephalus ridibundus</i>	0.0318%
149. Laughing Gull <i>Leucophaeus atricilla</i>	18.64%
150. Franklin's Gull <i>Leucophaeus pipixcan</i>	0.0374%
151. Heermann's Gull <i>Larus heermanni</i>	0.0273%
152. Ring-billed Gull <i>Larus delawarensis</i>	22.89%
153. Kelp Gull <i>Larus dominicanus</i>	0.0031%

154.	Herring Gull <i>Larus argentatus</i>	5.95%
155.	Great Black-backed Gull <i>Larus marinus</i>	1.53%
156.	Glaucous Gull <i>Larus hyperboreus</i>	0.0450%
157.	Lesser Black-backed Gull <i>Larus fuscus</i>	2.18%
158.	California Gull <i>Larus californicus</i>	0.0056%
159.	Iceland Gull <i>Larus glaucooides</i>	0.0630%
160.	Black Skimmer <i>Rynchops niger</i>	4.44%
161.	Brown Noddy <i>Anous stolidus</i>	0.0003%
162.	Sooty Tern <i>Onychoprion fuscatus</i>	0.0028%
163.	Bridled Tern <i>Onychoprion anaethetus</i>	0.0022%
164.	Least Tern <i>Sternula antillarum</i>	0.0003%
165.	Gull-billed Tern <i>Gelochelidon nilotica</i>	0.0993%
166.	Caspian Tern <i>Hydroprogne caspia</i>	3.64%
167.	Black Tern <i>Chlidonias niger</i>	0.0028%
168.	Forster's Tern <i>Sterna forsteri</i>	10.12%
169.	Common Tern <i>Sterna hirundo</i>	0.1050%
170.	Sandwich Tern <i>Thalasseus sandvicensis</i>	2.27%
171.	Elegant Tern <i>Thalasseus elegans</i>	0.0006%
172.	Royal Tern <i>Thalasseus maximus</i>	10.62%
173.	Red-billed Tropicbird <i>Phaethon aethereus</i>	0.0003%
174.	Red-throated Loon <i>Gavia stellata</i>	0.0650%
175.	Pacific Loon <i>Gavia pacifica</i>	0.0039%
176.	Common Loon <i>Gavia immer</i>	3.42%

177. Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.0006%
178. Cory's Shearwater <i>Calonectris diomedea</i>	0.0011%
179. Great Shearwater <i>Ardenna gravis</i>	0.0101%
180. Sooty Shearwater <i>Ardenna grisea</i>	0.0011%
181. Manx Shearwater <i>Puffinus puffinus</i>	0.0003%
182. Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0073%
183. Wood Stork <i>Mycteria americana</i>	17.32%
184. Magnificent Frigatebird <i>Fregata magnificens</i>	1.77%
185. Northern Gannet <i>Morus bassanus</i>	1.56%
186. Red-footed Booby <i>Sula sula</i>	0.0034%
187. Brown Booby <i>Sula leucogaster</i>	0.1081%
188. Masked Booby <i>Sula dactylatra</i>	0.0101%
189. Anhinga <i>Anhinga anhinga</i>	30.04%
190. Great Cormorant <i>Phalacrocorax carbo</i>	0.0132%
191. Double-crested Cormorant <i>Nannopterum auritum</i>	34.06%
192. Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0895%
193. American White Pelican <i>Pelecanus erythrorhynchos</i>	9.20%
194. Brown Pelican <i>Pelecanus occidentalis</i>	20.32%
195. American Bittern <i>Botaurus lentiginosus</i>	1.83%
196. Least Bittern <i>Ixobrychus exilis</i>	0.7014%
197. Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	3.18%
198. Black-crowned Night Heron <i>Nycticorax nycticorax</i>	5.65%

199.	Little Blue Heron <i>Egretta caerulea</i>	29.22%
200.	Tricolored Heron <i>Egretta tricolor</i>	23.54%
201.	Reddish Egret <i>Egretta rufescens</i>	3.61%
202.	Snowy Egret <i>Egretta thula</i>	24.45%
203.	Green Heron <i>Butorides virescens</i>	9.58%
204.	Western Cattle Egret <i>Bubulcus ibis</i>	14.01%
205.	Great Egret <i>Ardea alba</i>	38.29%
206.	Great Blue Heron <i>Ardea herodias</i>	33.68%
207.	White Ibis <i>Eudocimus albus</i>	36.76%
208.	Glossy Ibis <i>Plegadis falcinellus</i>	13.06%
209.	White-faced Ibis <i>Plegadis chihi</i>	0.1267%
210.	Roseate Spoonbill <i>Platalea ajaja</i>	7.73%
211.	Black Vulture <i>Coragyps atratus</i>	25.18%
212.	Turkey Vulture <i>Cathartes aura</i>	46.40%
213.	Osprey <i>Pandion haliaetus</i>	31.45%
214.	White-tailed Kite <i>Elanus leucurus</i>	0.1511%
215.	Swallow-tailed Kite <i>Elanoides forficatus</i>	0.0008%
216.	Golden Eagle <i>Aquila chrysaetos</i>	0.0011%
217.	Snail Kite <i>Rostrhamus sociabilis</i>	1.67%
218.	Northern Harrier <i>Circus hudsonius</i>	7.29%
219.	Sharp-shinned Hawk <i>Accipiter striatus</i>	1.23%
220.	Cooper's Hawk <i>Accipiter cooperii</i>	3.14%
221.	Bald Eagle <i>Haliaeetus leucocephalus</i>	14.66%

222. Red-shouldered Hawk <i>Buteo lineatus</i>	27.40%
223. Broad-winged Hawk <i>Buteo platypterus</i>	0.3051%
224. Short-tailed Hawk <i>Buteo brachyurus</i>	1.24%
225. Swainson's Hawk <i>Buteo swainsoni</i>	0.0946%
226. Red-tailed Hawk <i>Buteo jamaicensis</i>	4.39%
227. Ferruginous Hawk <i>Buteo regalis</i>	0.0003%
228. Barn Owl <i>Tyto alba</i>	0.2806%
229. Flammulated Owl <i>Psiloscopus flammeolus</i>	0.0000%
230. Eastern Screech-Owl <i>Megascops asio</i>	0.6046%
231. Snowy Owl <i>Bubo scandiacus</i>	0.0355%
232. Great Horned Owl <i>Bubo virginianus</i>	1.90%
233. Burrowing Owl <i>Athene cunicularia</i>	0.5277%
234. Barred Owl <i>Strix varia</i>	3.08%
235. Long-eared Owl <i>Asio otus</i>	0.0003%
236. Short-eared Owl <i>Asio flammeus</i>	0.0614%
237. Belted Kingfisher <i>Megaceryle alcyon</i>	19.80%
238. Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	6.75%
239. Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	1.54%
240. Red-bellied Woodpecker <i>Melanerpes carolinus</i>	37.01%
241. Downy Woodpecker <i>Dryobates pubescens</i>	16.00%
242. Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.4939%
243. Hairy Woodpecker <i>Dryobates villosus</i>	0.2857%

244.	Ivory-billed Woodpecker <i>Campephilus principalis</i>	0.0003%
245.	Pileated Woodpecker <i>Dryocopus pileatus</i>	11.95%
246.	Northern Flicker <i>Colaptes auratus</i>	4.13%
247.	Crested Caracara <i>Caracara plancus</i>	1.30%
248.	Yellow-headed Caracara <i>Daptrius chimachima</i>	0.0191%
249.	American Kestrel <i>Falco sparverius</i>	13.94%
250.	Merlin <i>Falco columbarius</i>	1.36%
251.	Peregrine Falcon <i>Falco peregrinus</i>	1.10%
252.	Monk Parakeet <i>Myiopsitta monachus</i>	1.96%
253.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0231%
254.	Carolina Parakeet <i>Conuropsis carolinensis</i>	0.0000%
255.	Nanday Parakeet <i>Aratinga nenday</i>	2.35%
256.	Mitred Parakeet <i>Psittacara mitratus</i>	0.1768%
257.	Eastern Wood-Pewee <i>Contopus virens</i>	0.0006%
258.	Cuban Pewee <i>Contopus caribaeus</i>	0.0245%
259.	Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0084%
260.	Willow Flycatcher <i>Empidonax traillii</i>	0.0203%
261.	Least Flycatcher <i>Empidonax minimus</i>	0.2105%
262.	Hammond's Flycatcher <i>Empidonax hammondii</i>	0.0380%
263.	Western Flycatcher <i>Empidonax difficilis</i>	0.0132%
264.	Eastern Phoebe <i>Sayornis phoebe</i>	26.59%
265.	Say's Phoebe <i>Sayornis saya</i>	0.0205%

266.	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	0.6144%
267.	Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.3718%
268.	Great Crested Flycatcher <i>Myiarchus crinitus</i>	2.62%
269.	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	0.0774%
270.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0616%
271.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.2254%
272.	Couch's Kingbird <i>Tyrannus couchii</i>	0.0143%
273.	Cassin's Kingbird <i>Tyrannus vociferans</i>	0.0574%
274.	Western Kingbird <i>Tyrannus verticalis</i>	0.6445%
275.	Eastern Kingbird <i>Tyrannus tyrannus</i>	0.0008%
276.	Gray Kingbird <i>Tyrannus dominicensis</i>	0.0349%
277.	Loggerhead Kingbird <i>Tyrannus caudifasciatus</i>	0.0039%
278.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.5032%
279.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0141%
280.	White-eyed Vireo <i>Vireo griseus</i>	6.83%
281.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0124%
282.	Bell's Vireo <i>Vireo bellii</i>	0.0414%
283.	Yellow-throated Vireo <i>Vireo flavifrons</i>	0.2325%
284.	Blue-headed Vireo <i>Vireo solitarius</i>	5.88%
285.	Philadelphia Vireo <i>Vireo philadelphicus</i>	0.0048%
286.	Warbling Vireo <i>Vireo gilvus</i>	0.0130%
287.	Red-eyed Vireo <i>Vireo olivaceus</i>	0.0022%
288.	Loggerhead Shrike <i>Lanius ludovicianus</i>	10.87%

289.	Blue Jay <i>Cyanocitta cristata</i>	27.94%
290.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	1.43%
291.	American Crow <i>Corvus brachyrhynchos</i>	17.69%
292.	Fish Crow <i>Corvus ossifragus</i>	20.17%
293.	Carolina Chickadee <i>Poecile carolinensis</i>	9.50%
294.	Tufted Titmouse <i>Baeolophus bicolor</i>	15.16%
295.	Horned Lark <i>Eremophila alpestris</i>	0.0180%
296.	Bank Swallow <i>Riparia riparia</i>	0.0059%
297.	Tree Swallow <i>Tachycineta bicolor</i>	14.47%
298.	Violet-green Swallow <i>Tachycineta thalassina</i>	0.0006%
299.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0003%
300.	Purple Martin <i>Progne subis</i>	1.16%
301.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	0.9606%
302.	Barn Swallow <i>Hirundo rustica</i>	0.0509%
303.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.0031%
304.	Cave Swallow <i>Petrochelidon fulva</i>	0.0689%
305.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.0934%
306.	Ruby-crowned Kinglet <i>Corthylio calendula</i>	10.49%
307.	Golden-crowned Kinglet <i>Regulus satrapa</i>	0.2893%
308.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.3875%
309.	Brown-headed Nuthatch <i>Sitta pusilla</i>	1.90%
310.	Red-breasted Nuthatch <i>Sitta canadensis</i>	0.0861%

311. Brown Creeper <i>Certhia americana</i>	0.0521%
312. Blue-gray Gnatcatcher <i>Poliophtila caerulea</i>	30.33%
313. Rock Wren <i>Salpinctes obsoletus</i>	0.0003%
314. House Wren <i>Troglodytes aedon</i>	9.36%
315. Winter Wren <i>Troglodytes hiemalis</i>	0.0757%
316. Sedge Wren <i>Cistothorus stellaris</i>	1.31%
317. Marsh Wren <i>Cistothorus palustris</i>	2.12%
318. Carolina Wren <i>Thryothorus ludovicianus</i>	19.40%
319. European Starling <i>Sturnus vulgaris</i>	10.70%
320. Common Myna <i>Acridotheres tristis</i>	0.2344%
321. Gray Catbird <i>Dumetella carolinensis</i>	23.35%
322. Brown Thrasher <i>Toxostoma rufum</i>	2.74%
323. Sage Thrasher <i>Oreoscoptes montanus</i>	0.0020%
324. Bahama Mockingbird <i>Mimus gundlachii</i>	0.0357%
325. Northern Mockingbird <i>Mimus polyglottos</i>	32.82%
326. Eastern Bluebird <i>Sialia sialis</i>	8.34%
327. Mountain Bluebird <i>Sialia currucoides</i>	0.0349%
328. Varied Thrush <i>Ixoreus naevius</i>	0.0000%
329. Gray-cheeked Thrush <i>Catharus minimus</i>	0.0000%
330. Swainson's Thrush <i>Catharus ustulatus</i>	0.0022%
331. Hermit Thrush <i>Catharus guttatus</i>	2.12%
332. Wood Thrush <i>Hylocichla mustelina</i>	0.0068%
333. American Robin <i>Turdus migratorius</i>	17.08%

334.	Red-legged Thrush <i>Turdus plumbeus</i>	0.0160%
335.	Cedar Waxwing <i>Bombycilla cedrorum</i>	3.95%
336.	Tricolored Munia <i>Lonchura malacca</i>	0.0428%
337.	House Sparrow <i>Passer domesticus</i>	3.35%
338.	White Wagtail <i>Motacilla alba</i>	0.0445%
339.	American Pipit <i>Anthus rubescens</i>	0.4903%
340.	Sprague's Pipit <i>Anthus spragueii</i>	0.0149%
341.	Evening Grosbeak <i>Coccothraustes vespertinus</i>	0.0003%
342.	House Finch <i>Haemorhous mexicanus</i>	4.44%
343.	Purple Finch <i>Haemorhous purpureus</i>	0.2147%
344.	Pine Siskin <i>Spinus pinus</i>	0.1768%
345.	American Goldfinch <i>Spinus tristis</i>	7.09%
346.	Lapland Longspur <i>Calcarius lapponicus</i>	0.0065%
347.	Chestnut-collared Longspur <i>Calcarius ornatus</i>	0.0000%
348.	Snow Bunting <i>Plectrophenax nivalis</i>	0.0068%
349.	Bachman's Sparrow <i>Peucaea aestivalis</i>	0.2679%
350.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.7275%
351.	Chipping Sparrow <i>Spizella passerina</i>	6.39%
352.	Clay-colored Sparrow <i>Spizella pallida</i>	0.1106%
353.	Field Sparrow <i>Spizella pusilla</i>	0.3600%
354.	Lark Sparrow <i>Chondestes grammacus</i>	0.0988%
355.	Lark Bunting <i>Calamospiza melanocorys</i>	0.0003%
356.	American Tree Sparrow <i>Spizelloides arborea</i>	0.0000%

357.	Fox Sparrow <i>Passerella iliaca</i>	0.0298%
358.	Dark-eyed Junco <i>Junco hyemalis</i>	0.0791%
359.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.6119%
360.	Golden-crowned Sparrow <i>Zonotrichia atricapilla</i>	0.0104%
361.	Harris's Sparrow <i>Zonotrichia querula</i>	0.0388%
362.	White-throated Sparrow <i>Zonotrichia albicollis</i>	0.8007%
363.	Vesper Sparrow <i>Pooecetes gramineus</i>	0.7577%
364.	LeConte's Sparrow <i>Ammospiza leconteii</i>	0.0456%
365.	Seaside Sparrow <i>Ammospiza maritima</i>	0.1188%
366.	Nelson's Sparrow <i>Ammospiza nelsoni</i>	0.2077%
367.	Saltmarsh Sparrow <i>Ammospiza caudacuta</i>	0.1008%
368.	Savannah Sparrow <i>Passerculus sandwichensis</i>	6.36%
369.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0932%
370.	Song Sparrow <i>Melospiza melodia</i>	1.88%
371.	Lincoln's Sparrow <i>Melospiza lincolnii</i>	0.1444%
372.	Swamp Sparrow <i>Melospiza georgiana</i>	5.64%
373.	Green-tailed Towhee <i>Pipilo chlorurus</i>	0.0265%
374.	Spotted Towhee <i>Pipilo maculatus</i>	0.0003%
375.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	5.08%
376.	Western Spindalis <i>Spindalis zena</i>	0.0346%
377.	Yellow-breasted Chat <i>Icteria virens</i>	0.0858%
378.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.1168%

379.	Bobolink <i>Dolichonyx oryzivorus</i>	0.0014%
380.	Western Meadowlark <i>Sturnella neglecta</i>	0.0008%
381.	Eastern Meadowlark <i>Sturnella magna</i>	3.65%
382.	Orchard Oriole <i>Icterus spurius</i>	0.0160%
383.	Hooded Oriole <i>Icterus cucullatus</i>	0.0039%
384.	Bullock's Oriole <i>Icterus bullockii</i>	0.0552%
385.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.2302%
386.	Baltimore Oriole <i>Icterus galbula</i>	1.54%
387.	Red-winged Blackbird <i>Agelaius phoeniceus</i>	18.88%
388.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.0383%
389.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.2131%
390.	Brown-headed Cowbird <i>Molothrus ater</i>	3.51%
391.	Rusty Blackbird <i>Euphagus carolinus</i>	0.1753%
392.	Brewer's Blackbird <i>Euphagus cyanocephalus</i>	0.0645%
393.	Common Grackle <i>Quiscalus quiscula</i>	18.72%
394.	Boat-tailed Grackle <i>Quiscalus major</i>	24.67%
395.	Great-tailed Grackle <i>Quiscalus mexicanus</i>	0.0130%
396.	Ovenbird <i>Seiurus aurocapilla</i>	1.36%
397.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	0.1030%
398.	Louisiana Waterthrush <i>Parkesia motacilla</i>	0.0566%
399.	Northern Waterthrush <i>Parkesia noveboracensis</i>	0.7309%
400.	Bachman's Warbler <i>Vermivora bachmanii</i>	0.0000%
401.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.0014%

402.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.0152%
403.	Black-and-white Warbler <i>Mniotilta varia</i>	7.89%
404.	Prothonotary Warbler <i>Protonotaria citrea</i>	0.0068%
405.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.0214%
406.	Tennessee Warbler <i>Leiothlypis peregrina</i>	0.0096%
407.	Orange-crowned Warbler <i>Leiothlypis celata</i>	4.27%
408.	Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.1230%
409.	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0034%
410.	Common Yellowthroat <i>Geothlypis trichas</i>	12.14%
411.	Hooded Warbler <i>Setophaga citrina</i>	0.0265%
412.	American Redstart <i>Setophaga ruticilla</i>	1.14%
413.	Cape May Warbler <i>Setophaga tigrina</i>	0.1286%
414.	Northern Parula <i>Setophaga americana</i>	2.57%
415.	Magnolia Warbler <i>Setophaga magnolia</i>	0.2389%
416.	Bay-breasted Warbler <i>Setophaga castanea</i>	0.0062%
417.	Blackburnian Warbler <i>Setophaga fusca</i>	0.0006%
418.	Yellow Warbler <i>Setophaga petechia</i>	0.1948%
419.	Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	0.0017%
420.	Black-throated Blue Warbler <i>Setophaga caerulescens</i>	0.3425%
421.	Palm Warbler <i>Setophaga palmarum</i>	42.58%
422.	Pine Warbler <i>Setophaga pinus</i>	11.85%
423.	Yellow-rumped Warbler <i>Setophaga coronata</i>	39.49%

424.	Yellow-throated Warbler <i>Setophaga dominica</i>	6.06%
425.	Prairie Warbler <i>Setophaga discolor</i>	3.90%
426.	Black-throated Gray Warbler <i>Setophaga nigrescens</i>	0.0357%
427.	Townsend's Warbler <i>Setophaga townsendi</i>	0.0006%
428.	Black-throated Green Warbler <i>Setophaga virens</i>	0.6029%
429.	Wilson's Warbler <i>Cardellina pusilla</i>	0.1697%
430.	Summer Tanager <i>Piranga rubra</i>	0.5773%
431.	Scarlet Tanager <i>Piranga olivacea</i>	0.0011%
432.	Western Tanager <i>Piranga ludoviciana</i>	0.1613%
433.	Northern Cardinal <i>Cardinalis cardinalis</i>	36.42%
434.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	0.0560%
435.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0034%
436.	Blue Grosbeak <i>Passerina caerulea</i>	0.1433%
437.	Lazuli Bunting <i>Passerina amoena</i>	0.0093%
438.	Indigo Bunting <i>Passerina cyanea</i>	1.11%
439.	Painted Bunting <i>Passerina ciris</i>	5.56%
440.	Dickcissel <i>Spiza americana</i>	0.0962%
441.	Red-legged Honeycreeper <i>Cyanerpes cyaneus</i>	0.0034%
442.	Bananaquit <i>Coereba flaveola</i>	0.0307%
443.	Yellow-faced Grassquit <i>Tiaris olivaceus</i>	0.0022%
444.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0121%

EXOTIC: PROVISIONAL

445. Indian Peafowl <i>Pavo cristatus</i>	0.3059% frequency
446. Red Junglefowl <i>Gallus gallus</i>	0.1061%
447. Great White Pelican <i>Pelecanus onocrotalus</i>	0.0006%
448. Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0267%
449. Budgerigar <i>Melopsittacus undulatus</i>	0.0068%
450. Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.1745%
451. Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0222%
452. Orange-winged Parrot <i>Amazona amazonica</i>	0.0659%
453. Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0532%
454. Chestnut-fronted Macaw <i>Ara severus</i>	0.0574%
455. Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.2615%
456. Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.1134%
457. White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0250%
458. Common Hill Myna <i>Gracula religiosa</i>	0.0310%
459. Scaly-breasted Munia <i>Lonchura punctulata</i>	0.2260%

EXOTIC: ESCAPEE

Emu <i>Dromaius novaehollandiae</i>	0.0000% frequency
Plumed Whistling-Duck <i>Dendrocygna eytoni</i>	0.0011%
White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0056%
Bar-headed Goose <i>Anser indicus</i>	0.0031%
Graylag Goose <i>Anser anser</i>	0.1931%

Swan Goose <i>Anser cygnoides</i>	0.1655%
Mute Swan <i>Cygnus olor</i>	0.3372%
Black Swan <i>Cygnus atratus</i>	0.1250%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0453%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0312%
Whooper Swan <i>Cygnus cygnus</i>	0.0143%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0096%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0183%
South African Shelduck <i>Tadorna cana</i>	0.0000%
Common Shelduck <i>Tadorna tadorna</i>	0.0200%
Ringed Teal <i>Callonetta leucophrys</i>	0.0025%
Mandarin Duck <i>Aix galericulata</i>	0.0236%
Red-crested Pochard <i>Netta rufina</i>	0.0062%
Rosy-billed Pochard <i>Netta peposaca</i>	0.0008%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0301%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0034%
Green Peafowl <i>Pavo muticus</i>	0.0014%
Red-legged Partridge <i>Alectoris rufa</i>	0.0056%
African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0017%
Giant Wood-Rail <i>Aramides ypecaha</i>	0.0056%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0025%
Black-casqued Hornbill <i>Ceratogymna atrata</i>	0.0000%

Cockatiel <i>Nymphicus hollandicus</i>	0.0076%
White Cockatoo <i>Cacatua alba</i>	0.0000%
Dusky Lory <i>Pseudeos fuscata</i>	0.0000%
Fischer's Lovebird <i>Agapornis fischeri</i>	0.0000%
Yellow-collared Lovebird <i>Agapornis personatus</i>	0.0003%
Gray Parrot <i>Psittacus erithacus</i>	0.0003%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0000%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0011%
Red-lored Parrot <i>Amazona autumnalis</i>	0.0000%
Yellow-naped Parrot <i>Amazona auropalliata</i>	0.0003%
Yellow-headed Parrot <i>Amazona oratrix</i>	0.0003%
Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0003%
Turquoise-fronted Parrot <i>Amazona aestiva</i>	0.0014%
White-fronted Parrot <i>Amazona albifrons</i>	0.0008%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0003%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0003%
Military Macaw <i>Ara militaris</i>	0.0000%
Scarlet Macaw <i>Ara macao</i>	0.0003%
Red-shouldered Macaw <i>Diopsittaca nobilis</i>	0.0000%
Green Parakeet <i>Psittacara holochlorus</i>	0.0031%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0034%
Black-billed Magpie <i>Pica hudsonia</i>	0.0000%

Long-tailed Glossy Starling <i>Lamprotornis caudatus</i>	0.0000%
Tropical Mockingbird <i>Mimus gilvus</i>	0.0020%
Pin-tailed Whydah <i>Vidua macroura</i>	0.0017%
Yellow-fronted Canary <i>Crithagra mozambica</i>	0.0011%
Saffron Finch <i>Sicalis flaveola</i>	0.0003%
Cuban Grassquit <i>Phonipara canora</i>	0.0003%
Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%

HYBRIDS

Snow x Ross's Goose (hybrid) <i>Anser caerulescens</i> x <i>rossii</i>	0.0011% frequency
Graylag x Swan Goose (hybrid) <i>Anser anser</i> x <i>cygnoides</i>	0.0110%
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides</i> x <i>Branta canadensis</i>	0.0025%
Graylag x Canada Goose (hybrid) <i>Anser anser</i> x <i>Branta canadensis</i>	0.0017%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser</i> sp. (Domestic type) x <i>Branta canadensis</i>	0.0028%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors</i> x <i>cyanoptera</i>	0.0363%
Blue-winged Teal x Northern Shoveler (hybrid) <i>Spatula discors</i> x <i>clypeata</i>	0.0008%
Eurasian x American Wigeon (hybrid) <i>Mareca penelope</i> x <i>americana</i>	0.0028%
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata</i> x <i>Anas platyrhynchos</i>	0.0295%
Mallard x Eastern Spot-billed Duck (hybrid) <i>Anas platyrhynchos</i> x <i>zonorhyncha</i>	0.0022%

Mallard x American Black Duck (hybrid) <i>Anas platyrhynchos x rubripes</i>	0.0008%
Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	2.11% ■
Mallard x Northern Pintail (hybrid) <i>Anas platyrhynchos x acuta</i>	0.0000%
Blue-winged x Green-winged Teal (hybrid) <i>Spatula discors x Anas crecca</i>	0.0017%
Canvasback x Redhead (hybrid) <i>Aythya valisineria x americana</i>	0.0011%
Mallard x Ring-necked Duck (hybrid) <i>Anas platyrhynchos x Aythya collaris</i>	0.0003%
Canvasback x Ring-necked Duck (hybrid) <i>Aythya valisineria x collaris</i>	0.0000%
Redhead x Ring-necked Duck (hybrid) <i>Aythya americana x collaris</i>	0.0008%
Redhead x Lesser Scaup (hybrid) <i>Aythya americana x affinis</i>	0.0011%
Ring-necked Duck x Lesser Scaup (hybrid) <i>Aythya collaris x affinis</i>	0.0006%
Rufous x Allen's Hummingbird (hybrid) <i>Selasphorus rufus x sasin</i>	0.0003%
Herring x Great Black-backed Gull (hybrid) <i>Larus argentatus x marinus</i>	0.0003%
Herring x Glaucous Gull (hybrid) <i>Larus argentatus x hyperboreus</i>	0.0039%
Herring x Lesser Black-backed Gull (hybrid) <i>Larus argentatus x fuscus</i>	0.0042%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0008%
Little Blue x Tricolored Heron (hybrid) <i>Egretta caerulea x tricolor</i>	0.0003%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0003%

Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	0.0006%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0113%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0008%
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	0.0003%
Blue-and-yellow x Scarlet Macaw (hybrid) <i>Ara ararauna x macao</i>	0.0003%
Clay-colored x Field Sparrow (hybrid) <i>Spizella pallida x pusilla</i>	0.0011%
Indigo x Painted Bunting (hybrid) <i>Passerina cyanea x ciris</i>	0.0020%