



Target Species

Based on 125,156 complete checklists

352 species observed in Florida, US (region/US-FL) in Jul that you need for your Florida Life List

1. Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	12.26% frequency
2. Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.8789%
3. Greater White-fronted Goose <i>Anser albifrons</i>	0.0008%
4. Canada Goose <i>Branta canadensis</i>	1.56%
5. Egyptian Goose <i>Alopochen aegyptiaca</i>	1.28%
6. Muscovy Duck <i>Cairina moschata</i>	4.48%
7. Wood Duck <i>Aix sponsa</i>	3.96%
8. Blue-winged Teal <i>Spatula discors</i>	0.3228%
9. Cinnamon Teal <i>Spatula cyanoptera</i>	0.0008%
10. Northern Shoveler <i>Spatula clypeata</i>	0.0216%
11. Eurasian Wigeon <i>Mareca penelope</i>	0.0008%
12. American Wigeon <i>Mareca americana</i>	0.0056%
13. Mallard <i>Anas platyrhynchos</i>	1.62%
14. American Black Duck <i>Anas rubripes</i>	0.0008%
15. Mottled Duck <i>Anas fulvigula</i>	7.04%
16. Northern Pintail <i>Anas acuta</i>	0.0024%
17. Green-winged Teal <i>Anas crecca</i>	0.0016%

18. Canvasback <i>Aythya valisineria</i>	0.0008%
19. Redhead <i>Aythya americana</i>	0.0296%
20. Ring-necked Duck <i>Aythya collaris</i>	0.1159%
21. Greater Scaup <i>Aythya marila</i>	0.0344%
22. Lesser Scaup <i>Aythya affinis</i>	0.1214%
23. Common Eider <i>Somateria mollissima</i>	0.0184%
24. Harlequin Duck <i>Histrionicus histrionicus</i>	0.0056%
25. Surf Scoter <i>Melanitta perspicillata</i>	0.0128%
26. White-winged Scoter <i>Melanitta deglandi</i>	0.0192%
27. Black Scoter <i>Melanitta americana</i>	0.0471%
28. Hooded Merganser <i>Lophodytes cucullatus</i>	0.0064%
29. Red-breasted Merganser <i>Mergus serrator</i>	0.0471%
30. Masked Duck <i>Nomonyx dominicus</i>	0.0000%
31. Ruddy Duck <i>Oxyura jamaicensis</i>	0.0831%
32. Northern Bobwhite <i>Colinus virginianus</i>	4.40%
33. Wild Turkey <i>Meleagris gallopavo</i>	1.82%
34. American Flamingo <i>Phoenicopterus ruber</i>	0.2269%
35. Least Grebe <i>Tachybaptus dominicus</i>	0.0024%
36. Pied-billed Grebe <i>Podilymbus podiceps</i>	1.79%
37. Horned Grebe <i>Podiceps auritus</i>	0.0032%
38. Rock Pigeon <i>Columba livia</i>	8.67%
39. White-crowned Pigeon <i>Patagioenas leucocephala</i>	1.49%
40. Eurasian Collared-Dove <i>Streptopelia decaocto</i>	12.75%

41. Inca Dove <i>Columbina inca</i>	0.0032%
42. Common Ground Dove <i>Columbina passerina</i>	13.59%
43. Key West Quail-Dove <i>Geotrygon chrysia</i>	0.0008%
44. White-winged Dove <i>Zenaida asiatica</i>	5.87%
45. Zenaida Dove <i>Zenaida aurita</i>	0.0783%
46. Mourning Dove <i>Zenaida macroura</i>	52.52%
47. Smooth-billed Ani <i>Crotophaga ani</i>	0.1151%
48. Yellow-billed Cuckoo <i>Coccyzus americanus</i>	2.06%
49. Mangrove Cuckoo <i>Coccyzus minor</i>	0.2229%
50. Common Nighthawk <i>Chordeiles minor</i>	5.36%
51. Antillean Nighthawk <i>Chordeiles gundlachii</i>	0.2557%
52. Chuck-will's-widow <i>Antrostomus carolinensis</i>	0.5809%
53. Chimney Swift <i>Chaetura pelagica</i>	11.84%
54. Antillean Palm Swift <i>Tachornis phoenicobia</i>	0.0703%
55. Ruby-throated Hummingbird <i>Archilochus colubris</i>	7.95%
56. Bahama Woodstar <i>Nesophlox evelynae</i>	0.0000%
57. Rufous Hummingbird <i>Selasphorus rufus</i>	0.0016%
58. King Rail <i>Rallus elegans</i>	0.6903%
59. Clapper Rail <i>Rallus crepitans</i>	1.90%
60. Virginia Rail <i>Rallus limicola</i>	0.0008%
61. Sora <i>Porzana carolina</i>	0.0080%
62. Common Gallinule <i>Gallinula galeata</i>	15.86%
63. American Coot <i>Fulica americana</i>	2.04%

64.	Purple Gallinule <i>Porphyrio martinica</i>	4.07%
65.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	0.9540%
66.	Black Rail <i>Laterallus jamaicensis</i>	0.0240%
67.	Limpkin <i>Aramus guarauna</i>	7.06%
68.	Sandhill Crane <i>Antigone canadensis</i>	8.26%
69.	Whooping Crane <i>Grus americana</i>	0.0447%
70.	Black-necked Stilt <i>Himantopus mexicanus</i>	4.66%
71.	American Avocet <i>Recurvirostra americana</i>	0.3364%
72.	American Oystercatcher <i>Haematopus palliatus</i>	1.77%
73.	Black-bellied Plover <i>Pluvialis squatarola</i>	3.13%
74.	American Golden-Plover <i>Pluvialis dominica</i>	0.0096%
75.	Killdeer <i>Charadrius vociferus</i>	6.77%
76.	Semipalmated Plover <i>Charadrius semipalmatus</i>	2.89%
77.	Piping Plover <i>Charadrius melodus</i>	0.4123%
78.	Wilson's Plover <i>Anarhynchus wilsonia</i>	2.08%
79.	Snowy Plover <i>Anarhynchus nivosus</i>	1.10%
80.	Upland Sandpiper <i>Bartramia longicauda</i>	0.0591%
81.	Whimbrel <i>Numenius phaeopus</i>	0.3332%
82.	Long-billed Curlew <i>Numenius americanus</i>	0.0471%
83.	Hudsonian Godwit <i>Limosa haemastica</i>	0.0543%
84.	Marbled Godwit <i>Limosa fedoa</i>	1.39%
85.	Short-billed Dowitcher <i>Limnodromus griseus</i>	2.50%

86.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	0.1686%
87.	American Woodcock <i>Scolopax minor</i>	0.0200%
88.	Wilson's Snipe <i>Gallinago delicata</i>	0.0040%
89.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.0871%
90.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0000%
91.	Red-necked Phalarope <i>Phalaropus lobatus</i>	0.0056%
92.	Spotted Sandpiper <i>Actitis macularius</i>	2.52%
93.	Solitary Sandpiper <i>Tringa solitaria</i>	0.5545%
94.	Lesser Yellowlegs <i>Tringa flavipes</i>	1.77%
95.	Willet <i>Tringa semipalmata</i>	8.82%
96.	Greater Yellowlegs <i>Tringa melanoleuca</i>	2.19%
97.	Ruddy Turnstone <i>Arenaria interpres</i>	4.07%
98.	Red Knot <i>Calidris canutus</i>	0.4834%
99.	Ruff <i>Calidris pugnax</i>	0.0024%
100.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0032%
101.	Stilt Sandpiper <i>Calidris himantopus</i>	0.5122%
102.	Red-necked Stint <i>Calidris ruficollis</i>	0.0120%
103.	Buff-breasted Sandpiper <i>Calidris subruficollis</i>	0.0048%
104.	Sanderling <i>Calidris alba</i>	3.15%
105.	Dunlin <i>Calidris alpina</i>	0.0767%
106.	Purple Sandpiper <i>Calidris maritima</i>	0.0008%
107.	Baird's Sandpiper <i>Calidris bairdii</i>	0.0032%
108.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.0128%

109.	Least Sandpiper <i>Calidris minutilla</i>	3.70%
110.	Pectoral Sandpiper <i>Calidris melanotos</i>	0.8254%
111.	Western Sandpiper <i>Calidris mauri</i>	1.65%
112.	Semipalmated Sandpiper <i>Calidris pusilla</i>	1.20%
113.	Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0024%
114.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.0048%
115.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.0096%
116.	South Polar Skua <i>Stercorarius maccormicki</i>	0.0000%
117.	Sabine's Gull <i>Xema sabini</i>	0.0008%
118.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	0.0008%
119.	Black-headed Gull <i>Chroicocephalus ridibundus</i>	0.0000%
120.	Laughing Gull <i>Leucophaeus atricilla</i>	21.15%
121.	Franklin's Gull <i>Leucophaeus pipixcan</i>	0.0024%
122.	Heermann's Gull <i>Larus heermanni</i>	0.0583%
123.	Ring-billed Gull <i>Larus delawarensis</i>	0.8621%
124.	Herring Gull <i>Larus argentatus</i>	0.5737%
125.	Great Black-backed Gull <i>Larus marinus</i>	0.1894%
126.	Glaucous Gull <i>Larus hyperboreus</i>	0.0008%
127.	Lesser Black-backed Gull <i>Larus fuscus</i>	0.3779%
128.	California Gull <i>Larus californicus</i>	0.0264%
129.	Iceland Gull <i>Larus glaucooides</i>	0.0048%
130.	Black Skimmer <i>Rynchops niger</i>	5.52%
131.	Brown Noddy <i>Anous stolidus</i>	0.1462%

132.	Black Noddy <i>Anous minutus</i>	0.0080%
133.	Sooty Tern <i>Onychoprion fuscatus</i>	0.2181%
134.	Bridled Tern <i>Onychoprion anaethetus</i>	0.1254%
135.	Least Tern <i>Sternula antillarum</i>	8.88%
136.	Large-billed Tern <i>Phaetusa simplex</i>	0.0863%
137.	Gull-billed Tern <i>Gelochelidon nilotica</i>	0.7950%
138.	Caspian Tern <i>Hydroprogne caspia</i>	1.27%
139.	Black Tern <i>Chlidonias niger</i>	1.55%
140.	Forster's Tern <i>Sterna forsteri</i>	1.80%
141.	Arctic Tern <i>Sterna paradisaea</i>	0.0120%
142.	Common Tern <i>Sterna hirundo</i>	1.02%
143.	Roseate Tern <i>Sterna dougallii</i>	0.1350%
144.	Sandwich Tern <i>Thalasseus sandvicensis</i>	4.96%
145.	Elegant Tern <i>Thalasseus elegans</i>	0.0272%
146.	Royal Tern <i>Thalasseus maximus</i>	9.44%
147.	White-tailed Tropicbird <i>Phaethon lepturus</i>	0.0096%
148.	Red-billed Tropicbird <i>Phaethon aethereus</i>	0.0008%
149.	Pacific Loon <i>Gavia pacifica</i>	0.0008%
150.	Common Loon <i>Gavia immer</i>	0.0871%
151.	Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.0663%
152.	Leach's Storm-Petrel <i>Hydrobates leucorhous</i>	0.0112%
153.	Band-rumped Storm-Petrel <i>Hydrobates castro</i>	0.0336%
154.	Black-capped Petrel <i>Pterodroma hasitata</i>	0.0088%

155. Cory's Shearwater <i>Calonectris diomedea</i>	0.1526%
156. Great Shearwater <i>Ardenna gravis</i>	0.0511%
157. Sooty Shearwater <i>Ardenna grisea</i>	0.0064%
158. Short-tailed Shearwater <i>Ardenna tenuirostris</i>	0.0000%
159. Manx Shearwater <i>Puffinus puffinus</i>	0.0000%
160. Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0911%
161. Wood Stork <i>Mycteria americana</i>	6.83%
162. Magnificent Frigatebird <i>Fregata magnificens</i>	4.15%
163. Northern Gannet <i>Morus bassanus</i>	0.0639%
164. Red-footed Booby <i>Sula sula</i>	0.0040%
165. Brown Booby <i>Sula leucogaster</i>	0.1502%
166. Masked Booby <i>Sula dactylatra</i>	0.0495%
167. Anhinga <i>Anhinga anhinga</i>	21.81%
168. Double-crested Cormorant <i>Nannopterum auritum</i>	14.22%
169. Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0695%
170. American White Pelican <i>Pelecanus erythrorhynchos</i>	0.7846%
171. Brown Pelican <i>Pelecanus occidentalis</i>	13.30%
172. American Bittern <i>Botaurus lentiginosus</i>	0.0160%
173. Least Bittern <i>Ixobrychus exilis</i>	2.84%
174. Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	5.21%
175. Black-crowned Night Heron <i>Nycticorax nycticorax</i>	4.85%
176. Little Blue Heron <i>Egretta caerulea</i>	22.53%

177. Tricolored Heron <i>Egretta tricolor</i>	19.24%
178. Reddish Egret <i>Egretta rufescens</i>	3.81%
179. Snowy Egret <i>Egretta thula</i>	21.85%
180. Green Heron <i>Butorides virescens</i>	15.66%
181. Western Cattle Egret <i>Bubulcus ibis</i>	14.75%
182. Great Egret <i>Ardea alba</i>	32.40%
183. Great Blue Heron <i>Ardea herodias</i>	22.67%
184. White Ibis <i>Eudocimus albus</i>	34.52%
185. Glossy Ibis <i>Plegadis falcinellus</i>	7.91%
186. White-faced Ibis <i>Plegadis chihi</i>	0.0240%
187. Roseate Spoonbill <i>Platalea ajaja</i>	5.81%
188. Black Vulture <i>Coragyps atratus</i>	16.94%
189. Turkey Vulture <i>Cathartes aura</i>	17.03%
190. Osprey <i>Pandion haliaetus</i>	26.68%
191. White-tailed Kite <i>Elanus leucurus</i>	0.0583%
192. Swallow-tailed Kite <i>Elanoides forficatus</i>	8.57%
193. Snail Kite <i>Rostrhamus sociabilis</i>	0.9180%
194. Mississippi Kite <i>Ictinia mississippiensis</i>	4.34%
195. Northern Harrier <i>Circus hudsonius</i>	0.0096%
196. Sharp-shinned Hawk <i>Accipiter striatus</i>	0.0120%
197. Cooper's Hawk <i>Accipiter cooperii</i>	3.16%
198. Bald Eagle <i>Haliaeetus leucocephalus</i>	1.58%
199. Red-shouldered Hawk <i>Buteo lineatus</i>	19.89%

200.	Broad-winged Hawk <i>Buteo platypterus</i>	0.1910%
201.	Short-tailed Hawk <i>Buteo brachyurus</i>	0.5537%
202.	Red-tailed Hawk <i>Buteo jamaicensis</i>	3.28%
203.	Barn Owl <i>Tyto alba</i>	0.3388%
204.	Eastern Screech-Owl <i>Megascops asio</i>	0.4458%
205.	Great Horned Owl <i>Bubo virginianus</i>	1.08%
206.	Burrowing Owl <i>Athene cunicularia</i>	0.5641%
207.	Barred Owl <i>Strix varia</i>	2.61%
208.	Short-eared Owl <i>Asio flammeus</i>	0.0016%
209.	Belted Kingfisher <i>Megaceryle alcyon</i>	1.78%
210.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	2.38%
211.	Red-bellied Woodpecker <i>Melanerpes carolinus</i>	42.93%
212.	Downy Woodpecker <i>Dryobates pubescens</i>	20.27%
213.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.3739%
214.	Hairy Woodpecker <i>Dryobates villosus</i>	0.1678%
215.	Pileated Woodpecker <i>Dryocopus pileatus</i>	13.43%
216.	Northern Flicker <i>Colaptes auratus</i>	2.74%
217.	Crested Caracara <i>Caracara plancus</i>	0.8469%
218.	Yellow-headed Caracara <i>Daptrius chimachima</i>	0.0008%
219.	American Kestrel <i>Falco sparverius</i>	1.74%
220.	Peregrine Falcon <i>Falco peregrinus</i>	0.0064%
221.	Monk Parakeet <i>Myiopsitta monachus</i>	1.80%

222.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0328%
223.	Nanday Parakeet <i>Aratinga nenday</i>	2.13%
224.	Mitred Parakeet <i>Psittacara mitratus</i>	0.2365%
225.	Eastern Wood-Pewee <i>Contopus virens</i>	0.2852%
226.	Acadian Flycatcher <i>Empidonax virescens</i>	0.4195%
227.	Least Flycatcher <i>Empidonax minimus</i>	0.0008%
228.	Eastern Phoebe <i>Sayornis phoebe</i>	0.0016%
229.	Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.0016%
230.	Great Crested Flycatcher <i>Myiarchus crinitus</i>	13.48%
231.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0136%
232.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.0839%
233.	Western Kingbird <i>Tyrannus verticalis</i>	0.0024%
234.	Eastern Kingbird <i>Tyrannus tyrannus</i>	3.09%
235.	Gray Kingbird <i>Tyrannus dominicensis</i>	4.68%
236.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.0072%
237.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.1023%
238.	White-eyed Vireo <i>Vireo griseus</i>	11.08%
239.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0016%
240.	Yellow-throated Vireo <i>Vireo flavifrons</i>	1.80%
241.	Red-eyed Vireo <i>Vireo olivaceus</i>	2.20%
242.	Yellow-green Vireo <i>Vireo flavoviridis</i>	0.0607%
243.	Black-whiskered Vireo <i>Vireo altiloquus</i>	0.4147%

244.	Loggerhead Shrike <i>Lanius ludovicianus</i>	8.62%
245.	Blue Jay <i>Cyanocitta cristata</i>	37.63%
246.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	1.06%
247.	American Crow <i>Corvus brachyrhynchos</i>	16.09%
248.	Fish Crow <i>Corvus ossifragus</i>	30.17%
249.	Carolina Chickadee <i>Poecile carolinensis</i>	11.89%
250.	Tufted Titmouse <i>Baeolophus bicolor</i>	20.62%
251.	Horned Lark <i>Eremophila alpestris</i>	0.0008%
252.	Bank Swallow <i>Riparia riparia</i>	0.2860%
253.	Tree Swallow <i>Tachycineta bicolor</i>	0.1398%
254.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0016%
255.	Purple Martin <i>Progne subis</i>	4.46%
256.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	0.8501%
257.	Barn Swallow <i>Hirundo rustica</i>	7.14%
258.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.3076%
259.	Cave Swallow <i>Petrochelidon fulva</i>	0.3556%
260.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.0919%
261.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.6120%
262.	Brown-headed Nuthatch <i>Sitta pusilla</i>	1.72%
263.	Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	11.31%
264.	House Wren <i>Troglodytes aedon</i>	0.0016%
265.	Sedge Wren <i>Cistothorus stellaris</i>	0.0008%

266.	Marsh Wren <i>Cistothorus palustris</i>	0.3659%
267.	Carolina Wren <i>Thryothorus ludovicianus</i>	28.88%
268.	European Starling <i>Sturnus vulgaris</i>	10.85%
269.	Common Myna <i>Acridotheres tristis</i>	0.3995%
270.	Gray Catbird <i>Dumetella carolinensis</i>	0.2261%
271.	Brown Thrasher <i>Toxostoma rufum</i>	9.60%
272.	Bahama Mockingbird <i>Mimus gundlachii</i>	0.0591%
273.	Northern Mockingbird <i>Mimus polyglottos</i>	40.95%
274.	Eastern Bluebird <i>Sialia sialis</i>	10.42%
275.	Wood Thrush <i>Hylocichla mustelina</i>	0.0559%
276.	American Robin <i>Turdus migratorius</i>	0.0799%
277.	Tricolored Munia <i>Lonchura malacca</i>	0.0016%
278.	House Sparrow <i>Passer domesticus</i>	7.05%
279.	House Finch <i>Haemorhous mexicanus</i>	8.92%
280.	Pine Siskin <i>Spinus pinus</i>	0.0000%
281.	Lesser Goldfinch <i>Spinus psaltria</i>	0.0016%
282.	American Goldfinch <i>Spinus tristis</i>	0.0016%
283.	Bachman's Sparrow <i>Peucaea aestivalis</i>	1.44%
284.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.0352%
285.	Chipping Sparrow <i>Spizella passerina</i>	0.0024%
286.	Field Sparrow <i>Spizella pusilla</i>	0.0543%
287.	Lark Sparrow <i>Chondestes grammacus</i>	0.0008%
288.	Dark-eyed Junco <i>Junco hyemalis</i>	0.0000%

289.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.0000%
290.	White-throated Sparrow <i>Zonotrichia albicollis</i>	0.0008%
291.	Seaside Sparrow <i>Ammospiza maritima</i>	0.1534%
292.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	8.73%
293.	Western Spindalis <i>Spindalis zena</i>	0.0384%
294.	Yellow-breasted Chat <i>Icteria virens</i>	0.2149%
295.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.0048%
296.	Bobolink <i>Dolichonyx oryzivorus</i>	0.0048%
297.	Eastern Meadowlark <i>Sturnella magna</i>	4.54%
298.	Orchard Oriole <i>Icterus spurius</i>	0.7271%
299.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.3875%
300.	Baltimore Oriole <i>Icterus galbula</i>	0.0000%
301.	Red-winged Blackbird <i>Agelaius phoeniceus</i>	22.78%
302.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.2141%
303.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.2453%
304.	Brown-headed Cowbird <i>Molothrus ater</i>	2.99%
305.	Common Grackle <i>Quiscalus quiscula</i>	21.22%
306.	Boat-tailed Grackle <i>Quiscalus major</i>	21.74%
307.	Great-tailed Grackle <i>Quiscalus mexicanus</i>	0.0056%
308.	Ovenbird <i>Seiurus aurocapilla</i>	0.0072%
309.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	0.0056%
310.	Louisiana Waterthrush <i>Parkesia motacilla</i>	0.6336%

311. Northern Waterthrush <i>Parkesia noveboracensis</i>	0.0104%
312. Bachman's Warbler <i>Vermivora bachmanii</i>	0.0000%
313. Black-and-white Warbler <i>Mniotilta varia</i>	1.62%
314. Prothonotary Warbler <i>Protonotaria citrea</i>	0.6144%
315. Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.0503%
316. Kentucky Warbler <i>Geothlypis formosa</i>	0.0152%
317. Common Yellowthroat <i>Geothlypis trichas</i>	3.73%
318. Hooded Warbler <i>Setophaga citrina</i>	0.2741%
319. American Redstart <i>Setophaga ruticilla</i>	0.3636%
320. Cerulean Warbler <i>Setophaga cerulea</i>	0.0008%
321. Northern Parula <i>Setophaga americana</i>	8.95%
322. Yellow Warbler <i>Setophaga petechia</i>	0.2821%
323. Black-throated Blue Warbler <i>Setophaga caerulea</i>	0.0024%
324. Palm Warbler <i>Setophaga palmarum</i>	0.0016%
325. Pine Warbler <i>Setophaga pinus</i>	2.52%
326. Yellow-rumped Warbler <i>Setophaga coronata</i>	0.0016%
327. Yellow-throated Warbler <i>Setophaga dominica</i>	2.10%
328. Prairie Warbler <i>Setophaga discolor</i>	1.75%
329. Summer Tanager <i>Piranga rubra</i>	2.78%
330. Northern Cardinal <i>Cardinalis cardinalis</i>	53.55%
331. Blue Grosbeak <i>Passerina caerulea</i>	2.09%
332. Indigo Bunting <i>Passerina cyanea</i>	1.37%

333.	Painted Bunting <i>Passerina ciris</i>	0.5473%
334.	Dickcissel <i>Spiza americana</i>	0.0391%
335.	Red-legged Honeycreeper <i>Cyanerpes cyaneus</i>	0.0008%
336.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.1239%
EXOTIC: PROVISIONAL		
337.	White-cheeked Pintail <i>Anas bahamensis</i>	0.0024% frequency
338.	Indian Peafowl <i>Pavo cristatus</i>	0.4043%
339.	Red Junglefowl <i>Gallus gallus</i>	0.1182%
340.	Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0200%
341.	Budgerigar <i>Melopsittacus undulatus</i>	0.0024%
342.	Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.1470%
343.	Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0256%
344.	Orange-winged Parrot <i>Amazona amazonica</i>	0.0879%
345.	Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0583%
346.	Chestnut-fronted Macaw <i>Ara severus</i>	0.0511%
347.	Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.4091%
348.	Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.1606%
349.	White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0591%
350.	House Crow <i>Corvus splendens</i>	0.0336%
351.	Common Hill Myna <i>Gracula religiosa</i>	0.0375%
352.	Scaly-breasted Munia <i>Lonchura punctulata</i>	0.3372%

EXOTIC: ESCAPEE

Magpie Goose <i>Anseranas semipalmata</i>	0.0008% frequency
White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0048%
West Indian Whistling-Duck <i>Dendrocygna arborea</i>	0.0016%
Bar-headed Goose <i>Anser indicus</i>	0.0024%
Graylag Goose <i>Anser anser</i>	0.1087%
Swan Goose <i>Anser cygnoides</i>	0.0991%
Mute Swan <i>Cygnus olor</i>	0.2293%
Black Swan <i>Cygnus atratus</i>	0.0927%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0391%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0328%
Whooper Swan <i>Cygnus cygnus</i>	0.0232%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0040%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0160%
Common Shelduck <i>Tadorna tadorna</i>	0.0032%
Ringed Teal <i>Callonetta leucophrys</i>	0.0056%
Mandarin Duck <i>Aix galericulata</i>	0.0080%
Chestnut Teal <i>Anas castanea</i>	0.0000%
Red-crested Pochard <i>Netta rufina</i>	0.0024%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0551%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0008%
Green Peafowl <i>Pavo muticus</i>	0.0024%
Japanese Quail <i>Coturnix japonica</i>	0.0008%

African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0016%
Diamond Dove <i>Geopelia cuneata</i>	0.0000%
Gray Crowned-Crane <i>Balearica regulorum</i>	0.0016%
African Sacred Ibis <i>Threskiornis aethiopicus</i>	0.0000%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0016%
Cockatiel <i>Nymphicus hollandicus</i>	0.0112%
Alexandrine Parakeet <i>Psittacula eupatria</i>	0.0008%
Malabar Parakeet <i>Psittacula columboides</i>	0.0008%
Eastern Rosella <i>Platycercus eximius</i>	0.0008%
Little Lorikeet <i>Parvipsitta pusilla</i>	0.0008%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0040%
Fischer's Lovebird <i>Agapornis fischeri</i>	0.0024%
Yellow-collared Lovebird <i>Agapornis personatus</i>	0.0072%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0008%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0048%
Red-lored Parrot <i>Amazona autumnalis</i>	0.0000%
Yellow-naped Parrot <i>Amazona auropalliata</i>	0.0000%
Yellow-headed Parrot <i>Amazona oratrix</i>	0.0000%
Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0008%
Turquoise-fronted Parrot <i>Amazona aestiva</i>	0.0016%
White-fronted Parrot <i>Amazona albifrons</i>	0.0000%
Hispaniolan Parrot <i>Amazona ventralis</i>	0.0000%

Mealy Parrot <i>Amazona farinosa</i>	0.0000%
Orange-fronted Parakeet <i>Eupsittula canicularis</i>	0.0000%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0008%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0000%
Green Parakeet <i>Psittacara holochlorus</i>	0.0120%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0168%
Pied Crow <i>Corvus albus</i>	0.0032%
Superb Starling <i>Lamprotornis superbus</i>	0.0000%
Tropical Mockingbird <i>Mimus gilvus</i>	0.0144%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0176%
Zebra Finch <i>Taeniopygia guttata</i>	0.0184%
Orange-cheeked Waxbill <i>Estrilda melpoda</i>	0.0000%
Zebra Waxbill <i>Amandava subflava</i>	0.0008%
Pin-tailed Whydah <i>Vidua macroura</i>	0.0080%
Blue-gray Tanager <i>Thraupis episcopus</i>	0.0136%
Cuban Grassquit <i>Phonipara canora</i>	0.0000%
Yellow-faced Grassquit <i>Tiaris olivaceus</i>	0.0000%
Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%

HYBRIDS

Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0088% frequency
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	0.0032%

Graylag x Canada Goose (hybrid) <i>Anser anser</i> <i>x Branta canadensis</i>	0.0008%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta</i> <i>canadensis</i>	0.0008%
Muscovy Duck x Mallard (hybrid) <i>Cairina</i> <i>moschata x Anas platyrhynchos</i>	0.0320%
Mallard x Mottled Duck (hybrid) <i>Anas</i> <i>platyrhynchos x fulvigula</i>	1.59%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum</i> <i>auritum x brasilianum</i>	0.0016%
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta</i> <i>tricolor x thula</i>	0.0024%
Great Egret x Great Blue Heron (hybrid) <i>Ardea</i> <i>alba x herodias</i>	0.0192%
Glossy x White-faced Ibis (hybrid) <i>Plegadis</i> <i>falcinellus x chihi</i>	0.0008%
Crimson x Eastern Rosella (hybrid) <i>Platycercus</i> <i>elegans x eximius</i>	0.0032%
Tropical x Gray Kingbird (hybrid) <i>Tyrannus</i> <i>melancholicus x dominicensis</i>	0.0232%
House x Fish Crow (hybrid) <i>Corvus splendens x</i> <i>ossifragus</i>	0.0008%
Bahama x Northern Mockingbird (hybrid) <i>Mimus</i> <i>gundlachii x polyglottos</i>	0.0008%
Tropical x Northern Mockingbird (hybrid) <i>Mimus gilvus x polyglottos</i>	0.0040%