



Target Species

Based on 156,319 complete checklists

371 species observed in Florida, US (region/US-FL) in **Jun** that you need for your **Florida Life List**

| | |
|---|-------------------------|
| 1. Northern Cardinal <i>Cardinalis cardinalis</i> | 54.76% frequency |
| 2. Mourning Dove <i>Zenaida macroura</i> | 49.83% |
| 3. Northern Mockingbird <i>Mimus polyglottos</i> | 43.72% |
| 4. Red-bellied Woodpecker <i>Melanerpes carolinus</i> | 42.11% |
| 5. Blue Jay <i>Cyanocitta cristata</i> | 36.28% |
| 6. Fish Crow <i>Corvus ossifragus</i> | 34.04% |
| 7. White Ibis <i>Eudocimus albus</i> | 32.57% |
| 8. Great Egret <i>Ardea alba</i> | 31.49% |
| 9. Carolina Wren <i>Thryothorus ludovicianus</i> | 29.56% |
| 10. Osprey <i>Pandion haliaetus</i> | 27.09% |
| 11. Boat-tailed Grackle <i>Quiscalus major</i> | 26.90% |
| 12. Common Grackle <i>Quiscalus quiscula</i> | 26.69% |
| 13. Red-winged Blackbird <i>Agelaius phoeniceus</i> | 26.58% |
| 14. Great Blue Heron <i>Ardea herodias</i> | 23.35% |
| 15. Tufted Titmouse <i>Baeolophus bicolor</i> | 22.72% |
| 16. Anhinga <i>Anhinga anhinga</i> | 21.84% |
| 17. Little Blue Heron <i>Egretta caerulea</i> | 21.65% |
| 18. Great Crested Flycatcher <i>Myiarchus crinitus</i> | 21.49% |

| | |
|---|---------------|
| 19. Red-shouldered Hawk <i>Buteo lineatus</i> | 20.72% |
| 20. Snowy Egret <i>Egretta thula</i> | 20.43% |
| 21. Downy Woodpecker <i>Dryobates pubescens</i> | 19.73% |
| 22. Laughing Gull <i>Leucophaeus atricilla</i> | 19.65% |
| 23. American Crow <i>Corvus brachyrhynchos</i> | 18.76% |
| 24. Black Vulture <i>Coragyps atratus</i> | 18.50% |
| 25. Tricolored Heron <i>Egretta tricolor</i> | 18.42% |
| 26. Northern Parula <i>Setophaga americana</i> | 17.63% |
| 27. Turkey Vulture <i>Cathartes aura</i> | 17.53% |
| 28. Common Gallinule <i>Gallinula galeata</i> | 16.35% |
| 29. Green Heron <i>Butorides virescens</i> | 15.94% |
| 30. Western Cattle Egret <i>Bubulcus ibis</i> | 15.74% |
| 31. Double-crested Cormorant <i>Nannopterum auritum</i> | 14.19% |
| 32. White-eyed Vireo <i>Vireo griseus</i> | 12.87% |
| 33. Chimney Swift <i>Chaetura pelagica</i> | 12.80% |
| 34. Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i> | 12.68% |
| 35. Brown Pelican <i>Pelecanus occidentalis</i> | 12.66% |
| 36. Carolina Chickadee <i>Poecile carolinensis</i> | 12.53% |
| 37. Common Ground Dove <i>Columbina passerina</i> | 12.28% |
| 38. Eastern Bluebird <i>Sialia sialis</i> | 12.06% |
| 39. Pileated Woodpecker <i>Dryocopus pileatus</i> | 11.89% |
| 40. Eurasian Collared-Dove <i>Streptopelia decaocto</i> | 11.75% |

| | |
|---|---------------|
| 41. European Starling <i>Sturnus vulgaris</i> | 11.72% |
| 42. Brown Thrasher <i>Toxostoma rufum</i> | 11.56% |
| 43. Blue-gray Gnatcatcher <i>Polioptila caerulea</i> | 11.19% |
| 44. Swallow-tailed Kite <i>Elanoides forficatus</i> | 10.11% |
| 45. Least Tern <i>Sternula antillarum</i> | 9.81% |
| 46. Eastern Towhee <i>Pipilo erythrophthalmus</i> | 9.76% |
| 47. Mottled Duck <i>Anas fulvigula</i> | 8.57% |
| 48. Sandhill Crane <i>Antigone canadensis</i> | 8.51% |
| 49. Purple Martin <i>Progne subis</i> | 8.51% |
| 50. Glossy Ibis <i>Plegadis falcinellus</i> | 8.42% |
| 51. House Finch <i>Haemorhous mexicanus</i> | 8.29% |
| 52. Royal Tern <i>Thalasseus maximus</i> | 8.22% |
| 53. Killdeer <i>Charadrius vociferus</i> | 8.20% |
| 54. Rock Pigeon <i>Columba livia</i> | 8.06% |
| 55. Limpkin <i>Aramus guarauna</i> | 7.91% |
| 56. Loggerhead Shrike <i>Lanius ludovicianus</i> | 7.72% |
| 57. Wood Stork <i>Mycteria americana</i> | 7.66% |
| 58. House Sparrow <i>Passer domesticus</i> | 7.28% |
| 59. Roseate Spoonbill <i>Platalea ajaja</i> | 6.50% |
| 60. Black-necked Stilt <i>Himantopus mexicanus</i> | 5.79% |
| 61. Pine Warbler <i>Setophaga pinus</i> | 5.73% |
| 62. Common Nighthawk <i>Chordeiles minor</i> | 5.58% |
| 63. Northern Bobwhite <i>Colinus virginianus</i> | 5.53% |

| | | |
|-----|--|--------------|
| 64. | Eastern Meadowlark <i>Sturnella magna</i> | 5.38% |
| 65. | Yellow-crowned Night Heron <i>Nyctanassa violacea</i> | 5.30% |
| 66. | Common Yellowthroat <i>Geothlypis trichas</i> | 5.27% |
| 67. | Ruby-throated Hummingbird <i>Archilochus colubris</i> | 5.26% |
| 68. | White-winged Dove <i>Zenaida asiatica</i> | 5.24% |
| 69. | Barn Swallow <i>Hirundo rustica</i> | 5.18% |
| 70. | Wood Duck <i>Aix sponsa</i> | 5.07% |
| 71. | Black-crowned Night Heron <i>Nycticorax nycticorax</i> | 4.98% |
| 72. | Black Skimmer <i>Rynchops niger</i> | 4.86% |
| 73. | Willet <i>Tringa semipalmata</i> | 4.85% |
| 74. | Brown-headed Cowbird <i>Molothrus ater</i> | 4.65% |
| 75. | Magnificent Frigatebird <i>Fregata magnificens</i> | 4.63% |
| 76. | Muscovy Duck <i>Cairina moschata</i> | 4.41% |
| 77. | Purple Gallinule <i>Porphyrio martinica</i> | 4.31% |
| 78. | Summer Tanager <i>Piranga rubra</i> | 4.02% |
| 79. | Sandwich Tern <i>Thalasseus sandvicensis</i> | 3.94% |
| 80. | Gray Kingbird <i>Tyrannus dominicensis</i> | 3.75% |
| 81. | Mississippi Kite <i>Ictinia mississippiensis</i> | 3.64% |
| 82. | Ruddy Turnstone <i>Arenaria interpres</i> | 3.45% |
| 83. | Least Bittern <i>Ixobrychus exilis</i> | 3.37% |
| 84. | Red-headed Woodpecker <i>Melanerpes erythrocephalus</i> | 3.32% |
| 85. | Eastern Kingbird <i>Tyrannus tyrannus</i> | 3.32% |

| | | |
|------|---|-------|
| 86. | Reddish Egret <i>Egretta rufescens</i> | 3.29% |
| 87. | Yellow-throated Vireo <i>Vireo flavifrons</i> | 3.24% |
| 88. | Red-tailed Hawk <i>Buteo jamaicensis</i> | 3.02% |
| 89. | Barred Owl <i>Strix varia</i> | 2.92% |
| 90. | Northern Flicker <i>Colaptes auratus</i> | 2.84% |
| 91. | Blue Grosbeak <i>Passerina caerulea</i> | 2.71% |
| 92. | Red-eyed Vireo <i>Vireo olivaceus</i> | 2.66% |
| 93. | Yellow-billed Cuckoo <i>Coccyzus americanus</i> | 2.65% |
| 94. | Black-bellied Plover <i>Pluvialis squatarola</i> | 2.61% |
| 95. | American Coot <i>Fulica americana</i> | 2.44% |
| 96. | Wild Turkey <i>Meleagris gallopavo</i> | 2.39% |
| 97. | Cooper's Hawk <i>Accipiter cooperii</i> | 2.34% |
| 98. | Mallard <i>Anas platyrhynchos</i> | 2.27% |
| 99. | Brown-headed Nuthatch <i>Sitta pusilla</i> | 2.21% |
| 100. | Semipalmated Plover <i>Charadrius semipalmatus</i> | 2.11% |
| 101. | Nanday Parakeet <i>Aratinga nenday</i> | 2.08% |
| 102. | Bald Eagle <i>Haliaeetus leucocephalus</i> | 2.00% |
| 103. | American Kestrel <i>Falco sparverius</i> | 1.96% |
| 104. | Sanderling <i>Calidris alba</i> | 1.94% |
| 105. | Wilson's Plover <i>Anarhynchus wilsonia</i> | 1.88% |
| 106. | Bachman's Sparrow <i>Peucaea aestivalis</i> | 1.84% |
| 107. | Clapper Rail <i>Rallus crepitans</i> | 1.80% |

| | | |
|------|--|-------|
| 108. | Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i> | 1.74% |
| 109. | Monk Parakeet <i>Myiopsitta monachus</i> | 1.73% |
| 110. | Forster's Tern <i>Sterna forsteri</i> | 1.65% |
| 111. | American Oystercatcher <i>Haematopus palliatus</i> | 1.64% |
| 112. | Indigo Bunting <i>Passerina cyanea</i> | 1.61% |
| 113. | Pied-billed Grebe <i>Podilymbus podiceps</i> | 1.60% |
| 114. | Canada Goose <i>Branta canadensis</i> | 1.53% |
| 115. | Chuck-will's-widow <i>Antrostomus carolinensis</i> | 1.50% |
| 116. | Caspian Tern <i>Hydroprogne caspia</i> | 1.50% |
| 117. | Yellow-throated Warbler <i>Setophaga dominica</i> | 1.39% |
| 118. | Orchard Oriole <i>Icterus spurius</i> | 1.33% |
| 119. | Egyptian Goose <i>Alopochen aegyptiaca</i> | 1.26% |
| 120. | Prairie Warbler <i>Setophaga discolor</i> | 1.23% |
| 121. | American White Pelican <i>Pelecanus erythrorhynchos</i> | 1.22% |
| 122. | Snail Kite <i>Rostrhamus sociabilis</i> | 1.20% |
| 123. | Short-billed Dowitcher <i>Limnodromus griseus</i> | 1.18% |
| 124. | White-crowned Pigeon <i>Patagioenas leucocephala</i> | 1.16% |
| 125. | Florida Scrub-Jay <i>Aphelocoma coerulescens</i> | 1.09% |
| 126. | Great Horned Owl <i>Bubo virginianus</i> | 1.06% |
| 127. | Gray-headed Swamphen <i>Porphyrio poliocephalus</i> | 1.06% |
| 128. | Greater Yellowlegs <i>Tringa melanoleuca</i> | 1.03% |
| 129. | Prothonotary Warbler <i>Protonotaria citrea</i> | 1.02% |

| | |
|---|----------------|
| 130. Semipalmated Sandpiper <i>Calidris pusilla</i> | 0.9916% |
| 131. Ring-billed Gull <i>Larus delawarensis</i> | 0.9909% |
| 132. Crested Caracara <i>Caracara plancus</i> | 0.8822% |
| 133. Snowy Plover <i>Anarhynchus nivosus</i> | 0.8694% |
| 134. Burrowing Owl <i>Athene cunicularia</i> | 0.8080% |
| 135. Common Tern <i>Sterna hirundo</i> | 0.7229% |
| 136. King Rail <i>Rallus elegans</i> | 0.6941% |
| 137. Blue-winged Teal <i>Spatula discors</i> | 0.6762% |
| 138. Fulvous Whistling-Duck <i>Dendrocygna bicolor</i> | 0.6698% |
| 139. Acadian Flycatcher <i>Empidonax virescens</i> | 0.6576% |
| 140. Herring Gull <i>Larus argentatus</i> | 0.6416% |
| 141. Gull-billed Tern <i>Gelochelidon nilotica</i> | 0.6218% |
| 142. Hooded Warbler <i>Setophaga citrina</i> | 0.6039% |
| 143. Black-whiskered Vireo <i>Vireo altiloquus</i> | 0.5783% |
| 144. White-breasted Nuthatch <i>Sitta carolinensis</i> | 0.5713% |
| 145. Eastern Screech-Owl <i>Megascops asio</i> | 0.5578% |
| 146. Red-cockaded Woodpecker <i>Dryobates borealis</i> | 0.5124% |
| 147. Marbled Godwit <i>Limosa fedoa</i> | 0.5105% |
| 148. Painted Bunting <i>Passerina ciris</i> | 0.5028% |
| 149. Yellow-breasted Chat <i>Icteria virens</i> | 0.4747% |
| 150. Black Tern <i>Chlidonias niger</i> | 0.4702% |
| 151. Short-tailed Hawk <i>Buteo brachyurus</i> | 0.4683% |
| 152. Lesser Yellowlegs <i>Tringa flavipes</i> | 0.4414% |

| | | |
|------|---|----------------|
| 153. | Eastern Wood-Pewee <i>Contopus virens</i> | 0.3979% |
| 154. | Common Myna <i>Acridotheres tristis</i> | 0.3909% |
| 155. | Least Sandpiper <i>Calidris minutilla</i> | 0.3800% |
| 156. | White-rumped Sandpiper <i>Calidris fuscicollis</i> | 0.3755% |
| 157. | Barn Owl <i>Tyto alba</i> | 0.3448% |
| 158. | Western Sandpiper <i>Calidris mauri</i> | 0.3410% |
| 159. | Red Knot <i>Calidris canutus</i> | 0.3397% |
| 160. | Sooty Tern <i>Onychoprion fuscatus</i> | 0.3327% |
| 161. | Gray Catbird <i>Dumetella carolinensis</i> | 0.3058% |
| 162. | Lesser Black-backed Gull <i>Larus fuscus</i> | 0.3032% |
| 163. | Large-billed Tern <i>Phaetusa simplex</i> | 0.2872% |
| 164. | Marsh Wren <i>Cistothorus palustris</i> | 0.2834% |
| 165. | Ring-necked Duck <i>Aythya collaris</i> | 0.2636% |
| 166. | Broad-winged Hawk <i>Buteo platypterus</i> | 0.2578% |
| 167. | Spot-breasted Oriole <i>Icterus pectoralis</i> | 0.2514% |
| 168. | Seaside Sparrow <i>Ammospiza maritima</i> | 0.2367% |
| 169. | Lesser Scaup <i>Aythya affinis</i> | 0.2329% |
| 170. | Belted Kingfisher <i>Megaceryle alcyon</i> | 0.2322% |
| 171. | Cave Swallow <i>Petrochelidon fulva</i> | 0.2316% |
| 172. | Great Shearwater <i>Ardenna gravis</i> | 0.2297% |
| 173. | Mangrove Cuckoo <i>Coccyzus minor</i> | 0.2239% |
| 174. | Whimbrel <i>Numenius phaeopus</i> | 0.2201% |
| 175. | American Avocet <i>Recurvirostra americana</i> | 0.2194% |

| | | |
|------|---|----------------|
| 176. | Hairy Woodpecker <i>Dryobates villosus</i> | 0.2124% |
| 177. | Cory's Shearwater <i>Calonectris diomedea</i> | 0.2092% |
| 178. | Mitred Parakeet <i>Psittacara mitratus</i> | 0.2034% |
| 179. | Red-breasted Merganser <i>Mergus serrator</i> | 0.1983% |
| 180. | American Flamingo <i>Phoenicopterus ruber</i> | 0.1932% |
| 181. | Cliff Swallow <i>Petrochelidon pyrrhonota</i> | 0.1919% |
| 182. | Bronzed Cowbird <i>Molothrus aeneus</i> | 0.1862% |
| 183. | Brown Booby <i>Sula leucogaster</i> | 0.1849% |
| 184. | Shiny Cowbird <i>Molothrus bonariensis</i> | 0.1810% |
| 185. | Antillean Nighthawk <i>Chordeiles gundlachii</i> | 0.1785% |
| 186. | Roseate Tern <i>Sterna dougallii</i> | 0.1778% |
| 187. | Great Black-backed Gull <i>Larus marinus</i> | 0.1734% |
| 188. | Brown Noddy <i>Anous stolidus</i> | 0.1689% |
| 189. | American Robin <i>Turdus migratorius</i> | 0.1625% |
| 190. | Common Loon <i>Gavia immer</i> | 0.1574% |
| 191. | Wilson's Storm-Petrel <i>Oceanites oceanicus</i> | 0.1567% |
| 192. | Dunlin <i>Calidris alpina</i> | 0.1401% |
| 193. | Spotted Sandpiper <i>Actitis macularius</i> | 0.1388% |
| 194. | Bridled Tern <i>Onychoprion anaethetus</i> | 0.1382% |
| 195. | Yellow-green Vireo <i>Vireo flavoviridis</i> | 0.1158% |
| 196. | Northern Gannet <i>Morus bassanus</i> | 0.1139% |
| 197. | Audubon's Shearwater <i>Puffinus lherminieri</i> | 0.1132% |
| 198. | Whooping Crane <i>Grus americana</i> | 0.1126% |

| | | |
|------|--|----------------|
| 199. | Swainson's Warbler <i>Limnothlypis swainsonii</i> | 0.1120% |
| 200. | Tree Swallow <i>Tachycineta bicolor</i> | 0.1036% |
| 201. | Leach's Storm-Petrel <i>Hydrobates leucorhous</i> | 0.1011% |
| 202. | Ruddy Duck <i>Oxyura jamaicensis</i> | 0.0966% |
| 203. | Redhead <i>Aythya americana</i> | 0.0960% |
| 204. | Wood Thrush <i>Hylocichla mustelina</i> | 0.0940% |
| 205. | Northern Shoveler <i>Spatula clypeata</i> | 0.0921% |
| 206. | Red-whiskered Bulbul <i>Pycnonotus jocosus</i> | 0.0915% |
| 207. | Yellow Warbler <i>Setophaga petechia</i> | 0.0844% |
| 208. | Masked Booby <i>Sula dactylatra</i> | 0.0774% |
| 209. | Band-rumped Storm-Petrel <i>Hydrobates castro</i> | 0.0716% |
| 210. | White-tailed Kite <i>Elanus leucurus</i> | 0.0716% |
| 211. | Fork-tailed Flycatcher <i>Tyrannus savana</i> | 0.0691% |
| 212. | Tropical Kingbird <i>Tyrannus melancholicus</i> | 0.0684% |
| 213. | American Redstart <i>Setophaga ruticilla</i> | 0.0672% |
| 214. | Black Scoter <i>Melanitta americana</i> | 0.0601% |
| 215. | Grasshopper Sparrow <i>Ammodramus savannarum</i> | 0.0569% |
| 216. | Stilt Sandpiper <i>Calidris himantopus</i> | 0.0537% |
| 217. | Bahama Mockingbird <i>Mimus gundlachii</i> | 0.0518% |
| 218. | Dickcissel <i>Spiza americana</i> | 0.0505% |
| 219. | La Sagra's Flycatcher <i>Myiarchus sagrae</i> | 0.0480% |
| 220. | Arctic Tern <i>Sterna paradisaea</i> | 0.0467% |
| 221. | Green-winged Teal <i>Anas crecca</i> | 0.0461% |

| | | |
|------|---|----------------|
| 222. | Smooth-billed Ani <i>Crotophaga ani</i> | 0.0454% |
| 223. | Piping Plover <i>Charadrius melodus</i> | 0.0454% |
| 224. | Louisiana Waterthrush <i>Parkesia motacilla</i> | 0.0429% |
| 225. | Red-legged Thrush <i>Turdus plumbeus</i> | 0.0403% |
| 226. | Greater Scaup <i>Aythya marila</i> | 0.0397% |
| 227. | Neotropic Cormorant <i>Nannopterum brasilianum</i> | 0.0390% |
| 228. | Sooty Shearwater <i>Ardenna grisea</i> | 0.0358% |
| 229. | Field Sparrow <i>Spizella pusilla</i> | 0.0345% |
| 230. | White-winged Parakeet <i>Brotogeris versicolurus</i> | 0.0301% |
| 231. | Bank Swallow <i>Riparia riparia</i> | 0.0301% |
| 232. | Kentucky Warbler <i>Geothlypis formosa</i> | 0.0301% |
| 233. | Black Rail <i>Laterallus jamaicensis</i> | 0.0294% |
| 234. | Purple Sandpiper <i>Calidris maritima</i> | 0.0294% |
| 235. | Pomarine Jaeger <i>Stercorarius pomarinus</i> | 0.0288% |
| 236. | White-faced Ibis <i>Plegadis chihi</i> | 0.0288% |
| 237. | Red-billed Tropicbird <i>Phaethon aethereus</i> | 0.0230% |
| 238. | Least Grebe <i>Tachybaptus dominicus</i> | 0.0224% |
| 239. | Long-billed Dowitcher <i>Limnodromus scolopaceus</i> | 0.0224% |
| 240. | Horned Grebe <i>Podiceps auritus</i> | 0.0217% |
| 241. | White-winged Scoter <i>Melanitta deglandi</i> | 0.0211% |
| 242. | Great-tailed Grackle <i>Quiscalus mexicanus</i> | 0.0211% |
| 243. | Bobolink <i>Dolichonyx oryzivorus</i> | 0.0205% |

| | | |
|------|---|----------------|
| 244. | Blackpoll Warbler <i>Setophaga striata</i> | 0.0205% |
| 245. | Black Noddy <i>Anous minutus</i> | 0.0198% |
| 246. | Wilson's Phalarope <i>Phalaropus tricolor</i> | 0.0185% |
| 247. | Surf Scoter <i>Melanitta perspicillata</i> | 0.0179% |
| 248. | Pacific Loon <i>Gavia pacifica</i> | 0.0179% |
| 249. | Black-and-white Warbler <i>Mniotilta varia</i> | 0.0179% |
| 250. | Solitary Sandpiper <i>Tringa solitaria</i> | 0.0173% |
| 251. | Black-faced Grassquit <i>Melanospiza bicolor</i> | 0.0173% |
| 252. | Red-necked Phalarope <i>Phalaropus lobatus</i> | 0.0166% |
| 253. | Black-capped Petrel <i>Pterodroma hasitata</i> | 0.0166% |
| 254. | American Bittern <i>Botaurus lentiginosus</i> | 0.0166% |
| 255. | Snow Goose <i>Anser caerulescens</i> | 0.0160% |
| 256. | Common Eider <i>Somateria mollissima</i> | 0.0160% |
| 257. | Franklin's Gull <i>Leucophaeus pipixcan</i> | 0.0154% |
| 258. | Northern Pintail <i>Anas acuta</i> | 0.0147% |
| 259. | Parasitic Jaeger <i>Stercorarius parasiticus</i> | 0.0147% |
| 260. | Northern Harrier <i>Circus hudsonius</i> | 0.0141% |
| 261. | American Wigeon <i>Mareca americana</i> | 0.0134% |
| 262. | White-tailed Tropicbird <i>Phaethon lepturus</i> | 0.0134% |
| 263. | Red-footed Booby <i>Sula sula</i> | 0.0134% |
| 264. | Hooded Merganser <i>Lophodytes cucullatus</i> | 0.0128% |
| 265. | Horned Lark <i>Eremophila alpestris</i> | 0.0128% |
| 266. | Harlequin Duck <i>Histrionicus histrionicus</i> | 0.0121% |

| | | |
|------|---|---------|
| 267. | Zenaida Dove <i>Zenaida aurita</i> | 0.0115% |
| 268. | Ruff <i>Calidris pugnax</i> | 0.0115% |
| 269. | Pectoral Sandpiper <i>Calidris melanotos</i> | 0.0115% |
| 270. | Long-billed Curlew <i>Numenius americanus</i> | 0.0109% |
| 271. | Bonaparte's Gull <i>Chroicocephalus philadelphia</i> | 0.0102% |
| 272. | American Goldfinch <i>Spinus tristis</i> | 0.0102% |
| 273. | Eurasian Wigeon <i>Mareca penelope</i> | 0.0090% |
| 274. | Heermann's Gull <i>Larus heermanni</i> | 0.0090% |
| 275. | Short-eared Owl <i>Asio flammeus</i> | 0.0090% |
| 276. | Black-legged Kittiwake <i>Rissa tridactyla</i> | 0.0083% |
| 277. | Yellow-headed Caracara <i>Daptrius chimachima</i> | 0.0083% |
| 278. | Savannah Sparrow <i>Passerculus sandwichensis</i> | 0.0083% |
| 279. | Sora <i>Porzana carolina</i> | 0.0077% |
| 280. | Great Cormorant <i>Phalacrocorax carbo</i> | 0.0077% |
| 281. | Palm Warbler <i>Setophaga palmarum</i> | 0.0077% |
| 282. | Iceland Gull <i>Larus glaucoides</i> | 0.0070% |
| 283. | Glaucous Gull <i>Larus hyperboreus</i> | 0.0064% |
| 284. | Elegant Tern <i>Thalasseus elegans</i> | 0.0064% |
| 285. | Sharp-shinned Hawk <i>Accipiter striatus</i> | 0.0064% |
| 286. | Bufflehead <i>Bucephala albeola</i> | 0.0051% |
| 287. | American Woodcock <i>Scolopax minor</i> | 0.0051% |
| 288. | Scissor-tailed Flycatcher <i>Tyrannus forficatus</i> | 0.0051% |
| 289. | American Black Duck <i>Anas rubripes</i> | 0.0045% |

| | | |
|------|--|---------|
| 290. | Inca Dove <i>Columbina inca</i> | 0.0045% |
| 291. | Wilson's Snipe <i>Gallinago delicata</i> | 0.0045% |
| 292. | MacGillivray's Warbler <i>Geothlypis tolmiei</i> | 0.0045% |
| 293. | Hudsonian Godwit <i>Limosa haemastica</i> | 0.0038% |
| 294. | Greater White-fronted Goose <i>Anser albifrons</i> | 0.0032% |
| 295. | American Golden-Plover <i>Pluvialis dominica</i> | 0.0032% |
| 296. | Merlin <i>Falco columbarius</i> | 0.0032% |
| 297. | Peregrine Falcon <i>Falco peregrinus</i> | 0.0032% |
| 298. | Cedar Waxwing <i>Bombycilla cedrorum</i> | 0.0032% |
| 299. | Lark Sparrow <i>Chondestes grammacus</i> | 0.0032% |
| 300. | Magnolia Warbler <i>Setophaga magnolia</i> | 0.0032% |
| 301. | Sabine's Gull <i>Xema sabini</i> | 0.0026% |
| 302. | Baltimore Oriole <i>Icterus galbula</i> | 0.0026% |
| 303. | Northern Waterthrush <i>Parkesia noveboracensis</i> | 0.0026% |
| 304. | Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i> | 0.0026% |
| 305. | Gadwall <i>Mareca strepera</i> | 0.0019% |
| 306. | Long-tailed Duck <i>Clangula hyemalis</i> | 0.0019% |
| 307. | Willow Flycatcher <i>Empidonax traillii</i> | 0.0019% |
| 308. | Eastern Phoebe <i>Sayornis phoebe</i> | 0.0019% |
| 309. | Variegated Flycatcher <i>Empidonax varius</i> | 0.0019% |
| 310. | House Wren <i>Troglodytes aedon</i> | 0.0019% |
| 311. | Dark-eyed Junco <i>Junco hyemalis</i> | 0.0019% |
| 312. | Ovenbird <i>Seiurus aurocapilla</i> | 0.0019% |

| | | |
|------|--|---------|
| 313. | Black-throated Blue Warbler <i>Setophaga caerulescens</i> | 0.0019% |
| 314. | Dark-billed Cuckoo <i>Coccyzus melacoryphus</i> | 0.0013% |
| 315. | Long-tailed Jaeger <i>Stercorarius longicaudus</i> | 0.0013% |
| 316. | Wedge-tailed Shearwater <i>Ardenna pacifica</i> | 0.0013% |
| 317. | Western Kingbird <i>Tyrannus verticalis</i> | 0.0013% |
| 318. | Sedge Wren <i>Cistothorus stellaris</i> | 0.0013% |
| 319. | Chipping Sparrow <i>Spizella passerina</i> | 0.0013% |
| 320. | Cape May Warbler <i>Setophaga tigrina</i> | 0.0013% |
| 321. | Yellow-rumped Warbler <i>Setophaga coronata</i> | 0.0013% |
| 322. | Canvasback <i>Aythya valisineria</i> | 0.0006% |
| 323. | King Eider <i>Somateria spectabilis</i> | 0.0006% |
| 324. | Eastern Whip-poor-will <i>Antrostomus vociferus</i> | 0.0006% |
| 325. | Virginia Rail <i>Rallus limicola</i> | 0.0006% |
| 326. | Upland Sandpiper <i>Bartramia longicauda</i> | 0.0006% |
| 327. | Bar-tailed Godwit <i>Limosa lapponica</i> | 0.0006% |
| 328. | Baird's Sandpiper <i>Calidris bairdii</i> | 0.0006% |
| 329. | Gray Gull <i>Leucophaeus modestus</i> | 0.0006% |
| 330. | European Storm-Petrel <i>Hydrobates pelagicus</i> | 0.0006% |
| 331. | Fea's Petrel <i>Pterodroma feae</i> | 0.0006% |
| 332. | Manx Shearwater <i>Puffinus puffinus</i> | 0.0006% |
| 333. | Yellow-bellied Sapsucker <i>Sphyrapicus varius</i> | 0.0006% |
| 334. | Bell's Vireo <i>Vireo bellii</i> | 0.0006% |

| | | |
|------|--|---------|
| 335. | Bahama Swallow <i>Tachycineta cyaneoviridis</i> | 0.0006% |
| 336. | Brown-chested Martin <i>Progne tapera</i> | 0.0006% |
| 337. | Varied Thrush <i>Ixoreus naevius</i> | 0.0006% |
| 338. | Gray-cheeked Thrush <i>Catharus minimus</i> | 0.0006% |
| 339. | Swainson's Thrush <i>Catharus ustulatus</i> | 0.0006% |
| 340. | White-throated Sparrow <i>Zonotrichia albicollis</i> | 0.0006% |
| 341. | Black-throated Green Warbler <i>Setophaga virens</i> | 0.0006% |
| 342. | Wilson's Warbler <i>Cardellina pusilla</i> | 0.0006% |
| 343. | Scarlet Tanager <i>Piranga olivacea</i> | 0.0006% |
| 344. | Masked Duck <i>Nomonyx dominicus</i> | 0.0000% |
| 345. | Key West Quail-Dove <i>Geotrygon chrysia</i> | 0.0000% |
| 346. | Red-throated Loon <i>Gavia stellata</i> | 0.0000% |
| 347. | Stygian Owl <i>Asio stygius</i> | 0.0000% |
| 348. | Western Wood-Pewee <i>Contopus sordidulus</i> | 0.0000% |
| 349. | Curve-billed Thrasher <i>Toxostoma curvirostre</i> | 0.0000% |
| 350. | Purple Finch <i>Haemorhous purpureus</i> | 0.0000% |
| 351. | Golden-crowned Sparrow <i>Zonotrichia atricapilla</i> | 0.0000% |
| 352. | Henslow's Sparrow <i>Centronyx henslowii</i> | 0.0000% |
| 353. | Connecticut Warbler <i>Oporornis agilis</i> | 0.0000% |
| 354. | Bananaquit <i>Coereba flaveola</i> | 0.0000% |
| 355. | Yellow-faced Grassquit <i>Tiaris olivaceus</i> | 0.0000% |

EXOTIC: PROVISIONAL

| | | |
|------|---|-------------------|
| 356. | Indian Peafowl <i>Pavo cristatus</i> | 0.5706% frequency |
|------|---|-------------------|

| | |
|---|----------------|
| 357. Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i> | 0.3717% |
| 358. Scaly-breasted Munia <i>Lonchura punctulata</i> | 0.2744% |
| 359. Red Junglefowl <i>Gallus gallus</i> | 0.1561% |
| 360. Red-masked Parakeet <i>Psittacara erythrogenys</i> | 0.1459% |
| 361. Yellow-chevroned Parakeet <i>Brotogeris chiriri</i> | 0.1241% |
| 362. Orange-winged Parrot <i>Amazona amazonica</i> | 0.0998% |
| 363. White-eyed Parakeet <i>Psittacara leucophthalmus</i> | 0.0595% |
| 364. Red-crowned Parrot <i>Amazona viridigenalis</i> | 0.0589% |
| 365. House Crow <i>Corvus splendens</i> | 0.0557% |
| 366. Chestnut-fronted Macaw <i>Ara severus</i> | 0.0537% |
| 367. Blue-and-yellow Macaw <i>Ara ararauna</i> | 0.0429% |
| 368. Common Hill Myna <i>Gracula religiosa</i> | 0.0390% |
| 369. Rose-ringed Parakeet <i>Psittacula krameri</i> | 0.0198% |
| 370. Budgerigar <i>Melopsittacus undulatus</i> | 0.0064% |
| 371. White-cheeked Pintail <i>Anas bahamensis</i> | 0.0000% |

EXOTIC: ESCAPEE

| | |
|--|--------------------------|
| Mute Swan <i>Cygnus olor</i> | 0.2463% frequency |
| Swan Goose <i>Anser cygnoides</i> | 0.1459% |
| Graylag Goose <i>Anser anser</i> | 0.1452% |
| Black Swan <i>Cygnus atratus</i> | 0.1126% |
| Helmeted Guineafowl <i>Numida meleagris</i> | 0.0627% |
| Tropical Mockingbird <i>Mimus gilvus</i> | 0.0544% |

| | |
|--|----------------|
| Black-necked Swan <i>Cygnus melancoryphus</i> | 0.0365% |
| Trumpeter Swan <i>Cygnus buccinator</i> | 0.0320% |
| Whooper Swan <i>Cygnus cygnus</i> | 0.0217% |
| Pied Crow <i>Corvus albus</i> | 0.0217% |
| Ruddy Shelduck <i>Tadorna ferruginea</i> | 0.0160% |
| African Collared-Dove <i>Streptopelia roseogrisea</i> | 0.0147% |
| Zebra Finch <i>Taeniopygia guttata</i> | 0.0147% |
| Lilac-crowned Parrot <i>Amazona finschi</i> | 0.0141% |
| Yellow-crowned Parrot <i>Amazona ochrocephala</i> | 0.0134% |
| Crimson-fronted Parakeet <i>Psittacara finschi</i> | 0.0102% |
| Coscoroba Swan <i>Coscoroba coscoroba</i> | 0.0083% |
| Mandarin Duck <i>Aix galericulata</i> | 0.0083% |
| Bar-headed Goose <i>Anser indicus</i> | 0.0064% |
| Green Parakeet <i>Psittacara holochlorus</i> | 0.0064% |
| San Blas Jay <i>Cyanocorax sanblasianus</i> | 0.0058% |
| Ring-necked Pheasant <i>Phasianus colchicus</i> | 0.0045% |
| Cockatiel <i>Nymphicus hollandicus</i> | 0.0045% |
| White-faced Whistling-Duck <i>Dendrocygna viduata</i> | 0.0038% |
| Red-crested Pochard <i>Netta rufina</i> | 0.0038% |
| Green Peafowl <i>Pavo muticus</i> | 0.0038% |
| Fischer's Lovebird <i>Agapornis fischeri</i> | 0.0038% |
| Pin-tailed Whydah <i>Vidua macroura</i> | 0.0032% |

| | |
|--|----------------|
| Common Shelduck <i>Tadorna tadorna</i> | 0.0026% |
| Ringed Teal <i>Callonetta leucophrys</i> | 0.0026% |
| African Sacred Ibis <i>Threskiornis aethiopicus</i> | 0.0019% |
| Rosy-faced Lovebird <i>Agapornis roseicollis</i> | 0.0019% |
| Saffron Finch <i>Sicalis flaveola</i> | 0.0019% |
| Red-legged Partridge <i>Alectoris rufa</i> | 0.0013% |
| Turquoise-fronted Parrot <i>Amazona aestiva</i> | 0.0013% |
| White-fronted Parrot <i>Amazona albifrons</i> | 0.0013% |
| Scarlet Macaw <i>Ara macao</i> | 0.0013% |
| Plumed Whistling-Duck <i>Dendrocygna eytoni</i> | 0.0006% |
| West Indian Whistling-Duck <i>Dendrocygna arborea</i> | 0.0006% |
| Barnacle Goose <i>Branta leucopsis</i> | 0.0006% |
| Blue-billed Teal <i>Spatula hottentota</i> | 0.0006% |
| Chestnut Teal <i>Anas castanea</i> | 0.0006% |
| Rosy-billed Pochard <i>Netta peposaca</i> | 0.0006% |
| Great Black Hawk <i>Buteogallus urubitinga</i> | 0.0006% |
| Eastern Rosella <i>Platycercus eximius</i> | 0.0006% |
| Scaly-headed Parrot <i>Pionus maximiliani</i> | 0.0006% |
| Yellow-naped Parrot <i>Amazona auropalliata</i> | 0.0006% |
| Yellow-headed Parrot <i>Amazona oratrix</i> | 0.0006% |
| Red-billed Leiothrix <i>Leiothrix lutea</i> | 0.0006% |
| Village Indigobird <i>Vidua chalybeata</i> | 0.0006% |

| | |
|--|----------------|
| Island Canary <i>Serinus canaria</i> | 0.0006% |
| Golden Pheasant <i>Chrysolophus pictus</i> | 0.0000% |
| Diamond Dove <i>Geopelia cuneata</i> | 0.0000% |
| Hispaniolan Parrot <i>Amazona ventralis</i> | 0.0000% |
| Maroon-bellied Parakeet <i>Pyrrhura frontalis</i> | 0.0000% |
| Dusky-headed Parakeet <i>Aratinga weddellii</i> | 0.0000% |
| Sun Parakeet <i>Aratinga solstitialis</i> | 0.0000% |
| Blue-gray Tanager <i>Thraupis episcopus</i> | 0.0000% |
| Purple Honeycreeper <i>Cyanerpes caeruleus</i> | 0.0000% |
| Scarlet Ibis <i>Eudocimus ruber</i> | 0.0000% |

HYBRIDS

| | |
|--|-----------------------------|
| Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i> | 2.15% frequency ■ |
| Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i> | 0.0435% |
| Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i> | 0.0134% |
| Tropical x Gray Kingbird (hybrid) <i>Tyrannus melancholicus x dominicensis</i> | 0.0102% |
| Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i> | 0.0083% |
| Graylag x Canada Goose (hybrid) <i>Anser anser x Branta canadensis</i> | 0.0051% |
| Bahama x Northern Mockingbird (hybrid) <i>Mimus gundlachii x polyglottos</i> | 0.0038% |
| Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i> | 0.0019% |

| | |
|---|----------------|
| House x Fish Crow (hybrid) <i>Corvus splendens x ossifragus</i> | 0.0019% |
| Buff-breasted x White-rumped Sandpiper (hybrid) <i>Calidris subruficollis x fuscicollis</i> | 0.0013% |
| Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i> | 0.0013% |
| Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i> | 0.0006% |
| White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i> | 0.0006% |
| Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i> | 0.0006% |
| Mallard x American Black Duck (hybrid) <i>Anas platyrhynchos x rubripes</i> | 0.0000% |
| Dunlin x White-rumped Sandpiper (hybrid) <i>Calidris alpina x fuscicollis</i> | 0.0000% |
| Sandwich x Elegant Tern (hybrid) <i>Thalasseus sandvicensis x elegans</i> | 0.0000% |