



Target Species

Based on 156,319 complete checklists

371 species observed in Florida, US (region/US-FL) in **Jun** that you need for your **Florida Life List**

1. Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	12.68% frequency
2. Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.6698%
3. Snow Goose <i>Anser caerulescens</i>	0.0160%
4. Greater White-fronted Goose <i>Anser albifrons</i>	0.0032%
5. Canada Goose <i>Branta canadensis</i>	1.53%
6. Egyptian Goose <i>Alopochen aegyptiaca</i>	1.26%
7. Muscovy Duck <i>Cairina moschata</i>	4.41%
8. Wood Duck <i>Aix sponsa</i>	5.07%
9. Blue-winged Teal <i>Spatula discors</i>	0.6762%
10. Northern Shoveler <i>Spatula clypeata</i>	0.0921%
11. Gadwall <i>Mareca strepera</i>	0.0019%
12. Eurasian Wigeon <i>Mareca penelope</i>	0.0090%
13. American Wigeon <i>Mareca americana</i>	0.0134%
14. Mallard <i>Anas platyrhynchos</i>	2.27%
15. American Black Duck <i>Anas rubripes</i>	0.0045%
16. Mottled Duck <i>Anas fulvigula</i>	8.57%
17. Northern Pintail <i>Anas acuta</i>	0.0147%

18.	Green-winged Teal <i>Anas crecca</i>	0.0461%
19.	Canvasback <i>Aythya valisineria</i>	0.0006%
20.	Redhead <i>Aythya americana</i>	0.0960%
21.	Ring-necked Duck <i>Aythya collaris</i>	0.2636%
22.	Greater Scaup <i>Aythya marila</i>	0.0397%
23.	Lesser Scaup <i>Aythya affinis</i>	0.2329%
24.	King Eider <i>Somateria spectabilis</i>	0.0006%
25.	Common Eider <i>Somateria mollissima</i>	0.0160%
26.	Harlequin Duck <i>Histrionicus histrionicus</i>	0.0121%
27.	Surf Scoter <i>Melanitta perspicillata</i>	0.0179%
28.	White-winged Scoter <i>Melanitta deglandi</i>	0.0211%
29.	Black Scoter <i>Melanitta americana</i>	0.0601%
30.	Long-tailed Duck <i>Clangula hyemalis</i>	0.0019%
31.	Bufflehead <i>Bucephala albeola</i>	0.0051%
32.	Hooded Merganser <i>Lophodytes cucullatus</i>	0.0128%
33.	Red-breasted Merganser <i>Mergus serrator</i>	0.1983%
34.	Masked Duck <i>Nomonyx dominicus</i>	0.0000%
35.	Ruddy Duck <i>Oxyura jamaicensis</i>	0.0966%
36.	Northern Bobwhite <i>Colinus virginianus</i>	5.53%
37.	Wild Turkey <i>Meleagris gallopavo</i>	2.39%
38.	American Flamingo <i>Phoenicopterus ruber</i>	0.1932%
39.	Least Grebe <i>Tachybaptus dominicus</i>	0.0224%
40.	Pied-billed Grebe <i>Podilymbus podiceps</i>	1.60%

41. Horned Grebe <i>Podiceps auritus</i>	0.0217%
42. Rock Pigeon <i>Columba livia</i>	8.06%
43. White-crowned Pigeon <i>Patagioenas leucocephala</i>	1.16%
44. Eurasian Collared-Dove <i>Streptopelia decaocto</i>	11.75%
45. Inca Dove <i>Columbina inca</i>	0.0045%
46. Common Ground Dove <i>Columbina passerina</i>	12.28%
47. Key West Quail-Dove <i>Geotrygon chrysia</i>	0.0000%
48. White-winged Dove <i>Zenaida asiatica</i>	5.24%
49. Zenaida Dove <i>Zenaida aurita</i>	0.0115%
50. Mourning Dove <i>Zenaida macroura</i>	49.83%
51. Smooth-billed Ani <i>Crotophaga ani</i>	0.0454%
52. Dark-billed Cuckoo <i>Coccyzus melacoryphus</i>	0.0013%
53. Yellow-billed Cuckoo <i>Coccyzus americanus</i>	2.65%
54. Mangrove Cuckoo <i>Coccyzus minor</i>	0.2239%
55. Common Nighthawk <i>Chordeiles minor</i>	5.58%
56. Antillean Nighthawk <i>Chordeiles gundlachii</i>	0.1785%
57. Chuck-will's-widow <i>Antrostomus carolinensis</i>	1.50%
58. Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.0006%
59. Chimney Swift <i>Chaetura pelagica</i>	12.80%
60. Ruby-throated Hummingbird <i>Archilochus colubris</i>	5.26%
61. King Rail <i>Rallus elegans</i>	0.6941%
62. Clapper Rail <i>Rallus crepitans</i>	1.80%
63. Virginia Rail <i>Rallus limicola</i>	0.0006%

64. Sora <i>Porzana carolina</i>	0.0077%
65. Common Gallinule <i>Gallinula galeata</i>	16.35%
66. American Coot <i>Fulica americana</i>	2.44%
67. Purple Gallinule <i>Porphyrio martinica</i>	4.31%
68. Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	1.06%
69. Black Rail <i>Laterallus jamaicensis</i>	0.0294%
70. Limpkin <i>Aramus guarauna</i>	7.91%
71. Sandhill Crane <i>Antigone canadensis</i>	8.51%
72. Whooping Crane <i>Grus americana</i>	0.1126%
73. Black-necked Stilt <i>Himantopus mexicanus</i>	5.79%
74. American Avocet <i>Recurvirostra americana</i>	0.2194%
75. American Oystercatcher <i>Haematopus palliatus</i>	1.64%
76. Black-bellied Plover <i>Pluvialis squatarola</i>	2.61%
77. American Golden-Plover <i>Pluvialis dominica</i>	0.0032%
78. Killdeer <i>Charadrius vociferus</i>	8.20%
79. Semipalmated Plover <i>Charadrius semipalmatus</i>	2.11%
80. Piping Plover <i>Charadrius melodus</i>	0.0454%
81. Wilson's Plover <i>Anarhynchus wilsonia</i>	1.88%
82. Snowy Plover <i>Anarhynchus nivosus</i>	0.8694%
83. Upland Sandpiper <i>Bartramia longicauda</i>	0.0006%
84. Whimbrel <i>Numenius phaeopus</i>	0.2201%
85. Long-billed Curlew <i>Numenius americanus</i>	0.0109%

86.	Bar-tailed Godwit <i>Limosa lapponica</i>	0.0006%
87.	Hudsonian Godwit <i>Limosa haemastica</i>	0.0038%
88.	Marbled Godwit <i>Limosa fedoa</i>	0.5105%
89.	Short-billed Dowitcher <i>Limnodromus griseus</i>	1.18%
90.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	0.0224%
91.	American Woodcock <i>Scolopax minor</i>	0.0051%
92.	Wilson's Snipe <i>Gallinago delicata</i>	0.0045%
93.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.0185%
94.	Red-necked Phalarope <i>Phalaropus lobatus</i>	0.0166%
95.	Spotted Sandpiper <i>Actitis macularius</i>	0.1388%
96.	Solitary Sandpiper <i>Tringa solitaria</i>	0.0173%
97.	Lesser Yellowlegs <i>Tringa flavipes</i>	0.4414%
98.	Willet <i>Tringa semipalmata</i>	4.85%
99.	Greater Yellowlegs <i>Tringa melanoleuca</i>	1.03%
100.	Ruddy Turnstone <i>Arenaria interpres</i>	3.45%
101.	Red Knot <i>Calidris canutus</i>	0.3397%
102.	Ruff <i>Calidris pugnax</i>	0.0115%
103.	Stilt Sandpiper <i>Calidris himantopus</i>	0.0537%
104.	Sanderling <i>Calidris alba</i>	1.94%
105.	Dunlin <i>Calidris alpina</i>	0.1401%
106.	Purple Sandpiper <i>Calidris maritima</i>	0.0294%
107.	Baird's Sandpiper <i>Calidris bairdii</i>	0.0006%
108.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.3755%

109.	Least Sandpiper <i>Calidris minutilla</i>	0.3800%
110.	Pectoral Sandpiper <i>Calidris melanotos</i>	0.0115%
111.	Western Sandpiper <i>Calidris mauri</i>	0.3410%
112.	Semipalmated Sandpiper <i>Calidris pusilla</i>	0.9916%
113.	Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0013%
114.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.0147%
115.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.0288%
116.	Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0083%
117.	Sabine's Gull <i>Xema sabini</i>	0.0026%
118.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	0.0102%
119.	Gray Gull <i>Leucophaeus modestus</i>	0.0006%
120.	Laughing Gull <i>Leucophaeus atricilla</i>	19.65%
121.	Franklin's Gull <i>Leucophaeus pipixcan</i>	0.0154%
122.	Heermann's Gull <i>Larus heermanni</i>	0.0090%
123.	Ring-billed Gull <i>Larus delawarensis</i>	0.9909%
124.	Herring Gull <i>Larus argentatus</i>	0.6416%
125.	Great Black-backed Gull <i>Larus marinus</i>	0.1734%
126.	Glaucous Gull <i>Larus hyperboreus</i>	0.0064%
127.	Lesser Black-backed Gull <i>Larus fuscus</i>	0.3032%
128.	Iceland Gull <i>Larus glaucoides</i>	0.0070%
129.	Black Skimmer <i>Rynchops niger</i>	4.86%
130.	Brown Noddy <i>Anous stolidus</i>	0.1689%
131.	Black Noddy <i>Anous minutus</i>	0.0198%

132.	Sooty Tern <i>Onychoprion fuscatus</i>	0.3327%
133.	Bridled Tern <i>Onychoprion anaethetus</i>	0.1382%
134.	Least Tern <i>Sternula antillarum</i>	9.81%
135.	Large-billed Tern <i>Phaetusa simplex</i>	0.2872%
136.	Gull-billed Tern <i>Gelochelidon nilotica</i>	0.6218%
137.	Caspian Tern <i>Hydroprogne caspia</i>	1.50%
138.	Black Tern <i>Chlidonias niger</i>	0.4702%
139.	Forster's Tern <i>Sterna forsteri</i>	1.65%
140.	Arctic Tern <i>Sterna paradisaea</i>	0.0467%
141.	Common Tern <i>Sterna hirundo</i>	0.7229%
142.	Roseate Tern <i>Sterna dougallii</i>	0.1778%
143.	Sandwich Tern <i>Thalasseus sandvicensis</i>	3.94%
144.	Elegant Tern <i>Thalasseus elegans</i>	0.0064%
145.	Royal Tern <i>Thalasseus maximus</i>	8.22%
146.	White-tailed Tropicbird <i>Phaethon lepturus</i>	0.0134%
147.	Red-billed Tropicbird <i>Phaethon aethereus</i>	0.0230%
148.	Red-throated Loon <i>Gavia stellata</i>	0.0000%
149.	Pacific Loon <i>Gavia pacifica</i>	0.0179%
150.	Common Loon <i>Gavia immer</i>	0.1574%
151.	Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.1567%
152.	European Storm-Petrel <i>Hydrobates pelagicus</i>	0.0006%
153.	Leach's Storm-Petrel <i>Hydrobates leucorhous</i>	0.1011%
154.	Band-rumped Storm-Petrel <i>Hydrobates castro</i>	0.0716%

155. Fea's Petrel <i>Pterodroma feae</i>	0.0006%
156. Black-capped Petrel <i>Pterodroma hasitata</i>	0.0166%
157. Cory's Shearwater <i>Calonectris diomedea</i>	0.2092%
158. Great Shearwater <i>Ardenna gravis</i>	0.2297%
159. Wedge-tailed Shearwater <i>Ardenna pacifica</i>	0.0013%
160. Sooty Shearwater <i>Ardenna grisea</i>	0.0358%
161. Manx Shearwater <i>Puffinus puffinus</i>	0.0006%
162. Audubon's Shearwater <i>Puffinus lherminieri</i>	0.1132%
163. Wood Stork <i>Mycteria americana</i>	7.66%
164. Magnificent Frigatebird <i>Fregata magnificens</i>	4.63%
165. Northern Gannet <i>Morus bassanus</i>	0.1139%
166. Red-footed Booby <i>Sula sula</i>	0.0134%
167. Brown Booby <i>Sula leucogaster</i>	0.1849%
168. Masked Booby <i>Sula dactylatra</i>	0.0774%
169. Anhinga <i>Anhinga anhinga</i>	21.84%
170. Great Cormorant <i>Phalacrocorax carbo</i>	0.0077%
171. Double-crested Cormorant <i>Nannopterum auritum</i>	14.19%
172. Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0390%
173. American White Pelican <i>Pelecanus erythrorhynchos</i>	1.22%
174. Brown Pelican <i>Pelecanus occidentalis</i>	12.66%
175. American Bittern <i>Botaurus lentiginosus</i>	0.0166%
176. Least Bittern <i>Ixobrychus exilis</i>	3.37%

177.	Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	5.30%
178.	Black-crowned Night Heron <i>Nycticorax nycticorax</i>	4.98%
179.	Little Blue Heron <i>Egretta caerulea</i>	21.65%
180.	Tricolored Heron <i>Egretta tricolor</i>	18.42%
181.	Reddish Egret <i>Egretta rufescens</i>	3.29%
182.	Snowy Egret <i>Egretta thula</i>	20.43%
183.	Green Heron <i>Butorides virescens</i>	15.94%
184.	Western Cattle Egret <i>Bubulcus ibis</i>	15.74%
185.	Great Egret <i>Ardea alba</i>	31.49%
186.	Great Blue Heron <i>Ardea herodias</i>	23.35%
187.	White Ibis <i>Eudocimus albus</i>	32.57%
188.	Glossy Ibis <i>Plegadis falcinellus</i>	8.42%
189.	White-faced Ibis <i>Plegadis chihi</i>	0.0288%
190.	Roseate Spoonbill <i>Platalea ajaja</i>	6.50%
191.	Black Vulture <i>Coragyps atratus</i>	18.50%
192.	Turkey Vulture <i>Cathartes aura</i>	17.53%
193.	Osprey <i>Pandion haliaetus</i>	27.09%
194.	White-tailed Kite <i>Elanus leucurus</i>	0.0716%
195.	Swallow-tailed Kite <i>Elanoides forficatus</i>	10.11%
196.	Snail Kite <i>Rostrhamus sociabilis</i>	1.20%
197.	Mississippi Kite <i>Ictinia mississippiensis</i>	3.64%
198.	Northern Harrier <i>Circus hudsonius</i>	0.0141%

199.	Sharp-shinned Hawk <i>Accipiter striatus</i>	0.0064%
200.	Cooper's Hawk <i>Accipiter cooperii</i>	2.34%
201.	Bald Eagle <i>Haliaeetus leucocephalus</i>	2.00%
202.	Red-shouldered Hawk <i>Buteo lineatus</i>	20.72%
203.	Broad-winged Hawk <i>Buteo platypterus</i>	0.2578%
204.	Short-tailed Hawk <i>Buteo brachyurus</i>	0.4683%
205.	Red-tailed Hawk <i>Buteo jamaicensis</i>	3.02%
206.	Barn Owl <i>Tyto alba</i>	0.3448%
207.	Eastern Screech-Owl <i>Megascops asio</i>	0.5578%
208.	Great Horned Owl <i>Bubo virginianus</i>	1.06%
209.	Burrowing Owl <i>Athene cunicularia</i>	0.8080%
210.	Barred Owl <i>Strix varia</i>	2.92%
211.	Stygian Owl <i>Asio stygius</i>	0.0000%
212.	Short-eared Owl <i>Asio flammeus</i>	0.0090%
213.	Belted Kingfisher <i>Megasceryle alcyon</i>	0.2322%
214.	Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	0.0006%
215.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	3.32%
216.	Red-bellied Woodpecker <i>Melanerpes carolinus</i>	42.11%
217.	Downy Woodpecker <i>Dryobates pubescens</i>	19.73%
218.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.5124%
219.	Hairy Woodpecker <i>Dryobates villosus</i>	0.2124%
220.	Pileated Woodpecker <i>Dryocopus pileatus</i>	11.89%

221.	Northern Flicker <i>Colaptes auratus</i>	2.84%
222.	Crested Caracara <i>Caracara plancus</i>	0.8822%
223.	Yellow-headed Caracara <i>Daptrius chimachima</i>	0.0083%
224.	American Kestrel <i>Falco sparverius</i>	1.96%
225.	Merlin <i>Falco columbarius</i>	0.0032%
226.	Peregrine Falcon <i>Falco peregrinus</i>	0.0032%
227.	Monk Parakeet <i>Myiopsitta monachus</i>	1.73%
228.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0301%
229.	Nanday Parakeet <i>Aratinga nenday</i>	2.08%
230.	Mitred Parakeet <i>Psittacara mitratus</i>	0.2034%
231.	Western Wood-Pewee <i>Contopus sordidulus</i>	0.0000%
232.	Eastern Wood-Pewee <i>Contopus virens</i>	0.3979%
233.	Acadian Flycatcher <i>Empidonax virens</i>	0.6576%
234.	Willow Flycatcher <i>Empidonax traillii</i>	0.0019%
235.	Eastern Phoebe <i>Sayornis phoebe</i>	0.0019%
236.	Great Crested Flycatcher <i>Myiarchus crinitus</i>	21.49%
237.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0480%
238.	Variegated Flycatcher <i>Empidonax varius</i>	0.0019%
239.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.0684%
240.	Western Kingbird <i>Tyrannus verticalis</i>	0.0013%
241.	Eastern Kingbird <i>Tyrannus tyrannus</i>	3.32%
242.	Gray Kingbird <i>Tyrannus dominicensis</i>	3.75%

243.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.0051%
244.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0691%
245.	White-eyed Vireo <i>Vireo griseus</i>	12.87%
246.	Bell's Vireo <i>Vireo bellii</i>	0.0006%
247.	Yellow-throated Vireo <i>Vireo flavifrons</i>	3.24%
248.	Red-eyed Vireo <i>Vireo olivaceus</i>	2.66%
249.	Yellow-green Vireo <i>Vireo flavoviridis</i>	0.1158%
250.	Black-whiskered Vireo <i>Vireo altiloquus</i>	0.5783%
251.	Loggerhead Shrike <i>Lanius ludovicianus</i>	7.72%
252.	Blue Jay <i>Cyanocitta cristata</i>	36.28%
253.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	1.09%
254.	American Crow <i>Corvus brachyrhynchos</i>	18.76%
255.	Fish Crow <i>Corvus ossifragus</i>	34.04%
256.	Carolina Chickadee <i>Poecile carolinensis</i>	12.53%
257.	Tufted Titmouse <i>Baeolophus bicolor</i>	22.72%
258.	Horned Lark <i>Eremophila alpestris</i>	0.0128%
259.	Bank Swallow <i>Riparia riparia</i>	0.0301%
260.	Tree Swallow <i>Tachycineta bicolor</i>	0.1036%
261.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0006%
262.	Purple Martin <i>Progne subis</i>	8.51%
263.	Brown-chested Martin <i>Progne tapera</i>	0.0006%
264.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	1.74%

265.	Barn Swallow <i>Hirundo rustica</i>	5.18%
266.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.1919%
267.	Cave Swallow <i>Petrochelidon fulva</i>	0.2316%
268.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.0915%
269.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.5713%
270.	Brown-headed Nuthatch <i>Sitta pusilla</i>	2.21%
271.	Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	11.19%
272.	House Wren <i>Troglodytes aedon</i>	0.0019%
273.	Sedge Wren <i>Cistothorus stellaris</i>	0.0013%
274.	Marsh Wren <i>Cistothorus palustris</i>	0.2834%
275.	Carolina Wren <i>Thryothorus ludovicianus</i>	29.56%
276.	European Starling <i>Sturnus vulgaris</i>	11.72%
277.	Common Myna <i>Acridotheres tristis</i>	0.3909%
278.	Gray Catbird <i>Dumetella carolinensis</i>	0.3058%
279.	Curve-billed Thrasher <i>Toxostoma curvirostre</i>	0.0000%
280.	Brown Thrasher <i>Toxostoma rufum</i>	11.56%
281.	Bahama Mockingbird <i>Mimus gundlachi</i>	0.0518%
282.	Northern Mockingbird <i>Mimus polyglottos</i>	43.72%
283.	Eastern Bluebird <i>Sialia sialis</i>	12.06%
284.	Varied Thrush <i>Ixoreus naevius</i>	0.0006%
285.	Gray-cheeked Thrush <i>Catharus minimus</i>	0.0006%
286.	Swainson's Thrush <i>Catharus ustulatus</i>	0.0006%
287.	Wood Thrush <i>Hylocichla mustelina</i>	0.0940%

288.	American Robin <i>Turdus migratorius</i>	0.1625%
289.	Red-legged Thrush <i>Turdus plumbeus</i>	0.0403%
290.	Cedar Waxwing <i>Bombycilla cedrorum</i>	0.0032%
291.	House Sparrow <i>Passer domesticus</i>	7.28%
292.	House Finch <i>Haemorhous mexicanus</i>	8.29%
293.	Purple Finch <i>Haemorhous purpureus</i>	0.0000%
294.	American Goldfinch <i>Spinus tristis</i>	0.0102%
295.	Bachman's Sparrow <i>Peucaea aestivalis</i>	1.84%
296.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.0569%
297.	Chipping Sparrow <i>Spizella passerina</i>	0.0013%
298.	Field Sparrow <i>Spizella pusilla</i>	0.0345%
299.	Lark Sparrow <i>Chondestes grammacus</i>	0.0032%
300.	Dark-eyed Junco <i>Junco hyemalis</i>	0.0019%
301.	Golden-crowned Sparrow <i>Zonotrichia atricapilla</i>	0.0000%
302.	White-throated Sparrow <i>Zonotrichia albicollis</i>	0.0006%
303.	Seaside Sparrow <i>Ammospiza maritima</i>	0.2367%
304.	Savannah Sparrow <i>Passerculus sandwichensis</i>	0.0083%
305.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0000%
306.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	9.76%
307.	Yellow-breasted Chat <i>Icteria virens</i>	0.4747%
308.	Bobolink <i>Dolichonyx oryzivorus</i>	0.0205%
309.	Eastern Meadowlark <i>Sturnella magna</i>	5.38%
310.	Orchard Oriole <i>Icterus spurius</i>	1.33%

311.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.2514%
312.	Baltimore Oriole <i>Icterus galbula</i>	0.0026%
313.	Red-winged Blackbird <i>Agelaius phoeniceus</i>	26.58%
314.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.1810%
315.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.1862%
316.	Brown-headed Cowbird <i>Molothrus ater</i>	4.65%
317.	Common Grackle <i>Quiscalus quiscula</i>	26.69%
318.	Boat-tailed Grackle <i>Quiscalus major</i>	26.90%
319.	Great-tailed Grackle <i>Quiscalus mexicanus</i>	0.0211%
320.	Ovenbird <i>Seiurus aurocapilla</i>	0.0019%
321.	Louisiana Waterthrush <i>Parkesia motacilla</i>	0.0429%
322.	Northern Waterthrush <i>Parkesia noveboracensis</i>	0.0026%
323.	Black-and-white Warbler <i>Mniotilta varia</i>	0.0179%
324.	Prothonotary Warbler <i>Protonotaria citrea</i>	1.02%
325.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.1120%
326.	Connecticut Warbler <i>Oporornis agilis</i>	0.0000%
327.	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0045%
328.	Kentucky Warbler <i>Geothlypis formosa</i>	0.0301%
329.	Common Yellowthroat <i>Geothlypis trichas</i>	5.27%
330.	Hooded Warbler <i>Setophaga citrina</i>	0.6039%
331.	American Redstart <i>Setophaga ruticilla</i>	0.0672%
332.	Cape May Warbler <i>Setophaga tigrina</i>	0.0013%
333.	Northern Parula <i>Setophaga americana</i>	17.63%

334.	Magnolia Warbler <i>Setophaga magnolia</i>	0.0032%
335.	Yellow Warbler <i>Setophaga petechia</i>	0.0844%
336.	Blackpoll Warbler <i>Setophaga striata</i>	0.0205%
337.	Black-throated Blue Warbler <i>Setophaga caerulescens</i>	0.0019%
338.	Palm Warbler <i>Setophaga palmarum</i>	0.0077%
339.	Pine Warbler <i>Setophaga pinus</i>	5.73%
340.	Yellow-rumped Warbler <i>Setophaga coronata</i>	0.0013%
341.	Yellow-throated Warbler <i>Setophaga dominica</i>	1.39%
342.	Prairie Warbler <i>Setophaga discolor</i>	1.23%
343.	Black-throated Green Warbler <i>Setophaga virens</i>	0.0006%
344.	Wilson's Warbler <i>Cardellina pusilla</i>	0.0006%
345.	Summer Tanager <i>Piranga rubra</i>	4.02%
346.	Scarlet Tanager <i>Piranga olivacea</i>	0.0006%
347.	Northern Cardinal <i>Cardinalis cardinalis</i>	54.76%
348.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	0.0026%
349.	Blue Grosbeak <i>Passerina caerulea</i>	2.71%
350.	Indigo Bunting <i>Passerina cyanea</i>	1.61%
351.	Painted Bunting <i>Passerina ciris</i>	0.5028%
352.	Dickcissel <i>Spiza americana</i>	0.0505%
353.	Bananaquit <i>Coereba flaveola</i>	0.0000%
354.	Yellow-faced Grassquit <i>Tiaris olivaceus</i>	0.0000%
355.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0173%

EXOTIC: PROVISIONAL

356. White-cheeked Pintail <i>Anas bahamensis</i>	0.0000% frequency
357. Indian Peafowl <i>Pavo cristatus</i>	0.5706%
358. Red Junglefowl <i>Gallus gallus</i>	0.1561%
359. Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0198%
360. Budgerigar <i>Melopsittacus undulatus</i>	0.0064%
361. Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.1241%
362. Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0589%
363. Orange-winged Parrot <i>Amazona amazonica</i>	0.0998%
364. Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0429%
365. Chestnut-fronted Macaw <i>Ara severus</i>	0.0537%
366. Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.3717%
367. Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.1459%
368. White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0595%
369. House Crow <i>Corvus splendens</i>	0.0557%
370. Common Hill Myna <i>Gracula religiosa</i>	0.0390%
371. Scaly-breasted Munia <i>Lonchura punctulata</i>	0.2744%

EXOTIC: ESCAPEE

Plumed Whistling-Duck <i>Dendrocygna eytoni</i>	0.0006% frequency
White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0038%
West Indian Whistling-Duck <i>Dendrocygna arborea</i>	0.0006%

Bar-headed Goose <i>Anser indicus</i>	0.0064%
Graylag Goose <i>Anser anser</i>	0.1452%
Swan Goose <i>Anser cygnoides</i>	0.1459%
Barnacle Goose <i>Branta leucopsis</i>	0.0006%
Mute Swan <i>Cygnus olor</i>	0.2463%
Black Swan <i>Cygnus atratus</i>	0.1126%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0365%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0320%
Whooper Swan <i>Cygnus cygnus</i>	0.0217%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0083%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0160%
Common Shelduck <i>Tadorna tadorna</i>	0.0026%
Ringed Teal <i>Callonetta leucophrys</i>	0.0026%
Mandarin Duck <i>Aix galericulata</i>	0.0083%
Blue-billed Teal <i>Spatula hottentota</i>	0.0006%
Chestnut Teal <i>Anas castanea</i>	0.0006%
Red-crested Pochard <i>Netta rufina</i>	0.0038%
Rosy-billed Pochard <i>Netta peposaca</i>	0.0006%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0627%
Golden Pheasant <i>Chrysolophus pictus</i>	0.0000%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0045%
Green Peafowl <i>Pavo muticus</i>	0.0038%
Red-legged Partridge <i>Alectoris rufa</i>	0.0013%

African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0147%
Diamond Dove <i>Geopelia cuneata</i>	0.0000%
African Sacred Ibis <i>Threskiornis aethiopicus</i>	0.0019%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0006%
Cockatiel <i>Nymphicus hollandicus</i>	0.0045%
Eastern Rosella <i>Platycercus eximius</i>	0.0006%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0019%
Fischer's Lovebird <i>Agapornis fischeri</i>	0.0038%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0006%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0141%
Yellow-naped Parrot <i>Amazona auropalliata</i>	0.0006%
Yellow-headed Parrot <i>Amazona oratrix</i>	0.0006%
Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0134%
Turquoise-fronted Parrot <i>Amazona aestiva</i>	0.0013%
White-fronted Parrot <i>Amazona albifrons</i>	0.0013%
Hispaniolan Parrot <i>Amazona ventralis</i>	0.0000%
Maroon-bellied Parakeet <i>Pyrrhura frontalis</i>	0.0000%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0000%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0000%
Scarlet Macaw <i>Ara macao</i>	0.0013%
Green Parakeet <i>Psittacara holochlorus</i>	0.0064%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0102%

San Blas Jay <i>Cyanocorax sanblasianus</i>	0.0058%
Pied Crow <i>Corvus albus</i>	0.0217%
Red-billed Leiothrix <i>Leiothrix lutea</i>	0.0006%
Tropical Mockingbird <i>Mimus gilvus</i>	0.0544%
Zebra Finch <i>Taeniopygia guttata</i>	0.0147%
Pin-tailed Whydah <i>Vidua macroura</i>	0.0032%
Village Indigobird <i>Vidua chalybeata</i>	0.0006%
Island Canary <i>Serinus canaria</i>	0.0006%
Blue-gray Tanager <i>Thraupis episcopus</i>	0.0000%
Purple Honeycreeper <i>Cyanerpes caeruleus</i>	0.0000%
Saffron Finch <i>Sicalis flaveola</i>	0.0019%
Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%

HYBRIDS

Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0134% frequency
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	0.0019%
Graylag x Canada Goose (hybrid) <i>Anser anser x Branta canadensis</i>	0.0051%
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0435%
Mallard x American Black Duck (hybrid) <i>Anas platyrhynchos x rubripes</i>	0.0000%
Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	2.15%
Buff-breasted x White-rumped Sandpiper (hybrid) <i>Calidris subruficollis x fuscicollis</i>	0.0013%

Dunlin x White-rumped Sandpiper (hybrid) <i>Calidris alpina x fuscicollis</i>	0.0000%
Sandwich x Elegant Tern (hybrid) <i>Thalasseus sandvicensis x elegans</i>	0.0000%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0013%
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	0.0006%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0083%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0006%
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	0.0006%
Tropical x Gray Kingbird (hybrid) <i>Tyrannus melancholicus x dominicensis</i>	0.0102%
House x Fish Crow (hybrid) <i>Corvus splendens x ossifragus</i>	0.0019%
Bahama x Northern Mockingbird (hybrid) <i>Mimus gundlachii x polyglottos</i>	0.0038%