



Target Species

Based on 313,100 complete checklists

465 species observed in Florida, US (region/US-FL) in Mar that you need for your Florida Life List

1. Northern Cardinal <i>Cardinalis cardinalis</i>	52.66% frequency
2. Mourning Dove <i>Zenaida macroura</i>	43.82%
3. Red-bellied Woodpecker <i>Melanerpes carolinus</i>	42.08%
4. Turkey Vulture <i>Cathartes aura</i>	40.24%
5. Northern Mockingbird <i>Mimus polyglottos</i>	40.00%
6. Fish Crow <i>Corvus ossifragus</i>	36.42%
7. Blue Jay <i>Cyanocitta cristata</i>	35.31%
8. White Ibis <i>Eudocimus albus</i>	34.48%
9. Osprey <i>Pandion haliaetus</i>	34.15%
10. Palm Warbler <i>Setophaga palmarum</i>	33.51%
11. Great Egret <i>Ardea alba</i>	33.47%
12. Yellow-rumped Warbler <i>Setophaga coronata</i>	32.13%
13. Double-crested Cormorant <i>Nannopterum auritum</i>	31.30%
14. Great Blue Heron <i>Ardea herodias</i>	30.48%
15. Boat-tailed Grackle <i>Quiscalus major</i>	29.84%
16. Gray Catbird <i>Dumetella carolinensis</i>	27.43%
17. Carolina Wren <i>Thryothorus ludovicianus</i>	26.93%
18. Red-winged Blackbird <i>Agelaius phoeniceus</i>	26.49%

19. Black Vulture <i>Coragyps atratus</i>	25.97%
20. Red-shouldered Hawk <i>Buteo lineatus</i>	25.33%
21. Anhinga <i>Anhinga anhinga</i>	25.32%
22. Little Blue Heron <i>Egretta caerulea</i>	25.31%
23. Northern Parula <i>Setophaga americana</i>	24.98%
24. Common Grackle <i>Quiscalus quiscula</i>	24.86%
25. Tufted Titmouse <i>Baeolophus bicolor</i>	21.47%
26. Snowy Egret <i>Egretta thula</i>	20.57%
27. Tricolored Heron <i>Egretta tricolor</i>	20.53%
28. Common Gallinule <i>Gallinula galeata</i>	19.89%
29. Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	19.63%
30. Laughing Gull <i>Leucophaeus atricilla</i>	19.49%
31. Downy Woodpecker <i>Dryobates pubescens</i>	18.55%
32. American Crow <i>Corvus brachyrhynchos</i>	18.40%
33. Brown Pelican <i>Pelecanus occidentalis</i>	17.74%
34. Pileated Woodpecker <i>Dryocopus pileatus</i>	15.86%
35. White-eyed Vireo <i>Vireo griseus</i>	14.95%
36. Belted Kingfisher <i>Megaceryle alcyon</i>	13.49%
37. Western Cattle Egret <i>Bubulcus ibis</i>	13.02%
38. Bald Eagle <i>Haliaeetus leucocephalus</i>	12.81%
39. Pied-billed Grebe <i>Podilymbus podiceps</i>	12.65%
40. American Coot <i>Fulica americana</i>	12.58%
41. European Starling <i>Sturnus vulgaris</i>	12.55%

42.	Glossy Ibis <i>Plegadis falcinellus</i>	12.21%
43.	Wood Stork <i>Mycteria americana</i>	12.13%
44.	Pine Warbler <i>Setophaga pinus</i>	11.77%
45.	Ring-billed Gull <i>Larus delawarensis</i>	11.68%
46.	Eurasian Collared-Dove <i>Streptopelia decaocto</i>	11.42%
47.	Mottled Duck <i>Anas fulvigula</i>	11.36%
48.	Common Yellowthroat <i>Geothlypis trichas</i>	11.20%
49.	Carolina Chickadee <i>Poecile carolinensis</i>	11.15%
50.	Green Heron <i>Butorides virescens</i>	10.90%
51.	Tree Swallow <i>Tachycineta bicolor</i>	10.89%
52.	Eastern Phoebe <i>Sayornis phoebe</i>	10.86%
53.	Sandhill Crane <i>Antigone canadensis</i>	10.36%
54.	Eastern Bluebird <i>Sialia sialis</i>	10.11%
55.	Blue-winged Teal <i>Spatula discors</i>	10.11%
56.	Limpkin <i>Aramus guarauna</i>	9.88%
57.	American Kestrel <i>Falco sparverius</i>	9.73%
58.	Common Ground Dove <i>Columbina passerina</i>	9.38%
59.	Swallow-tailed Kite <i>Elanoides forficatus</i>	9.19%
60.	Great Crested Flycatcher <i>Myiarchus crinitus</i>	9.18%
61.	Black-and-white Warbler <i>Mniotilta varia</i>	9.06%
62.	Royal Tern <i>Thalasseus maximus</i>	8.75%
63.	Killdeer <i>Charadrius vociferus</i>	8.53%
64.	Brown Thrasher <i>Toxostoma rufum</i>	8.46%

65.	Ruby-crowned Kinglet <i>Corthylio calendula</i>	8.29%
66.	Willet <i>Tringa semipalmata</i>	7.96%
67.	Cedar Waxwing <i>Bombycilla cedrorum</i>	7.50%
68.	Loggerhead Shrike <i>Lanius ludovicianus</i>	7.24%
69.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	7.11%
70.	House Wren <i>Troglodytes aedon</i>	6.94%
71.	American Goldfinch <i>Spinus tristis</i>	6.87%
72.	Rock Pigeon <i>Columba livia</i>	6.77%
73.	Prairie Warbler <i>Setophaga discolor</i>	6.70%
74.	Purple Martin <i>Progne subis</i>	6.66%
75.	Roseate Spoonbill <i>Platalea ajaja</i>	6.41%
76.	Chipping Sparrow <i>Spizella passerina</i>	6.20%
77.	Brown-headed Cowbird <i>Molothrus ater</i>	6.13%
78.	Forster's Tern <i>Sterna forsteri</i>	6.09%
79.	American White Pelican <i>Pelecanus erythrorhynchos</i>	5.71%
80.	Sanderling <i>Calidris alba</i>	5.69%
81.	House Finch <i>Haemorhous mexicanus</i>	5.59%
82.	Painted Bunting <i>Passerina ciris</i>	5.58%
83.	Yellow-throated Warbler <i>Setophaga dominica</i>	5.42%
84.	Ruddy Turnstone <i>Arenaria interpres</i>	5.40%
85.	Blue-headed Vireo <i>Vireo solitarius</i>	5.40%
86.	Black-crowned Night Heron <i>Nycticorax nycticorax</i>	5.09%
87.	Greater Yellowlegs <i>Tringa melanoleuca</i>	5.05%

88.	Northern Harrier <i>Circus hudsonius</i>	4.93%
89.	House Sparrow <i>Passer domesticus</i>	4.89%
90.	Savannah Sparrow <i>Passerculus sandwichensis</i>	4.81%
91.	American Robin <i>Turdus migratorius</i>	4.72%
92.	Wood Duck <i>Aix sponsa</i>	4.66%
93.	Barred Owl <i>Strix varia</i>	4.66%
94.	Eastern Meadowlark <i>Sturnella magna</i>	4.61%
95.	Black-bellied Plover <i>Pluvialis squatarola</i>	4.61%
96.	Muscovy Duck <i>Cairina moschata</i>	4.50%
97.	Purple Gallinule <i>Porphyrio martinica</i>	4.43%
98.	Ruby-throated Hummingbird <i>Archilochus colubris</i>	4.27%
99.	Least Sandpiper <i>Calidris minutilla</i>	4.19%
100.	White-winged Dove <i>Zenaida asiatica</i>	4.14%
101.	Lesser Yellowlegs <i>Tringa flavipes</i>	4.05%
102.	Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	3.99%
103.	Herring Gull <i>Larus argentatus</i>	3.97%
104.	Northern Flicker <i>Colaptes auratus</i>	3.97%
105.	Black-necked Stilt <i>Himantopus mexicanus</i>	3.91%
106.	Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	3.85%
107.	Red-breasted Merganser <i>Mergus serrator</i>	3.69%
108.	Swamp Sparrow <i>Melospiza georgiana</i>	3.57%
109.	Mallard <i>Anas platyrhynchos</i>	3.53%

110.	Barn Swallow <i>Hirundo rustica</i>	3.49%
111.	Red-tailed Hawk <i>Buteo jamaicensis</i>	3.33%
112.	Black Skimmer <i>Rynchops niger</i>	3.31%
113.	Cooper's Hawk <i>Accipiter cooperii</i>	3.05%
114.	Dunlin <i>Calidris alpina</i>	3.04%
115.	Lesser Scaup <i>Aythya affinis</i>	3.01%
116.	Wild Turkey <i>Meleagris gallopavo</i>	2.99%
117.	Caspian Tern <i>Hydroprogne caspia</i>	2.94%
118.	Reddish Egret <i>Egretta rufescens</i>	2.91%
119.	Nanday Parakeet <i>Aratinga nenday</i>	2.87%
120.	Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	2.74%
121.	Semipalmated Plover <i>Charadrius semipalmatus</i>	2.63%
122.	Yellow-throated Vireo <i>Vireo flavifrons</i>	2.51%
123.	Sora <i>Porzana carolina</i>	2.47%
124.	Canada Goose <i>Branta canadensis</i>	2.44%
125.	Spotted Sandpiper <i>Actitis macularius</i>	2.40%
126.	Wilson's Snipe <i>Gallinago delicata</i>	2.36%
127.	Hermit Thrush <i>Catharus guttatus</i>	2.30%
128.	Short-billed Dowitcher <i>Limnodromus griseus</i>	2.22%
129.	Common Loon <i>Gavia immer</i>	2.20%
130.	Ring-necked Duck <i>Aythya collaris</i>	2.12%
131.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	2.10%

132.	Northern Shoveler <i>Spatula clypeata</i>	2.09%
133.	Brown-headed Nuthatch <i>Sitta pusilla</i>	2.07%
134.	Great Horned Owl <i>Bubo virginianus</i>	2.02%
135.	Sandwich Tern <i>Thalasseus sandvicensis</i>	2.00%
136.	Red-eyed Vireo <i>Vireo olivaceus</i>	1.93%
137.	Marsh Wren <i>Cistothorus palustris</i>	1.87%
138.	Ovenbird <i>Seiurus aurocapilla</i>	1.84%
139.	Indigo Bunting <i>Passerina cyanea</i>	1.80%
140.	Magnificent Frigatebird <i>Fregata magnificens</i>	1.79%
141.	Northern Bobwhite <i>Colinus virginianus</i>	1.77%
142.	Orange-crowned Warbler <i>Leiothlypis celata</i>	1.72%
143.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	1.67%
144.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	1.66%
145.	Monk Parakeet <i>Myiopsitta monachus</i>	1.62%
146.	Egyptian Goose <i>Alopochen aegyptiaca</i>	1.61%
147.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	1.59%
148.	American Bittern <i>Botaurus lentiginosus</i>	1.52%
149.	Lesser Black-backed Gull <i>Larus fuscus</i>	1.45%
150.	Clapper Rail <i>Rallus crepitans</i>	1.43%
151.	Chuck-will's-widow <i>Antrostomus carolinensis</i>	1.42%
152.	Snail Kite <i>Rostrhamus sociabilis</i>	1.41%
153.	Bufflehead <i>Bucephala albeola</i>	1.40%

154.	American Oystercatcher <i>Haematopus palliatus</i>	1.39%
155.	Western Sandpiper <i>Calidris mauri</i>	1.38%
156.	Hooded Merganser <i>Lophodytes cucullatus</i>	1.33%
157.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	1.25%
158.	American Redstart <i>Setophaga ruticilla</i>	1.20%
159.	Crested Caracara <i>Caracara plancus</i>	1.20%
160.	Bachman's Sparrow <i>Peucaea aestivalis</i>	1.17%
161.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	1.16%
162.	Least Bittern <i>Ixobrychus exilis</i>	1.15%
163.	Wilson's Plover <i>Anarhynchus wilsonia</i>	1.14%
164.	Song Sparrow <i>Melospiza melodia</i>	1.12%
165.	Baltimore Oriole <i>Icterus galbula</i>	1.08%
166.	Marbled Godwit <i>Limosa fedoa</i>	1.01%
167.	Northern Gannet <i>Morus bassanus</i>	0.9959%
168.	Eastern Screech-Owl <i>Megascops asio</i>	0.9949%
169.	Northern Waterthrush <i>Parkesia noveboracensis</i>	0.9872%
170.	Short-tailed Hawk <i>Buteo brachyurus</i>	0.9431%
171.	Sharp-shinned Hawk <i>Accipiter striatus</i>	0.9288%
172.	Merlin <i>Falco columbarius</i>	0.9055%
173.	Green-winged Teal <i>Anas crecca</i>	0.8905%
174.	Summer Tanager <i>Piranga rubra</i>	0.8368%
175.	Hooded Warbler <i>Setophaga citrina</i>	0.8320%
176.	Piping Plover <i>Charadrius melodus</i>	0.8116%

177.	Sedge Wren <i>Cistothorus stellaris</i>	0.7934%
178.	American Wigeon <i>Mareca americana</i>	0.7656%
179.	Louisiana Waterthrush <i>Parkesia motacilla</i>	0.7512%
180.	Peregrine Falcon <i>Falco peregrinus</i>	0.7323%
181.	Red Knot <i>Calidris canutus</i>	0.7285%
182.	American Avocet <i>Recurvirostra americana</i>	0.7125%
183.	Redhead <i>Aythya americana</i>	0.7122%
184.	Burrowing Owl <i>Athene cunicularia</i>	0.6832%
185.	Black-throated Green Warbler <i>Setophaga virens</i>	0.6822%
186.	Solitary Sandpiper <i>Tringa solitaria</i>	0.6426%
187.	White-throated Sparrow <i>Zonotrichia albicollis</i>	0.6254%
188.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.5947%
189.	King Rail <i>Rallus elegans</i>	0.5889%
190.	Great Black-backed Gull <i>Larus marinus</i>	0.5698%
191.	Prothonotary Warbler <i>Protonotaria citrea</i>	0.5666%
192.	Horned Grebe <i>Podiceps auritus</i>	0.5634%
193.	Chimney Swift <i>Chaetura pelagica</i>	0.5573%
194.	White-crowned Pigeon <i>Patagioenas leucocephala</i>	0.5529%
195.	Snowy Plover <i>Anarhynchus nivosus</i>	0.5509%
196.	Eastern Kingbird <i>Tyrannus tyrannus</i>	0.5308%
197.	Ruddy Duck <i>Oxyura jamaicensis</i>	0.4973%
198.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.4842%
199.	Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.4650%

200.	Stilt Sandpiper <i>Calidris himantopus</i>	0.4436%
201.	Western Kingbird <i>Tyrannus verticalis</i>	0.4155%
202.	Broad-winged Hawk <i>Buteo platypterus</i>	0.3852%
203.	Least Tern <i>Sternula antillarum</i>	0.3635%
204.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.3516%
205.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.3513%
206.	Black-throated Blue Warbler <i>Setophaga caeruleascens</i>	0.3389%
207.	Worm-eating Warbler <i>Helminthos vermivorum</i>	0.3293%
208.	Vesper Sparrow <i>Pooecetes gramineus</i>	0.3258%
209.	Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.3245%
210.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.3242%
211.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.3194%
212.	Pine Siskin <i>Spinus pinus</i>	0.3130%
213.	Magnolia Warbler <i>Setophaga magnolia</i>	0.3092%
214.	Virginia Rail <i>Rallus limicola</i>	0.3053%
215.	Gadwall <i>Mareca strepera</i>	0.2913%
216.	Greater Scaup <i>Aythya marila</i>	0.2830%
217.	Hairy Woodpecker <i>Dryobates villosus</i>	0.2811%
218.	Common Myna <i>Acridotheres tristis</i>	0.2782%
219.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.2718%
220.	Cape May Warbler <i>Setophaga tigrina</i>	0.2692%
221.	Field Sparrow <i>Spizella pusilla</i>	0.2654%

222.	Mitred Parakeet <i>Psittacara mitratus</i>	0.2328%
223.	Barn Owl <i>Tyto alba</i>	0.2233%
224.	Whimbrel <i>Numenius phaeopus</i>	0.2118%
225.	Western Tanager <i>Piranga ludoviciana</i>	0.1999%
226.	Common Tern <i>Sterna hirundo</i>	0.1798%
227.	Gray Kingbird <i>Tyrannus dominicensis</i>	0.1635%
228.	Seaside Sparrow <i>Ammospiza maritima</i>	0.1626%
229.	American Flamingo <i>Phoenicopterus ruber</i>	0.1616%
230.	Pectoral Sandpiper <i>Calidris melanotos</i>	0.1578%
231.	Cave Swallow <i>Petrochelidon fulva</i>	0.1543%
232.	Yellow Warbler <i>Setophaga petechia</i>	0.1530%
233.	Northern Pintail <i>Anas acuta</i>	0.1507%
234.	Whooping Crane <i>Grus americana</i>	0.1469%
235.	Black Scoter <i>Melanitta americana</i>	0.1453%
236.	American Pipit <i>Anthus rubescens</i>	0.1348%
237.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.1341%
238.	Orchard Oriole <i>Icterus spurius</i>	0.1246%
239.	Brown Booby <i>Sula leucogaster</i>	0.1226%
240.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.1223%
241.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.1217%
242.	White-tailed Kite <i>Elanus leucurus</i>	0.1204%
243.	Blue Grosbeak <i>Passerina caerulea</i>	0.1201%

244.	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	0.1198%
245.	Sooty Tern <i>Onychoprion fuscatus</i>	0.1153%
246.	Gull-billed Tern <i>Gelochelidon nilotica</i>	0.1140%
247.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.1089%
248.	Brown Noddy <i>Anous stolidus</i>	0.1070%
249.	Clay-colored Sparrow <i>Spizella pallida</i>	0.1000%
250.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0993%
251.	Mangrove Cuckoo <i>Coccyzus minor</i>	0.0974%
252.	Smooth-billed Ani <i>Crotophaga ani</i>	0.0968%
253.	Wood Thrush <i>Hylocichla mustelina</i>	0.0936%
254.	White-faced Ibis <i>Plegadis chihi</i>	0.0920%
255.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.0882%
256.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.0869%
257.	Golden-crowned Kinglet <i>Regulus satrapa</i>	0.0853%
258.	Wilson's Warbler <i>Cardellina pusilla</i>	0.0843%
259.	Canvasback <i>Aythya valisineria</i>	0.0824%
260.	Yellow-breasted Chat <i>Icteria virens</i>	0.0821%
261.	Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.0811%
262.	Cinnamon Teal <i>Spatula cyanoptera</i>	0.0786%
263.	Rufous Hummingbird <i>Selasphorus rufus</i>	0.0767%
264.	Western Spindalis <i>Spindalis zena</i>	0.0760%
265.	Purple Finch <i>Haemorhous purpureus</i>	0.0747%
266.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	0.0731%

267.	Lincoln's Sparrow <i>Melospiza lincolnii</i>	0.0722%
268.	Least Flycatcher <i>Empidonax minimus</i>	0.0699%
269.	Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0693%
270.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0652%
271.	Yellow-billed Cuckoo <i>Coccyzus americanus</i>	0.0639%
272.	Red-breasted Nuthatch <i>Sitta canadensis</i>	0.0632%
273.	Long-billed Curlew <i>Numenius americanus</i>	0.0620%
274.	Lark Sparrow <i>Chondestes grammacus</i>	0.0610%
275.	Masked Booby <i>Sula dactylatra</i>	0.0591%
276.	Snow Goose <i>Anser caerulescens</i>	0.0588%
277.	Nelson's Sparrow <i>Ammospiza nelsoni</i>	0.0578%
278.	Glaucous Gull <i>Larus hyperboreus</i>	0.0559%
279.	Purple Sandpiper <i>Calidris maritima</i>	0.0543%
280.	Dickcissel <i>Spiza americana</i>	0.0530%
281.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0524%
282.	Groove-billed Ani <i>Crotophaga sulcirostris</i>	0.0505%
283.	Buff-bellied Hummingbird <i>Amazilia yucatanensis</i>	0.0476%
284.	Rusty Blackbird <i>Euphagus carolinus</i>	0.0460%
285.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0460%
286.	Least Grebe <i>Tachybaptus dominicus</i>	0.0444%
287.	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	0.0444%
288.	Saltmarsh Sparrow <i>Ammospiza caudacuta</i>	0.0444%

289.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0434%
290.	Common Goldeneye <i>Bucephala clangula</i>	0.0431%
291.	Black-whiskered Vireo <i>Vireo altiloquus</i>	0.0418%
292.	Iceland Gull <i>Larus glaucooides</i>	0.0409%
293.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.0377%
294.	Surf Scoter <i>Melanitta perspicillata</i>	0.0374%
295.	Semipalmated Sandpiper <i>Calidris pusilla</i>	0.0364%
296.	Tricolored Munia <i>Lonchura malacca</i>	0.0355%
297.	American Golden-Plover <i>Pluvialis dominica</i>	0.0351%
298.	Swainson's Hawk <i>Buteo swainsoni</i>	0.0348%
299.	Bell's Vireo <i>Vireo bellii</i>	0.0338%
300.	Black Rail <i>Laterallus jamaicensis</i>	0.0326%
301.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.0326%
302.	Kentucky Warbler <i>Geothlypis formosa</i>	0.0319%
303.	Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.0313%
304.	Lazuli Bunting <i>Passerina amoena</i>	0.0310%
305.	Great-tailed Grackle <i>Quiscalus mexicanus</i>	0.0300%
306.	Bahama Mockingbird <i>Mimus gundlachii</i>	0.0297%
307.	American Woodcock <i>Scolopax minor</i>	0.0278%
308.	Winter Wren <i>Troglodytes hiemalis</i>	0.0278%
309.	Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.0278%
310.	Zenaida Dove <i>Zenaida aurita</i>	0.0249%

311.	Cassin's Kingbird <i>Tyrannus vociferans</i>	0.0249%
312.	White-winged Scoter <i>Melanitta deglandi</i>	0.0239%
313.	Long-tailed Duck <i>Clangula hyemalis</i>	0.0236%
314.	Warbling Vireo <i>Vireo gilvus</i>	0.0233%
315.	LeConte's Sparrow <i>Ammospiza leconteii</i>	0.0230%
316.	Greater White-fronted Goose <i>Anser albifrons</i>	0.0224%
317.	Eurasian Wigeon <i>Mareca penelope</i>	0.0211%
318.	Bullock's Oriole <i>Icterus bullockii</i>	0.0198%
319.	Western Flycatcher <i>Empidonax difficilis</i>	0.0195%
320.	Swainson's Thrush <i>Catharus ustulatus</i>	0.0188%
321.	Short-eared Owl <i>Asio flammeus</i>	0.0185%
322.	Bank Swallow <i>Riparia riparia</i>	0.0185%
323.	White-cheeked Pintail <i>Anas bahamensis</i>	0.0182%
324.	Little Bunting <i>Emberiza pusilla</i>	0.0182%
325.	Brewer's Blackbird <i>Euphagus cyanocephalus</i>	0.0176%
326.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.0169%
327.	Tennessee Warbler <i>Leiothlypis peregrina</i>	0.0169%
328.	Brown Creeper <i>Certhia americana</i>	0.0163%
329.	Green-tailed Towhee <i>Pipilo chlorurus</i>	0.0163%
330.	Calliope Hummingbird <i>Selasphorus calliope</i>	0.0160%
331.	Red-throated Loon <i>Gavia stellata</i>	0.0160%
332.	Harris's Sparrow <i>Zonotrichia querula</i>	0.0144%
333.	Townsend's Warbler <i>Setophaga townsendi</i>	0.0141%

334.	Common Eider <i>Somateria mollissima</i>	0.0131%
335.	Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0131%
336.	Dark-eyed Junco <i>Junco hyemalis</i>	0.0131%
337.	Lesser Nighthawk <i>Chordeiles acutipennis</i>	0.0128%
338.	Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0128%
339.	Say's Phoebe <i>Sayornis saya</i>	0.0128%
340.	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0125%
341.	Great Cormorant <i>Phalacrocorax carbo</i>	0.0121%
342.	Common Nighthawk <i>Chordeiles minor</i>	0.0115%
343.	Red-necked Grebe <i>Podiceps grisegena</i>	0.0112%
344.	Mississippi Kite <i>Ictinia mississippiensis</i>	0.0112%
345.	American Black Duck <i>Anas rubripes</i>	0.0109%
346.	Yellow-headed Caracara <i>Daptrius chimachima</i>	0.0109%
347.	Spotted Towhee <i>Pipilo maculatus</i>	0.0109%
348.	Vaux's Swift <i>Chaetura vauxi</i>	0.0093%
349.	Harlequin Duck <i>Histrionicus histrionicus</i>	0.0089%
350.	Red-legged Honeycreeper <i>Cyanerpes cyaneus</i>	0.0089%
351.	Eared Grebe <i>Podiceps nigricollis</i>	0.0086%
352.	Franklin's Gull <i>Leucophaeus pipixcan</i>	0.0086%
353.	Scarlet Tanager <i>Piranga olivacea</i>	0.0086%
354.	Horned Lark <i>Eremophila alpestris</i>	0.0083%
355.	Red-legged Thrush <i>Turdus plumbeus</i>	0.0080%
356.	Ross's Goose <i>Anser rossii</i>	0.0077%

357.	Key West Quail-Dove <i>Geotrygon chrysis</i>	0.0077%
358.	Upland Sandpiper <i>Bartramia longicauda</i>	0.0077%
359.	Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	0.0077%
360.	Bananaquit <i>Coereba flaveola</i>	0.0074%
361.	Pacific Loon <i>Gavia pacifica</i>	0.0070%
362.	Black Tern <i>Chlidonias niger</i>	0.0067%
363.	Eurasian Kestrel <i>Falco tinnunculus</i>	0.0067%
364.	Scott's Oriole <i>Icterus parisorum</i>	0.0067%
365.	Black-throated Gray Warbler <i>Setophaga nigrescens</i>	0.0067%
366.	Brant <i>Branta bernicla</i>	0.0061%
367.	Roseate Tern <i>Sterna dougallii</i>	0.0058%
368.	Heermann's Gull <i>Larus heermanni</i>	0.0054%
369.	Black-headed Gull <i>Chroicocephalus ridibundus</i>	0.0051%
370.	Bobolink <i>Dolichonyx oryzivorus</i>	0.0051%
371.	Bridled Tern <i>Onychoprion anaethetus</i>	0.0045%
372.	Mountain Bluebird <i>Sialia currucoides</i>	0.0045%
373.	Loggerhead Kingbird <i>Tyrannus caudifasciatus</i>	0.0041%
374.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0041%
375.	Ruff <i>Calidris pugnax</i>	0.0038%
376.	Cuban Pewee <i>Contopus caribaeus</i>	0.0038%
377.	Hammond's Flycatcher <i>Empidonax hammondii</i>	0.0038%
378.	Philadelphia Vireo <i>Vireo philadelphicus</i>	0.0038%

379.	Fox Sparrow <i>Passerella iliaca</i>	0.0038%
380.	Blackburnian Warbler <i>Setophaga fusca</i>	0.0038%
381.	Blackpoll Warbler <i>Setophaga striata</i>	0.0038%
382.	California Gull <i>Larus californicus</i>	0.0035%
383.	Rough-legged Hawk <i>Buteo lagopus</i>	0.0035%
384.	Inca Dove <i>Columbina inca</i>	0.0029%
385.	Eastern Wood-Pewee <i>Contopus virens</i>	0.0029%
386.	Western Meadowlark <i>Sturnella neglecta</i>	0.0029%
387.	Pacific Golden-Plover <i>Pluvialis fulva</i>	0.0026%
388.	Elegant Tern <i>Thalasseus elegans</i>	0.0026%
389.	Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0026%
390.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.0022%
391.	Willow Flycatcher <i>Empidonax traillii</i>	0.0019%
392.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0019%
393.	Sprague's Pipit <i>Anthus spragueii</i>	0.0019%
394.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.0019%
395.	Yellow Rail <i>Coturnicops noveboracensis</i>	0.0016%
396.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0016%
397.	Red-billed Tropicbird <i>Phaethon aethereus</i>	0.0016%
398.	Cory's Shearwater <i>Calonectris diomedea</i>	0.0016%
399.	Acadian Flycatcher <i>Empidonax virescens</i>	0.0016%
400.	Yellow-faced Grassquit <i>Tiaris olivaceus</i>	0.0016%
401.	Bar-tailed Godwit <i>Limosa lapponica</i>	0.0013%

402.	Razorbill <i>Alca torda</i>	0.0013%
403.	Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.0013%
404.	Couch's Kingbird <i>Tyrannus couchii</i>	0.0013%
405.	Veery <i>Catharus fuscescens</i>	0.0013%
406.	Gray-cheeked Thrush <i>Catharus minimus</i>	0.0013%
407.	White Wagtail <i>Motacilla alba</i>	0.0013%
408.	Lapland Longspur <i>Calcarius lapponicus</i>	0.0013%
409.	Snow Bunting <i>Plectrophenax nivalis</i>	0.0013%
410.	Cerulean Warbler <i>Setophaga cerulea</i>	0.0013%
411.	Tundra Swan <i>Cygnus columbianus</i>	0.0010%
412.	Common Merganser <i>Mergus merganser</i>	0.0010%
413.	Long-billed Murrelet <i>Brachyramphus perdix</i>	0.0010%
414.	Black Noddy <i>Anous minutus</i>	0.0010%
415.	Ivory-billed Woodpecker <i>Campephilus principalis</i>	0.0010%
416.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0010%
417.	Lark Bunting <i>Calamospiza melanocorys</i>	0.0010%
418.	Masked Duck <i>Nomonyx dominicus</i>	0.0006%
419.	Broad-billed Hummingbird <i>Cyananthus latirostris</i>	0.0006%
420.	Buff-breasted Sandpiper <i>Calidris subruficollis</i>	0.0006%
421.	Sooty Shearwater <i>Ardenna grisea</i>	0.0006%
422.	Bewick's Wren <i>Thryomanes bewickii</i>	0.0006%
423.	Pearly-eyed Thrasher <i>Margarops fuscatus</i>	0.0006%
424.	Townsend's Solitaire <i>Myadestes townsendi</i>	0.0006%

425.	Bay-breasted Warbler <i>Setophaga castanea</i>	0.0006%
426.	Western Grebe <i>Aechmophorus occidentalis</i>	0.0003%
427.	Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	0.0003%
428.	Allen's Hummingbird <i>Selasphorus sasin</i>	0.0003%
429.	Black-tailed Godwit <i>Limosa limosa</i>	0.0003%
430.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.0003%
431.	Little Gull <i>Hydrocoloeus minutus</i>	0.0003%
432.	Yellow-legged Gull <i>Larus michahellis</i>	0.0003%
433.	Black-capped Petrel <i>Pterodroma hasitata</i>	0.0003%
434.	Great Shearwater <i>Ardenna gravis</i>	0.0003%
435.	Golden Eagle <i>Aquila chrysaetos</i>	0.0003%
436.	Long-eared Owl <i>Asio otus</i>	0.0003%
437.	Sage Thrasher <i>Oreoscoptes montanus</i>	0.0003%
438.	Evening Grosbeak <i>Coccothraustes vespertinus</i>	0.0003%
439.	Connecticut Warbler <i>Oporornis agilis</i>	0.0003%
440.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0000%
441.	Baird's Sandpiper <i>Calidris bairdii</i>	0.0000%
442.	Slaty-backed Gull <i>Larus schistisagus</i>	0.0000%
443.	Ferruginous Hawk <i>Buteo regalis</i>	0.0000%
444.	Northern Saw-whet Owl <i>Aegolius acadicus</i>	0.0000%
445.	Carolina Parakeet <i>Conuropsis carolinensis</i>	0.0000%
446.	Piratic Flycatcher <i>Legatus leucophaeus</i>	0.0000%
447.	Bachman's Warbler <i>Vermivora bachmanii</i>	0.0000%

EXOTIC: PROVISIONAL

448. Indian Peafowl <i>Pavo cristatus</i>	0.4762% frequency
449. Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.3593%
450. Scaly-breasted Munia <i>Lonchura punctulata</i>	0.2287%
451. Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.2044%
452. Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.1750%
453. Red Junglefowl <i>Gallus gallus</i>	0.1380%
454. Orange-winged Parrot <i>Amazona amazonica</i>	0.1236%
455. Chestnut-fronted Macaw <i>Ara severus</i>	0.0814%
456. Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0757%
457. Common Hill Myna <i>Gracula religiosa</i>	0.0661%
458. Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0600%
459. White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0479%
460. Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0355%
461. House Crow <i>Corvus splendens</i>	0.0188%
462. Budgerigar <i>Melopsittacus undulatus</i>	0.0077%
463. Great White Pelican <i>Pelecanus onocrotalus</i>	0.0032%
464. Red-footed Booby <i>Sula sula</i>	0.0022%
465. Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%

EXOTIC: ESCAPEE

Mute Swan <i>Cygnus olor</i>	0.2421% frequency
Graylag Goose <i>Anser anser</i>	0.1172%

Swan Goose <i>Anser cygnoides</i>	0.1000%
Black Swan <i>Cygnus atratus</i>	0.0910%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0294%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0262%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0252%
Whooper Swan <i>Cygnus cygnus</i>	0.0153%
Ringed Teal <i>Callonetta leucophrys</i>	0.0131%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0118%
Mandarin Duck <i>Aix galericulata</i>	0.0112%
Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0112%
Green Parakeet <i>Psittacara holochlorus</i>	0.0105%
Common Shelduck <i>Tadorna tadorna</i>	0.0099%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0096%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0086%
Turquoise-fronted Parrot <i>Amazona aestiva</i>	0.0086%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0083%
Zebra Finch <i>Taeniopygia guttata</i>	0.0070%
Cockatiel <i>Nymphicus hollandicus</i>	0.0051%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0048%
Tropical Mockingbird <i>Mimus gilvus</i>	0.0041%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0038%
White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0032%

Red-legged Partridge <i>Alectoris rufa</i>	0.0029%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0029%
Red-crested Pochard <i>Netta rufina</i>	0.0019%
Green Peafowl <i>Pavo muticus</i>	0.0019%
Yellow-headed Parrot <i>Amazona oratrix</i>	0.0019%
White-fronted Parrot <i>Amazona albifrons</i>	0.0019%
African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0016%
Chiloe Wigeon <i>Mareca sibilatrix</i>	0.0013%
Rosy-billed Pochard <i>Netta peposaca</i>	0.0010%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0010%
Yellow-naped Parrot <i>Amazona auropalliata</i>	0.0006%
Mealy Parrot <i>Amazona farinosa</i>	0.0006%
Plumed Whistling-Duck <i>Dendrocygna eytoni</i>	0.0003%
Bar-headed Goose <i>Anser indicus</i>	0.0003%
Blue-winged Goose <i>Cyanochen cyanoptera</i>	0.0003%
Diamond Dove <i>Geopelia cuneata</i>	0.0003%
Black-necked Stork <i>Ephippiorhynchus asiaticus</i>	0.0003%
Black-casqued Hornbill <i>Ceratogymna atrata</i>	0.0003%
Red-breasted Parakeet <i>Psittacula alexandri</i>	0.0003%
Yellow-collared Lovebird <i>Agapornis personatus</i>	0.0003%
Red-lored Parrot <i>Amazona autumnalis</i>	0.0003%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0003%

Yellow-fronted Canary <i>Crithagra mozambica</i>	0.0003%
Paradise Tanager <i>Tangara chilensis</i>	0.0003%
Saffron Finch <i>Sicalis flaveola</i>	0.0003%
Cuban Grassquit <i>Phonipara canora</i>	0.0003%
Barnacle Goose <i>Branta leucopsis</i>	0.0000%
Radjah Shelduck <i>Radjah radjah</i>	0.0000%
Green Pheasant <i>Phasianus versicolor</i>	0.0000%
White-cheeked Turaco <i>Menelikornis leucotis</i>	0.0000%
African Sacred Ibis <i>Threskiornis aethiopicus</i>	0.0000%
Green-cheeked Parakeet <i>Pyrrhura molinae</i>	0.0000%
Peach-fronted Parakeet <i>Eupsittula aurea</i>	0.0000%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0000%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0000%
Military Macaw <i>Ara militaris</i>	0.0000%
Scarlet Macaw <i>Ara macao</i>	0.0000%
Red-shouldered Macaw <i>Diopsittaca nobilis</i>	0.0000%
Crested Myna <i>Acridotheres cristatellus</i>	0.0000%
Java Sparrow <i>Padda oryzivora</i>	0.0000%
Venezuelan Troupial <i>Icterus icterus</i>	0.0000%
Red-crested Cardinal <i>Paroaria coronata</i>	0.0000%

HYBRIDS

Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	2.08% frequency ■
---	-----------------------------

Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0265%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	0.0172%
Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0093%
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	0.0080%
Redhead x Ring-necked Duck (hybrid) <i>Aythya americana x collaris</i>	0.0067%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0064%
Herring x Glaucous Gull (hybrid) <i>Larus argentatus x hyperboreus</i>	0.0038%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0032%
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	0.0013%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0013%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	0.0010%
Redhead x scaup sp. (hybrid) <i>Aythya americana x marila/affinis</i>	0.0010%
White-winged x Yellow-chevroned Parakeet (hybrid) <i>Brotogeris versicolurus x chiriri</i>	0.0010%
Tufted Duck x Lesser Scaup (hybrid) <i>Aythya fuligula x affinis</i>	0.0006%
Rufous x Allen's Hummingbird (hybrid) <i>Selasphorus rufus x sasin</i>	0.0006%
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	0.0006%

Snow x Ross's Goose (hybrid) <i>Anser caerulescens x rossii</i>	0.0003%
Blue-winged Teal x Northern Shoveler (hybrid) <i>Spatula discors x clypeata</i>	0.0003%
American Wigeon x Northern Pintail (hybrid) <i>Mareca americana x Anas acuta</i>	0.0003%
Eurasian Collared-Dove x Mourning Dove (hybrid) <i>Streptopelia decaocto x Zenaida macroura</i>	0.0003%
Laughing x Ring-billed Gull (hybrid) <i>Leucophaeus atricilla x Larus delawarensis</i>	0.0003%
Herring x Lesser Black-backed Gull (hybrid) <i>Larus argentatus x fuscus</i>	0.0003%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0003%
House x Fish Crow (hybrid) <i>Corvus splendens x ossifragus</i>	0.0003%