



Target Species

Based on 213,779 complete checklists

438 species observed in Florida, US (region/US-FL) in May that you need for your Florida Life List

1. Northern Cardinal <i>Cardinalis cardinalis</i>	58.31% frequency
2. Mourning Dove <i>Zenaida macroura</i>	49.50%
3. Red-bellied Woodpecker <i>Melanerpes carolinus</i>	46.57%
4. Northern Mockingbird <i>Mimus polyglottos</i>	44.19%
5. Blue Jay <i>Cyanocitta cristata</i>	38.32%
6. Fish Crow <i>Corvus ossifragus</i>	36.11%
7. Carolina Wren <i>Thryothorus ludovicianus</i>	30.91%
8. White Ibis <i>Eudocimus albus</i>	29.98%
9. Great Egret <i>Ardea alba</i>	29.31%
10. Common Grackle <i>Quiscalus quiscula</i>	29.15%
11. Osprey <i>Pandion haliaetus</i>	28.24%
12. Great Crested Flycatcher <i>Myiarchus crinitus</i>	28.06%
13. Boat-tailed Grackle <i>Quiscalus major</i>	27.56%
14. Red-winged Blackbird <i>Agelaius phoeniceus</i>	27.26%
15. Tufted Titmouse <i>Baeolophus bicolor</i>	24.10%
16. Northern Parula <i>Setophaga americana</i>	23.69%
17. Great Blue Heron <i>Ardea herodias</i>	23.59%
18. Anhinga <i>Anhinga anhinga</i>	21.06%

19. Red-shouldered Hawk <i>Buteo lineatus</i>	20.84%
20. Laughing Gull <i>Leucophaeus atricilla</i>	19.98%
21. Black Vulture <i>Coragyps atratus</i>	19.84%
22. Downy Woodpecker <i>Dryobates pubescens</i>	19.71%
23. Little Blue Heron <i>Egretta caerulea</i>	19.28%
24. American Crow <i>Corvus brachyrhynchos</i>	19.23%
25. Turkey Vulture <i>Cathartes aura</i>	18.46%
26. Snowy Egret <i>Egretta thula</i>	17.99%
27. Tricolored Heron <i>Egretta tricolor</i>	16.88%
28. Common Gallinule <i>Gallinula galeata</i>	16.06%
29. Double-crested Cormorant <i>Nannopterum auritum</i>	15.91%
30. Chimney Swift <i>Chaetura pelagica</i>	15.21%
31. Green Heron <i>Butorides virescens</i>	14.93%
32. Pileated Woodpecker <i>Dryocopus pileatus</i>	14.76%
33. Brown Pelican <i>Pelecanus occidentalis</i>	14.27%
34. European Starling <i>Sturnus vulgaris</i>	14.09%
35. Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	13.87%
36. White-eyed Vireo <i>Vireo griseus</i>	13.63%
37. Western Cattle Egret <i>Bubulcus ibis</i>	12.90%
38. Carolina Chickadee <i>Poecile carolinensis</i>	12.75%
39. Common Ground Dove <i>Columbina passerina</i>	12.61%
40. Eurasian Collared-Dove <i>Streptopelia decaocto</i>	12.23%
41. Brown Thrasher <i>Toxostoma rufum</i>	12.04%

42.	Eastern Bluebird <i>Sialia sialis</i>	11.13%
43.	Common Yellowthroat <i>Geothlypis trichas</i>	10.77%
44.	Swallow-tailed Kite <i>Elanoides forficatus</i>	10.32%
45.	American Redstart <i>Setophaga ruticilla</i>	10.25%
46.	Mottled Duck <i>Anas fulvigula</i>	9.64%
47.	Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	9.28%
48.	Least Tern <i>Sternula antillarum</i>	9.14%
49.	Killdeer <i>Charadrius vociferus</i>	9.09%
50.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	8.99%
51.	Purple Martin <i>Progne subis</i>	8.66%
52.	Sandhill Crane <i>Antigone canadensis</i>	8.53%
53.	House Finch <i>Haemorhous mexicanus</i>	8.26%
54.	Glossy Ibis <i>Plegadis falcinellus</i>	8.24%
55.	Royal Tern <i>Thalasseus maximus</i>	8.10%
56.	Barn Swallow <i>Hirundo rustica</i>	7.66%
57.	Limpkin <i>Aramus guarauna</i>	7.41%
58.	Wood Stork <i>Mycteria americana</i>	7.10%
59.	Rock Pigeon <i>Columba livia</i>	7.05%
60.	House Sparrow <i>Passer domesticus</i>	6.56%
61.	Ruddy Turnstone <i>Arenaria interpres</i>	6.45%
62.	Black-necked Stilt <i>Himantopus mexicanus</i>	6.43%
63.	Pine Warbler <i>Setophaga pinus</i>	6.31%

64.	Sanderling <i>Calidris alba</i>	6.14%
65.	Loggerhead Shrike <i>Lanius ludovicianus</i>	6.10%
66.	Roseate Spoonbill <i>Platalea ajaja</i>	6.06%
67.	Blackpoll Warbler <i>Setophaga striata</i>	5.61%
68.	Brown-headed Cowbird <i>Molothrus ater</i>	5.52%
69.	Willet <i>Tringa semipalmata</i>	5.32%
70.	Black-bellied Plover <i>Pluvialis squatarola</i>	5.31%
71.	Wood Duck <i>Aix sponsa</i>	5.24%
72.	Red-eyed Vireo <i>Vireo olivaceus</i>	5.19%
73.	Ruby-throated Hummingbird <i>Archilochus colubris</i>	5.14%
74.	Northern Bobwhite <i>Colinus virginianus</i>	5.05%
75.	Summer Tanager <i>Piranga rubra</i>	5.01%
76.	Gray Catbird <i>Dumetella carolinensis</i>	5.00%
77.	Semipalmated Plover <i>Charadrius semipalmatus</i>	4.92%
78.	Eastern Meadowlark <i>Sturnella magna</i>	4.91%
79.	Magnificent Frigatebird <i>Fregata magnificens</i>	4.90%
80.	Bald Eagle <i>Haliaeetus leucocephalus</i>	4.90%
81.	Common Nighthawk <i>Chordeiles minor</i>	4.75%
82.	White-winged Dove <i>Zenaida asiatica</i>	4.71%
83.	Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	4.68%
84.	Black-crowned Night Heron <i>Nycticorax nycticorax</i>	4.54%
85.	Yellow-billed Cuckoo <i>Coccyzus americanus</i>	4.54%

86.	Spotted Sandpiper <i>Actitis macularius</i>	4.43%
87.	Least Sandpiper <i>Calidris minutilla</i>	4.37%
88.	Muscovy Duck <i>Cairina moschata</i>	4.31%
89.	Gray Kingbird <i>Tyrannus dominicensis</i>	4.30%
90.	Black Skimmer <i>Rynchops niger</i>	4.08%
91.	Black-throated Blue Warbler <i>Setophaga caeruleascens</i>	4.04%
92.	Semipalmated Sandpiper <i>Calidris pusilla</i>	4.03%
93.	Purple Gallinule <i>Porphyrio martinica</i>	3.82%
94.	Black-and-white Warbler <i>Mniotilta varia</i>	3.73%
95.	Yellow-throated Vireo <i>Vireo flavifrons</i>	3.72%
96.	Barred Owl <i>Strix varia</i>	3.61%
97.	Eastern Kingbird <i>Tyrannus tyrannus</i>	3.58%
98.	Sandwich Tern <i>Thalasseus sandvicensis</i>	3.08%
99.	Cape May Warbler <i>Setophaga tigrina</i>	3.08%
100.	American Coot <i>Fulica americana</i>	3.01%
101.	Reddish Egret <i>Egretta rufescens</i>	2.97%
102.	Mississippi Kite <i>Ictinia mississippiensis</i>	2.94%
103.	Ovenbird <i>Seiurus aurocapilla</i>	2.86%
104.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	2.85%
105.	Yellow-throated Warbler <i>Setophaga dominica</i>	2.85%
106.	Mallard <i>Anas platyrhynchos</i>	2.83%
107.	Red-tailed Hawk <i>Buteo jamaicensis</i>	2.83%

108.	Indigo Bunting <i>Passerina cyanea</i>	2.78%
109.	Prairie Warbler <i>Setophaga discolor</i>	2.71%
110.	Least Bittern <i>Ixobrychus exilis</i>	2.65%
111.	Northern Flicker <i>Colaptes auratus</i>	2.61%
112.	Wild Turkey <i>Meleagris gallopavo</i>	2.55%
113.	Blue Grosbeak <i>Passerina caerulea</i>	2.49%
114.	Nanday Parakeet <i>Aratinga nenday</i>	2.35%
115.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	2.31%
116.	Bobolink <i>Dolichonyx oryzivorus</i>	2.21%
117.	Brown-headed Nuthatch <i>Sitta pusilla</i>	2.19%
118.	Canada Goose <i>Branta canadensis</i>	2.19%
119.	Northern Waterthrush <i>Parkesia noveboracensis</i>	2.14%
120.	Cooper's Hawk <i>Accipiter cooperii</i>	2.12%
121.	Short-billed Dowitcher <i>Limnodromus griseus</i>	2.08%
122.	Palm Warbler <i>Setophaga palmarum</i>	2.03%
123.	Chuck-will's-widow <i>Antrostomus carolinensis</i>	2.03%
124.	Forster's Tern <i>Sterna forsteri</i>	1.99%
125.	Dunlin <i>Calidris alpina</i>	1.97%
126.	Greater Yellowlegs <i>Tringa melanoleuca</i>	1.96%
127.	Clapper Rail <i>Rallus crepitans</i>	1.92%
128.	Cedar Waxwing <i>Bombycilla cedrorum</i>	1.90%
129.	Lesser Yellowlegs <i>Tringa flavipes</i>	1.85%

130.	Pied-billed Grebe <i>Podilymbus podiceps</i>	1.76%
131.	Ring-billed Gull <i>Larus delawarensis</i>	1.75%
132.	Bachman's Sparrow <i>Peucaea aestivalis</i>	1.71%
133.	Wilson's Plover <i>Anarhynchus wilsonia</i>	1.66%
134.	Monk Parakeet <i>Myiopsitta monachus</i>	1.51%
135.	Solitary Sandpiper <i>Tringa solitaria</i>	1.50%
136.	Orchard Oriole <i>Icterus spurius</i>	1.49%
137.	White-crowned Pigeon <i>Patagioenas leucocephala</i>	1.48%
138.	Caspian Tern <i>Hydroprogne caspia</i>	1.47%
139.	Egyptian Goose <i>Alopochen aegyptiaca</i>	1.44%
140.	American Oystercatcher <i>Haematopus palliatus</i>	1.42%
141.	Blue-winged Teal <i>Spatula discors</i>	1.38%
142.	American Kestrel <i>Falco sparverius</i>	1.32%
143.	American White Pelican <i>Pelecanus erythrorhynchos</i>	1.28%
144.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	1.25%
145.	Prothonotary Warbler <i>Protonotaria citrea</i>	1.24%
146.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	1.12%
147.	Black-whiskered Vireo <i>Vireo altiloquus</i>	1.11%
148.	Magnolia Warbler <i>Setophaga magnolia</i>	1.09%
149.	Herring Gull <i>Larus argentatus</i>	1.06%
150.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	1.01%
151.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	0.9884%

152.	Swainson's Thrush <i>Catharus ustulatus</i>	0.9861%
153.	Red-breasted Merganser <i>Mergus serrator</i>	0.9819%
154.	Great Horned Owl <i>Bubo virginianus</i>	0.9781%
155.	Western Sandpiper <i>Calidris mauri</i>	0.9641%
156.	Gray-cheeked Thrush <i>Catharus minimus</i>	0.9379%
157.	Snail Kite <i>Rostrhamus sociabilis</i>	0.9351%
158.	Hooded Warbler <i>Setophaga citrina</i>	0.8911%
159.	Eastern Screech-Owl <i>Megascops asio</i>	0.8481%
160.	Painted Bunting <i>Passerina ciris</i>	0.8401%
161.	Red Knot <i>Calidris canutus</i>	0.8223%
162.	Eastern Wood-Pewee <i>Contopus virens</i>	0.8074%
163.	Tree Swallow <i>Tachycineta bicolor</i>	0.7831%
164.	Scarlet Tanager <i>Piranga olivacea</i>	0.7779%
165.	Yellow Warbler <i>Setophaga petechia</i>	0.7657%
166.	Veery <i>Catharus fuscescens</i>	0.7587%
167.	Crested Caracara <i>Caracara plancus</i>	0.7508%
168.	Snowy Plover <i>Anarhynchus nivosus</i>	0.7297%
169.	Acadian Flycatcher <i>Empidonax virescens</i>	0.7185%
170.	Whimbrel <i>Numenius phaeopus</i>	0.7106%
171.	Burrowing Owl <i>Athene cunicularia</i>	0.6736%
172.	Stilt Sandpiper <i>Calidris himantopus</i>	0.6633%
173.	Bay-breasted Warbler <i>Setophaga castanea</i>	0.6254%
174.	Gull-billed Tern <i>Gelochelidon nilotica</i>	0.6212%

175. Belted Kingfisher <i>Megasceryle alcyon</i>	0.6170%
176. King Rail <i>Rallus elegans</i>	0.5842%
177. Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.5749%
178. Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.5571%
179. Common Tern <i>Sterna hirundo</i>	0.5543%
180. Bank Swallow <i>Riparia riparia</i>	0.5431%
181. White-breasted Nuthatch <i>Sitta carolinensis</i>	0.5309%
182. Short-tailed Hawk <i>Buteo brachyurus</i>	0.5206%
183. Tennessee Warbler <i>Leiothlypis peregrina</i>	0.4804%
184. Marsh Wren <i>Cistothorus palustris</i>	0.4785%
185. Sooty Tern <i>Onychoprion fuscatus</i>	0.4509%
186. Marbled Godwit <i>Limosa fedoa</i>	0.4486%
187. Northern Gannet <i>Morus bassanus</i>	0.4421%
188. Merlin <i>Falco columbarius</i>	0.4355%
189. Common Myna <i>Acridotheres tristis</i>	0.4322%
190. Connecticut Warbler <i>Oporornis agilis</i>	0.4187%
191. Yellow-breasted Chat <i>Icteria virens</i>	0.4037%
192. Common Loon <i>Gavia immer</i>	0.3887%
193. Baltimore Oriole <i>Icterus galbula</i>	0.3836%
194. Lesser Scaup <i>Aythya affinis</i>	0.3794%
195. Mangrove Cuckoo <i>Coccyzus minor</i>	0.3621%
196. American Avocet <i>Recurvirostra americana</i>	0.3588%
197. Black-throated Green Warbler <i>Setophaga virens</i>	0.3569%

198.	Brown Noddy <i>Anous stolidus</i>	0.3532%
199.	Sora <i>Porzana carolina</i>	0.3490%
200.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.3443%
201.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	0.3443%
202.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	0.3218%
203.	Wood Thrush <i>Hylocichla mustelina</i>	0.3171%
204.	Roseate Tern <i>Sterna dougallii</i>	0.2994%
205.	Broad-winged Hawk <i>Buteo platypterus</i>	0.2755%
206.	Savannah Sparrow <i>Passerculus sandwichensis</i>	0.2619%
207.	Brown Booby <i>Sula leucogaster</i>	0.2573%
208.	Seaside Sparrow <i>Ammospiza maritima</i>	0.2573%
209.	Antillean Nighthawk <i>Chordeiles gundlachii</i>	0.2563%
210.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.2489%
211.	Peregrine Falcon <i>Falco peregrinus</i>	0.2404%
212.	Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	0.2376%
213.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.2372%
214.	Bridled Tern <i>Onychoprion anaethetus</i>	0.2353%
215.	Cave Swallow <i>Petrochelidon fulva</i>	0.2330%
216.	Masked Booby <i>Sula dactylatra</i>	0.2250%
217.	Mitred Parakeet <i>Psittacara mitratus</i>	0.2236%
218.	Lesser Black-backed Gull <i>Larus fuscus</i>	0.2222%
219.	American Robin <i>Turdus migratorius</i>	0.2203%
220.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.2147%

221.	Pectoral Sandpiper <i>Calidris melanotos</i>	0.2063%
222.	Black Tern <i>Chlidonias niger</i>	0.2002%
223.	Blackburnian Warbler <i>Setophaga fusca</i>	0.1993%
224.	Piping Plover <i>Charadrius melodus</i>	0.1922%
225.	Northern Harrier <i>Circus hudsonius</i>	0.1894%
226.	Barn Owl <i>Tyto alba</i>	0.1880%
227.	Ring-necked Duck <i>Aythya collaris</i>	0.1824%
228.	Hairy Woodpecker <i>Dryobates villosus</i>	0.1815%
229.	Northern Shoveler <i>Spatula clypeata</i>	0.1810%
230.	Great Black-backed Gull <i>Larus marinus</i>	0.1735%
231.	Dickcissel <i>Spiza americana</i>	0.1656%
232.	Yellow-rumped Warbler <i>Setophaga coronata</i>	0.1647%
233.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.1600%
234.	Redhead <i>Aythya americana</i>	0.1483%
235.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.1478%
236.	Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.1455%
237.	Bahama Mockingbird <i>Mimus gundlachii</i>	0.1422%
238.	American Flamingo <i>Phoenicopterus ruber</i>	0.1403%
239.	Audubon's Shearwater <i>Puffinus lherminieri</i>	0.1375%
240.	Ruddy Duck <i>Oxyura jamaicensis</i>	0.1286%
241.	American Goldfinch <i>Spinus tristis</i>	0.1240%
242.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	0.1113%
243.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.1090%

244.	Kentucky Warbler <i>Geothlypis formosa</i>	0.1024%
245.	Arctic Tern <i>Sterna paradisaea</i>	0.0996%
246.	Sharp-shinned Hawk <i>Accipiter striatus</i>	0.0945%
247.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.0922%
248.	Philadelphia Vireo <i>Vireo philadelphicus</i>	0.0884%
249.	Swamp Sparrow <i>Melospiza georgiana</i>	0.0865%
250.	Black Noddy <i>Anous minutus</i>	0.0847%
251.	Western Kingbird <i>Tyrannus verticalis</i>	0.0809%
252.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.0790%
253.	Black Scoter <i>Melanitta americana</i>	0.0748%
254.	American Bittern <i>Botaurus lentiginosus</i>	0.0748%
255.	Whooping Crane <i>Grus americana</i>	0.0739%
256.	Smooth-billed Ani <i>Crotophaga ani</i>	0.0692%
257.	Pine Siskin <i>Spinus pinus</i>	0.0650%
258.	White-tailed Kite <i>Elanus leucurus</i>	0.0632%
259.	Red-necked Phalarope <i>Phalaropus lobatus</i>	0.0622%
260.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.0613%
261.	Upland Sandpiper <i>Bartramia longicauda</i>	0.0608%
262.	House Wren <i>Troglodytes aedon</i>	0.0585%
263.	Least Grebe <i>Tachybaptus dominicus</i>	0.0571%
264.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.0557%
265.	Greater Scaup <i>Aythya marila</i>	0.0547%
266.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.0547%

267.	Louisiana Waterthrush <i>Parkesia motacilla</i>	0.0543%
268.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0543%
269.	American Wigeon <i>Mareca americana</i>	0.0529%
270.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0519%
271.	Surf Scoter <i>Melanitta perspicillata</i>	0.0496%
272.	Leach's Storm-Petrel <i>Hydrobates leucorhous</i>	0.0496%
273.	Cerulean Warbler <i>Setophaga cerulea</i>	0.0472%
274.	Field Sparrow <i>Spizella pusilla</i>	0.0468%
275.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0463%
276.	Western Spindalis <i>Spindalis zena</i>	0.0463%
277.	Bicknell's Thrush <i>Catharus bicknelli</i>	0.0458%
278.	Sedge Wren <i>Cistothorus stellaris</i>	0.0444%
279.	Bananaquit <i>Coereba flaveola</i>	0.0426%
280.	Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	0.0421%
281.	Horned Grebe <i>Podiceps auritus</i>	0.0402%
282.	Lincoln's Sparrow <i>Melospiza lincolnii</i>	0.0402%
283.	Black-capped Petrel <i>Pterodroma hasitata</i>	0.0388%
284.	Green-winged Teal <i>Anas crecca</i>	0.0384%
285.	Bufflehead <i>Bucephala albeola</i>	0.0384%
286.	Wilson's Snipe <i>Gallinago delicata</i>	0.0365%
287.	Black Rail <i>Laterallus jamaicensis</i>	0.0360%
288.	Red-billed Tropicbird <i>Phaethon aethereus</i>	0.0360%

289.	Lesser Goldfinch <i>Spinus psaltria</i>	0.0346%
290.	Bahama Woodstar <i>Nesophlox evelynae</i>	0.0332%
291.	Band-rumped Storm-Petrel <i>Hydrobates castro</i>	0.0323%
292.	Cory's Shearwater <i>Calonectris diomedea</i>	0.0304%
293.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0299%
294.	Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0276%
295.	Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.0271%
296.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.0267%
297.	Nelson's Sparrow <i>Ammospiza nelsoni</i>	0.0267%
298.	Blue-headed Vireo <i>Vireo solitarius</i>	0.0257%
299.	Virginia Rail <i>Rallus limicola</i>	0.0248%
300.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0239%
301.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.0239%
302.	Greater Sand-Plover <i>Anarhynchus leschenaultii</i>	0.0234%
303.	Great Cormorant <i>Phalacrocorax carbo</i>	0.0234%
304.	White-faced Ibis <i>Plegadis chihi</i>	0.0220%
305.	Hooded Merganser <i>Lophodytes cucullatus</i>	0.0206%
306.	Ruby-crowned Kinglet <i>Corthylio calendula</i>	0.0206%
307.	American Golden-Plover <i>Pluvialis dominica</i>	0.0201%
308.	Eastern Phoebe <i>Sayornis phoebe</i>	0.0201%
309.	Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0196%
310.	Common Eider <i>Somateria mollissima</i>	0.0187%

311.	Purple Sandpiper <i>Calidris maritima</i>	0.0187%
312.	Yellow-green Vireo <i>Vireo flavoviridis</i>	0.0182%
313.	Ruff <i>Calidris pugnax</i>	0.0173%
314.	Buff-breasted Sandpiper <i>Calidris subruficollis</i>	0.0173%
315.	Sooty Shearwater <i>Ardenna grisea</i>	0.0173%
316.	Red-footed Booby <i>Sula sula</i>	0.0168%
317.	White-tailed Tropicbird <i>Phaethon lepturus</i>	0.0164%
318.	Chipping Sparrow <i>Spizella passerina</i>	0.0164%
319.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.0159%
320.	Heermann's Gull <i>Larus heermanni</i>	0.0159%
321.	Glaucous Gull <i>Larus hyperboreus</i>	0.0154%
322.	Kirtland's Warbler <i>Setophaga kirtlandii</i>	0.0150%
323.	White-throated Sparrow <i>Zonotrichia albicollis</i>	0.0131%
324.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0122%
325.	Great-tailed Grackle <i>Quiscalus mexicanus</i>	0.0122%
326.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.0112%
327.	Orange-crowned Warbler <i>Leiothlypis celata</i>	0.0112%
328.	White-winged Scoter <i>Melanitta deglandi</i>	0.0108%
329.	Franklin's Gull <i>Leucophaeus pipixcan</i>	0.0108%
330.	Zenaida Dove <i>Zenaida aurita</i>	0.0103%
331.	Short-eared Owl <i>Asio flammeus</i>	0.0103%
332.	Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	0.0103%
333.	Yellow-headed Caracara <i>Daptrius chimachima</i>	0.0103%

334.	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0103%
335.	Iceland Gull <i>Larus glaucooides</i>	0.0098%
336.	Greater White-fronted Goose <i>Anser albifrons</i>	0.0094%
337.	White-cheeked Pintail <i>Anas bahamensis</i>	0.0080%
338.	Northern Pintail <i>Anas acuta</i>	0.0080%
339.	Canada Warbler <i>Cardellina canadensis</i>	0.0080%
340.	Red-legged Honeycreeper <i>Cyanerpes cyaneus</i>	0.0080%
341.	Long-billed Curlew <i>Numenius americanus</i>	0.0075%
342.	Key West Quail-Dove <i>Geotrygon chrysia</i>	0.0070%
343.	Hudsonian Godwit <i>Limosa haemastica</i>	0.0070%
344.	Lazuli Bunting <i>Passerina amoena</i>	0.0070%
345.	Warbling Vireo <i>Vireo gilvus</i>	0.0066%
346.	Hermit Thrush <i>Catharus guttatus</i>	0.0066%
347.	Tricolored Munia <i>Lonchura malacca</i>	0.0066%
348.	Wilson's Warbler <i>Cardellina pusilla</i>	0.0066%
349.	Gadwall <i>Mareca strepera</i>	0.0061%
350.	Least Flycatcher <i>Empidonax minimus</i>	0.0061%
351.	Horned Lark <i>Eremophila alpestris</i>	0.0061%
352.	Eurasian Wigeon <i>Mareca penelope</i>	0.0052%
353.	Red-breasted Nuthatch <i>Sitta canadensis</i>	0.0052%
354.	American Black Duck <i>Anas rubripes</i>	0.0042%
355.	Pacific Loon <i>Gavia pacifica</i>	0.0042%
356.	Great Shearwater <i>Ardenna gravis</i>	0.0042%

357.	Snow Goose <i>Anser caerulescens</i>	0.0037%
358.	Elegant Tern <i>Thalasseus elegans</i>	0.0037%
359.	Mourning Warbler <i>Geothlypis philadelphia</i>	0.0037%
360.	Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.0033%
361.	Baird's Sandpiper <i>Calidris bairdii</i>	0.0033%
362.	American Woodcock <i>Scolopax minor</i>	0.0028%
363.	Manx Shearwater <i>Puffinus puffinus</i>	0.0028%
364.	Cuban Pewee <i>Contopus caribaeus</i>	0.0028%
365.	Inca Dove <i>Columbina inca</i>	0.0023%
366.	Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.0023%
367.	Lark Sparrow <i>Chondestes grammacus</i>	0.0023%
368.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0023%
369.	Western Tanager <i>Piranga ludoviciana</i>	0.0023%
370.	Long-tailed Duck <i>Clangula hyemalis</i>	0.0019%
371.	Clay-colored Sparrow <i>Spizella pallida</i>	0.0019%
372.	Harlequin Duck <i>Histrionicus histrionicus</i>	0.0014%
373.	Lesser Nighthawk <i>Chordeiles acutipennis</i>	0.0014%
374.	Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0014%
375.	Black-headed Gull <i>Chroicocephalus ridibundus</i>	0.0014%
376.	Slaty-backed Gull <i>Larus schistisagus</i>	0.0014%
377.	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	0.0014%
378.	American Pipit <i>Anthus rubescens</i>	0.0014%
379.	Song Sparrow <i>Melospiza melodia</i>	0.0014%

380.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0014%
381.	Canvasback <i>Aythya valisineria</i>	0.0009%
382.	Masked Duck <i>Nomonyx dominicus</i>	0.0009%
383.	White-tipped Dove <i>Leptotila verreauxi</i>	0.0009%
384.	South Polar Skua <i>Stercorarius maccormicki</i>	0.0009%
385.	Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0009%
386.	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	0.0009%
387.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0009%
388.	Purple Finch <i>Haemorhous purpureus</i>	0.0009%
389.	Vesper Sparrow <i>Pooecetes gramineus</i>	0.0009%
390.	Tundra Swan <i>Cygnus columbianus</i>	0.0005%
391.	King Eider <i>Somateria spectabilis</i>	0.0005%
392.	Western Grebe <i>Aechmophorus occidentalis</i>	0.0005%
393.	Groove-billed Ani <i>Crotophaga sulcirostris</i>	0.0005%
394.	White-collared Swift <i>Streptoprocne zonaris</i>	0.0005%
395.	Rufous Hummingbird <i>Selasphorus rufus</i>	0.0005%
396.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0005%
397.	Red-throated Loon <i>Gavia stellata</i>	0.0005%
398.	Atlantic Yellow-nosed Albatross <i>Thalassarche chlororhynchos</i>	0.0005%
399.	European Storm-Petrel <i>Hydrobates pelagicus</i>	0.0005%
400.	Swainson's Hawk <i>Buteo swainsoni</i>	0.0005%
401.	Willow Flycatcher <i>Empidonax traillii</i>	0.0005%

402.	Say's Phoebe <i>Sayornis saya</i>	0.0005%
403.	Bell's Vireo <i>Vireo bellii</i>	0.0005%
404.	Brown Creeper <i>Certhia americana</i>	0.0005%
405.	Sprague's Pipit <i>Anthus spragueii</i>	0.0005%
406.	American Tree Sparrow <i>Spizelloides arborea</i>	0.0005%
407.	Dark-eyed Junco <i>Junco hyemalis</i>	0.0005%
408.	Saltmarsh Sparrow <i>Ammospiza caudacuta</i>	0.0005%
409.	Green-tailed Towhee <i>Pipilo chlorurus</i>	0.0005%
410.	Yellow-faced Grassquit <i>Tiaris olivaceus</i>	0.0005%
411.	Ross's Goose <i>Anser rossii</i>	0.0000%
412.	Common Merganser <i>Mergus merganser</i>	0.0000%
413.	Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.0000%
414.	Buff-bellied Hummingbird <i>Amazilia yucatanensis</i>	0.0000%
415.	Yellow Rail <i>Coturnicops noveboracensis</i>	0.0000%
416.	Zone-tailed Hawk <i>Buteo albonotatus</i>	0.0000%
417.	Cassin's Kingbird <i>Tyrannus vociferans</i>	0.0000%
418.	Loggerhead Kingbird <i>Tyrannus caudifasciatus</i>	0.0000%
419.	Cuban Martin <i>Progne cryptoleuca</i>	0.0000%
420.	Curve-billed Thrasher <i>Toxostoma curvirostre</i>	0.0000%
421.	Red-legged Thrush <i>Turdus plumbeus</i>	0.0000%
422.	LeConte's Sparrow <i>Ammospiza leconteii</i>	0.0000%
423.	Brewer's Blackbird <i>Euphagus cyanocephalus</i>	0.0000%

EXOTIC: PROVISIONAL

424. Indian Peafowl <i>Pavo cristatus</i>	0.6741% frequency
425. Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.3653%
426. Scaly-breasted Munia <i>Lonchura punctulata</i>	0.2447%
427. Red Junglefowl <i>Gallus gallus</i>	0.2241%
428. Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.2100%
429. Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.1558%
430. Orange-winged Parrot <i>Amazona amazonica</i>	0.1403%
431. Common Hill Myna <i>Gracula religiosa</i>	0.0645%
432. Chestnut-fronted Macaw <i>Ara severus</i>	0.0566%
433. Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0519%
434. Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0477%
435. White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0468%
436. Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0281%
437. House Crow <i>Corvus splendens</i>	0.0201%
438. Budgerigar <i>Melopsittacus undulatus</i>	0.0075%

EXOTIC: ESCAPEE

Mute Swan <i>Cygnus olor</i>	0.1997% frequency
Swan Goose <i>Anser cygnoides</i>	0.0987%
Graylag Goose <i>Anser anser</i>	0.0959%
Black Swan <i>Cygnus atratus</i>	0.0641%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0477%

Black-necked Swan <i>Cygnus melancoryphus</i>	0.0164%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0154%
Cockatiel <i>Nymphicus hollandicus</i>	0.0117%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0084%
Zebra Finch <i>Taeniopygia guttata</i>	0.0075%
White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0070%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0070%
Whooper Swan <i>Cygnus cygnus</i>	0.0066%
African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0061%
Mandarin Duck <i>Aix galericulata</i>	0.0056%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0047%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0047%
Turquoise-fronted Parrot <i>Amazona aestiva</i>	0.0047%
Common Shelduck <i>Tadorna tadorna</i>	0.0042%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0042%
Red-crested Pochard <i>Netta rufina</i>	0.0037%
Red-legged Partridge <i>Alectoris rufa</i>	0.0033%
San Blas Jay <i>Cyanocorax sanblasianus</i>	0.0033%
Yellow-rumped Cacique <i>Cacicus cela</i>	0.0033%
Bar-headed Goose <i>Anser indicus</i>	0.0028%
Ringed Teal <i>Callonetta leucophrys</i>	0.0023%
Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0023%

White-fronted Parrot <i>Amazona albifrons</i>	0.0019%
Green Parakeet <i>Psittacara holochlorus</i>	0.0019%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0019%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0014%
Yellow-headed Parrot <i>Amazona oratrix</i>	0.0014%
Orange-fronted Parakeet <i>Eupsittula canicularis</i>	0.0014%
Barnacle Goose <i>Branta leucopsis</i>	0.0009%
Diamond Dove <i>Geopelia cuneata</i>	0.0009%
Yellow-fronted Parrot <i>Poicephalus flavifrons</i>	0.0009%
Red-lored Parrot <i>Amazona autumnalis</i>	0.0009%
Yellow-naped Parrot <i>Amazona auropalliata</i>	0.0009%
Peach-fronted Parakeet <i>Eupsittula aurea</i>	0.0009%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0009%
European Goldfinch <i>Carduelis carduelis</i>	0.0009%
Saffron Finch <i>Sicalis flaveola</i>	0.0009%
Black-casqued Hornbill <i>Ceratogymna atrata</i>	0.0005%
Fischer's Lovebird <i>Agapornis fischeri</i>	0.0005%
Hispaniolan Parrot <i>Amazona ventralis</i>	0.0005%
Mealy Parrot <i>Amazona farinosa</i>	0.0005%
Black-headed Parrot <i>Pionites melanocephalus</i>	0.0005%
Maroon-bellied Parakeet <i>Pyrrhura frontalis</i>	0.0005%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0005%

Scarlet Macaw <i>Ara macao</i>	0.0005%
Tropical Mockingbird <i>Mimus gilvus</i>	0.0005%
Java Sparrow <i>Padda oryzivora</i>	0.0005%
Pin-tailed Whydah <i>Vidua macroura</i>	0.0005%
Orinoco Goose <i>Oressochen jubatus</i>	0.0000%
Red Lory <i>Eos bornea</i>	0.0000%
Gray Parrot <i>Psittacus erithacus</i>	0.0000%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0000%
Red-shouldered Macaw <i>Diopsittaca nobilis</i>	0.0000%
Hispaniolan Parakeet <i>Psittacara chloropterus</i>	0.0000%
Crested Myna <i>Acridotheres cristatellus</i>	0.0000%
Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%

HYBRIDS

Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	2.18% frequency ■
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0271%
Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0070%
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	0.0042%
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	0.0037%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0033%
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	0.0028%

Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0023%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	0.0014%
Graylag x Canada Goose (hybrid) <i>Anser anser x Branta canadensis</i>	0.0009%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	0.0009%
Herring x Glaucous Gull (hybrid) <i>Larus argentatus x hyperboreus</i>	0.0009%
Yellow x Prairie Warbler (hybrid) <i>Setophaga petechia x discolor</i>	0.0009%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0005%
Snowy x Little Egret (hybrid) <i>Egretta thula x garzetta</i>	0.0005%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0005%
Tropical x Gray Kingbird (hybrid) <i>Tyrannus melancholicus x dominicensis</i>	0.0005%
Cliff x Cave Swallow (hybrid) <i>Petrochelidon pyrrhonota x fulva</i>	0.0005%
Bahama x Northern Mockingbird (hybrid) <i>Mimus gundlachii x polyglottos</i>	0.0005%
Scaled x Gambel's Quail (hybrid) <i>Callipepla squamata x gambelii</i>	0.0000%