



## Target Species

Based on 213,779 complete checklists

**438** species observed in Florida, US (region/US-FL) in **May** that you need for your **Florida Life List**

1. <b>Black-bellied Whistling-Duck</b> <i>Dendrocygna autumnalis</i>	<b>9.28%</b> frequency
2. <b>Fulvous Whistling-Duck</b> <i>Dendrocygna bicolor</i>	<b>0.5749%</b>
3. <b>Snow Goose</b> <i>Anser caerulescens</i>	<b>0.0037%</b>
4. <b>Ross's Goose</b> <i>Anser rossii</i>	<b>0.0000%</b>
5. <b>Greater White-fronted Goose</b> <i>Anser albifrons</i>	<b>0.0094%</b>
6. <b>Canada Goose</b> <i>Branta canadensis</i>	<b>2.19%</b>
7. <b>Tundra Swan</b> <i>Cygnus columbianus</i>	<b>0.0005%</b>
8. <b>Egyptian Goose</b> <i>Alopochen aegyptiaca</i>	<b>1.44%</b>
9. <b>Muscovy Duck</b> <i>Cairina moschata</i>	<b>4.31%</b>
10. <b>Wood Duck</b> <i>Aix sponsa</i>	<b>5.24%</b>
11. <b>Blue-winged Teal</b> <i>Spatula discors</i>	<b>1.38%</b>
12. <b>Northern Shoveler</b> <i>Spatula clypeata</i>	<b>0.1810%</b>
13. <b>Gadwall</b> <i>Mareca strepera</i>	<b>0.0061%</b>
14. <b>Eurasian Wigeon</b> <i>Mareca penelope</i>	<b>0.0052%</b>
15. <b>American Wigeon</b> <i>Mareca americana</i>	<b>0.0529%</b>
16. <b>Mallard</b> <i>Anas platyrhynchos</i>	<b>2.83%</b>
17. <b>American Black Duck</b> <i>Anas rubripes</i>	<b>0.0042%</b>

18.	<b>Mottled Duck</b> <i>Anas fulvigula</i>	<b>9.64%</b>
19.	<b>White-cheeked Pintail</b> <i>Anas bahamensis</i>	<b>0.0080%</b>
20.	<b>Northern Pintail</b> <i>Anas acuta</i>	<b>0.0080%</b>
21.	<b>Green-winged Teal</b> <i>Anas crecca</i>	<b>0.0384%</b>
22.	<b>Canvasback</b> <i>Aythya valisineria</i>	<b>0.0009%</b>
23.	<b>Redhead</b> <i>Aythya americana</i>	<b>0.1483%</b>
24.	<b>Ring-necked Duck</b> <i>Aythya collaris</i>	<b>0.1824%</b>
25.	<b>Greater Scaup</b> <i>Aythya marila</i>	<b>0.0547%</b>
26.	<b>Lesser Scaup</b> <i>Aythya affinis</i>	<b>0.3794%</b>
27.	<b>King Eider</b> <i>Somateria spectabilis</i>	<b>0.0005%</b>
28.	<b>Common Eider</b> <i>Somateria mollissima</i>	<b>0.0187%</b>
29.	<b>Harlequin Duck</b> <i>Histrionicus histrionicus</i>	<b>0.0014%</b>
30.	<b>Surf Scoter</b> <i>Melanitta perspicillata</i>	<b>0.0496%</b>
31.	<b>White-winged Scoter</b> <i>Melanitta deglandi</i>	<b>0.0108%</b>
32.	<b>Black Scoter</b> <i>Melanitta americana</i>	<b>0.0748%</b>
33.	<b>Long-tailed Duck</b> <i>Clangula hyemalis</i>	<b>0.0019%</b>
34.	<b>Bufflehead</b> <i>Bucephala albeola</i>	<b>0.0384%</b>
35.	<b>Hooded Merganser</b> <i>Lophodytes cucullatus</i>	<b>0.0206%</b>
36.	<b>Common Merganser</b> <i>Mergus merganser</i>	<b>0.0000%</b>
37.	<b>Red-breasted Merganser</b> <i>Mergus serrator</i>	<b>0.9819%</b>
38.	<b>Masked Duck</b> <i>Nomonyx dominicus</i>	<b>0.0009%</b>
39.	<b>Ruddy Duck</b> <i>Oxyura jamaicensis</i>	<b>0.1286%</b>
40.	<b>Northern Bobwhite</b> <i>Colinus virginianus</i>	<b>5.05%</b>

41. <b>Wild Turkey</b> <i>Meleagris gallopavo</i>	2.55%
42. <b>American Flamingo</b> <i>Phoenicopterus ruber</i>	0.1403%
43. <b>Least Grebe</b> <i>Tachybaptus dominicus</i>	0.0571%
44. <b>Pied-billed Grebe</b> <i>Podilymbus podiceps</i>	1.76%
45. <b>Horned Grebe</b> <i>Podiceps auritus</i>	0.0402%
46. <b>Western Grebe</b> <i>Aechmophorus occidentalis</i>	0.0005%
47. <b>Rock Pigeon</b> <i>Columba livia</i>	7.05%
48. <b>White-crowned Pigeon</b> <i>Patagioenas leucocephala</i>	1.48%
49. <b>Eurasian Collared-Dove</b> <i>Streptopelia decaocto</i>	12.23%
50. <b>Inca Dove</b> <i>Columbina inca</i>	0.0023%
51. <b>Common Ground Dove</b> <i>Columbina passerina</i>	12.61%
52. <b>Key West Quail-Dove</b> <i>Geotrygon chrysia</i>	0.0070%
53. <b>White-tipped Dove</b> <i>Leptotila verreauxi</i>	0.0009%
54. <b>White-winged Dove</b> <i>Zenaida asiatica</i>	4.71%
55. <b>Zenaida Dove</b> <i>Zenaida aurita</i>	0.0103%
56. <b>Mourning Dove</b> <i>Zenaida macroura</i>	49.50%
57. <b>Smooth-billed Ani</b> <i>Crotophaga ani</i>	0.0692%
58. <b>Groove-billed Ani</b> <i>Crotophaga sulcirostris</i>	0.0005%
59. <b>Yellow-billed Cuckoo</b> <i>Coccyzus americanus</i>	4.54%
60. <b>Mangrove Cuckoo</b> <i>Coccyzus minor</i>	0.3621%
61. <b>Black-billed Cuckoo</b> <i>Coccyzus erythrophthalmus</i>	0.0421%
62. <b>Lesser Nighthawk</b> <i>Chordeiles acutipennis</i>	0.0014%
63. <b>Common Nighthawk</b> <i>Chordeiles minor</i>	4.75%

64. <b>Antillean Nighthawk</b> <i>Chordeiles gundlachii</i>	0.2563%
65. <b>Chuck-will's-widow</b> <i>Antrastomus carolinensis</i>	2.03%
66. <b>Eastern Whip-poor-will</b> <i>Antrastomus vociferus</i>	0.0033%
67. <b>White-collared Swift</b> <i>Streptoprocne zonaris</i>	0.0005%
68. <b>Chimney Swift</b> <i>Chaetura pelagica</i>	15.21%
69. <b>Ruby-throated Hummingbird</b> <i>Archilochus colubris</i>	5.14%
70. <b>Black-chinned Hummingbird</b> <i>Archilochus alexandri</i>	0.0000%
71. <b>Bahama Woodstar</b> <i>Nesophlox evelynae</i>	0.0332%
72. <b>Rufous Hummingbird</b> <i>Selasphorus rufus</i>	0.0005%
73. <b>Buff-bellied Hummingbird</b> <i>Amazilia yucatanensis</i>	0.0000%
74. <b>King Rail</b> <i>Rallus elegans</i>	0.5842%
75. <b>Clapper Rail</b> <i>Rallus crepitans</i>	1.92%
76. <b>Virginia Rail</b> <i>Rallus limicola</i>	0.0248%
77. <b>Sora</b> <i>Porzana carolina</i>	0.3490%
78. <b>Common Gallinule</b> <i>Gallinula galeata</i>	16.06%
79. <b>American Coot</b> <i>Fulica americana</i>	3.01%
80. <b>Purple Gallinule</b> <i>Porphyrio martinica</i>	3.82%
81. <b>Gray-headed Swamphen</b> <i>Porphyrio poliocephalus</i>	0.9884%
82. <b>Yellow Rail</b> <i>Coturnicops noveboracensis</i>	0.0000%
83. <b>Black Rail</b> <i>Laterallus jamaicensis</i>	0.0360%
84. <b>Limpkin</b> <i>Aramus guarauna</i>	7.41%
85. <b>Sandhill Crane</b> <i>Antigone canadensis</i>	8.53%

86. <b>Whooping Crane</b> <i>Grus americana</i>	0.0739%
87. <b>Black-necked Stilt</b> <i>Himantopus mexicanus</i>	6.43%
88. <b>American Avocet</b> <i>Recurvirostra americana</i>	0.3588%
89. <b>American Oystercatcher</b> <i>Haematopus palliatus</i>	1.42%
90. <b>Black-bellied Plover</b> <i>Pluvialis squatarola</i>	5.31%
91. <b>American Golden-Plover</b> <i>Pluvialis dominica</i>	0.0201%
92. <b>Killdeer</b> <i>Charadrius vociferus</i>	9.09%
93. <b>Semipalmated Plover</b> <i>Charadrius semipalmatus</i>	4.92%
94. <b>Piping Plover</b> <i>Charadrius melodus</i>	0.1922%
95. <b>Greater Sand-Plover</b> <i>Anarhynchus leschenaultii</i>	0.0234%
96. <b>Wilson's Plover</b> <i>Anarhynchus wilsonia</i>	1.66%
97. <b>Snowy Plover</b> <i>Anarhynchus nivosus</i>	0.7297%
98. <b>Upland Sandpiper</b> <i>Bartramia longicauda</i>	0.0608%
99. <b>Whimbrel</b> <i>Numenius phaeopus</i>	0.7106%
100. <b>Long-billed Curlew</b> <i>Numenius americanus</i>	0.0075%
101. <b>Hudsonian Godwit</b> <i>Limosa haemastica</i>	0.0070%
102. <b>Marbled Godwit</b> <i>Limosa fedoa</i>	0.4486%
103. <b>Short-billed Dowitcher</b> <i>Limnodromus griseus</i>	2.08%
104. <b>Long-billed Dowitcher</b> <i>Limnodromus scolopaceus</i>	0.3218%
105. <b>American Woodcock</b> <i>Scolopax minor</i>	0.0028%
106. <b>Wilson's Snipe</b> <i>Gallinago delicata</i>	0.0365%
107. <b>Wilson's Phalarope</b> <i>Phalaropus tricolor</i>	0.1478%
108. <b>Red Phalarope</b> <i>Phalaropus fulicarius</i>	0.0005%

109.	<b>Red-necked Phalarope</b> <i>Phalaropus lobatus</i>	<b>0.0622%</b>
110.	<b>Spotted Sandpiper</b> <i>Actitis macularius</i>	<b>4.43%</b>
111.	<b>Solitary Sandpiper</b> <i>Tringa solitaria</i>	<b>1.50%</b>
112.	<b>Lesser Yellowlegs</b> <i>Tringa flavipes</i>	<b>1.85%</b>
113.	<b>Willet</b> <i>Tringa semipalmata</i>	<b>5.32%</b>
114.	<b>Greater Yellowlegs</b> <i>Tringa melanoleuca</i>	<b>1.96%</b>
115.	<b>Ruddy Turnstone</b> <i>Arenaria interpres</i>	<b>6.45%</b>
116.	<b>Red Knot</b> <i>Calidris canutus</i>	<b>0.8223%</b>
117.	<b>Ruff</b> <i>Calidris pugnax</i>	<b>0.0173%</b>
118.	<b>Curlew Sandpiper</b> <i>Calidris ferruginea</i>	<b>0.0239%</b>
119.	<b>Stilt Sandpiper</b> <i>Calidris himantopus</i>	<b>0.6633%</b>
120.	<b>Buff-breasted Sandpiper</b> <i>Calidris subruficollis</i>	<b>0.0173%</b>
121.	<b>Sanderling</b> <i>Calidris alba</i>	<b>6.14%</b>
122.	<b>Dunlin</b> <i>Calidris alpina</i>	<b>1.97%</b>
123.	<b>Purple Sandpiper</b> <i>Calidris maritima</i>	<b>0.0187%</b>
124.	<b>Baird's Sandpiper</b> <i>Calidris bairdii</i>	<b>0.0033%</b>
125.	<b>White-rumped Sandpiper</b> <i>Calidris fuscicollis</i>	<b>1.12%</b>
126.	<b>Least Sandpiper</b> <i>Calidris minutilla</i>	<b>4.37%</b>
127.	<b>Pectoral Sandpiper</b> <i>Calidris melanotos</i>	<b>0.2063%</b>
128.	<b>Western Sandpiper</b> <i>Calidris mauri</i>	<b>0.9641%</b>
129.	<b>Semipalmated Sandpiper</b> <i>Calidris pusilla</i>	<b>4.03%</b>
130.	<b>Long-tailed Jaeger</b> <i>Stercorarius longicaudus</i>	<b>0.0014%</b>
131.	<b>Parasitic Jaeger</b> <i>Stercorarius parasiticus</i>	<b>0.0159%</b>

132.	<b>Pomarine Jaeger</b> <i>Stercorarius pomarinus</i>	<b>0.0557%</b>
133.	<b>South Polar Skua</b> <i>Stercorarius maccormicki</i>	<b>0.0009%</b>
134.	<b>Black-legged Kittiwake</b> <i>Rissa tridactyla</i>	<b>0.0196%</b>
135.	<b>Bonaparte's Gull</b> <i>Chroicocephalus philadelphia</i>	<b>0.1113%</b>
136.	<b>Black-headed Gull</b> <i>Chroicocephalus ridibundus</i>	<b>0.0014%</b>
137.	<b>Laughing Gull</b> <i>Leucophaeus atricilla</i>	<b>19.98%</b>
138.	<b>Franklin's Gull</b> <i>Leucophaeus pipixcan</i>	<b>0.0108%</b>
139.	<b>Heermann's Gull</b> <i>Larus heermanni</i>	<b>0.0159%</b>
140.	<b>Ring-billed Gull</b> <i>Larus delawarensis</i>	<b>1.75%</b>
141.	<b>Herring Gull</b> <i>Larus argentatus</i>	<b>1.06%</b>
142.	<b>Great Black-backed Gull</b> <i>Larus marinus</i>	<b>0.1735%</b>
143.	<b>Glaucous Gull</b> <i>Larus hyperboreus</i>	<b>0.0154%</b>
144.	<b>Lesser Black-backed Gull</b> <i>Larus fuscus</i>	<b>0.2222%</b>
145.	<b>Slaty-backed Gull</b> <i>Larus schistisagus</i>	<b>0.0014%</b>
146.	<b>Iceland Gull</b> <i>Larus glaucoides</i>	<b>0.0098%</b>
147.	<b>Black Skimmer</b> <i>Rynchops niger</i>	<b>4.08%</b>
148.	<b>Brown Noddy</b> <i>Anous stolidus</i>	<b>0.3532%</b>
149.	<b>Black Noddy</b> <i>Anous minutus</i>	<b>0.0847%</b>
150.	<b>Sooty Tern</b> <i>Onychoprion fuscatus</i>	<b>0.4509%</b>
151.	<b>Bridled Tern</b> <i>Onychoprion anaethetus</i>	<b>0.2353%</b>
152.	<b>Least Tern</b> <i>Sternula antillarum</i>	<b>9.14%</b>
153.	<b>Gull-billed Tern</b> <i>Gelochelidon nilotica</i>	<b>0.6212%</b>
154.	<b>Caspian Tern</b> <i>Hydroprogne caspia</i>	<b>1.47%</b>

155. <b>Black Tern</b> <i>Chlidonias niger</i>	0.2002%
156. <b>Forster's Tern</b> <i>Sterna forsteri</i>	1.99%
157. <b>Arctic Tern</b> <i>Sterna paradisaea</i>	0.0996%
158. <b>Common Tern</b> <i>Sterna hirundo</i>	0.5543%
159. <b>Roseate Tern</b> <i>Sterna dougallii</i>	0.2994%
160. <b>Sandwich Tern</b> <i>Thalasseus sandvicensis</i>	3.08%
161. <b>Elegant Tern</b> <i>Thalasseus elegans</i>	0.0037%
162. <b>Royal Tern</b> <i>Thalasseus maximus</i>	8.10%
163. <b>White-tailed Tropicbird</b> <i>Phaethon lepturus</i>	0.0164%
164. <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>	0.0360%
165. <b>Red-throated Loon</b> <i>Gavia stellata</i>	0.0005%
166. <b>Pacific Loon</b> <i>Gavia pacifica</i>	0.0042%
167. <b>Common Loon</b> <i>Gavia immer</i>	0.3887%
168. <b>Atlantic Yellow-nosed Albatross</b> <i>Thalassarche chlororhynchos</i>	0.0005%
169. <b>Wilson's Storm-Petrel</b> <i>Oceanites oceanicus</i>	0.1455%
170. <b>European Storm-Petrel</b> <i>Hydrobates pelagicus</i>	0.0005%
171. <b>Leach's Storm-Petrel</b> <i>Hydrobates leucorhous</i>	0.0496%
172. <b>Band-rumped Storm-Petrel</b> <i>Hydrobates castro</i>	0.0323%
173. <b>Black-capped Petrel</b> <i>Pterodroma hasitata</i>	0.0388%
174. <b>Cory's Shearwater</b> <i>Calonectris diomedea</i>	0.0304%
175. <b>Great Shearwater</b> <i>Ardenna gravis</i>	0.0042%
176. <b>Sooty Shearwater</b> <i>Ardenna grisea</i>	0.0173%



177. <b>Manx Shearwater</b> <i>Puffinus puffinus</i>	<b>0.0028%</b>
178. <b>Audubon's Shearwater</b> <i>Puffinus lherminieri</i>	<b>0.1375%</b>
179. <b>Wood Stork</b> <i>Mycteria americana</i>	<b>7.10%</b>
180. <b>Magnificent Frigatebird</b> <i>Fregata magnificens</i>	<b>4.90%</b>
181. <b>Northern Gannet</b> <i>Morus bassanus</i>	<b>0.4421%</b>
182. <b>Red-footed Booby</b> <i>Sula sula</i>	<b>0.0168%</b>
183. <b>Brown Booby</b> <i>Sula leucogaster</i>	<b>0.2573%</b>
184. <b>Masked Booby</b> <i>Sula dactylatra</i>	<b>0.2250%</b>
185. <b>Anhinga</b> <i>Anhinga anhinga</i>	<b>21.06%</b>
186. <b>Great Cormorant</b> <i>Phalacrocorax carbo</i>	<b>0.0234%</b>
187. <b>Double-crested Cormorant</b> <i>Nannopterum auritum</i>	<b>15.91%</b>
188. <b>Neotropic Cormorant</b> <i>Nannopterum brasilianum</i>	<b>0.0276%</b>
189. <b>American White Pelican</b> <i>Pelecanus erythrorhynchos</i>	<b>1.28%</b>
190. <b>Brown Pelican</b> <i>Pelecanus occidentalis</i>	<b>14.27%</b>
191. <b>American Bittern</b> <i>Botaurus lentiginosus</i>	<b>0.0748%</b>
192. <b>Least Bittern</b> <i>Ixobrychus exilis</i>	<b>2.65%</b>
193. <b>Yellow-crowned Night Heron</b> <i>Nyctanassa violacea</i>	<b>4.68%</b>
194. <b>Black-crowned Night Heron</b> <i>Nycticorax nycticorax</i>	<b>4.54%</b>
195. <b>Little Blue Heron</b> <i>Egretta caerulea</i>	<b>19.28%</b>
196. <b>Tricolored Heron</b> <i>Egretta tricolor</i>	<b>16.88%</b>
197. <b>Reddish Egret</b> <i>Egretta rufescens</i>	<b>2.97%</b>
198. <b>Snowy Egret</b> <i>Egretta thula</i>	<b>17.99%</b>

199.	<b>Green Heron</b> <i>Butorides virescens</i>	<b>14.93%</b>
200.	<b>Western Cattle Egret</b> <i>Bubulcus ibis</i>	<b>12.90%</b>
201.	<b>Great Egret</b> <i>Ardea alba</i>	<b>29.31%</b>
202.	<b>Great Blue Heron</b> <i>Ardea herodias</i>	<b>23.59%</b>
203.	<b>White Ibis</b> <i>Eudocimus albus</i>	<b>29.98%</b>
204.	<b>Glossy Ibis</b> <i>Plegadis falcinellus</i>	<b>8.24%</b>
205.	<b>White-faced Ibis</b> <i>Plegadis chihi</i>	<b>0.0220%</b>
206.	<b>Roseate Spoonbill</b> <i>Platalea ajaja</i>	<b>6.06%</b>
207.	<b>Black Vulture</b> <i>Coragyps atratus</i>	<b>19.84%</b>
208.	<b>Turkey Vulture</b> <i>Cathartes aura</i>	<b>18.46%</b>
209.	<b>Osprey</b> <i>Pandion haliaetus</i>	<b>28.24%</b>
210.	<b>White-tailed Kite</b> <i>Elanus leucurus</i>	<b>0.0632%</b>
211.	<b>Swallow-tailed Kite</b> <i>Elanoides forficatus</i>	<b>10.32%</b>
212.	<b>Snail Kite</b> <i>Rostrhamus sociabilis</i>	<b>0.9351%</b>
213.	<b>Mississippi Kite</b> <i>Ictinia mississippiensis</i>	<b>2.94%</b>
214.	<b>Northern Harrier</b> <i>Circus hudsonius</i>	<b>0.1894%</b>
215.	<b>Sharp-shinned Hawk</b> <i>Accipiter striatus</i>	<b>0.0945%</b>
216.	<b>Cooper's Hawk</b> <i>Accipiter cooperii</i>	<b>2.12%</b>
217.	<b>Bald Eagle</b> <i>Haliaeetus leucocephalus</i>	<b>4.90%</b>
218.	<b>Red-shouldered Hawk</b> <i>Buteo lineatus</i>	<b>20.84%</b>
219.	<b>Broad-winged Hawk</b> <i>Buteo platypterus</i>	<b>0.2755%</b>
220.	<b>Short-tailed Hawk</b> <i>Buteo brachyurus</i>	<b>0.5206%</b>
221.	<b>Swainson's Hawk</b> <i>Buteo swainsoni</i>	<b>0.0005%</b>

222.	<b>Zone-tailed Hawk</b> <i>Buteo albonotatus</i>	<b>0.0000%</b>
223.	<b>Red-tailed Hawk</b> <i>Buteo jamaicensis</i>	<b>2.83%</b>
224.	<b>Barn Owl</b> <i>Tyto alba</i>	<b>0.1880%</b>
225.	<b>Eastern Screech-Owl</b> <i>Megascops asio</i>	<b>0.8481%</b>
226.	<b>Great Horned Owl</b> <i>Bubo virginianus</i>	<b>0.9781%</b>
227.	<b>Burrowing Owl</b> <i>Athene cunicularia</i>	<b>0.6736%</b>
228.	<b>Barred Owl</b> <i>Strix varia</i>	<b>3.61%</b>
229.	<b>Short-eared Owl</b> <i>Asio flammeus</i>	<b>0.0103%</b>
230.	<b>Belted Kingfisher</b> <i>Megaceryle alcyon</i>	<b>0.6170%</b>
231.	<b>Yellow-bellied Sapsucker</b> <i>Sphyrapicus varius</i>	<b>0.0103%</b>
232.	<b>Red-headed Woodpecker</b> <i>Melanerpes erythrocephalus</i>	<b>2.85%</b>
233.	<b>Red-bellied Woodpecker</b> <i>Melanerpes carolinus</i>	<b>46.57%</b>
234.	<b>Downy Woodpecker</b> <i>Dryobates pubescens</i>	<b>19.71%</b>
235.	<b>Red-cockaded Woodpecker</b> <i>Dryobates borealis</i>	<b>0.5571%</b>
236.	<b>Hairy Woodpecker</b> <i>Dryobates villosus</i>	<b>0.1815%</b>
237.	<b>Pileated Woodpecker</b> <i>Dryocopus pileatus</i>	<b>14.76%</b>
238.	<b>Northern Flicker</b> <i>Colaptes auratus</i>	<b>2.61%</b>
239.	<b>Crested Caracara</b> <i>Caracara plancus</i>	<b>0.7508%</b>
240.	<b>Yellow-headed Caracara</b> <i>Daptrius chimachima</i>	<b>0.0103%</b>
241.	<b>American Kestrel</b> <i>Falco sparverius</i>	<b>1.32%</b>
242.	<b>Merlin</b> <i>Falco columbarius</i>	<b>0.4355%</b>
243.	<b>Peregrine Falcon</b> <i>Falco peregrinus</i>	<b>0.2404%</b>

244.	<b>Monk Parakeet</b> <i>Myiopsitta monachus</i>	1.51%
245.	<b>White-winged Parakeet</b> <i>Brotogeris versicolurus</i>	0.0463%
246.	<b>Nanday Parakeet</b> <i>Aratinga nenday</i>	2.35%
247.	<b>Mitred Parakeet</b> <i>Psittacara mitratus</i>	0.2236%
248.	<b>Eastern Wood-Pewee</b> <i>Contopus virens</i>	0.8074%
249.	<b>Cuban Pewee</b> <i>Contopus caribaeus</i>	0.0028%
250.	<b>Yellow-bellied Flycatcher</b> <i>Empidonax flaviventris</i>	0.0009%
251.	<b>Acadian Flycatcher</b> <i>Empidonax virescens</i>	0.7185%
252.	<b>Willow Flycatcher</b> <i>Empidonax traillii</i>	0.0005%
253.	<b>Least Flycatcher</b> <i>Empidonax minimus</i>	0.0061%
254.	<b>Eastern Phoebe</b> <i>Sayornis phoebe</i>	0.0201%
255.	<b>Say's Phoebe</b> <i>Sayornis saya</i>	0.0005%
256.	<b>Vermilion Flycatcher</b> <i>Pyrocephalus rubinus</i>	0.0009%
257.	<b>Ash-throated Flycatcher</b> <i>Myiarchus cinerascens</i>	0.0023%
258.	<b>Great Crested Flycatcher</b> <i>Myiarchus crinitus</i>	28.06%
259.	<b>Brown-crested Flycatcher</b> <i>Myiarchus tyrannulus</i>	0.0014%
260.	<b>La Sagra's Flycatcher</b> <i>Myiarchus sagrae</i>	0.0519%
261.	<b>Tropical Kingbird</b> <i>Tyrannus melancholicus</i>	0.0922%
262.	<b>Cassin's Kingbird</b> <i>Tyrannus vociferans</i>	0.0000%
263.	<b>Western Kingbird</b> <i>Tyrannus verticalis</i>	0.0809%
264.	<b>Eastern Kingbird</b> <i>Tyrannus tyrannus</i>	3.58%
265.	<b>Gray Kingbird</b> <i>Tyrannus dominicensis</i>	4.30%

266.	<b>Loggerhead Kingbird</b> <i>Tyrannus caudifasciatus</i>	0.0000%
267.	<b>Scissor-tailed Flycatcher</b> <i>Tyrannus forficatus</i>	0.0267%
268.	<b>Fork-tailed Flycatcher</b> <i>Tyrannus savana</i>	0.0299%
269.	<b>White-eyed Vireo</b> <i>Vireo griseus</i>	13.63%
270.	<b>Thick-billed Vireo</b> <i>Vireo crassirostris</i>	0.0122%
271.	<b>Bell's Vireo</b> <i>Vireo bellii</i>	0.0005%
272.	<b>Yellow-throated Vireo</b> <i>Vireo flavifrons</i>	3.72%
273.	<b>Blue-headed Vireo</b> <i>Vireo solitarius</i>	0.0257%
274.	<b>Philadelphia Vireo</b> <i>Vireo philadelphicus</i>	0.0884%
275.	<b>Warbling Vireo</b> <i>Vireo gilvus</i>	0.0066%
276.	<b>Red-eyed Vireo</b> <i>Vireo olivaceus</i>	5.19%
277.	<b>Yellow-green Vireo</b> <i>Vireo flavoviridis</i>	0.0182%
278.	<b>Black-whiskered Vireo</b> <i>Vireo altiloquus</i>	1.11%
279.	<b>Loggerhead Shrike</b> <i>Lanius ludovicianus</i>	6.10%
280.	<b>Blue Jay</b> <i>Cyanocitta cristata</i>	38.32%
281.	<b>Florida Scrub-Jay</b> <i>Aphelocoma coerulescens</i>	1.01%
282.	<b>American Crow</b> <i>Corvus brachyrhynchos</i>	19.23%
283.	<b>Fish Crow</b> <i>Corvus ossifragus</i>	36.11%
284.	<b>Carolina Chickadee</b> <i>Poecile carolinensis</i>	12.75%
285.	<b>Tufted Titmouse</b> <i>Baeolophus bicolor</i>	24.10%
286.	<b>Horned Lark</b> <i>Eremophila alpestris</i>	0.0061%
287.	<b>Bank Swallow</b> <i>Riparia riparia</i>	0.5431%
288.	<b>Tree Swallow</b> <i>Tachycineta bicolor</i>	0.7831%

289.	<b>Bahama Swallow</b> <i>Tachycineta cyaneoviridis</i>	<b>0.0009%</b>
290.	<b>Purple Martin</b> <i>Progne subis</i>	<b>8.66%</b>
291.	<b>Cuban Martin</b> <i>Progne cryptoleuca</i>	<b>0.0000%</b>
292.	<b>Northern Rough-winged Swallow</b> <i>Stelgidopteryx serripennis</i>	<b>2.31%</b>
293.	<b>Barn Swallow</b> <i>Hirundo rustica</i>	<b>7.66%</b>
294.	<b>Cliff Swallow</b> <i>Petrochelidon pyrrhonota</i>	<b>0.2489%</b>
295.	<b>Cave Swallow</b> <i>Petrochelidon fulva</i>	<b>0.2330%</b>
296.	<b>Red-whiskered Bulbul</b> <i>Pycnonotus jocosus</i>	<b>0.1090%</b>
297.	<b>Ruby-crowned Kinglet</b> <i>Corthylio calendula</i>	<b>0.0206%</b>
298.	<b>White-breasted Nuthatch</b> <i>Sitta carolinensis</i>	<b>0.5309%</b>
299.	<b>Brown-headed Nuthatch</b> <i>Sitta pusilla</i>	<b>2.19%</b>
300.	<b>Red-breasted Nuthatch</b> <i>Sitta canadensis</i>	<b>0.0052%</b>
301.	<b>Brown Creeper</b> <i>Certhia americana</i>	<b>0.0005%</b>
302.	<b>Blue-gray Gnatcatcher</b> <i>Polioptila caerulea</i>	<b>13.87%</b>
303.	<b>House Wren</b> <i>Troglodytes aedon</i>	<b>0.0585%</b>
304.	<b>Sedge Wren</b> <i>Cistothorus stellaris</i>	<b>0.0444%</b>
305.	<b>Marsh Wren</b> <i>Cistothorus palustris</i>	<b>0.4785%</b>
306.	<b>Carolina Wren</b> <i>Thryothorus ludovicianus</i>	<b>30.91%</b>
307.	<b>European Starling</b> <i>Sturnus vulgaris</i>	<b>14.09%</b>
308.	<b>Common Myna</b> <i>Acridotheres tristis</i>	<b>0.4322%</b>
309.	<b>Gray Catbird</b> <i>Dumetella carolinensis</i>	<b>5.00%</b>
310.	<b>Curve-billed Thrasher</b> <i>Toxostoma curvirostre</i>	<b>0.0000%</b>

311. <b>Brown Thrasher</b> <i>Toxostoma rufum</i>	<b>12.04%</b>
312. <b>Bahama Mockingbird</b> <i>Mimus gundlachii</i>	<b>0.1422%</b>
313. <b>Northern Mockingbird</b> <i>Mimus polyglottos</i>	<b>44.19%</b>
314. <b>Eastern Bluebird</b> <i>Sialia sialis</i>	<b>11.13%</b>
315. <b>Veery</b> <i>Catharus fuscescens</i>	<b>0.7587%</b>
316. <b>Gray-cheeked Thrush</b> <i>Catharus minimus</i>	<b>0.9379%</b>
317. <b>Bicknell's Thrush</b> <i>Catharus bicknelli</i>	<b>0.0458%</b>
318. <b>Swainson's Thrush</b> <i>Catharus ustulatus</i>	<b>0.9861%</b>
319. <b>Hermit Thrush</b> <i>Catharus guttatus</i>	<b>0.0066%</b>
320. <b>Wood Thrush</b> <i>Hylocichla mustelina</i>	<b>0.3171%</b>
321. <b>American Robin</b> <i>Turdus migratorius</i>	<b>0.2203%</b>
322. <b>Red-legged Thrush</b> <i>Turdus plumbeus</i>	<b>0.0000%</b>
323. <b>Cedar Waxwing</b> <i>Bombycilla cedrorum</i>	<b>1.90%</b>
324. <b>Tricolored Munia</b> <i>Lonchura malacca</i>	<b>0.0066%</b>
325. <b>House Sparrow</b> <i>Passer domesticus</i>	<b>6.56%</b>
326. <b>American Pipit</b> <i>Anthus rubescens</i>	<b>0.0014%</b>
327. <b>Sprague's Pipit</b> <i>Anthus spragueii</i>	<b>0.0005%</b>
328. <b>House Finch</b> <i>Haemorhous mexicanus</i>	<b>8.26%</b>
329. <b>Purple Finch</b> <i>Haemorhous purpureus</i>	<b>0.0009%</b>
330. <b>Pine Siskin</b> <i>Spinus pinus</i>	<b>0.0650%</b>
331. <b>Lesser Goldfinch</b> <i>Spinus psaltria</i>	<b>0.0346%</b>
332. <b>American Goldfinch</b> <i>Spinus tristis</i>	<b>0.1240%</b>
333. <b>Bachman's Sparrow</b> <i>Peucaea aestivalis</i>	<b>1.71%</b>

334.	<b>Grasshopper Sparrow</b> <i>Ammodramus savannarum</i>	0.0613%
335.	<b>Chipping Sparrow</b> <i>Spizella passerina</i>	0.0164%
336.	<b>Clay-colored Sparrow</b> <i>Spizella pallida</i>	0.0019%
337.	<b>Field Sparrow</b> <i>Spizella pusilla</i>	0.0468%
338.	<b>Lark Sparrow</b> <i>Chondestes grammacus</i>	0.0023%
339.	<b>American Tree Sparrow</b> <i>Spizelloides arborea</i>	0.0005%
340.	<b>Dark-eyed Junco</b> <i>Junco hyemalis</i>	0.0005%
341.	<b>White-crowned Sparrow</b> <i>Zonotrichia leucophrys</i>	0.0112%
342.	<b>White-throated Sparrow</b> <i>Zonotrichia albicollis</i>	0.0131%
343.	<b>Vesper Sparrow</b> <i>Pooecetes gramineus</i>	0.0009%
344.	<b>LeConte's Sparrow</b> <i>Ammospiza leconteii</i>	0.0000%
345.	<b>Seaside Sparrow</b> <i>Ammospiza maritima</i>	0.2573%
346.	<b>Nelson's Sparrow</b> <i>Ammospiza nelsoni</i>	0.0267%
347.	<b>Saltmarsh Sparrow</b> <i>Ammospiza caudacuta</i>	0.0005%
348.	<b>Savannah Sparrow</b> <i>Passerculus sandwichensis</i>	0.2619%
349.	<b>Henslow's Sparrow</b> <i>Centronyx henslowii</i>	0.0023%
350.	<b>Song Sparrow</b> <i>Melospiza melodia</i>	0.0014%
351.	<b>Lincoln's Sparrow</b> <i>Melospiza lincolnii</i>	0.0402%
352.	<b>Swamp Sparrow</b> <i>Melospiza georgiana</i>	0.0865%
353.	<b>Green-tailed Towhee</b> <i>Pipilo chlorurus</i>	0.0005%
354.	<b>Eastern Towhee</b> <i>Pipilo erythrophthalmus</i>	8.99%
355.	<b>Western Spindalis</b> <i>Spindalis zena</i>	0.0463%
356.	<b>Yellow-breasted Chat</b> <i>Icteria virens</i>	0.4037%



357.	<b>Yellow-headed Blackbird</b> <i>Xanthocephalus xanthocephalus</i>	<b>0.0239%</b>
358.	<b>Bobolink</b> <i>Dolichonyx oryzivorus</i>	<b>2.21%</b>
359.	<b>Eastern Meadowlark</b> <i>Sturnella magna</i>	<b>4.91%</b>
360.	<b>Orchard Oriole</b> <i>Icterus spurius</i>	<b>1.49%</b>
361.	<b>Spot-breasted Oriole</b> <i>Icterus pectoralis</i>	<b>0.3443%</b>
362.	<b>Baltimore Oriole</b> <i>Icterus galbula</i>	<b>0.3836%</b>
363.	<b>Red-winged Blackbird</b> <i>Agelaius phoeniceus</i>	<b>27.26%</b>
364.	<b>Shiny Cowbird</b> <i>Molothrus bonariensis</i>	<b>0.2372%</b>
365.	<b>Bronzed Cowbird</b> <i>Molothrus aeneus</i>	<b>0.2147%</b>
366.	<b>Brown-headed Cowbird</b> <i>Molothrus ater</i>	<b>5.52%</b>
367.	<b>Brewer's Blackbird</b> <i>Euphagus cyanocephalus</i>	<b>0.0000%</b>
368.	<b>Common Grackle</b> <i>Quiscalus quiscula</i>	<b>29.15%</b>
369.	<b>Boat-tailed Grackle</b> <i>Quiscalus major</i>	<b>27.56%</b>
370.	<b>Great-tailed Grackle</b> <i>Quiscalus mexicanus</i>	<b>0.0122%</b>
371.	<b>Ovenbird</b> <i>Seiurus aurocapilla</i>	<b>2.86%</b>
372.	<b>Worm-eating Warbler</b> <i>Helmitheros vermivorum</i>	<b>0.3443%</b>
373.	<b>Louisiana Waterthrush</b> <i>Parkesia motacilla</i>	<b>0.0543%</b>
374.	<b>Northern Waterthrush</b> <i>Parkesia noveboracensis</i>	<b>2.14%</b>
375.	<b>Golden-winged Warbler</b> <i>Vermivora chrysoptera</i>	<b>0.0547%</b>
376.	<b>Blue-winged Warbler</b> <i>Vermivora cyanoptera</i>	<b>0.0790%</b>
377.	<b>Black-and-white Warbler</b> <i>Mniotilta varia</i>	<b>3.73%</b>
378.	<b>Prothonotary Warbler</b> <i>Protonotaria citrea</i>	<b>1.24%</b>

379.	<b>Swainson's Warbler</b> <i>Limnothlypis swainsonii</i>	0.1600%
380.	<b>Tennessee Warbler</b> <i>Leiothlypis peregrina</i>	0.4804%
381.	<b>Orange-crowned Warbler</b> <i>Leiothlypis celata</i>	0.0112%
382.	<b>Nashville Warbler</b> <i>Leiothlypis ruficapilla</i>	0.0271%
383.	<b>Connecticut Warbler</b> <i>Oporornis agilis</i>	0.4187%
384.	<b>MacGillivray's Warbler</b> <i>Geothlypis tolmiei</i>	0.0103%
385.	<b>Mourning Warbler</b> <i>Geothlypis philadelphia</i>	0.0037%
386.	<b>Kentucky Warbler</b> <i>Geothlypis formosa</i>	0.1024%
387.	<b>Common Yellowthroat</b> <i>Geothlypis trichas</i>	10.77%
388.	<b>Hooded Warbler</b> <i>Setophaga citrina</i>	0.8911%
389.	<b>American Redstart</b> <i>Setophaga ruticilla</i>	10.25%
390.	<b>Kirtland's Warbler</b> <i>Setophaga kirtlandii</i>	0.0150%
391.	<b>Cape May Warbler</b> <i>Setophaga tigrina</i>	3.08%
392.	<b>Cerulean Warbler</b> <i>Setophaga cerulea</i>	0.0472%
393.	<b>Northern Parula</b> <i>Setophaga americana</i>	23.69%
394.	<b>Magnolia Warbler</b> <i>Setophaga magnolia</i>	1.09%
395.	<b>Bay-breasted Warbler</b> <i>Setophaga castanea</i>	0.6254%
396.	<b>Blackburnian Warbler</b> <i>Setophaga fusca</i>	0.1993%
397.	<b>Yellow Warbler</b> <i>Setophaga petechia</i>	0.7657%
398.	<b>Chestnut-sided Warbler</b> <i>Setophaga pensylvanica</i>	0.2376%
399.	<b>Blackpoll Warbler</b> <i>Setophaga striata</i>	5.61%
400.	<b>Black-throated Blue Warbler</b> <i>Setophaga caerulescens</i>	4.04%

401. <b>Palm Warbler</b> <i>Setophaga palmarum</i>	2.03%
402. <b>Pine Warbler</b> <i>Setophaga pinus</i>	6.31%
403. <b>Yellow-rumped Warbler</b> <i>Setophaga coronata</i>	0.1647%
404. <b>Yellow-throated Warbler</b> <i>Setophaga dominica</i>	2.85%
405. <b>Prairie Warbler</b> <i>Setophaga discolor</i>	2.71%
406. <b>Black-throated Green Warbler</b> <i>Setophaga virens</i>	0.3569%
407. <b>Canada Warbler</b> <i>Cardellina canadensis</i>	0.0080%
408. <b>Wilson's Warbler</b> <i>Cardellina pusilla</i>	0.0066%
409. <b>Summer Tanager</b> <i>Piranga rubra</i>	5.01%
410. <b>Scarlet Tanager</b> <i>Piranga olivacea</i>	0.7779%
411. <b>Western Tanager</b> <i>Piranga ludoviciana</i>	0.0023%
412. <b>Northern Cardinal</b> <i>Cardinalis cardinalis</i>	58.31%
413. <b>Rose-breasted Grosbeak</b> <i>Pheucticus ludovicianus</i>	1.25%
414. <b>Black-headed Grosbeak</b> <i>Pheucticus melanocephalus</i>	0.0014%
415. <b>Blue Grosbeak</b> <i>Passerina caerulea</i>	2.49%
416. <b>Lazuli Bunting</b> <i>Passerina amoena</i>	0.0070%
417. <b>Indigo Bunting</b> <i>Passerina cyanea</i>	2.78%
418. <b>Painted Bunting</b> <i>Passerina ciris</i>	0.8401%
419. <b>Dickcissel</b> <i>Spiza americana</i>	0.1656%
420. <b>Red-legged Honeycreeper</b> <i>Cyanerpes cyaneus</i>	0.0080%
421. <b>Bananaquit</b> <i>Coereba flaveola</i>	0.0426%
422. <b>Yellow-faced Grassquit</b> <i>Tiaris olivaceus</i>	0.0005%

423. <b>Black-faced Grassquit</b> <i>Melanospiza bicolor</i>	<b>0.0543%</b>
<b>EXOTIC: PROVISIONAL</b>	
424. <b>Indian Peafowl</b> <i>Pavo cristatus</i>	<b>0.6741%</b> frequency
425. <b>Red Junglefowl</b> <i>Gallus gallus</i>	<b>0.2241%</b>
426. <b>Rose-ringed Parakeet</b> <i>Psittacula krameri</i>	<b>0.0281%</b>
427. <b>Budgerigar</b> <i>Melopsittacus undulatus</i>	<b>0.0075%</b>
428. <b>Yellow-chevroned Parakeet</b> <i>Brotogeris chiriri</i>	<b>0.2100%</b>
429. <b>Red-crowned Parrot</b> <i>Amazona viridigenalis</i>	<b>0.0519%</b>
430. <b>Orange-winged Parrot</b> <i>Amazona amazonica</i>	<b>0.1403%</b>
431. <b>Blue-and-yellow Macaw</b> <i>Ara ararauna</i>	<b>0.0477%</b>
432. <b>Chestnut-fronted Macaw</b> <i>Ara severus</i>	<b>0.0566%</b>
433. <b>Blue-crowned Parakeet</b> <i>Thectocercus acuticaudatus</i>	<b>0.3653%</b>
434. <b>Red-masked Parakeet</b> <i>Psittacara erythrogenys</i>	<b>0.1558%</b>
435. <b>White-eyed Parakeet</b> <i>Psittacara leucophthalmus</i>	<b>0.0468%</b>
436. <b>House Crow</b> <i>Corvus splendens</i>	<b>0.0201%</b>
437. <b>Common Hill Myna</b> <i>Gracula religiosa</i>	<b>0.0645%</b>
438. <b>Scaly-breasted Munia</b> <i>Lonchura punctulata</i>	<b>0.2447%</b>
<b>EXOTIC: ESCAPEE</b>	
<b>White-faced Whistling-Duck</b> <i>Dendrocygna viduata</i>	<b>0.0070%</b> frequency
<b>Bar-headed Goose</b> <i>Anser indicus</i>	<b>0.0028%</b>
<b>Graylag Goose</b> <i>Anser anser</i>	<b>0.0959%</b>

<b>Swan Goose</b> <i>Anser cygnoides</i>	<b>0.0987%</b>
<b>Barnacle Goose</b> <i>Branta leucopsis</i>	<b>0.0009%</b>
<b>Mute Swan</b> <i>Cygnus olor</i>	<b>0.1997%</b>
<b>Black Swan</b> <i>Cygnus atratus</i>	<b>0.0641%</b>
<b>Black-necked Swan</b> <i>Cygnus melancoryphus</i>	<b>0.0164%</b>
<b>Trumpeter Swan</b> <i>Cygnus buccinator</i>	<b>0.0154%</b>
<b>Whooper Swan</b> <i>Cygnus cygnus</i>	<b>0.0066%</b>
<b>Coscoroba Swan</b> <i>Coscoroba coscoroba</i>	<b>0.0047%</b>
<b>Orinoco Goose</b> <i>Oressochen jubatus</i>	<b>0.0000%</b>
<b>Ruddy Shelduck</b> <i>Tadorna ferruginea</i>	<b>0.0070%</b>
<b>Common Shelduck</b> <i>Tadorna tadorna</i>	<b>0.0042%</b>
<b>Ringed Teal</b> <i>Callonetta leucophrys</i>	<b>0.0023%</b>
<b>Mandarin Duck</b> <i>Aix galericulata</i>	<b>0.0056%</b>
<b>Red-crested Pochard</b> <i>Netta rufina</i>	<b>0.0037%</b>
<b>Helmeted Guineafowl</b> <i>Numida meleagris</i>	<b>0.0477%</b>
<b>Ring-necked Pheasant</b> <i>Phasianus colchicus</i>	<b>0.0047%</b>
<b>Red-legged Partridge</b> <i>Alectoris rufa</i>	<b>0.0033%</b>
<b>African Collared-Dove</b> <i>Streptopelia roseogrisea</i>	<b>0.0061%</b>
<b>Diamond Dove</b> <i>Geopelia cuneata</i>	<b>0.0009%</b>
<b>Black-casqued Hornbill</b> <i>Ceratogymna atrata</i>	<b>0.0005%</b>
<b>Cockatiel</b> <i>Nymphicus hollandicus</i>	<b>0.0117%</b>
<b>Red Lory</b> <i>Eos bornea</i>	<b>0.0000%</b>

<b>Rosy-faced Lovebird</b> <i>Agapornis roseicollis</i>	<b>0.0014%</b>
<b>Fischer's Lovebird</b> <i>Agapornis fischeri</i>	<b>0.0005%</b>
<b>Gray Parrot</b> <i>Psittacus erithacus</i>	<b>0.0000%</b>
<b>Yellow-fronted Parrot</b> <i>Poicephalus flavifrons</i>	<b>0.0009%</b>
<b>Scaly-headed Parrot</b> <i>Pionus maximiliani</i>	<b>0.0042%</b>
<b>Lilac-crowned Parrot</b> <i>Amazona finschi</i>	<b>0.0084%</b>
<b>Red-lored Parrot</b> <i>Amazona autumnalis</i>	<b>0.0009%</b>
<b>Yellow-naped Parrot</b> <i>Amazona auropalliata</i>	<b>0.0009%</b>
<b>Yellow-headed Parrot</b> <i>Amazona oratrix</i>	<b>0.0014%</b>
<b>Yellow-crowned Parrot</b> <i>Amazona ochrocephala</i>	<b>0.0023%</b>
<b>Turquoise-fronted Parrot</b> <i>Amazona aestiva</i>	<b>0.0047%</b>
<b>White-fronted Parrot</b> <i>Amazona albifrons</i>	<b>0.0019%</b>
<b>Hispaniolan Parrot</b> <i>Amazona ventralis</i>	<b>0.0005%</b>
<b>Mealy Parrot</b> <i>Amazona farinosa</i>	<b>0.0005%</b>
<b>Black-headed Parrot</b> <i>Pionites melanocephalus</i>	<b>0.0005%</b>
<b>Maroon-bellied Parakeet</b> <i>Pyrrhura frontalis</i>	<b>0.0005%</b>
<b>Orange-fronted Parakeet</b> <i>Eupsittula canicularis</i>	<b>0.0014%</b>
<b>Peach-fronted Parakeet</b> <i>Eupsittula aurea</i>	<b>0.0009%</b>
<b>Dusky-headed Parakeet</b> <i>Aratinga weddellii</i>	<b>0.0005%</b>
<b>Sun Parakeet</b> <i>Aratinga solstitialis</i>	<b>0.0000%</b>
<b>Scarlet Macaw</b> <i>Ara macao</i>	<b>0.0005%</b>
<b>Red-shouldered Macaw</b> <i>Diopsittaca nobilis</i>	<b>0.0000%</b>

<b>Green Parakeet</b> <i>Psittacara holochlorus</i>	0.0019%
<b>Crimson-fronted Parakeet</b> <i>Psittacara finschi</i>	0.0019%
<b>Hispaniolan Parakeet</b> <i>Psittacara chloropterus</i>	0.0000%
<b>San Blas Jay</b> <i>Cyanocorax sanblasianus</i>	0.0033%
<b>Crested Myna</b> <i>Acridotheres cristatellus</i>	0.0000%
<b>Tropical Mockingbird</b> <i>Mimus gilvus</i>	0.0005%
<b>Northern Red Bishop</b> <i>Euplectes franciscanus</i>	0.0009%
<b>Zebra Finch</b> <i>Taeniopygia guttata</i>	0.0075%
<b>Java Sparrow</b> <i>Padda oryzivora</i>	0.0005%
<b>Pin-tailed Whydah</b> <i>Vidua macroura</i>	0.0005%
<b>European Goldfinch</b> <i>Carduelis carduelis</i>	0.0009%
<b>Yellow-rumped Cacique</b> <i>Cacicus cela</i>	0.0033%
<b>Saffron Finch</b> <i>Sicalis flaveola</i>	0.0009%
<b>Scarlet Ibis</b> <i>Eudocimus ruber</i>	0.0000%

## HYBRIDS

Graylag x Swan Goose (hybrid) <i>Anser anser</i> x <i>cygnoides</i>	0.0070% frequency
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides</i> x <i>Branta canadensis</i>	0.0037%
Graylag x Canada Goose (hybrid) <i>Anser anser</i> x <i>Branta canadensis</i>	0.0009%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser</i> sp. (Domestic type) x <i>Branta canadensis</i>	0.0009%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors</i> x <i>cyanoptera</i>	0.0014%

Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0271%
Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	2.18%
Scaled x Gambel's Quail (hybrid) <i>Callipepla squamata x gambelii</i>	0.0000%
Herring x Glaucous Gull (hybrid) <i>Larus argentatus x hyperboreus</i>	0.0009%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0005%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0023%
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	0.0042%
Snowy x Little Egret (hybrid) <i>Egretta thula x garzetta</i>	0.0005%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0033%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0005%
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	0.0028%
Tropical x Gray Kingbird (hybrid) <i>Tyrannus melancholicus x dominicensis</i>	0.0005%
Cliff x Cave Swallow (hybrid) <i>Petrochelidon pyrrhonota x fulva</i>	0.0005%
Bahama x Northern Mockingbird (hybrid) <i>Mimus gundlachii x polyglottos</i>	0.0005%
Yellow x Prairie Warbler (hybrid) <i>Setophaga petechia x discolor</i>	0.0009%