



Target Species

Based on 187,683 complete checklists

472 species observed in Florida, US (region/US-FL) in Nov that you need for your **Florida Life List**























1. Palm Warbler <i>Setophaga palmarum</i>	48.66% frequency
2. Turkey Vulture <i>Cathartes aura</i>	43.00%
3. Red-bellied Woodpecker <i>Melanerpes carolinus</i>	40.98%
4. Great Egret <i>Ardea alba</i>	40.37%
5. Northern Mockingbird <i>Mimus polyglottos</i>	37.92%
6. Northern Cardinal <i>Cardinalis cardinalis</i>	37.75%
7. White Ibis <i>Eudocimus albus</i>	37.66%
8. Blue Jay <i>Cyanocitta cristata</i>	36.74%
9. Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	35.63%
10. Eastern Phoebe <i>Sayornis phoebe</i>	35.59%
11. Great Blue Heron <i>Ardea herodias</i>	34.80%
12. Mourning Dove <i>Zenaida macroura</i>	33.83%
13. Double-crested Cormorant <i>Nannopterum auritum</i>	32.13%
14. Osprey <i>Pandion haliaetus</i>	31.47%
15. Little Blue Heron <i>Egretta caerulea</i>	30.44%
16. Anhinga <i>Anhinga anhinga</i>	29.93%
17. Gray Catbird <i>Dumetella carolinensis</i>	28.61%
18. Red-shouldered Hawk <i>Buteo lineatus</i>	28.42%

19. Yellow-rumped Warbler <i>Setophaga coronata</i>	28.00%
20. Black Vulture <i>Coragyps atratus</i>	25.60%
21. Belted Kingfisher <i>Megaceryle alcyon</i>	25.51%
22. Boat-tailed Grackle <i>Quiscalus major</i>	25.39%
23. Snowy Egret <i>Egretta thula</i>	25.11%
24. Fish Crow <i>Corvus ossifragus</i>	23.77%
25. Tricolored Heron <i>Egretta tricolor</i>	23.75%
26. Carolina Wren <i>Thryothorus ludovicianus</i>	21.29%
27. Common Grackle <i>Quiscalus quiscula</i>	20.57%
28. Red-winged Blackbird <i>Agelaius phoeniceus</i>	20.57%
29. Common Gallinule <i>Gallinula galeata</i>	20.47%
30. American Crow <i>Corvus brachyrhynchos</i>	19.91%
31. Laughing Gull <i>Leucophaeus atricilla</i>	19.56%
32. Pied-billed Grebe <i>Podilymbus podiceps</i>	19.53%
33. Brown Pelican <i>Pelecanus occidentalis</i>	18.08%
34. House Wren <i>Troglodytes aedon</i>	18.08%
35. Downy Woodpecker <i>Dryobates pubescens</i>	17.97%
36. Tufted Titmouse <i>Baeolophus bicolor</i>	16.42%
37. American Kestrel <i>Falco sparverius</i>	16.38%
38. Wood Stork <i>Mycteria americana</i>	16.08%
39. Common Yellowthroat <i>Geothlypis trichas</i>	15.08%
40. Bald Eagle <i>Haliaeetus leucocephalus</i>	14.93%
41. American Coot <i>Fulica americana</i>	13.87%

42.	Pileated Woodpecker <i>Dryocopus pileatus</i>	13.32%
43.	Western Cattle Egret <i>Bubulcus ibis</i>	12.60%
44.	Killdeer <i>Charadrius vociferus</i>	12.51%
45.	Ruby-crowned Kinglet <i>Corthylio calendula</i>	12.46%
46.	Glossy Ibis <i>Plegadis falcinellus</i>	11.73%
47.	Sandhill Crane <i>Antigone canadensis</i>	11.42%
48.	Loggerhead Shrike <i>Lanius ludovicianus</i>	11.33%
49.	Carolina Chickadee <i>Poecile carolinensis</i>	11.12%
50.	Pine Warbler <i>Setophaga pinus</i>	10.99%
51.	Royal Tern <i>Thalasseus maximus</i>	10.96%
52.	European Starling <i>Sturnus vulgaris</i>	10.79%
53.	Green Heron <i>Butorides virescens</i>	10.25%
54.	Blue-winged Teal <i>Spatula discors</i>	9.88%
55.	Willet <i>Tringa semipalmata</i>	9.79%
56.	Ring-billed Gull <i>Larus delawarensis</i>	9.46%
57.	Black-and-white Warbler <i>Mniotilta varia</i>	9.26%
58.	Northern Harrier <i>Circus hudsonius</i>	9.08%
59.	Eastern Bluebird <i>Sialia sialis</i>	8.95%
60.	Tree Swallow <i>Tachycineta bicolor</i>	8.95%
61.	Sanderling <i>Calidris alba</i>	8.73%
62.	Mottled Duck <i>Anas fulvigula</i>	8.71%
63.	Eurasian Collared-Dove <i>Streptopelia decaocto</i>	8.31%
64.	Limpkin <i>Aramus guarauna</i>	8.17%

65.	Ruddy Turnstone <i>Arenaria interpres</i>	8.01%
66.	Rock Pigeon <i>Columba livia</i>	7.67%
67.	White-eyed Vireo <i>Vireo griseus</i>	7.60%
68.	Common Ground Dove <i>Columbina passerina</i>	7.37%
69.	Greater Yellowlegs <i>Tringa melanoleuca</i>	7.14%
70.	Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	7.00%
71.	Black-bellied Plover <i>Pluvialis squatarola</i>	6.99%
72.	Swamp Sparrow <i>Melospiza georgiana</i>	6.98%
73.	Roseate Spoonbill <i>Platalea ajaja</i>	6.98%
74.	Savannah Sparrow <i>Passerculus sandwichensis</i>	6.92%
75.	Yellow-throated Warbler <i>Setophaga dominica</i>	6.92%
76.	American Robin <i>Turdus migratorius</i>	6.82%
77.	Forster's Tern <i>Sterna forsteri</i>	6.70%
78.	Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	6.12%
79.	House Finch <i>Haemorhous mexicanus</i>	5.96%
80.	Least Sandpiper <i>Calidris minutilla</i>	5.52%
81.	Sandwich Tern <i>Thalasseus sandvicensis</i>	5.32%
82.	American White Pelican <i>Pelecanus erythrorhynchos</i>	5.31%
83.	Prairie Warbler <i>Setophaga discolor</i>	5.11%
84.	Chipping Sparrow <i>Spizella passerina</i>	5.10%
85.	Northern Flicker <i>Colaptes auratus</i>	5.07%
86.	Dunlin <i>Calidris alpina</i>	5.03%

87. Eastern Towhee <i>Pipilo erythrophthalmus</i>	5.00%
88. Muscovy Duck <i>Cairina moschata</i>	4.93%
89. Black-crowned Night Heron <i>Nycticorax nycticorax</i>	4.85%
90. Painted Bunting <i>Passerina ciris</i>	4.84%
91. Red-tailed Hawk <i>Buteo jamaicensis</i>	4.77%
92. Cooper's Hawk <i>Accipiter cooperii</i>	4.72%
93. Ring-necked Duck <i>Aythya collaris</i>	4.71%
94. Blue-headed Vireo <i>Vireo solitarius</i>	4.62%
95. Herring Gull <i>Larus argentatus</i>	4.51%
96. Wilson's Snipe <i>Gallinago delicata</i>	4.40%
97. Semipalmated Plover <i>Charadrius semipalmatus</i>	4.24%
98. Ruby-throated Hummingbird <i>Archilochus colubris</i>	4.14%
99. American Goldfinch <i>Spinus tristis</i>	4.04%
100. Lesser Scaup <i>Aythya affinis</i>	4.01%
101. Brown Thrasher <i>Toxostoma rufum</i>	3.99%
102. Hooded Merganser <i>Lophodytes cucullatus</i>	3.89%
103. Lesser Yellowlegs <i>Tringa flavipes</i>	3.80%
104. Eastern Meadowlark <i>Sturnella magna</i>	3.68%
105. Northern Shoveler <i>Spatula clypeata</i>	3.64%
106. Orange-crowned Warbler <i>Leiothlypis celata</i>	3.61%
107. Reddish Egret <i>Egretta rufescens</i>	3.59%
108. Caspian Tern <i>Hydroprogne caspia</i>	3.59%
109. Marsh Wren <i>Cistothorus palustris</i>	3.53%

110.	Spotted Sandpiper <i>Actitis macularius</i>	3.52% 
111.	House Sparrow <i>Passer domesticus</i>	3.51% 
112.	Northern Parula <i>Setophaga americana</i>	3.45% 
113.	Purple Gallinule <i>Porphyrio martinica</i>	3.15% 
114.	Green-winged Teal <i>Anas crecca</i>	3.06% 
115.	Magnificent Frigatebird <i>Fregata magnificens</i>	3.03% 
116.	Black Skimmer <i>Rynchops niger</i>	3.01% 
117.	Wood Duck <i>Aix sponsa</i>	2.89% 
118.	Sora <i>Porzana carolina</i>	2.87% 
119.	Mallard <i>Anas platyrhynchos</i>	2.84% 
120.	Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	2.84% 
121.	American Redstart <i>Setophaga ruticilla</i>	2.79% 
122.	Brown-headed Cowbird <i>Molothrus ater</i>	2.76% 
123.	Short-billed Dowitcher <i>Limnodromus griseus</i>	2.76% 
124.	White-winged Dove <i>Zenaida asiatica</i>	2.66% 
125.	Barred Owl <i>Strix varia</i>	2.47% 
126.	Hermit Thrush <i>Catharus guttatus</i>	2.44% 
127.	Ruddy Duck <i>Oxyura jamaicensis</i>	2.38% 
128.	Lesser Black-backed Gull <i>Larus fuscus</i>	2.36% 
129.	Great Crested Flycatcher <i>Myiarchus crinitus</i>	2.35% 
130.	Merlin <i>Falco columbarius</i>	2.29% 
131.	American Wigeon <i>Mareca americana</i>	2.26% 

132.	Western Sandpiper <i>Calidris mauri</i>	2.21%
133.	Monk Parakeet <i>Myiopsitta monachus</i>	2.17%
134.	Song Sparrow <i>Melospiza melodia</i>	2.14%
135.	Sharp-shinned Hawk <i>Accipiter striatus</i>	2.13%
136.	Indigo Bunting <i>Passerina cyanea</i>	2.12%
137.	Sedge Wren <i>Cistothorus stellaris</i>	2.06%
138.	Canada Goose <i>Branta canadensis</i>	2.05%
139.	Northern Gannet <i>Morus bassanus</i>	2.04%
140.	Nanday Parakeet <i>Aratinga nenday</i>	2.04%
141.	Redhead <i>Aythya americana</i>	2.03%
142.	Ovenbird <i>Seiurus aurocapilla</i>	2.03%
143.	American Bittern <i>Botaurus lentiginosus</i>	2.01%
144.	Common Loon <i>Gavia immer</i>	1.94%
145.	Red-breasted Merganser <i>Mergus serrator</i>	1.93%
146.	Bufflehead <i>Bucephala albeola</i>	1.82%
147.	Egyptian Goose <i>Alopochen aegyptiaca</i>	1.81%
148.	Barn Swallow <i>Hirundo rustica</i>	1.79%
149.	Gadwall <i>Mareca strepera</i>	1.77%
150.	Brown-headed Nuthatch <i>Sitta pusilla</i>	1.77%
151.	American Oystercatcher <i>Haematopus palliatus</i>	1.75%
152.	Clapper Rail <i>Rallus crepitans</i>	1.71%
153.	Great Horned Owl <i>Bubo virginianus</i>	1.71%

154.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	1.61%
155.	Peregrine Falcon <i>Falco peregrinus</i>	1.61%
156.	Snail Kite <i>Rostrhamus sociabilis</i>	1.55%
157.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	1.53%
158.	Black-throated Blue Warbler <i>Setophaga caerulescens</i>	1.47%
159.	Short-tailed Hawk <i>Buteo brachyurus</i>	1.46%
160.	Wild Turkey <i>Meleagris gallopavo</i>	1.44%
161.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	1.43%
162.	Northern Pintail <i>Anas acuta</i>	1.41%
163.	Red Knot <i>Calidris canutus</i>	1.36%
164.	Piping Plover <i>Charadrius melodus</i>	1.35%
165.	Baltimore Oriole <i>Icterus galbula</i>	1.31%
166.	Marbled Godwit <i>Limosa fedoa</i>	1.30%
167.	American Avocet <i>Recurvirostra americana</i>	1.27%
168.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	1.17%
169.	Wilson's Plover <i>Anarhynchus wilsonia</i>	1.17%
170.	Northern Waterthrush <i>Parkesia noveboracensis</i>	1.16%
171.	Horned Grebe <i>Podiceps auritus</i>	1.11%
172.	Crested Caracara <i>Caracara plancus</i>	1.01%
173.	Black Scoter <i>Melanitta americana</i>	0.9788%
174.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	0.9740%

175.	Least Bittern <i>Ixobrychus exilis</i>	0.9250%
176.	Black-necked Stilt <i>Himantopus mexicanus</i>	0.8946%
177.	Broad-winged Hawk <i>Buteo platypterus</i>	0.8093%
178.	Black-throated Green Warbler <i>Setophaga virens</i>	0.7694%
179.	Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.7667%
180.	Snowy Plover <i>Anarhynchus nivosus</i>	0.7651%
181.	Common Tern <i>Sterna hirundo</i>	0.7108%
182.	Great Black-backed Gull <i>Larus marinus</i>	0.7081%
183.	White-throated Sparrow <i>Zonotrichia albicollis</i>	0.7081%
184.	Vesper Sparrow <i>Pooecetes gramineus</i>	0.7006%
185.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.6932%
186.	King Rail <i>Rallus elegans</i>	0.6639%
187.	Magnolia Warbler <i>Setophaga magnolia</i>	0.6490%
188.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.6458%
189.	Canvasback <i>Aythya valisineria</i>	0.6149%
190.	Western Kingbird <i>Tyrannus verticalis</i>	0.6138%
191.	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	0.6063%
192.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.5792%
193.	Cedar Waxwing <i>Bombycilla cedrorum</i>	0.5728%
194.	Yellow-billed Cuckoo <i>Coccyzus americanus</i>	0.5573%
195.	Summer Tanager <i>Piranga rubra</i>	0.5477%
196.	American Pipit <i>Anthus rubescens</i>	0.5200%
197.	Cape May Warbler <i>Setophaga tigrina</i>	0.5168%

198.	Northern Bobwhite <i>Colinus virginianus</i>	0.5131%
199.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	0.5072%
200.	Virginia Rail <i>Rallus limicola</i>	0.5014%
201.	Golden-crowned Kinglet <i>Regulus satrapa</i>	0.4667%
202.	White-crowned Pigeon <i>Patagioenas leucocephala</i>	0.4529%
203.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.4513%
204.	Greater Scaup <i>Aythya marila</i>	0.4454%
205.	Eastern Screech-Owl <i>Megascops asio</i>	0.4268%
206.	Yellow-throated Vireo <i>Vireo flavifrons</i>	0.3927%
207.	Eastern Wood-Pewee <i>Contopus virens</i>	0.3826%
208.	Snow Goose <i>Anser caerulescens</i>	0.3783%
209.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.3767%
210.	Tennessee Warbler <i>Leiothlypis peregrina</i>	0.3724%
211.	Blue Grosbeak <i>Passerina caerulea</i>	0.3602%
212.	Field Sparrow <i>Spizella pusilla</i>	0.3207%
213.	Stilt Sandpiper <i>Calidris himantopus</i>	0.3202%
214.	Surf Scoter <i>Melanitta perspicillata</i>	0.3117%
215.	Franklin's Gull <i>Leucophaeus pipixcan</i>	0.3112%
216.	Burrowing Owl <i>Athene cunicularia</i>	0.2691%
217.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	0.2621%
218.	Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.2605%
219.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.2589%
220.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.2547%

221.	Bay-breasted Warbler <i>Setophaga castanea</i>	0.2430%
222.	Swainson's Hawk <i>Buteo swainsoni</i>	0.2371%
223.	American Flamingo <i>Phoenicopterus ruber</i>	0.2360%
224.	Whimbrel <i>Numenius phaeopus</i>	0.2334%
225.	Nelson's Sparrow <i>Ammospiza nelsoni</i>	0.2254%
226.	Yellow Warbler <i>Setophaga petechia</i>	0.2121%
227.	Red-breasted Nuthatch <i>Sitta canadensis</i>	0.2003%
228.	Barn Owl <i>Tyto alba</i>	0.1998%
229.	Solitary Sandpiper <i>Tringa solitaria</i>	0.1934%
230.	Pectoral Sandpiper <i>Calidris melanotos</i>	0.1934%
231.	Hairy Woodpecker <i>Dryobates villosus</i>	0.1908%
232.	Mitred Parakeet <i>Psittacara mitratus</i>	0.1902%
233.	Least Flycatcher <i>Empidonax minimus</i>	0.1892%
234.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.1828%
235.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.1822%
236.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.1774%
237.	Bachman's Sparrow <i>Peucaea aestivalis</i>	0.1774%
238.	Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.1758%
239.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	0.1652%
240.	Lincoln's Sparrow <i>Melospiza lincolnii</i>	0.1646%
241.	Common Myna <i>Acridotheres tristis</i>	0.1609%
242.	Cave Swallow <i>Petrochelidon fulva</i>	0.1561%
243.	Clay-colored Sparrow <i>Spizella pallida</i>	0.1556%

244.	White-faced Ibis <i>Plegadis chihi</i>	0.1476%
245.	Brown Booby <i>Sula leucogaster</i>	0.1449%
246.	Red-eyed Vireo <i>Vireo olivaceus</i>	0.1423%
247.	Seaside Sparrow <i>Ammospiza maritima</i>	0.1401%
248.	Pine Siskin <i>Spinus pinus</i>	0.1353%
249.	Wilson's Warbler <i>Cardellina pusilla</i>	0.1337%
250.	Whooping Crane <i>Grus americana</i>	0.1273%
251.	Cinnamon Teal <i>Spatula cyanoptera</i>	0.1231%
252.	Rufous Hummingbird <i>Selasphorus rufus</i>	0.1199%
253.	Gull-billed Tern <i>Gelochelidon nilotica</i>	0.1194%
254.	Saltmarsh Sparrow <i>Ammospiza caudacuta</i>	0.1194%
255.	Groove-billed Ani <i>Crotophaga sulcirostris</i>	0.1124%
256.	Swainson's Thrush <i>Catharus ustulatus</i>	0.1124%
257.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.1039%
258.	Blackpoll Warbler <i>Setophaga striata</i>	0.0991%
259.	Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.0980%
260.	White-tailed Kite <i>Elanus leucurus</i>	0.0970%
261.	Scarlet Tanager <i>Piranga olivacea</i>	0.0964%
262.	Eared Grebe <i>Podiceps nigricollis</i>	0.0938%
263.	White-winged Scoter <i>Melanitta deglandi</i>	0.0895%
264.	American Woodcock <i>Scolopax minor</i>	0.0890%
265.	American Golden-Plover <i>Pluvialis dominica</i>	0.0863%

266.	Great Cormorant <i>Phalacrocorax carbo</i>	0.0863%
267.	Wood Thrush <i>Hylocichla mustelina</i>	0.0863%
268.	American Black Duck <i>Anas rubripes</i>	0.0847%
269.	Buff-bellied Hummingbird <i>Amazilia yucatanensis</i>	0.0831%
270.	Yellow-breasted Chat <i>Icteria virens</i>	0.0831%
271.	Lark Sparrow <i>Chondestes grammacus</i>	0.0826%
272.	Rusty Blackbird <i>Euphagus carolinus</i>	0.0826%
273.	Lapland Longspur <i>Calcarius lapponicus</i>	0.0815%
274.	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	0.0810%
275.	Winter Wren <i>Troglodytes hiemalis</i>	0.0804%
276.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0789%
277.	Common Goldeneye <i>Bucephala clangula</i>	0.0778%
278.	Cory's Shearwater <i>Calonectris diomedea</i>	0.0757%
279.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.0730%
280.	Chuck-will's-widow <i>Antrostomus carolinensis</i>	0.0725%
281.	Western Tanager <i>Piranga ludoviciana</i>	0.0719%
282.	Dark-eyed Junco <i>Junco hyemalis</i>	0.0687%
283.	Purple Sandpiper <i>Calidris maritima</i>	0.0645%
284.	Greater White-fronted Goose <i>Anser albifrons</i>	0.0639%
285.	Louisiana Waterthrush <i>Parkesia motacilla</i>	0.0597%
286.	Cuban Pewee <i>Contopus caribaeus</i>	0.0591%
287.	Hooded Warbler <i>Setophaga citrina</i>	0.0591%
288.	Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0586%

289.	Bell's Vireo <i>Vireo bellii</i>	0.0586%
290.	Long-billed Curlew <i>Numenius americanus</i>	0.0581%
291.	Brewer's Blackbird <i>Euphagus cyanocephalus</i>	0.0575%
292.	Gray Kingbird <i>Tyrannus dominicensis</i>	0.0570%
293.	Couch's Kingbird <i>Tyrannus couchii</i>	0.0554%
294.	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0527%
295.	Smooth-billed Ani <i>Crotophaga ani</i>	0.0512%
296.	Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0485%
297.	Chimney Swift <i>Chaetura pelagica</i>	0.0469%
298.	Large-billed Tern <i>Phaetusa simplex</i>	0.0469%
299.	White Wagtail <i>Motacilla alba</i>	0.0458%
300.	Blackburnian Warbler <i>Setophaga fusca</i>	0.0453%
301.	Red-necked Grebe <i>Podiceps grisegena</i>	0.0442%
302.	Long-tailed Duck <i>Clangula hyemalis</i>	0.0437%
303.	Ross's Goose <i>Anser rossii</i>	0.0416%
304.	Black-throated Gray Warbler <i>Setophaga nigrescens</i>	0.0416%
305.	Gray-tailed Tattler <i>Tringa brevipes</i>	0.0405%
306.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0400%
307.	Common Eider <i>Somateria mollissima</i>	0.0394%
308.	Sabine's Gull <i>Xema sabini</i>	0.0394%
309.	Brown Creeper <i>Certhia americana</i>	0.0394%
310.	Eastern Kingbird <i>Tyrannus tyrannus</i>	0.0368%

311.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.0362%
312.	Mangrove Cuckoo <i>Coccyzus minor</i>	0.0352%
313.	Dickcissel <i>Spiza americana</i>	0.0352%
314.	Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0341%
315.	Western Flycatcher <i>Empidonax difficilis</i>	0.0341%
316.	Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	0.0341%
317.	Heermann's Gull <i>Larus heermanni</i>	0.0336%
318.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0330%
319.	Red-throated Loon <i>Gavia stellata</i>	0.0325%
320.	Eurasian Wigeon <i>Mareca penelope</i>	0.0309%
321.	Gray Gull <i>Leucophaeus modestus</i>	0.0309%
322.	Western Spindalis <i>Spindalis zena</i>	0.0304%
323.	Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.0293%
324.	Great Shearwater <i>Ardenna gravis</i>	0.0293%
325.	Masked Booby <i>Sula dactylatra</i>	0.0288%
326.	Bank Swallow <i>Riparia riparia</i>	0.0277%
327.	Mountain Bluebird <i>Sialia currucoides</i>	0.0272%
328.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.0272%
329.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.0272%
330.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0261%
331.	Semipalmated Sandpiper <i>Calidris pusilla</i>	0.0245%
332.	Lesser Nighthawk <i>Chordeiles acutipennis</i>	0.0240%

333.	Gray-cheeked Thrush <i>Catharus minimus</i>	0.0234%
334.	Bullock's Oriole <i>Icterus bullockii</i>	0.0224%
335.	Bananaquit <i>Coereba flaveola</i>	0.0224%
336.	Antillean Palm Swift <i>Tachornis phoenicobia</i>	0.0203%
337.	Say's Phoebe <i>Sayornis saya</i>	0.0203%
338.	Townsend's Solitaire <i>Myadestes townsendi</i>	0.0203%
339.	Tundra Swan <i>Cygnus columbianus</i>	0.0192%
340.	Red-necked Phalarope <i>Phalaropus lobatus</i>	0.0176%
341.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0176%
342.	Sprague's Pipit <i>Anthus spragueii</i>	0.0176%
343.	Purple Finch <i>Haemorhous purpureus</i>	0.0176%
344.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.0176%
345.	LeConte's Sparrow <i>Ammospiza leconteii</i>	0.0170%
346.	Red-legged Thrush <i>Turdus plumbeus</i>	0.0165%
347.	Northern Wheatear <i>Oenanthe oenanthe</i>	0.0165%
348.	Philadelphia Vireo <i>Vireo philadelphicus</i>	0.0160%
349.	Bobolink <i>Dolichonyx oryzivorus</i>	0.0160%
350.	Spotted Towhee <i>Pipilo maculatus</i>	0.0154%
351.	Masked Duck <i>Nomonyx dominicus</i>	0.0149%
352.	Short-eared Owl <i>Asio flammeus</i>	0.0144%
353.	Acadian Flycatcher <i>Empidonax virescens</i>	0.0133%
354.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.0128%

355.	Black Tern <i>Chlidonias niger</i>	0.0117%
356.	Cassin's Kingbird <i>Tyrannus vociferans</i>	0.0117%
357.	Snow Bunting <i>Plectrophenax nivalis</i>	0.0107%
358.	Harris's Sparrow <i>Zonotrichia querula</i>	0.0107%
359.	Black Rail <i>Laterallus jamaicensis</i>	0.0101%
360.	Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0101%
361.	Common Nighthawk <i>Chordeiles minor</i>	0.0096%
362.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0096%
363.	Glaucous Gull <i>Larus hyperboreus</i>	0.0085%
364.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0085%
365.	Townsend's Warbler <i>Setophaga townsendi</i>	0.0085%
366.	Baird's Sandpiper <i>Calidris bairdii</i>	0.0080%
367.	Orchard Oriole <i>Icterus spurius</i>	0.0080%
368.	Prothonotary Warbler <i>Protonotaria citrea</i>	0.0080%
369.	Bridled Tern <i>Onychoprion anaethetus</i>	0.0075%
370.	Manx Shearwater <i>Puffinus puffinus</i>	0.0075%
371.	Mississippi Kite <i>Ictinia mississippiensis</i>	0.0075%
372.	Hammond's Flycatcher <i>Empidonax hammondii</i>	0.0075%
373.	Least Grebe <i>Tachybaptus dominicus</i>	0.0069%
374.	Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	0.0069%
375.	Vaux's Swift <i>Chaetura vauxi</i>	0.0069%
376.	Veery <i>Catharus fuscescens</i>	0.0069%
377.	Brant <i>Branta bernicla</i>	0.0064%

378.	Harlequin Duck <i>Histrionicus histrionicus</i>	0.0064%
379.	Hudsonian Godwit <i>Limosa haemastica</i>	0.0064%
380.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.0064%
381.	Elegant Tern <i>Thalasseus elegans</i>	0.0064%
382.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.0064%
383.	Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0059%
384.	Horned Lark <i>Eremophila alpestris</i>	0.0059%
385.	Purple Martin <i>Progne subis</i>	0.0059%
386.	Bar-tailed Godwit <i>Limosa lapponica</i>	0.0053%
387.	Iceland Gull <i>Larus glaucoides</i>	0.0053%
388.	Sooty Tern <i>Onychoprion fuscatus</i>	0.0053%
389.	Piratic Flycatcher <i>Legatus leucophaeus</i>	0.0053%
390.	Mangrove Swallow <i>Tachycineta albilinea</i>	0.0053%
391.	White-tailed Tropicbird <i>Phaethon lepturus</i>	0.0048%
392.	Green-tailed Towhee <i>Pipilo chlorurus</i>	0.0048%
393.	Sooty Shearwater <i>Ardenna grisea</i>	0.0043%
394.	Olive-sided Flycatcher <i>Contopus cooperi</i>	0.0043%
395.	Varied Thrush <i>Ixoreus naevius</i>	0.0043%
396.	Zenaida Dove <i>Zenaida aurita</i>	0.0037%
397.	Leach's Storm-Petrel <i>Hydrobates leucorhous</i>	0.0037%
398.	Anna's Hummingbird <i>Calypte anna</i>	0.0032%
399.	Ruff <i>Calidris pugnax</i>	0.0032%
400.	South Polar Skua <i>Stercorarius maccormicki</i>	0.0027%

401.	Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.0027%
402.	Willow Flycatcher <i>Empidonax traillii</i>	0.0027%
403.	Fox Sparrow <i>Passerella iliaca</i>	0.0027%
404.	Inca Dove <i>Columbina inca</i>	0.0021%
405.	Key West Quail-Dove <i>Geotrygon chrysis</i>	0.0021%
406.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0021%
407.	Least Tern <i>Sternula antillarum</i>	0.0021%
408.	Red-billed Tropicbird <i>Phaethon aethereus</i>	0.0021%
409.	Swallow-tailed Kite <i>Elanoides forficatus</i>	0.0021%
410.	Sulphur-bellied Flycatcher <i>Myiodynastes luteiventris</i>	0.0021%
411.	Black-whiskered Vireo <i>Vireo altiloquus</i>	0.0021%
412.	Yellow Rail <i>Coturnicops noveboracensis</i>	0.0016%
413.	Razorbill <i>Alca torda</i>	0.0016%
414.	Band-rumped Storm-Petrel <i>Hydrobates castro</i>	0.0016%
415.	Red-footed Booby <i>Sula sula</i>	0.0016%
416.	Warbling Vireo <i>Vireo gilvus</i>	0.0016%
417.	Kentucky Warbler <i>Geothlypis formosa</i>	0.0016%
418.	Canada Warbler <i>Cardellina canadensis</i>	0.0016%
419.	King Eider <i>Somateria spectabilis</i>	0.0011%
420.	Common Merganser <i>Mergus merganser</i>	0.0011%
421.	Thick-billed Murre <i>Uria lomvia</i>	0.0011%
422.	Roseate Tern <i>Sterna dougallii</i>	0.0011%

423.	Northern Fulmar <i>Fulmarus glacialis</i>	0.0011%
424.	Black-capped Petrel <i>Pterodroma hasitata</i>	0.0011%
425.	Golden Eagle <i>Aquila chrysaetos</i>	0.0011%
426.	Rough-legged Hawk <i>Buteo lagopus</i>	0.0011%
427.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0011%
428.	Western Meadowlark <i>Sturnella neglecta</i>	0.0011%
429.	Mourning Warbler <i>Geothlypis philadelphia</i>	0.0011%
430.	Western Grebe <i>Aechmophorus occidentalis</i>	0.0005%
431.	Calliope Hummingbird <i>Selasphorus calliope</i>	0.0005%
432.	Upland Sandpiper <i>Bartramia longicauda</i>	0.0005%
433.	Long-billed Murrelet <i>Brachyramphus perdix</i>	0.0005%
434.	Black Guillemot <i>Cephus grylle</i>	0.0005%
435.	California Gull <i>Larus californicus</i>	0.0005%
436.	Slaty-backed Gull <i>Larus schistisagus</i>	0.0005%
437.	Brown Noddy <i>Anous stolidus</i>	0.0005%
438.	Arctic Tern <i>Sterna paradisaea</i>	0.0005%
439.	Pacific Loon <i>Gavia pacifica</i>	0.0005%
440.	American Goshawk <i>Accipiter atricapillus</i>	0.0005%
441.	Flammulated Owl <i>Psiloscopus flammeolus</i>	0.0005%
442.	Bicknell's Thrush <i>Catharus bicknelli</i>	0.0005%
443.	Tricolored Munia <i>Lonchura malacca</i>	0.0005%
444.	Lark Bunting <i>Calamospiza melanocorys</i>	0.0005%
445.	Great-tailed Grackle <i>Quiscalus mexicanus</i>	0.0005%

446.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0005%
447.	Broad-tailed Hummingbird <i>Selasphorus platycercus</i>	0.0000%
448.	Dovekie <i>Alle alle</i>	0.0000%
449.	Black-headed Gull <i>Chroicocephalus ridibundus</i>	0.0000%
450.	Atlantic Yellow-nosed Albatross <i>Thalassarche chlororhynchos</i>	0.0000%
451.	Golden-fronted Woodpecker <i>Melanerpes aurifrons</i>	0.0000%
452.	Yellow-headed Caracara <i>Daptrius chimachima</i>	0.0000%
453.	Rock Wren <i>Salpinctes obsoletus</i>	0.0000%
454.	Bewick's Wren <i>Thryomanes bewickii</i>	0.0000%
455.	European Robin <i>Erithacus rubecula</i>	0.0000%
456.	Lesser Goldfinch <i>Spinus psaltria</i>	0.0000%
EXOTIC: PROVISIONAL		
457.	Scaly-breasted Munia <i>Lonchura punctulata</i>	0.3527% frequency
458.	Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.2243%
459.	Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.2041%
460.	Indian Peafowl <i>Pavo cristatus</i>	0.1950%
461.	Red Junglefowl <i>Gallus gallus</i>	0.1300%
462.	Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.0922%
463.	Orange-winged Parrot <i>Amazona amazonica</i>	0.0884%
464.	Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0522%
465.	Common Hill Myna <i>Gracula religiosa</i>	0.0373%

466. Chestnut-fronted Macaw <i>Ara severus</i>	0.0362%
467. Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0288%
468. Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0234%
469. White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0138%
470. Budgerigar <i>Melopsittacus undulatus</i>	0.0059%
471. White-cheeked Pintail <i>Anas bahamensis</i>	0.0005%
472. Brewer's Sparrow <i>Spizella breweri</i>	0.0005%
EXOTIC: ESCAPEE	
Mute Swan <i>Cygnus olor</i>	0.2744% frequency
Swan Goose <i>Anser cygnoides</i>	0.1817%
Graylag Goose <i>Anser anser</i>	0.1700%
Black Swan <i>Cygnus atratus</i>	0.0943%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0410%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0314%
Mandarin Duck <i>Aix galericulata</i>	0.0272%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0218%
Whooper Swan <i>Cygnus cygnus</i>	0.0154%
Common Shelduck <i>Tadorna tadorna</i>	0.0128%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0112%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0091%
Bar-headed Goose <i>Anser indicus</i>	0.0064%
Cockatiel <i>Nymphicus hollandicus</i>	0.0064%

Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0053%
Village Weaver <i>Ploceus cucullatus</i>	0.0048%
White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0043%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0037%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0037%
Cuban Bullfinch <i>Melopyrrha nigra</i>	0.0037%
Red-crested Pochard <i>Netta rufina</i>	0.0032%
Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0032%
Green Parakeet <i>Psittacara holochlorus</i>	0.0027%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0027%
Red-cheeked Cordonbleu <i>Uraeginthus bengalus</i>	0.0021%
African Sacred Ibis <i>Threskiornis aethiopicus</i>	0.0016%
African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0011%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0011%
Turquoise-fronted Parrot <i>Amazona aestiva</i>	0.0011%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0011%
Cuban Grassquit <i>Phonipara canora</i>	0.0011%
Plumed Whistling-Duck <i>Dendrocygna eytoni</i>	0.0005%
Barnacle Goose <i>Branta leucopsis</i>	0.0005%
Hawaiian Goose <i>Branta sandvicensis</i>	0.0005%
Radjah Shelduck <i>Radjah radjah</i>	0.0005%

Ringed Teal <i>Callonetta leucophrys</i>	0.0005%
Rosy-billed Pochard <i>Netta peposaca</i>	0.0005%
Eastern Rosella <i>Platycercus eximius</i>	0.0005%
Dusky Lory <i>Pseudeos fuscata</i>	0.0005%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0005%
Yellow-naped Parrot <i>Amazona auropalliata</i>	0.0005%
Yellow-headed Parrot <i>Amazona oratrix</i>	0.0005%
White-fronted Parrot <i>Amazona albifrons</i>	0.0005%
Orange-fronted Parakeet <i>Eupsittula canicularis</i>	0.0005%
Tropical Mockingbird <i>Mimus gilvus</i>	0.0005%
Black-headed Weaver <i>Ploceus melanocephalus</i>	0.0005%
Bronze Mannikin <i>Spermestes cucullata</i>	0.0005%
Magpie Mannikin <i>Spermestes fringilloides</i>	0.0005%
Orange-cheeked Waxbill <i>Estrilda melpoda</i>	0.0005%
Pin-tailed Whydah <i>Vidua macroura</i>	0.0005%
Yellow-fronted Canary <i>Crithagra mozambica</i>	0.0005%
Silver-beaked Tanager <i>Ramphocelus carbo</i>	0.0005%
Red-legged Partridge <i>Alectoris rufa</i>	0.0000%
Chukar <i>Alectoris chukar</i>	0.0000%
Diamond Dove <i>Geopelia cuneata</i>	0.0000%
Gray Crowned-Crane <i>Balearica regulorum</i>	0.0000%
Fischer's Lovebird <i>Agapornis fischeri</i>	0.0000%

Yellow-collared Lovebird <i>Agapornis personatus</i>	0.0000%
Mealy Parrot <i>Amazona farinosa</i>	0.0000%
Green-cheeked Parakeet <i>Pyrrhura molinae</i>	0.0000%
Peach-fronted Parakeet <i>Eupsittula aurea</i>	0.0000%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0000%
Military Macaw <i>Ara militaris</i>	0.0000%
Crested Myna <i>Acridotheres cristatellus</i>	0.0000%
Great White Pelican <i>Pelecanus onocrotalus</i>	0.0000%
Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%
Cackling Goose <i>Branta hutchinsii</i>	0.0000%

HYBRIDS

Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	1.90% frequency ■
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0373%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0112%
Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0101%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	0.0101%
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	0.0059%
Mallard x American Black Duck (hybrid) <i>Anas platyrhynchos x rubripes</i>	0.0037%
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	0.0032%

Snow x Ross's Goose (hybrid) <i>Anser caerulescens</i> x <i>rossii</i>	0.0021%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum</i> x <i>brasilianum</i>	0.0016%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser</i> sp. (Domestic type) x <i>Branta canadensis</i>	0.0011%
Eurasian x American Wigeon (hybrid) <i>Mareca penelope</i> x <i>americana</i>	0.0005%
Canvasback x Redhead (hybrid) <i>Aythya valisineria</i> x <i>americana</i>	0.0005%
Sandwich x Elegant Tern (hybrid) <i>Thalasseus sandvicensis</i> x <i>elegans</i>	0.0005%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea</i> x <i>thula</i>	0.0005%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus</i> x <i>ruber</i>	0.0005%
Brewster's Warbler (hybrid) <i>Vermivora chrysoptera</i> x <i>cyanoptera</i> (F1 hybrid)	0.0005%
Barnacle x Canada Goose (hybrid) <i>Branta leucopsis</i> x <i>canadensis</i>	0.0000%
Yellow-bellied x Red-naped Sapsucker (hybrid) <i>Sphyrapicus varius</i> x <i>nuchalis</i>	0.0000%