



Target Species

Based on 187,683 complete checklists

472 species observed in Florida, US (region/US-FL) in Nov that you need for your **Florida Life List**

1. Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	6.12% frequency
2. Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.7667%
3. Snow Goose <i>Anser caerulescens</i>	0.3783%
4. Ross's Goose <i>Anser rossii</i>	0.0416%
5. Greater White-fronted Goose <i>Anser albifrons</i>	0.0639%
6. Brant <i>Branta bernicla</i>	0.0064%
7. Canada Goose <i>Branta canadensis</i>	2.05%
8. Tundra Swan <i>Cygnus columbianus</i>	0.0192%
9. Egyptian Goose <i>Alopochen aegyptiaca</i>	1.81%
10. Muscovy Duck <i>Cairina moschata</i>	4.93%
11. Wood Duck <i>Aix sponsa</i>	2.89%
12. Blue-winged Teal <i>Spatula discors</i>	9.88%
13. Cinnamon Teal <i>Spatula cyanoptera</i>	0.1231%
14. Northern Shoveler <i>Spatula clypeata</i>	3.64%
15. Gadwall <i>Mareca strepera</i>	1.77%
16. Eurasian Wigeon <i>Mareca penelope</i>	0.0309%
17. American Wigeon <i>Mareca americana</i>	2.26%

18. Mallard <i>Anas platyrhynchos</i>	2.84%
19. American Black Duck <i>Anas rubripes</i>	0.0847%
20. Mottled Duck <i>Anas fulvigula</i>	8.71%
21. Northern Pintail <i>Anas acuta</i>	1.41%
22. Green-winged Teal <i>Anas crecca</i>	3.06%
23. Canvasback <i>Aythya valisineria</i>	0.6149%
24. Redhead <i>Aythya americana</i>	2.03%
25. Ring-necked Duck <i>Aythya collaris</i>	4.71%
26. Greater Scaup <i>Aythya marila</i>	0.4454%
27. Lesser Scaup <i>Aythya affinis</i>	4.01%
28. King Eider <i>Somateria spectabilis</i>	0.0011%
29. Common Eider <i>Somateria mollissima</i>	0.0394%
30. Harlequin Duck <i>Histrionicus histrionicus</i>	0.0064%
31. Surf Scoter <i>Melanitta perspicillata</i>	0.3117%
32. White-winged Scoter <i>Melanitta deglandi</i>	0.0895%
33. Black Scoter <i>Melanitta americana</i>	0.9788%
34. Long-tailed Duck <i>Clangula hyemalis</i>	0.0437%
35. Bufflehead <i>Bucephala albeola</i>	1.82%
36. Common Goldeneye <i>Bucephala clangula</i>	0.0778%
37. Hooded Merganser <i>Lophodytes cucullatus</i>	3.89%
38. Common Merganser <i>Mergus merganser</i>	0.0011%
39. Red-breasted Merganser <i>Mergus serrator</i>	1.93%
40. Masked Duck <i>Nomonyx dominicus</i>	0.0149%

41. Ruddy Duck <i>Oxyura jamaicensis</i>	2.38%
42. Northern Bobwhite <i>Colinus virginianus</i>	0.5131%
43. Wild Turkey <i>Meleagris gallopavo</i>	1.44%
44. American Flamingo <i>Phoenicopterus ruber</i>	0.2360%
45. Least Grebe <i>Tachybaptus dominicus</i>	0.0069%
46. Pied-billed Grebe <i>Podilymbus podiceps</i>	19.53%
47. Horned Grebe <i>Podiceps auritus</i>	1.11%
48. Red-necked Grebe <i>Podiceps grisegena</i>	0.0442%
49. Eared Grebe <i>Podiceps nigricollis</i>	0.0938%
50. Western Grebe <i>Aechmophorus occidentalis</i>	0.0005%
51. Rock Pigeon <i>Columba livia</i>	7.67%
52. White-crowned Pigeon <i>Patagioenas leucocephala</i>	0.4529%
53. Eurasian Collared-Dove <i>Streptopelia decaocto</i>	8.31%
54. Inca Dove <i>Columbina inca</i>	0.0021%
55. Common Ground Dove <i>Columbina passerina</i>	7.37%
56. Key West Quail-Dove <i>Geotrygon chrysia</i>	0.0021%
57. White-winged Dove <i>Zenaida asiatica</i>	2.66%
58. Zenaida Dove <i>Zenaida aurita</i>	0.0037%
59. Mourning Dove <i>Zenaida macroura</i>	33.83%
60. Smooth-billed Ani <i>Crotophaga ani</i>	0.0512%
61. Groove-billed Ani <i>Crotophaga sulcirostris</i>	0.1124%
62. Yellow-billed Cuckoo <i>Coccyzus americanus</i>	0.5573%
63. Mangrove Cuckoo <i>Coccyzus minor</i>	0.0352%

64. Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	0.0069%
65. Lesser Nighthawk <i>Chordeiles acutipennis</i>	0.0240%
66. Common Nighthawk <i>Chordeiles minor</i>	0.0096%
67. Chuck-will's-widow <i>Antrostomus carolinensis</i>	0.0725%
68. Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.1758%
69. Chimney Swift <i>Chaetura pelagica</i>	0.0469%
70. Vaux's Swift <i>Chaetura vauxi</i>	0.0069%
71. Antillean Palm Swift <i>Tachornis phoenicobia</i>	0.0203%
72. Ruby-throated Hummingbird <i>Archilochus colubris</i>	4.14%
73. Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.0293%
74. Anna's Hummingbird <i>Calypte anna</i>	0.0032%
75. Calliope Hummingbird <i>Selasphorus calliope</i>	0.0005%
76. Rufous Hummingbird <i>Selasphorus rufus</i>	0.1199%
77. Broad-tailed Hummingbird <i>Selasphorus platycercus</i>	0.0000%
78. Buff-bellied Hummingbird <i>Amazilia yucatanensis</i>	0.0831%
79. King Rail <i>Rallus elegans</i>	0.6639%
80. Clapper Rail <i>Rallus crepitans</i>	1.71%
81. Virginia Rail <i>Rallus limicola</i>	0.5014%
82. Sora <i>Porzana carolina</i>	2.87%
83. Common Gallinule <i>Gallinula galeata</i>	20.47%
84. American Coot <i>Fulica americana</i>	13.87%
85. Purple Gallinule <i>Porphyrio martinica</i>	3.15%

86.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	1.61%
87.	Yellow Rail <i>Coturnicops noveboracensis</i>	0.0016%
88.	Black Rail <i>Laterallus jamaicensis</i>	0.0101%
89.	Limpkin <i>Aramus guarauna</i>	8.17%
90.	Sandhill Crane <i>Antigone canadensis</i>	11.42%
91.	Whooping Crane <i>Grus americana</i>	0.1273%
92.	Black-necked Stilt <i>Himantopus mexicanus</i>	0.8946%
93.	American Avocet <i>Recurvirostra americana</i>	1.27%
94.	American Oystercatcher <i>Haematopus palliatus</i>	1.75%
95.	Black-bellied Plover <i>Pluvialis squatarola</i>	6.99%
96.	American Golden-Plover <i>Pluvialis dominica</i>	0.0863%
97.	Killdeer <i>Charadrius vociferus</i>	12.51%
98.	Semipalmated Plover <i>Charadrius semipalmatus</i>	4.24%
99.	Piping Plover <i>Charadrius melodus</i>	1.35%
100.	Wilson's Plover <i>Anarhynchus wilsonia</i>	1.17%
101.	Snowy Plover <i>Anarhynchus nivosus</i>	0.7651%
102.	Upland Sandpiper <i>Bartramia longicauda</i>	0.0005%
103.	Whimbrel <i>Numenius phaeopus</i>	0.2334%
104.	Long-billed Curlew <i>Numenius americanus</i>	0.0581%
105.	Bar-tailed Godwit <i>Limosa lapponica</i>	0.0053%
106.	Hudsonian Godwit <i>Limosa haemastica</i>	0.0064%
107.	Marbled Godwit <i>Limosa fedoa</i>	1.30%

108.	Short-billed Dowitcher <i>Limnodromus griseus</i>	2.76%
109.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	1.43%
110.	American Woodcock <i>Scolopax minor</i>	0.0890%
111.	Wilson's Snipe <i>Gallinago delicata</i>	4.40%
112.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.0128%
113.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0096%
114.	Red-necked Phalarope <i>Phalaropus lobatus</i>	0.0176%
115.	Spotted Sandpiper <i>Actitis macularius</i>	3.52%
116.	Solitary Sandpiper <i>Tringa solitaria</i>	0.1934%
117.	Gray-tailed Tattler <i>Tringa brevipes</i>	0.0405%
118.	Lesser Yellowlegs <i>Tringa flavipes</i>	3.80%
119.	Willet <i>Tringa semipalmata</i>	9.79%
120.	Greater Yellowlegs <i>Tringa melanoleuca</i>	7.14%
121.	Ruddy Turnstone <i>Arenaria interpres</i>	8.01%
122.	Red Knot <i>Calidris canutus</i>	1.36%
123.	Ruff <i>Calidris pugnax</i>	0.0032%
124.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0021%
125.	Stilt Sandpiper <i>Calidris himantopus</i>	0.3202%
126.	Sanderling <i>Calidris alba</i>	8.73%
127.	Dunlin <i>Calidris alpina</i>	5.03%
128.	Purple Sandpiper <i>Calidris maritima</i>	0.0645%
129.	Baird's Sandpiper <i>Calidris bairdii</i>	0.0080%
130.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.0064%

131. Least Sandpiper <i>Calidris minutilla</i>	5.52%
132. Pectoral Sandpiper <i>Calidris melanotos</i>	0.1934%
133. Western Sandpiper <i>Calidris mauri</i>	2.21%
134. Semipalmated Sandpiper <i>Calidris pusilla</i>	0.0245%
135. Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0059%
136. Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.1774%
137. Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.2589%
138. South Polar Skua <i>Stercorarius maccormicki</i>	0.0027%
139. Long-billed Murrelet <i>Brachyramphus perdix</i>	0.0005%
140. Black Guillemot <i>Cephus grylle</i>	0.0005%
141. Razorbill <i>Alca torda</i>	0.0016%
142. Dovekie <i>Alle alle</i>	0.0000%
143. Thick-billed Murre <i>Uria lomvia</i>	0.0011%
144. Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0485%
145. Sabine's Gull <i>Xema sabini</i>	0.0394%
146. Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	0.5072%
147. Black-headed Gull <i>Chroicocephalus ridibundus</i>	0.0000%
148. Gray Gull <i>Leucophaeus modestus</i>	0.0309%
149. Laughing Gull <i>Leucophaeus atricilla</i>	19.56%
150. Franklin's Gull <i>Leucophaeus pipixcan</i>	0.3112%
151. Heermann's Gull <i>Larus heermanni</i>	0.0336%
152. Ring-billed Gull <i>Larus delawarensis</i>	9.46%
153. Herring Gull <i>Larus argentatus</i>	4.51%

154.	Great Black-backed Gull <i>Larus marinus</i>	0.7081%
155.	Glaucous Gull <i>Larus hyperboreus</i>	0.0085%
156.	Lesser Black-backed Gull <i>Larus fuscus</i>	2.36%
157.	California Gull <i>Larus californicus</i>	0.0005%
158.	Slaty-backed Gull <i>Larus schistisagus</i>	0.0005%
159.	Iceland Gull <i>Larus glaucoides</i>	0.0053%
160.	Black Skimmer <i>Rynchops niger</i>	3.01%
161.	Brown Noddy <i>Anous stolidus</i>	0.0005%
162.	Sooty Tern <i>Onychoprion fuscatus</i>	0.0053%
163.	Bridled Tern <i>Onychoprion anaethetus</i>	0.0075%
164.	Least Tern <i>Sternula antillarum</i>	0.0021%
165.	Large-billed Tern <i>Phaetusa simplex</i>	0.0469%
166.	Gull-billed Tern <i>Gelochelidon nilotica</i>	0.1194%
167.	Caspian Tern <i>Hydroprogne caspia</i>	3.59%
168.	Black Tern <i>Chlidonias niger</i>	0.0117%
169.	Forster's Tern <i>Sterna forsteri</i>	6.70%
170.	Arctic Tern <i>Sterna paradisaea</i>	0.0005%
171.	Common Tern <i>Sterna hirundo</i>	0.7108%
172.	Roseate Tern <i>Sterna dougallii</i>	0.0011%
173.	Sandwich Tern <i>Thalasseus sandvicensis</i>	5.32%
174.	Elegant Tern <i>Thalasseus elegans</i>	0.0064%
175.	Royal Tern <i>Thalasseus maximus</i>	10.96%
176.	White-tailed Tropicbird <i>Phaethon lepturus</i>	0.0048%

177. Red-billed Tropicbird <i>Phaethon aethereus</i>	0.0021%
178. Red-throated Loon <i>Gavia stellata</i>	0.0325%
179. Pacific Loon <i>Gavia pacifica</i>	0.0005%
180. Common Loon <i>Gavia immer</i>	1.94%
181. Atlantic Yellow-nosed Albatross <i>Thalassarche chlororhynchos</i>	0.0000%
182. Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.0027%
183. Leach's Storm-Petrel <i>Hydrobates leucorhous</i>	0.0037%
184. Band-rumped Storm-Petrel <i>Hydrobates castro</i>	0.0016%
185. Northern Fulmar <i>Fulmarus glacialis</i>	0.0011%
186. Black-capped Petrel <i>Pterodroma hasitata</i>	0.0011%
187. Cory's Shearwater <i>Calonectris diomedea</i>	0.0757%
188. Great Shearwater <i>Ardenna gravis</i>	0.0293%
189. Sooty Shearwater <i>Ardenna grisea</i>	0.0043%
190. Manx Shearwater <i>Puffinus puffinus</i>	0.0075%
191. Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0101%
192. Wood Stork <i>Mycteria americana</i>	16.08%
193. Magnificent Frigatebird <i>Fregata magnificens</i>	3.03%
194. Northern Gannet <i>Morus bassanus</i>	2.04%
195. Red-footed Booby <i>Sula sula</i>	0.0016%
196. Brown Booby <i>Sula leucogaster</i>	0.1449%
197. Masked Booby <i>Sula dactylatra</i>	0.0288%
198. Anhinga <i>Anhinga anhinga</i>	29.93%

199.	Great Cormorant <i>Phalacrocorax carbo</i>	0.0863%
200.	Double-crested Cormorant <i>Nannopterum auritum</i>	32.13%
201.	Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0586%
202.	American White Pelican <i>Pelecanus erythrorhynchos</i>	5.31%
203.	Brown Pelican <i>Pelecanus occidentalis</i>	18.08%
204.	American Bittern <i>Botaurus lentiginosus</i>	2.01%
205.	Least Bittern <i>Ixobrychus exilis</i>	0.9250%
206.	Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	2.84%
207.	Black-crowned Night Heron <i>Nycticorax nycticorax</i>	4.85%
208.	Little Blue Heron <i>Egretta caerulea</i>	30.44%
209.	Tricolored Heron <i>Egretta tricolor</i>	23.75%
210.	Reddish Egret <i>Egretta rufescens</i>	3.59%
211.	Snowy Egret <i>Egretta thula</i>	25.11%
212.	Green Heron <i>Butorides virescens</i>	10.25%
213.	Western Cattle Egret <i>Bubulcus ibis</i>	12.60%
214.	Great Egret <i>Ardea alba</i>	40.37%
215.	Great Blue Heron <i>Ardea herodias</i>	34.80%
216.	White Ibis <i>Eudocimus albus</i>	37.66%
217.	Glossy Ibis <i>Plegadis falcinellus</i>	11.73%
218.	White-faced Ibis <i>Plegadis chihi</i>	0.1476%
219.	Roseate Spoonbill <i>Platalea ajaja</i>	6.98%
220.	Black Vulture <i>Coragyps atratus</i>	25.60%

221.	Turkey Vulture <i>Cathartes aura</i>	43.00%
222.	Osprey <i>Pandion haliaetus</i>	31.47%
223.	White-tailed Kite <i>Elanus leucurus</i>	0.0970%
224.	Swallow-tailed Kite <i>Elanoides forficatus</i>	0.0021%
225.	Golden Eagle <i>Aquila chrysaetos</i>	0.0011%
226.	Snail Kite <i>Rostrhamus sociabilis</i>	1.55%
227.	Mississippi Kite <i>Ictinia mississippiensis</i>	0.0075%
228.	Northern Harrier <i>Circus hudsonius</i>	9.08%
229.	Sharp-shinned Hawk <i>Accipiter striatus</i>	2.13%
230.	Cooper's Hawk <i>Accipiter cooperii</i>	4.72%
231.	American Goshawk <i>Accipiter atricapillus</i>	0.0005%
232.	Bald Eagle <i>Haliaeetus leucocephalus</i>	14.93%
233.	Red-shouldered Hawk <i>Buteo lineatus</i>	28.42%
234.	Broad-winged Hawk <i>Buteo platypterus</i>	0.8093%
235.	Short-tailed Hawk <i>Buteo brachyurus</i>	1.46%
236.	Swainson's Hawk <i>Buteo swainsoni</i>	0.2371%
237.	Red-tailed Hawk <i>Buteo jamaicensis</i>	4.77%
238.	Rough-legged Hawk <i>Buteo lagopus</i>	0.0011%
239.	Barn Owl <i>Tyto alba</i>	0.1998%
240.	Flammulated Owl <i>Psilosops flammeolus</i>	0.0005%
241.	Eastern Screech-Owl <i>Megascops asio</i>	0.4268%
242.	Great Horned Owl <i>Bubo virginianus</i>	1.71%
243.	Burrowing Owl <i>Athene cunicularia</i>	0.2691%

244.	Barred Owl <i>Strix varia</i>	2.47%
245.	Short-eared Owl <i>Asio flammeus</i>	0.0144%
246.	Belted Kingfisher <i>Megasceryle alcyon</i>	25.51%
247.	Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	7.00%
248.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	1.53%
249.	Golden-fronted Woodpecker <i>Melanerpes aurifrons</i>	0.0000%
250.	Red-bellied Woodpecker <i>Melanerpes carolinus</i>	40.98%
251.	Downy Woodpecker <i>Dryobates pubescens</i>	17.97%
252.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.2547%
253.	Hairy Woodpecker <i>Dryobates villosus</i>	0.1908%
254.	Pileated Woodpecker <i>Dryocopus pileatus</i>	13.32%
255.	Northern Flicker <i>Colaptes auratus</i>	5.07%
256.	Crested Caracara <i>Caracara plancus</i>	1.01%
257.	Yellow-headed Caracara <i>Daptrius chimachima</i>	0.0000%
258.	American Kestrel <i>Falco sparverius</i>	16.38%
259.	Merlin <i>Falco columbarius</i>	2.29%
260.	Peregrine Falcon <i>Falco peregrinus</i>	1.61%
261.	Monk Parakeet <i>Myiopsitta monachus</i>	2.17%
262.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0176%
263.	Nanday Parakeet <i>Aratinga nenday</i>	2.04%
264.	Mitred Parakeet <i>Psittacara mitratus</i>	0.1902%
265.	Olive-sided Flycatcher <i>Contopus cooperi</i>	0.0043%

266.	Eastern Wood-Pewee <i>Contopus virens</i>	0.3826%
267.	Cuban Pewee <i>Contopus caribaeus</i>	0.0591%
268.	Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0341%
269.	Acadian Flycatcher <i>Empidonax virescens</i>	0.0133%
270.	Willow Flycatcher <i>Empidonax traillii</i>	0.0027%
271.	Least Flycatcher <i>Empidonax minimus</i>	0.1892%
272.	Hammond's Flycatcher <i>Empidonax hammondii</i>	0.0075%
273.	Western Flycatcher <i>Empidonax difficilis</i>	0.0341%
274.	Eastern Phoebe <i>Sayornis phoebe</i>	35.59%
275.	Say's Phoebe <i>Sayornis saya</i>	0.0203%
276.	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	0.6063%
277.	Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.2605%
278.	Great Crested Flycatcher <i>Myiarchus crinitus</i>	2.35%
279.	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	0.0810%
280.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0330%
281.	Sulphur-bellied Flycatcher <i>Myiodynastes luteiventris</i>	0.0021%
282.	Piratic Flycatcher <i>Legatus leucophaeus</i>	0.0053%
283.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.1828%
284.	Couch's Kingbird <i>Tyrannus couchii</i>	0.0554%
285.	Cassin's Kingbird <i>Tyrannus vociferans</i>	0.0117%
286.	Western Kingbird <i>Tyrannus verticalis</i>	0.6138%
287.	Eastern Kingbird <i>Tyrannus tyrannus</i>	0.0368%

288.	Gray Kingbird <i>Tyrannus dominicensis</i>	0.0570%
289.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.6932%
290.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0261%
291.	White-eyed Vireo <i>Vireo griseus</i>	7.60%
292.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0085%
293.	Bell's Vireo <i>Vireo bellii</i>	0.0586%
294.	Yellow-throated Vireo <i>Vireo flavifrons</i>	0.3927%
295.	Blue-headed Vireo <i>Vireo solitarius</i>	4.62%
296.	Philadelphia Vireo <i>Vireo philadelphicus</i>	0.0160%
297.	Warbling Vireo <i>Vireo gilvus</i>	0.0016%
298.	Red-eyed Vireo <i>Vireo olivaceus</i>	0.1423%
299.	Black-whiskered Vireo <i>Vireo altiloquus</i>	0.0021%
300.	Loggerhead Shrike <i>Lanius ludovicianus</i>	11.33%
301.	Blue Jay <i>Cyanocitta cristata</i>	36.74%
302.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	0.9740%
303.	American Crow <i>Corvus brachyrhynchos</i>	19.91%
304.	Fish Crow <i>Corvus ossifragus</i>	23.77%
305.	Carolina Chickadee <i>Poecile carolinensis</i>	11.12%
306.	Tufted Titmouse <i>Baeolophus bicolor</i>	16.42%
307.	Horned Lark <i>Eremophila alpestris</i>	0.0059%
308.	Bank Swallow <i>Riparia riparia</i>	0.0277%
309.	Tree Swallow <i>Tachycineta bicolor</i>	8.95%
310.	Mangrove Swallow <i>Tachycineta albilinea</i>	0.0053%

311.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0011%
312.	Purple Martin <i>Progne subis</i>	0.0059%
313.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	1.17%
314.	Barn Swallow <i>Hirundo rustica</i>	1.79%
315.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.0362%
316.	Cave Swallow <i>Petrochelidon fulva</i>	0.1561%
317.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.0730%
318.	Ruby-crowned Kinglet <i>Corthylio calendula</i>	12.46%
319.	Golden-crowned Kinglet <i>Regulus satrapa</i>	0.4667%
320.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.4513%
321.	Brown-headed Nuthatch <i>Sitta pusilla</i>	1.77%
322.	Red-breasted Nuthatch <i>Sitta canadensis</i>	0.2003%
323.	Brown Creeper <i>Certhia americana</i>	0.0394%
324.	Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	35.63%
325.	Rock Wren <i>Salpinctes obsoletus</i>	0.0000%
326.	House Wren <i>Troglodytes aedon</i>	18.08%
327.	Winter Wren <i>Troglodytes hiemalis</i>	0.0804%
328.	Sedge Wren <i>Cistothorus stellaris</i>	2.06%
329.	Marsh Wren <i>Cistothorus palustris</i>	3.53%
330.	Carolina Wren <i>Thryothorus ludovicianus</i>	21.29%
331.	Bewick's Wren <i>Thryomanes bewickii</i>	0.0000%
332.	European Starling <i>Sturnus vulgaris</i>	10.79%

333.	Common Myna <i>Acridotheres tristis</i>	0.1609%
334.	Gray Catbird <i>Dumetella carolinensis</i>	28.61%
335.	Brown Thrasher <i>Toxostoma rufum</i>	3.99%
336.	Northern Mockingbird <i>Mimus polyglottos</i>	37.92%
337.	Eastern Bluebird <i>Sialia sialis</i>	8.95%
338.	Mountain Bluebird <i>Sialia currucoides</i>	0.0272%
339.	Townsend's Solitaire <i>Myadestes townsendi</i>	0.0203%
340.	Varied Thrush <i>Ixoreus naevius</i>	0.0043%
341.	Veery <i>Catharus fuscescens</i>	0.0069%
342.	Gray-cheeked Thrush <i>Catharus minimus</i>	0.0234%
343.	Bicknell's Thrush <i>Catharus bicknelli</i>	0.0005%
344.	Swainson's Thrush <i>Catharus ustulatus</i>	0.1124%
345.	Hermit Thrush <i>Catharus guttatus</i>	2.44%
346.	Wood Thrush <i>Hylocichla mustelina</i>	0.0863%
347.	American Robin <i>Turdus migratorius</i>	6.82%
348.	Red-legged Thrush <i>Turdus plumbeus</i>	0.0165%
349.	European Robin <i>Erithacus rubecula</i>	0.0000%
350.	Northern Wheatear <i>Oenanthe oenanthe</i>	0.0165%
351.	Cedar Waxwing <i>Bombycilla cedrorum</i>	0.5728%
352.	Tricolored Munia <i>Lonchura malacca</i>	0.0005%
353.	House Sparrow <i>Passer domesticus</i>	3.51%
354.	White Wagtail <i>Motacilla alba</i>	0.0458%
355.	American Pipit <i>Anthus rubescens</i>	0.5200%

356.	Sprague's Pipit <i>Anthus spragueii</i>	0.0176%
357.	House Finch <i>Haemorhous mexicanus</i>	5.96%
358.	Purple Finch <i>Haemorhous purpureus</i>	0.0176%
359.	Pine Siskin <i>Spinus pinus</i>	0.1353%
360.	Lesser Goldfinch <i>Spinus psaltria</i>	0.0000%
361.	American Goldfinch <i>Spinus tristis</i>	4.04%
362.	Lapland Longspur <i>Calcarius lapponicus</i>	0.0815%
363.	Snow Bunting <i>Plectrophenax nivalis</i>	0.0107%
364.	Bachman's Sparrow <i>Peucaea aestivalis</i>	0.1774%
365.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.5792%
366.	Chipping Sparrow <i>Spizella passerina</i>	5.10%
367.	Clay-colored Sparrow <i>Spizella pallida</i>	0.1556%
368.	Field Sparrow <i>Spizella pusilla</i>	0.3207%
369.	Lark Sparrow <i>Chondestes grammacus</i>	0.0826%
370.	Lark Bunting <i>Calamospiza melanocorys</i>	0.0005%
371.	Fox Sparrow <i>Passerella iliaca</i>	0.0027%
372.	Dark-eyed Junco <i>Junco hyemalis</i>	0.0687%
373.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.6458%
374.	Harris's Sparrow <i>Zonotrichia querula</i>	0.0107%
375.	White-throated Sparrow <i>Zonotrichia albicollis</i>	0.7081%
376.	Vesper Sparrow <i>Pooecetes gramineus</i>	0.7006%
377.	LeConte's Sparrow <i>Ammospiza leconteii</i>	0.0170%
378.	Seaside Sparrow <i>Ammospiza maritima</i>	0.1401%

379.	Nelson's Sparrow <i>Ammospiza nelsoni</i>	0.2254%
380.	Saltmarsh Sparrow <i>Ammospiza caudacuta</i>	0.1194%
381.	Savannah Sparrow <i>Passerculus sandwichensis</i>	6.92%
382.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0789%
383.	Song Sparrow <i>Melospiza melodia</i>	2.14%
384.	Lincoln's Sparrow <i>Melospiza lincolni</i>	0.1646%
385.	Swamp Sparrow <i>Melospiza georgiana</i>	6.98%
386.	Green-tailed Towhee <i>Pipilo chlorurus</i>	0.0048%
387.	Spotted Towhee <i>Pipilo maculatus</i>	0.0154%
388.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	5.00%
389.	Western Spindalis <i>Spindalis zena</i>	0.0304%
390.	Yellow-breasted Chat <i>Icteria virens</i>	0.0831%
391.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.1039%
392.	Bobolink <i>Dolichonyx oryzivorus</i>	0.0160%
393.	Western Meadowlark <i>Sturnella neglecta</i>	0.0011%
394.	Eastern Meadowlark <i>Sturnella magna</i>	3.68%
395.	Orchard Oriole <i>Icterus spurius</i>	0.0080%
396.	Bullock's Oriole <i>Icterus bullockii</i>	0.0224%
397.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.3767%
398.	Baltimore Oriole <i>Icterus galbula</i>	1.31%
399.	Red-winged Blackbird <i>Agelaius phoeniceus</i>	20.57%
400.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.0272%

401.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.1822%
402.	Brown-headed Cowbird <i>Molothrus ater</i>	2.76%
403.	Rusty Blackbird <i>Euphagus carolinus</i>	0.0826%
404.	Brewer's Blackbird <i>Euphagus cyanocephalus</i>	0.0575%
405.	Common Grackle <i>Quiscalus quiscula</i>	20.57%
406.	Boat-tailed Grackle <i>Quiscalus major</i>	25.39%
407.	Great-tailed Grackle <i>Quiscalus mexicanus</i>	0.0005%
408.	Ovenbird <i>Seiurus aurocapilla</i>	2.03%
409.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	0.1652%
410.	Louisiana Waterthrush <i>Parkesia motacilla</i>	0.0597%
411.	Northern Waterthrush <i>Parkesia noveboracensis</i>	1.16%
412.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.0064%
413.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.0272%
414.	Black-and-white Warbler <i>Mniotilta varia</i>	9.26%
415.	Prothonotary Warbler <i>Protonotaria citrea</i>	0.0080%
416.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.0176%
417.	Tennessee Warbler <i>Leiothlypis peregrina</i>	0.3724%
418.	Orange-crowned Warbler <i>Leiothlypis celata</i>	3.61%
419.	Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.0980%
420.	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0527%
421.	Mourning Warbler <i>Geothlypis philadelphia</i>	0.0011%
422.	Kentucky Warbler <i>Geothlypis formosa</i>	0.0016%
423.	Common Yellowthroat <i>Geothlypis trichas</i>	15.08%

424. Hooded Warbler <i>Setophaga citrina</i>	0.0591%
425. American Redstart <i>Setophaga ruticilla</i>	2.79%
426. Cape May Warbler <i>Setophaga tigrina</i>	0.5168%
427. Northern Parula <i>Setophaga americana</i>	3.45%
428. Magnolia Warbler <i>Setophaga magnolia</i>	0.6490%
429. Bay-breasted Warbler <i>Setophaga castanea</i>	0.2430%
430. Blackburnian Warbler <i>Setophaga fusca</i>	0.0453%
431. Yellow Warbler <i>Setophaga petechia</i>	0.2121%
432. Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	0.0341%
433. Blackpoll Warbler <i>Setophaga striata</i>	0.0991%
434. Black-throated Blue Warbler <i>Setophaga caeruleascens</i>	1.47%
435. Palm Warbler <i>Setophaga palmarum</i>	48.66%
436. Pine Warbler <i>Setophaga pinus</i>	10.99%
437. Yellow-rumped Warbler <i>Setophaga coronata</i>	28.00%
438. Yellow-throated Warbler <i>Setophaga dominica</i>	6.92%
439. Prairie Warbler <i>Setophaga discolor</i>	5.11%
440. Black-throated Gray Warbler <i>Setophaga nigrescens</i>	0.0416%
441. Townsend's Warbler <i>Setophaga townsendi</i>	0.0085%
442. Black-throated Green Warbler <i>Setophaga virens</i>	0.7694%
443. Canada Warbler <i>Cardellina canadensis</i>	0.0016%
444. Wilson's Warbler <i>Cardellina pusilla</i>	0.1337%
445. Summer Tanager <i>Piranga rubra</i>	0.5477%

446.	Scarlet Tanager <i>Piranga olivacea</i>	0.0964%
447.	Western Tanager <i>Piranga ludoviciana</i>	0.0719%
448.	Northern Cardinal <i>Cardinalis cardinalis</i>	37.75%
449.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	0.2621%
450.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0005%
451.	Blue Grosbeak <i>Passerina caerulea</i>	0.3602%
452.	Indigo Bunting <i>Passerina cyanea</i>	2.12%
453.	Painted Bunting <i>Passerina ciris</i>	4.84%
454.	Dickcissel <i>Spiza americana</i>	0.0352%
455.	Bananaquit <i>Coereba flaveola</i>	0.0224%
456.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0400%
EXOTIC: PROVISIONAL		
457.	White-cheeked Pintail <i>Anas bahamensis</i>	0.0005% frequency
458.	Indian Peafowl <i>Pavo cristatus</i>	0.1950%
459.	Red Junglefowl <i>Gallus gallus</i>	0.1300%
460.	Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0234%
461.	Budgerigar <i>Melopsittacus undulatus</i>	0.0059%
462.	Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.2041%
463.	Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0288%
464.	Orange-winged Parrot <i>Amazona amazonica</i>	0.0884%
465.	Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0522%
466.	Chestnut-fronted Macaw <i>Ara severus</i>	0.0362%

467. Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.2243%
468. Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.0922%
469. White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0138%
470. Common Hill Myna <i>Gracula religiosa</i>	0.0373%
471. Scaly-breasted Munia <i>Lonchura punctulata</i>	0.3527%
472. Brewer's Sparrow <i>Spizella breweri</i>	0.0005%

EXOTIC: ESCAPEE

Plumed Whistling-Duck <i>Dendrocygna eytoni</i>	0.0005% frequency
White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0043%
Bar-headed Goose <i>Anser indicus</i>	0.0064%
Graylag Goose <i>Anser anser</i>	0.1700%
Swan Goose <i>Anser cygnoides</i>	0.1817%
Barnacle Goose <i>Branta leucopsis</i>	0.0005%
Hawaiian Goose <i>Branta sandvicensis</i>	0.0005%
Mute Swan <i>Cygnus olor</i>	0.2744%
Black Swan <i>Cygnus atratus</i>	0.0943%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0410%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0218%
Whooper Swan <i>Cygnus cygnus</i>	0.0154%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0091%
Radjah Shelduck <i>Radjah radjah</i>	0.0005%

Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0112%
Common Shelduck <i>Tadorna tadorna</i>	0.0128%
Ringed Teal <i>Callonetta leucophrys</i>	0.0005%
Mandarin Duck <i>Aix galericulata</i>	0.0272%
Red-crested Pochard <i>Netta rufina</i>	0.0032%
Rosy-billed Pochard <i>Netta peposaca</i>	0.0005%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0314%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0053%
Red-legged Partridge <i>Alectoris rufa</i>	0.0000%
Chukar <i>Alectoris chukar</i>	0.0000%
African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0011%
Diamond Dove <i>Geopelia cuneata</i>	0.0000%
Gray Crowned-Crane <i>Balearica regulorum</i>	0.0000%
African Sacred Ibis <i>Threskiornis aethiopicus</i>	0.0016%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0011%
Cockatiel <i>Nymphicus hollandicus</i>	0.0064%
Eastern Rosella <i>Platycercus eximius</i>	0.0005%
Dusky Lory <i>Pseudeos fuscata</i>	0.0005%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0037%
Fischer's Lovebird <i>Agapornis fischeri</i>	0.0000%
Yellow-collared Lovebird <i>Agapornis personatus</i>	0.0000%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0005%

Yellow-naped Parrot <i>Amazona auropalliata</i>	0.0005%
Yellow-headed Parrot <i>Amazona oratrix</i>	0.0005%
Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0032%
Turquoise-fronted Parrot <i>Amazona aestiva</i>	0.0011%
White-fronted Parrot <i>Amazona albifrons</i>	0.0005%
Mealy Parrot <i>Amazona farinosa</i>	0.0000%
Green-cheeked Parakeet <i>Pyrrhura molinae</i>	0.0000%
Orange-fronted Parakeet <i>Eupsittula canicularis</i>	0.0005%
Peach-fronted Parakeet <i>Eupsittula aurea</i>	0.0000%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0011%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0000%
Military Macaw <i>Ara militaris</i>	0.0000%
Green Parakeet <i>Psittacara holochlorus</i>	0.0027%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0037%
Crested Myna <i>Acridotheres cristatellus</i>	0.0000%
Tropical Mockingbird <i>Mimus gilvus</i>	0.0005%
Village Weaver <i>Ploceus cucullatus</i>	0.0048%
Black-headed Weaver <i>Ploceus melanocephalus</i>	0.0005%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0027%
Bronze Mannikin <i>Spermestes cucullata</i>	0.0005%
Magpie Mannikin <i>Spermestes fringilloides</i>	0.0005%
Orange-cheeked Waxbill <i>Estrilda melpoda</i>	0.0005%

Red-cheeked Cordonbleu <i>Uraeginthus bengalus</i>	0.0021%
Pin-tailed Whydah <i>Vidua macroura</i>	0.0005%
Yellow-fronted Canary <i>Crithagra mozambica</i>	0.0005%
Silver-beaked Tanager <i>Ramphocelus carbo</i>	0.0005%
Cuban Bullfinch <i>Melopyrrha nigra</i>	0.0037%
Cuban Grassquit <i>Phonipara canora</i>	0.0011%
Great White Pelican <i>Pelecanus onocrotalus</i>	0.0000%
Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%
Cackling Goose <i>Branta hutchinsii</i>	0.0000%

HYBRIDS

Snow x Ross's Goose (hybrid) <i>Anser caerulescens</i> x <i>rossii</i>	0.0021% frequency
Graylag x Swan Goose (hybrid) <i>Anser anser</i> x <i>cygnoides</i>	0.0101%
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides</i> x <i>Branta canadensis</i>	0.0032%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser</i> sp. (Domestic type) x <i>Branta canadensis</i>	0.0011%
Barnacle x Canada Goose (hybrid) <i>Branta leucopsis</i> x <i>canadensis</i>	0.0000%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors</i> x <i>cyanoptera</i>	0.0101%
Eurasian x American Wigeon (hybrid) <i>Mareca penelope</i> x <i>americana</i>	0.0005%
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata</i> x <i>Anas platyrhynchos</i>	0.0373%
Mallard x American Black Duck (hybrid) <i>Anas platyrhynchos</i> x <i>rubripes</i>	0.0037%

Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	1.90% ■
Canvasback x Redhead (hybrid) <i>Aythya valisineria x americana</i>	0.0005%
Sandwich x Elegant Tern (hybrid) <i>Thalasseus sandvicensis x elegans</i>	0.0005%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0016%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0005%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0112%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0005%
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	0.0059%
Yellow-bellied x Red-naped Sapsucker (hybrid) <i>Sphyrapicus varius x nuchalis</i>	0.0000%
Brewster's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F1 hybrid)</i>	0.0005%