



## Target Species

Based on 187,167 complete checklists

**465** species observed in Florida, US (region/US-FL) in Oct that you need for your Florida Life List























1. <b>Northern Cardinal</b> <i>Cardinalis cardinalis</i>	<b>55.55%</b> frequency
2. <b>Red-bellied Woodpecker</b> <i>Melanerpes carolinus</i>	<b>55.34%</b>
3. <b>Blue Jay</b> <i>Cyanocitta cristata</i>	<b>54.79%</b>
4. <b>Northern Mockingbird</b> <i>Mimus polyglottos</i>	<b>53.20%</b>
5. <b>Blue-gray Gnatcatcher</b> <i>Polioptila caerulea</i>	<b>45.00%</b>
6. <b>Gray Catbird</b> <i>Dumetella carolinensis</i>	<b>40.76%</b>
7. <b>Mourning Dove</b> <i>Zenaida macroura</i>	<b>39.98%</b>
8. <b>Palm Warbler</b> <i>Setophaga palmarum</i>	<b>39.84%</b>
9. <b>Great Egret</b> <i>Ardea alba</i>	<b>34.18%</b>
10. <b>White Ibis</b> <i>Eudocimus albus</i>	<b>33.83%</b>
11. <b>Carolina Wren</b> <i>Thryothorus ludovicianus</i>	<b>33.15%</b>
12. <b>Downy Woodpecker</b> <i>Dryobates pubescens</i>	<b>30.28%</b>
13. <b>Red-shouldered Hawk</b> <i>Buteo lineatus</i>	<b>30.05%</b>
14. <b>Osprey</b> <i>Pandion haliaetus</i>	<b>28.84%</b>
15. <b>Turkey Vulture</b> <i>Cathartes aura</i>	<b>28.37%</b>
16. <b>Great Blue Heron</b> <i>Ardea herodias</i>	<b>27.66%</b>
17. <b>Tufted Titmouse</b> <i>Baeolophus bicolor</i>	<b>26.40%</b>
18. <b>Little Blue Heron</b> <i>Egretta caerulea</i>	<b>23.94%</b>

19. <b>Fish Crow</b> <i>Corvus ossifragus</i>	<b>23.90%</b>
20. <b>Belted Kingfisher</b> <i>Megaceryle alcyon</i>	<b>23.81%</b>
21. <b>Anhinga</b> <i>Anhinga anhinga</i>	<b>23.50%</b>
22. <b>Common Grackle</b> <i>Quiscalus quiscula</i>	<b>22.55%</b>
23. <b>Boat-tailed Grackle</b> <i>Quiscalus major</i>	<b>22.48%</b>
24. <b>White-eyed Vireo</b> <i>Vireo griseus</i>	<b>22.28%</b>
25. <b>Common Yellowthroat</b> <i>Geothlypis trichas</i>	<b>22.18%</b>
26. <b>Eastern Phoebe</b> <i>Sayornis phoebe</i>	<b>21.94%</b>
27. <b>Black Vulture</b> <i>Coragyps atratus</i>	<b>21.74%</b>
28. <b>American Crow</b> <i>Corvus brachyrhynchos</i>	<b>21.23%</b>
29. <b>American Redstart</b> <i>Setophaga ruticilla</i>	<b>21.12%</b>
30. <b>Pileated Woodpecker</b> <i>Dryocopus pileatus</i>	<b>20.21%</b>
31. <b>Snowy Egret</b> <i>Egretta thula</i>	<b>19.26%</b>
32. <b>Double-crested Cormorant</b> <i>Nannopterum auritum</i>	<b>18.92%</b>
33. <b>Black-and-white Warbler</b> <i>Mniotilta varia</i>	<b>18.51%</b>
34. <b>Red-winged Blackbird</b> <i>Agelaius phoeniceus</i>	<b>18.15%</b>
35. <b>Tricolored Heron</b> <i>Egretta tricolor</i>	<b>18.07%</b>
36. <b>House Wren</b> <i>Troglodytes aedon</i>	<b>15.98%</b>
37. <b>Carolina Chickadee</b> <i>Poecile carolinensis</i>	<b>15.84%</b>
38. <b>Laughing Gull</b> <i>Leucophaeus atricilla</i>	<b>15.50%</b>
39. <b>Common Gallinule</b> <i>Gallinula galeata</i>	<b>15.36%</b>
40. <b>Northern Parula</b> <i>Setophaga americana</i>	<b>15.31%</b>
41. <b>Yellow-throated Warbler</b> <i>Setophaga dominica</i>	<b>15.07%</b>

42.	<b>Brown Pelican</b> <i>Pelecanus occidentalis</i>	<b>13.60%</b>
43.	<b>Brown Thrasher</b> <i>Toxostoma rufum</i>	<b>12.71%</b>
44.	<b>Prairie Warbler</b> <i>Setophaga discolor</i>	<b>12.62%</b>
45.	<b>American Kestrel</b> <i>Falco sparverius</i>	<b>12.25%</b>
46.	<b>Bald Eagle</b> <i>Haliaeetus leucocephalus</i>	<b>12.14%</b>
47.	<b>Pine Warbler</b> <i>Setophaga pinus</i>	<b>11.93%</b>
48.	<b>Ovenbird</b> <i>Seiurus aurocapilla</i>	<b>11.05%</b>
49.	<b>Wood Stork</b> <i>Mycteria americana</i>	<b>10.65%</b>
50.	<b>European Starling</b> <i>Sturnus vulgaris</i>	<b>10.53%</b>
51.	<b>Red-eyed Vireo</b> <i>Vireo olivaceus</i>	<b>10.39%</b>
52.	<b>Western Cattle Egret</b> <i>Bubulcus ibis</i>	<b>9.97%</b>
53.	<b>Eastern Bluebird</b> <i>Sialia sialis</i>	<b>9.93%</b>
54.	<b>Pied-billed Grebe</b> <i>Podilymbus podiceps</i>	<b>9.88%</b>
55.	<b>Common Ground Dove</b> <i>Columbina passerina</i>	<b>9.56%</b>
56.	<b>Black-throated Blue Warbler</b> <i>Setophaga caerulescens</i>	<b>9.53%</b>
57.	<b>Eurasian Collared-Dove</b> <i>Streptopelia decaocto</i>	<b>9.08%</b>
58.	<b>Green Heron</b> <i>Butorides virescens</i>	<b>9.02%</b>
59.	<b>Indigo Bunting</b> <i>Passerina cyanea</i>	<b>8.78%</b>
60.	<b>Royal Tern</b> <i>Thalasseus maximus</i>	<b>8.78%</b>
61.	<b>Sandhill Crane</b> <i>Antigone canadensis</i>	<b>8.78%</b>
62.	<b>House Finch</b> <i>Haemorhous mexicanus</i>	<b>8.50%</b>
63.	<b>Loggerhead Shrike</b> <i>Lanius ludovicianus</i>	<b>8.30%</b>

64.	<b>Willet</b> <i>Tringa semipalmata</i>	<b>8.26%</b>
65.	<b>Ruby-throated Hummingbird</b> <i>Archilochus colubris</i>	<b>8.26%</b>
66.	<b>Rock Pigeon</b> <i>Columba livia</i>	<b>6.86%</b>
67.	<b>Glossy Ibis</b> <i>Plegadis falcinellus</i>	<b>6.79%</b>
68.	<b>Sanderling</b> <i>Calidris alba</i>	<b>6.75%</b>
69.	<b>Limpkin</b> <i>Aramus guarauna</i>	<b>6.64%</b>
70.	<b>Cooper's Hawk</b> <i>Accipiter cooperii</i>	<b>6.60%</b>
71.	<b>Killdeer</b> <i>Charadrius vociferus</i>	<b>6.53%</b>
72.	<b>Painted Bunting</b> <i>Passerina ciris</i>	<b>6.53%</b>
73.	<b>Northern Flicker</b> <i>Colaptes auratus</i>	<b>6.47%</b>
74.	<b>Magnolia Warbler</b> <i>Setophaga magnolia</i>	<b>6.40%</b>
75.	<b>Ruddy Turnstone</b> <i>Arenaria interpres</i>	<b>6.37%</b>
76.	<b>Blue-winged Teal</b> <i>Spatula discors</i>	<b>6.04%</b>
77.	<b>Eastern Towhee</b> <i>Pipilo erythrophthalmus</i>	<b>6.04%</b>
78.	<b>Eastern Wood-Pewee</b> <i>Contopus virens</i>	<b>6.01%</b>
79.	<b>Black-bellied Whistling-Duck</b> <i>Dendrocygna autumnalis</i>	<b>6.00%</b>
80.	<b>Mottled Duck</b> <i>Anas fulvigula</i>	<b>5.94%</b>
81.	<b>Ruby-crowned Kinglet</b> <i>Corthylio calendula</i>	<b>5.59%</b>
82.	<b>Swainson's Thrush</b> <i>Catharus ustulatus</i>	<b>5.52%</b>
83.	<b>Black-bellied Plover</b> <i>Pluvialis squatarola</i>	<b>5.44%</b>
84.	<b>Sandwich Tern</b> <i>Thalasseus sandvicensis</i>	<b>5.26%</b>
85.	<b>Barn Swallow</b> <i>Hirundo rustica</i>	<b>5.05%</b>

86.	<b>Tennessee Warbler</b> <i>Leiothlypis peregrina</i>	5.04%
87.	<b>Yellow-rumped Warbler</b> <i>Setophaga coronata</i>	5.03%
88.	<b>Muscovy Duck</b> <i>Cairina moschata</i>	5.01%
89.	<b>Northern Harrier</b> <i>Circus hudsonius</i>	4.82%
90.	<b>Merlin</b> <i>Falco columbarius</i>	4.82%
91.	<b>Roseate Spoonbill</b> <i>Platalea ajaja</i>	4.65%
92.	<b>Summer Tanager</b> <i>Piranga rubra</i>	4.51%
93.	<b>Yellow-bellied Sapsucker</b> <i>Sphyrapicus varius</i>	4.49%
94.	<b>Least Sandpiper</b> <i>Calidris minutilla</i>	4.41%
95.	<b>American Coot</b> <i>Fulica americana</i>	4.39%
96.	<b>Forster's Tern</b> <i>Sterna forsteri</i>	4.30%
97.	<b>Cape May Warbler</b> <i>Setophaga tigrina</i>	4.26%
98.	<b>Semipalmated Plover</b> <i>Charadrius semipalmatus</i>	4.12%
99.	<b>Peregrine Falcon</b> <i>Falco peregrinus</i>	4.06%
100.	<b>Northern Waterthrush</b> <i>Parkesia noveboracensis</i>	4.06%
101.	<b>Tree Swallow</b> <i>Tachycineta bicolor</i>	4.03%
102.	<b>Red-tailed Hawk</b> <i>Buteo jamaicensis</i>	3.90%
103.	<b>House Sparrow</b> <i>Passer domesticus</i>	3.89%
104.	<b>Barred Owl</b> <i>Strix varia</i>	3.89%
105.	<b>Chimney Swift</b> <i>Chaetura pelagica</i>	3.82%
106.	<b>Wood Duck</b> <i>Aix sponsa</i>	3.78%
107.	<b>Rose-breasted Grosbeak</b> <i>Pheucticus ludovicianus</i>	3.65%

108.	<b>Black-crowned Night Heron</b> <i>Nycticorax nycticorax</i>	<b>3.55%</b> 
109.	<b>Yellow-billed Cuckoo</b> <i>Coccyzus americanus</i>	<b>3.55%</b> 
110.	<b>Greater Yellowlegs</b> <i>Tringa melanoleuca</i>	<b>3.52%</b> 
111.	<b>Scarlet Tanager</b> <i>Piranga olivacea</i>	<b>3.48%</b> 
112.	<b>Reddish Egret</b> <i>Egretta rufescens</i>	<b>3.16%</b> 
113.	<b>Magnificent Frigatebird</b> <i>Fregata magnificens</i>	<b>3.05%</b> 
114.	<b>Chestnut-sided Warbler</b> <i>Setophaga pensylvanica</i>	<b>3.00%</b> 
115.	<b>Great Crested Flycatcher</b> <i>Myiarchus crinitus</i>	<b>2.96%</b> 
116.	<b>White-winged Dove</b> <i>Zenaida asiatica</i>	<b>2.93%</b> 
117.	<b>Yellow-crowned Night Heron</b> <i>Nyctanassa violacea</i>	<b>2.85%</b> 
118.	<b>Short-billed Dowitcher</b> <i>Limnodromus griseus</i>	<b>2.78%</b> 
119.	<b>Yellow Warbler</b> <i>Setophaga petechia</i>	<b>2.75%</b> 
120.	<b>Spotted Sandpiper</b> <i>Actitis macularius</i>	<b>2.71%</b> 
121.	<b>Bay-breasted Warbler</b> <i>Setophaga castanea</i>	<b>2.62%</b> 
122.	<b>Yellow-throated Vireo</b> <i>Vireo flavifrons</i>	<b>2.59%</b> 
123.	<b>Black Skimmer</b> <i>Rynchops niger</i>	<b>2.58%</b> 
124.	<b>Baltimore Oriole</b> <i>Icterus galbula</i>	<b>2.53%</b> 
125.	<b>Sharp-shinned Hawk</b> <i>Accipiter striatus</i>	<b>2.52%</b> 
126.	<b>Hooded Warbler</b> <i>Setophaga citrina</i>	<b>2.47%</b> 
127.	<b>Caspian Tern</b> <i>Hydroprogne caspia</i>	<b>2.41%</b> 
128.	<b>Eastern Meadowlark</b> <i>Sturnella magna</i>	<b>2.41%</b> 
129.	<b>Swamp Sparrow</b> <i>Melospiza georgiana</i>	<b>2.40%</b> 

130.	<b>Purple Gallinule</b> <i>Porphyrio martinica</i>	2.29%
131.	<b>Black-throated Green Warbler</b> <i>Setophaga virens</i>	2.25%
132.	<b>Lesser Yellowlegs</b> <i>Tringa flavipes</i>	2.23%
133.	<b>Marsh Wren</b> <i>Cistothorus palustris</i>	2.23%
134.	<b>Acadian Flycatcher</b> <i>Empidonax virescens</i>	2.16%
135.	<b>Red-headed Woodpecker</b> <i>Melanerpes erythrocephalus</i>	2.13%
136.	<b>Brown-headed Cowbird</b> <i>Molothrus ater</i>	2.13%
137.	<b>Brown-headed Nuthatch</b> <i>Sitta pusilla</i>	2.09%
138.	<b>Savannah Sparrow</b> <i>Passerculus sandwichensis</i>	2.04%
139.	<b>Clapper Rail</b> <i>Rallus crepitans</i>	2.00%
140.	<b>Wilson's Snipe</b> <i>Gallinago delicata</i>	1.95%
141.	<b>Great Horned Owl</b> <i>Bubo virginianus</i>	1.91%
142.	<b>Western Sandpiper</b> <i>Calidris mauri</i>	1.90%
143.	<b>Egyptian Goose</b> <i>Alopochen aegyptiaca</i>	1.87%
144.	<b>Worm-eating Warbler</b> <i>Helmitheros vermivorum</i>	1.82%
145.	<b>Blue Grosbeak</b> <i>Passerina caerulea</i>	1.82%
146.	<b>Mallard</b> <i>Anas platyrhynchos</i>	1.76%
147.	<b>Monk Parakeet</b> <i>Myiopsitta monachus</i>	1.75%
148.	<b>Canada Goose</b> <i>Branta canadensis</i>	1.73%
149.	<b>Nanday Parakeet</b> <i>Aratinga nenday</i>	1.73%
150.	<b>American White Pelican</b> <i>Pelecanus erythrorhynchos</i>	1.73%
151.	<b>Blackburnian Warbler</b> <i>Setophaga fusca</i>	1.67%

152.	<b>Short-tailed Hawk</b> <i>Buteo brachyurus</i>	1.65%
153.	<b>Blue-headed Vireo</b> <i>Vireo solitarius</i>	1.62%
154.	<b>American Oystercatcher</b> <i>Haematopus palliatus</i>	1.60%
155.	<b>Dunlin</b> <i>Calidris alpina</i>	1.59%
156.	<b>Herring Gull</b> <i>Larus argentatus</i>	1.58%
157.	<b>Wild Turkey</b> <i>Meleagris gallopavo</i>	1.55%
158.	<b>Broad-winged Hawk</b> <i>Buteo platypterus</i>	1.53%
159.	<b>Marbled Godwit</b> <i>Limosa fedoa</i>	1.47%
160.	<b>Ring-billed Gull</b> <i>Larus delawarensis</i>	1.45%
161.	<b>Northern Rough-winged Swallow</b> <i>Stelgidopteryx serripennis</i>	1.43%
162.	<b>Sora</b> <i>Porzana carolina</i>	1.42%
163.	<b>Wood Thrush</b> <i>Hylocichla mustelina</i>	1.39%
164.	<b>Lesser Black-backed Gull</b> <i>Larus fuscus</i>	1.37%
165.	<b>Gray-cheeked Thrush</b> <i>Catharus minimus</i>	1.27%
166.	<b>Piping Plover</b> <i>Charadrius melodus</i>	1.21%
167.	<b>Wilson's Plover</b> <i>Anarhynchus wilsonia</i>	1.18%
168.	<b>Red Knot</b> <i>Calidris canutus</i>	1.15%
169.	<b>Common Tern</b> <i>Sterna hirundo</i>	1.12%
170.	<b>Veery</b> <i>Catharus fuscescens</i>	1.09%
171.	<b>White-crowned Pigeon</b> <i>Patagioenas leucocephala</i>	1.07%
172.	<b>American Bittern</b> <i>Botaurus lentiginosus</i>	1.03%
173.	<b>Sedge Wren</b> <i>Cistothorus stellaris</i>	1.02%



174.	<b>Snail Kite</b> <i>Rostrhamus sociabilis</i>	<b>0.9232%</b>
175.	<b>Florida Scrub-Jay</b> <i>Aphelocoma coerulescens</i>	<b>0.8698%</b>
176.	<b>Gray-headed Swamphen</b> <i>Porphyrio poliocephalus</i>	<b>0.8661%</b>
177.	<b>Northern Shoveler</b> <i>Spatula clypeata</i>	<b>0.8452%</b>
178.	<b>Least Bittern</b> <i>Ixobrychus exilis</i>	<b>0.8068%</b>
179.	<b>Orange-crowned Warbler</b> <i>Leiothlypis celata</i>	<b>0.7469%</b>
180.	<b>Northern Bobwhite</b> <i>Colinus virginianus</i>	<b>0.7389%</b>
181.	<b>American Avocet</b> <i>Recurvirostra americana</i>	<b>0.7330%</b>
182.	<b>Snowy Plover</b> <i>Anarhynchus nivosus</i>	<b>0.7320%</b>
183.	<b>Spot-breasted Oriole</b> <i>Icterus pectoralis</i>	<b>0.6652%</b>
184.	<b>Blackpoll Warbler</b> <i>Setophaga striata</i>	<b>0.6604%</b>
185.	<b>Semipalmated Sandpiper</b> <i>Calidris pusilla</i>	<b>0.6502%</b>
186.	<b>Eastern Screech-Owl</b> <i>Megascops asio</i>	<b>0.6470%</b>
187.	<b>Bobolink</b> <i>Dolichonyx oryzivorus</i>	<b>0.6422%</b>
188.	<b>Philadelphia Vireo</b> <i>Vireo philadelphicus</i>	<b>0.6315%</b>
189.	<b>Long-billed Dowitcher</b> <i>Limnodromus scolopaceus</i>	<b>0.6240%</b>
190.	<b>White-breasted Nuthatch</b> <i>Sitta carolinensis</i>	<b>0.6240%</b>
191.	<b>Crested Caracara</b> <i>Caracara plancus</i>	<b>0.5941%</b>
192.	<b>Pectoral Sandpiper</b> <i>Calidris melanotos</i>	<b>0.5402%</b>
193.	<b>Golden-winged Warbler</b> <i>Vermivora chrysoptera</i>	<b>0.5300%</b>
194.	<b>Blue-winged Warbler</b> <i>Vermivora cyanoptera</i>	<b>0.5113%</b>
195.	<b>King Rail</b> <i>Rallus elegans</i>	<b>0.5060%</b>

196.	<b>Black-necked Stilt</b> <i>Himantopus mexicanus</i>	<b>0.5006%</b>
197.	<b>Chipping Sparrow</b> <i>Spizella passerina</i>	<b>0.4611%</b>
198.	<b>Cliff Swallow</b> <i>Petrochelidon pyrrhonota</i>	<b>0.4403%</b>
199.	<b>Green-winged Teal</b> <i>Anas crecca</i>	<b>0.4354%</b>
200.	<b>Eastern Kingbird</b> <i>Tyrannus tyrannus</i>	<b>0.4242%</b>
201.	<b>Ring-necked Duck</b> <i>Aythya collaris</i>	<b>0.4141%</b>
202.	<b>Hermit Thrush</b> <i>Catharus guttatus</i>	<b>0.4130%</b>
203.	<b>Solitary Sandpiper</b> <i>Tringa solitaria</i>	<b>0.4034%</b>
204.	<b>Nashville Warbler</b> <i>Leiothlypis ruficapilla</i>	<b>0.3996%</b>
205.	<b>Bank Swallow</b> <i>Riparia riparia</i>	<b>0.3938%</b>
206.	<b>Fulvous Whistling-Duck</b> <i>Dendrocygna bicolor</i>	<b>0.3900%</b>
207.	<b>Gray Kingbird</b> <i>Tyrannus dominicensis</i>	<b>0.3820%</b>
208.	<b>Chuck-will's-widow</b> <i>Antrostomus carolinensis</i>	<b>0.3681%</b>
209.	<b>Wilson's Warbler</b> <i>Cardellina pusilla</i>	<b>0.3548%</b>
210.	<b>Stilt Sandpiper</b> <i>Calidris himantopus</i>	<b>0.3499%</b>
211.	<b>Least Flycatcher</b> <i>Empidonax minimus</i>	<b>0.3382%</b>
212.	<b>Great Black-backed Gull</b> <i>Larus marinus</i>	<b>0.3329%</b>
213.	<b>Prothonotary Warbler</b> <i>Protonotaria citrea</i>	<b>0.3211%</b>
214.	<b>Scissor-tailed Flycatcher</b> <i>Tyrannus forficatus</i>	<b>0.3195%</b>
215.	<b>Whimbrel</b> <i>Numenius phaeopus</i>	<b>0.2939%</b>
216.	<b>Song Sparrow</b> <i>Melospiza melodia</i>	<b>0.2907%</b>
217.	<b>Swainson's Warbler</b> <i>Limnothlypis swainsonii</i>	<b>0.2848%</b>
218.	<b>Virginia Rail</b> <i>Rallus limicola</i>	<b>0.2842%</b>

219.	<b>Vermilion Flycatcher</b> <i>Pyrocephalus rubinus</i>	<b>0.2821%</b>
220.	<b>Mitred Parakeet</b> <i>Psittacara mitratus</i>	<b>0.2746%</b>
221.	<b>American Robin</b> <i>Turdus migratorius</i>	<b>0.2704%</b>
222.	<b>American Wigeon</b> <i>Mareca americana</i>	<b>0.2655%</b>
223.	<b>Common Nighthawk</b> <i>Chordeiles minor</i>	<b>0.2655%</b>
224.	<b>Eastern Whip-poor-will</b> <i>Antrostomus vociferus</i>	<b>0.2623%</b>
225.	<b>Bachman's Sparrow</b> <i>Peucaea aestivalis</i>	<b>0.2570%</b>
226.	<b>Clay-colored Sparrow</b> <i>Spizella pallida</i>	<b>0.2452%</b>
227.	<b>White-crowned Sparrow</b> <i>Zonotrichia leucophrys</i>	<b>0.2410%</b>
228.	<b>American Flamingo</b> <i>Phoenicopterus ruber</i>	<b>0.2372%</b>
229.	<b>Louisiana Waterthrush</b> <i>Parkesia motacilla</i>	<b>0.2319%</b>
230.	<b>Burrowing Owl</b> <i>Athene cunicularia</i>	<b>0.2212%</b>
231.	<b>Gadwall</b> <i>Mareca strepera</i>	<b>0.2207%</b>
232.	<b>Redhead</b> <i>Aythya americana</i>	<b>0.2148%</b>
233.	<b>Red-cockaded Woodpecker</b> <i>Dryobates borealis</i>	<b>0.2148%</b>
234.	<b>Northern Pintail</b> <i>Anas acuta</i>	<b>0.2116%</b>
235.	<b>Ruddy Duck</b> <i>Oxyura jamaicensis</i>	<b>0.2094%</b>
236.	<b>Hairy Woodpecker</b> <i>Dryobates villosus</i>	<b>0.1988%</b>
237.	<b>Western Kingbird</b> <i>Tyrannus verticalis</i>	<b>0.1929%</b>
238.	<b>Barn Owl</b> <i>Tyto alba</i>	<b>0.1870%</b>
239.	<b>Yellow-breasted Chat</b> <i>Icteria virens</i>	<b>0.1699%</b>
240.	<b>Northern Gannet</b> <i>Morus bassanus</i>	<b>0.1608%</b>
241.	<b>Nelson's Sparrow</b> <i>Ammospiza nelsoni</i>	<b>0.1608%</b>

242.	<b>Swainson's Hawk</b> <i>Buteo swainsoni</i>	0.1571%
243.	<b>Common Myna</b> <i>Acridotheres tristis</i>	0.1528%
244.	<b>Rufous Hummingbird</b> <i>Selasphorus rufus</i>	0.1464%
245.	<b>Mississippi Kite</b> <i>Ictinia mississippiensis</i>	0.1394%
246.	<b>Cory's Shearwater</b> <i>Calonectris diomedea</i>	0.1373%
247.	<b>Lesser Scaup</b> <i>Aythya affinis</i>	0.1298%
248.	<b>Black Tern</b> <i>Chlidonias niger</i>	0.1272%
249.	<b>Grasshopper Sparrow</b> <i>Ammodramus savannarum</i>	0.1266%
250.	<b>Red-breasted Nuthatch</b> <i>Sitta canadensis</i>	0.1186%
251.	<b>Brown Booby</b> <i>Sula leucogaster</i>	0.1149%
252.	<b>Bar-tailed Godwit</b> <i>Limosa lapponica</i>	0.1122%
253.	<b>Canada Warbler</b> <i>Cardellina canadensis</i>	0.1079%
254.	<b>Seaside Sparrow</b> <i>Ammospiza maritima</i>	0.1058%
255.	<b>Golden-crowned Kinglet</b> <i>Regulus satrapa</i>	0.1037%
256.	<b>Dickcissel</b> <i>Spiza americana</i>	0.1015%
257.	<b>Red-legged Honeycreeper</b> <i>Cyanerpes cyaneus</i>	0.1010%
258.	<b>Cave Swallow</b> <i>Petrochelidon fulva</i>	0.0951%
259.	<b>Common Loon</b> <i>Gavia immer</i>	0.0946%
260.	<b>White-faced Ibis</b> <i>Plegadis chihi</i>	0.0930%
261.	<b>Pomarine Jaeger</b> <i>Stercorarius pomarinus</i>	0.0908%
262.	<b>Purple Martin</b> <i>Progne subis</i>	0.0903%
263.	<b>Lark Sparrow</b> <i>Chondestes grammacus</i>	0.0887%
264.	<b>White-throated Sparrow</b> <i>Zonotrichia albicollis</i>	0.0860%

265.	<b>Long-billed Curlew</b> <i>Numenius americanus</i>	<b>0.0855%</b>
266.	<b>Franklin's Gull</b> <i>Leucophaeus pipixcan</i>	<b>0.0839%</b>
267.	<b>Bell's Vireo</b> <i>Vireo bellii</i>	<b>0.0812%</b>
268.	<b>Orchard Oriole</b> <i>Icterus spurius</i>	<b>0.0812%</b>
269.	<b>Variiegated Flycatcher</b> <i>Empidonomus varius</i>	<b>0.0807%</b>
270.	<b>Black-billed Cuckoo</b> <i>Coccyzus erythrophthalmus</i>	<b>0.0748%</b>
271.	<b>Kentucky Warbler</b> <i>Geothlypis formosa</i>	<b>0.0743%</b>
272.	<b>Parasitic Jaeger</b> <i>Stercorarius parasiticus</i>	<b>0.0716%</b>
273.	<b>Lincoln's Sparrow</b> <i>Melospiza lincolnii</i>	<b>0.0695%</b>
274.	<b>Hudsonian Godwit</b> <i>Limosa haemastica</i>	<b>0.0689%</b>
275.	<b>Yellow-bellied Flycatcher</b> <i>Empidonax flaviventris</i>	<b>0.0673%</b>
276.	<b>Wilson's Phalarope</b> <i>Phalaropus tricolor</i>	<b>0.0668%</b>
277.	<b>Whooping Crane</b> <i>Grus americana</i>	<b>0.0657%</b>
278.	<b>Gull-billed Tern</b> <i>Gelochelidon nilotica</i>	<b>0.0652%</b>
279.	<b>Cedar Waxwing</b> <i>Bombcilla cedrorum</i>	<b>0.0598%</b>
280.	<b>Fork-tailed Flycatcher</b> <i>Tyrannus savana</i>	<b>0.0593%</b>
281.	<b>Mangrove Cuckoo</b> <i>Coccyzus minor</i>	<b>0.0572%</b>
282.	<b>American Golden-Plover</b> <i>Pluvialis dominica</i>	<b>0.0540%</b>
283.	<b>Saltmarsh Sparrow</b> <i>Ammospiza caudacuta</i>	<b>0.0529%</b>
284.	<b>White-tailed Kite</b> <i>Elanus leucurus</i>	<b>0.0518%</b>
285.	<b>Bronzed Cowbird</b> <i>Molothrus aeneus</i>	<b>0.0518%</b>
286.	<b>Red-whiskered Bulbul</b> <i>Pycnonotus jocosus</i>	<b>0.0508%</b>
287.	<b>Western Tanager</b> <i>Piranga ludoviciana</i>	<b>0.0497%</b>

288.	<b>Ash-throated Flycatcher</b> <i>Myiarchus cinerascens</i>	<b>0.0492%</b>
289.	<b>American Pipit</b> <i>Anthus rubescens</i>	<b>0.0492%</b>
290.	<b>Bonaparte's Gull</b> <i>Chroicocephalus philadelphia</i>	<b>0.0486%</b>
291.	<b>Groove-billed Ani</b> <i>Crotophaga sulcirostris</i>	<b>0.0481%</b>
292.	<b>Vesper Sparrow</b> <i>Pooecetes gramineus</i>	<b>0.0481%</b>
293.	<b>Red-necked Phalarope</b> <i>Phalaropus lobatus</i>	<b>0.0459%</b>
294.	<b>Black-throated Gray Warbler</b> <i>Setophaga nigrescens</i>	<b>0.0454%</b>
295.	<b>American Woodcock</b> <i>Scolopax minor</i>	<b>0.0433%</b>
296.	<b>Field Sparrow</b> <i>Spizella pusilla</i>	<b>0.0427%</b>
297.	<b>American Goldfinch</b> <i>Spinus tristis</i>	<b>0.0422%</b>
298.	<b>Smooth-billed Ani</b> <i>Crotophaga ani</i>	<b>0.0411%</b>
299.	<b>Purple Sandpiper</b> <i>Calidris maritima</i>	<b>0.0401%</b>
300.	<b>Hooded Merganser</b> <i>Lophodytes cucullatus</i>	<b>0.0395%</b>
301.	<b>White-rumped Sandpiper</b> <i>Calidris fuscicollis</i>	<b>0.0379%</b>
302.	<b>Masked Booby</b> <i>Sula dactylatra</i>	<b>0.0379%</b>
303.	<b>Shiny Cowbird</b> <i>Molothrus bonariensis</i>	<b>0.0379%</b>
304.	<b>Gray-tailed Tattler</b> <i>Tringa brevipes</i>	<b>0.0374%</b>
305.	<b>Great Shearwater</b> <i>Ardenna gravis</i>	<b>0.0374%</b>
306.	<b>Swallow-tailed Kite</b> <i>Elanoides forficatus</i>	<b>0.0369%</b>
307.	<b>Red-legged Thrush</b> <i>Turdus plumbeus</i>	<b>0.0363%</b>
308.	<b>Yellow-headed Blackbird</b> <i>Xanthocephalus xanthocephalus</i>	<b>0.0358%</b>
309.	<b>Olive-sided Flycatcher</b> <i>Contopus cooperi</i>	<b>0.0353%</b>

310.	<b>Tropical Kingbird</b> <i>Tyrannus melancholicus</i>	<b>0.0342%</b>
311.	<b>Alder Flycatcher</b> <i>Empidonax alnorum</i>	<b>0.0337%</b>
312.	<b>Greater White-fronted Goose</b> <i>Anser albifrons</i>	<b>0.0326%</b>
313.	<b>Red-breasted Merganser</b> <i>Mergus serrator</i>	<b>0.0315%</b>
314.	<b>Heermann's Gull</b> <i>Larus heermanni</i>	<b>0.0299%</b>
315.	<b>Buff-bellied Hummingbird</b> <i>Amazilia yucatanensis</i>	<b>0.0289%</b>
316.	<b>Bullock's Oriole</b> <i>Icterus bullockii</i>	<b>0.0278%</b>
317.	<b>Winter Wren</b> <i>Troglodytes hiemalis</i>	<b>0.0262%</b>
318.	<b>Baird's Sandpiper</b> <i>Calidris bairdii</i>	<b>0.0257%</b>
319.	<b>Sabine's Gull</b> <i>Xema sabini</i>	<b>0.0251%</b>
320.	<b>Black Scoter</b> <i>Melanitta americana</i>	<b>0.0246%</b>
321.	<b>Mourning Warbler</b> <i>Geothlypis philadelphia</i>	<b>0.0240%</b>
322.	<b>Thick-billed Vireo</b> <i>Vireo crassirostris</i>	<b>0.0235%</b>
323.	<b>Warbling Vireo</b> <i>Vireo gilvus</i>	<b>0.0230%</b>
324.	<b>Neotropic Cormorant</b> <i>Nannopterum brasilianum</i>	<b>0.0219%</b>
325.	<b>Black-whiskered Vireo</b> <i>Vireo altiloquus</i>	<b>0.0219%</b>
326.	<b>Sooty Tern</b> <i>Onychoprion fuscatus</i>	<b>0.0208%</b>
327.	<b>Greater Scaup</b> <i>Aythya marila</i>	<b>0.0203%</b>
328.	<b>Elegant Tern</b> <i>Thalasseus elegans</i>	<b>0.0203%</b>
329.	<b>Cinnamon Teal</b> <i>Spatula cyanoptera</i>	<b>0.0198%</b>
330.	<b>Cerulean Warbler</b> <i>Setophaga cerulea</i>	<b>0.0198%</b>
331.	<b>Gray Gull</b> <i>Leucophaeus modestus</i>	<b>0.0192%</b>
332.	<b>Bridled Tern</b> <i>Onychoprion anaethetus</i>	<b>0.0192%</b>

333.	<b>Northern Wheatear</b> <i>Oenanthe oenanthe</i>	<b>0.0192%</b>
334.	<b>Horned Grebe</b> <i>Podiceps auritus</i>	<b>0.0182%</b>
335.	<b>Large-billed Tern</b> <i>Phaetusa simplex</i>	<b>0.0155%</b>
336.	<b>Say's Phoebe</b> <i>Sayornis saya</i>	<b>0.0155%</b>
337.	<b>Eared Grebe</b> <i>Podiceps nigricollis</i>	<b>0.0150%</b>
338.	<b>Antillean Palm Swift</b> <i>Tachornis phoenicobia</i>	<b>0.0150%</b>
339.	<b>Black-capped Petrel</b> <i>Pterodroma hasitata</i>	<b>0.0144%</b>
340.	<b>Kirtland's Warbler</b> <i>Setophaga kirtlandii</i>	<b>0.0144%</b>
341.	<b>Canvasback</b> <i>Aythya valisineria</i>	<b>0.0134%</b>
342.	<b>Surf Scoter</b> <i>Melanitta perspicillata</i>	<b>0.0134%</b>
343.	<b>White-winged Parakeet</b> <i>Brotogeris versicolurus</i>	<b>0.0134%</b>
344.	<b>Willow Flycatcher</b> <i>Empidonax traillii</i>	<b>0.0134%</b>
345.	<b>Key West Quail-Dove</b> <i>Geotrygon chrysia</i>	<b>0.0128%</b>
346.	<b>White-winged Scoter</b> <i>Melanitta deglandi</i>	<b>0.0123%</b>
347.	<b>La Sagra's Flycatcher</b> <i>Myiarchus sagrae</i>	<b>0.0112%</b>
348.	<b>Buff-breasted Sandpiper</b> <i>Calidris subruficollis</i>	<b>0.0107%</b>
349.	<b>Townsend's Warbler</b> <i>Setophaga townsendi</i>	<b>0.0107%</b>
350.	<b>Lazuli Bunting</b> <i>Passerina amoena</i>	<b>0.0107%</b>
351.	<b>Snow Goose</b> <i>Anser caerulescens</i>	<b>0.0102%</b>
352.	<b>Sooty Shearwater</b> <i>Ardenna grisea</i>	<b>0.0102%</b>
353.	<b>Sulphur-bellied Flycatcher</b> <i>Myiodynastes luteiventris</i>	<b>0.0102%</b>
354.	<b>Black-faced Grassquit</b> <i>Melanospiza bicolor</i>	<b>0.0102%</b>



355.	<b>Brown Noddy</b> <i>Anous stolidus</i>	0.0096%
356.	<b>Western Spindalis</b> <i>Spindalis zena</i>	0.0096%
357.	<b>Long-tailed Jaeger</b> <i>Stercorarius longicaudus</i>	0.0091%
358.	<b>Least Tern</b> <i>Sternula antillarum</i>	0.0091%
359.	<b>Red Phalarope</b> <i>Phalaropus fulicarius</i>	0.0086%
360.	<b>Audubon's Shearwater</b> <i>Puffinus lherminieri</i>	0.0086%
361.	<b>Brown Creeper</b> <i>Certhia americana</i>	0.0086%
362.	<b>Inca Dove</b> <i>Columbina inca</i>	0.0080%
363.	<b>Eurasian Wigeon</b> <i>Mareca penelope</i>	0.0075%
364.	<b>Great Cormorant</b> <i>Phalacrocorax carbo</i>	0.0075%
365.	<b>Henslow's Sparrow</b> <i>Centronyx henslowii</i>	0.0075%
366.	<b>Manx Shearwater</b> <i>Puffinus puffinus</i>	0.0069%
367.	<b>Yellow-green Vireo</b> <i>Vireo flavoviridis</i>	0.0069%
368.	<b>Connecticut Warbler</b> <i>Oporornis agilis</i>	0.0069%
369.	<b>Lesser Nighthawk</b> <i>Chordeiles acutipennis</i>	0.0064%
370.	<b>Western Wood-Pewee</b> <i>Contopus sordidulus</i>	0.0064%
371.	<b>Brewer's Blackbird</b> <i>Euphagus cyanocephalus</i>	0.0064%
372.	<b>Brown-crested Flycatcher</b> <i>Myiarchus tyrannulus</i>	0.0059%
373.	<b>Bahama Swallow</b> <i>Tachycineta cyaneoviridis</i>	0.0059%
374.	<b>White-cheeked Pintail</b> <i>Anas bahamensis</i>	0.0053%
375.	<b>Black-chinned Hummingbird</b> <i>Archilochus alexandri</i>	0.0053%
376.	<b>Ruff</b> <i>Calidris pugnax</i>	0.0053%

377.	<b>Hammond's Flycatcher</b> <i>Empidonax hammondii</i>	<b>0.0053%</b>
378.	<b>Pine Siskin</b> <i>Spinus pinus</i>	<b>0.0053%</b>
379.	<b>Lapland Longspur</b> <i>Calcarius lapponicus</i>	<b>0.0053%</b>
380.	<b>Upland Sandpiper</b> <i>Bartramia longicauda</i>	<b>0.0048%</b>
381.	<b>Northern Fulmar</b> <i>Fulmarus glacialis</i>	<b>0.0048%</b>
382.	<b>Leach's Storm-Petrel</b> <i>Hydrobates leucorhous</i>	<b>0.0043%</b>
383.	<b>MacGillivray's Warbler</b> <i>Geothlypis tolmiei</i>	<b>0.0043%</b>
384.	<b>American Black Duck</b> <i>Anas rubripes</i>	<b>0.0037%</b>
385.	<b>Common Eider</b> <i>Somateria mollissima</i>	<b>0.0037%</b>
386.	<b>Surfbird</b> <i>Calidris virgata</i>	<b>0.0037%</b>
387.	<b>Glaucous Gull</b> <i>Larus hyperboreus</i>	<b>0.0037%</b>
388.	<b>Dark-eyed Junco</b> <i>Junco hyemalis</i>	<b>0.0037%</b>
389.	<b>Black Rail</b> <i>Laterallus jamaicensis</i>	<b>0.0032%</b>
390.	<b>Cassin's Kingbird</b> <i>Tyrannus vociferans</i>	<b>0.0032%</b>
391.	<b>Arctic Tern</b> <i>Sterna paradisaea</i>	<b>0.0027%</b>
392.	<b>Wilson's Storm-Petrel</b> <i>Oceanites oceanicus</i>	<b>0.0027%</b>
393.	<b>Band-rumped Storm-Petrel</b> <i>Hydrobates castro</i>	<b>0.0027%</b>
394.	<b>Rusty Blackbird</b> <i>Euphagus carolinus</i>	<b>0.0027%</b>
395.	<b>Masked Duck</b> <i>Nomonyx dominicus</i>	<b>0.0021%</b>
396.	<b>Least Grebe</b> <i>Tachybaptus dominicus</i>	<b>0.0021%</b>
397.	<b>Dovekie</b> <i>Alle alle</i>	<b>0.0021%</b>
398.	<b>Bicknell's Thrush</b> <i>Catharus bicknelli</i>	<b>0.0021%</b>
399.	<b>Bananaquit</b> <i>Coereba flaveola</i>	<b>0.0021%</b>

400.	<b>Yellow Rail</b> <i>Coturnicops noveboracensis</i>	0.0016%
401.	<b>Golden Eagle</b> <i>Aquila chrysaetos</i>	0.0016%
402.	<b>Violet-green Swallow</b> <i>Tachycineta thalassina</i>	0.0016%
403.	<b>Purple Finch</b> <i>Haemorhous purpureus</i>	0.0016%
404.	<b>LeConte's Sparrow</b> <i>Ammospiza leconteii</i>	0.0016%
405.	<b>Long-tailed Duck</b> <i>Clangula hyemalis</i>	0.0011%
406.	<b>Common Goldeneye</b> <i>Bucephala clangula</i>	0.0011%
407.	<b>Zenaida Dove</b> <i>Zenaida aurita</i>	0.0011%
408.	<b>Curlew Sandpiper</b> <i>Calidris ferruginea</i>	0.0011%
409.	<b>Razorbill</b> <i>Alca torda</i>	0.0011%
410.	<b>Black-legged Kittiwake</b> <i>Rissa tridactyla</i>	0.0011%
411.	<b>Black-headed Gull</b> <i>Chroicocephalus ridibundus</i>	0.0011%
412.	<b>Iceland Gull</b> <i>Larus glaucooides</i>	0.0011%
413.	<b>Roseate Tern</b> <i>Sterna dougallii</i>	0.0011%
414.	<b>Short-eared Owl</b> <i>Asio flammeus</i>	0.0011%
415.	<b>Horned Lark</b> <i>Eremophila alpestris</i>	0.0011%
416.	<b>Varied Thrush</b> <i>Ixoreus naevius</i>	0.0011%
417.	<b>Brant</b> <i>Branta bernicla</i>	0.0005%
418.	<b>Harlequin Duck</b> <i>Histrionicus histrionicus</i>	0.0005%
419.	<b>Bufflehead</b> <i>Bucephala albeola</i>	0.0005%
420.	<b>Common Merganser</b> <i>Mergus merganser</i>	0.0005%
421.	<b>Ruddy Quail-Dove</b> <i>Geotrygon montana</i>	0.0005%
422.	<b>Antillean Nighthawk</b> <i>Chordeiles gundlachii</i>	0.0005%

423.	<b>Calliope Hummingbird</b> <i>Selasphorus calliope</i>	0.0005%
424.	<b>South Polar Skua</b> <i>Stercorarius maccormicki</i>	0.0005%
425.	<b>Slaty-backed Gull</b> <i>Larus schistisagus</i>	0.0005%
426.	<b>Red-throated Loon</b> <i>Gavia stellata</i>	0.0005%
427.	<b>Red-footed Booby</b> <i>Sula sula</i>	0.0005%
428.	<b>Double-toothed Kite</b> <i>Harpagus bidentatus</i>	0.0005%
429.	<b>Cuban Pewee</b> <i>Contopus caribaeus</i>	0.0005%
430.	<b>Western Flycatcher</b> <i>Empidonax difficilis</i>	0.0005%
431.	<b>Sage Thrasher</b> <i>Oreoscoptes montanus</i>	0.0005%
432.	<b>Bahama Mockingbird</b> <i>Mimus gundlachii</i>	0.0005%
433.	<b>European Robin</b> <i>Erithacus rubecula</i>	0.0005%
434.	<b>Tricolored Munia</b> <i>Lonchura malacca</i>	0.0005%
435.	<b>White Wagtail</b> <i>Motacilla alba</i>	0.0005%
436.	<b>Sprague's Pipit</b> <i>Anthus spragueii</i>	0.0005%
437.	<b>Evening Grosbeak</b> <i>Coccothraustes vespertinus</i>	0.0005%
438.	<b>Harris's Sparrow</b> <i>Zonotrichia querula</i>	0.0005%
439.	<b>Ross's Goose</b> <i>Anser rossii</i>	0.0000%
440.	<b>Atlantic Puffin</b> <i>Fratercula arctica</i>	0.0000%
441.	<b>Little Gull</b> <i>Hydrocoloeus minutus</i>	0.0000%
442.	<b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>	0.0000%
443.	<b>Yellow-headed Caracara</b> <i>Daptrius chimachima</i>	0.0000%
444.	<b>Bewick's Wren</b> <i>Thryomanes bewickii</i>	0.0000%
445.	<b>Chestnut-collared Longspur</b> <i>Calcarius ornatus</i>	0.0000%

446.	<b>American Tree Sparrow</b> <i>Spizelloides arborea</i>	0.0000%
447.	<b>Spotted Towhee</b> <i>Pipilo maculatus</i>	0.0000%
448.	<b>Western Meadowlark</b> <i>Sturnella neglecta</i>	0.0000%
449.	<b>Hooded Oriole</b> <i>Icterus cucullatus</i>	0.0000%
450.	<b>Black-headed Grosbeak</b> <i>Pheucticus melanocephalus</i>	0.0000%
<b>EXOTIC: PROVISIONAL</b>		
451.	<b>Scaly-breasted Munia</b> <i>Lonchura punctulata</i>	0.4814% frequency
452.	<b>Blue-crowned Parakeet</b> <i>Thectocercus acuticaudatus</i>	0.3371%
453.	<b>Indian Peafowl</b> <i>Pavo cristatus</i>	0.2297%
454.	<b>Yellow-chevroned Parakeet</b> <i>Brotogeris chiriri</i>	0.2287%
455.	<b>Red-masked Parakeet</b> <i>Psittacara erythrogenys</i>	0.1378%
456.	<b>Red Junglefowl</b> <i>Gallus gallus</i>	0.1336%
457.	<b>Orange-winged Parrot</b> <i>Amazona amazonica</i>	0.1272%
458.	<b>Common Hill Myna</b> <i>Gracula religiosa</i>	0.0748%
459.	<b>Blue-and-yellow Macaw</b> <i>Ara ararauna</i>	0.0668%
460.	<b>Chestnut-fronted Macaw</b> <i>Ara severus</i>	0.0449%
461.	<b>Red-crowned Parrot</b> <i>Amazona viridigenalis</i>	0.0299%
462.	<b>Rose-ringed Parakeet</b> <i>Psittacula krameri</i>	0.0187%
463.	<b>White-eyed Parakeet</b> <i>Psittacara leucophthalmus</i>	0.0155%
464.	<b>Budgerigar</b> <i>Melopsittacus undulatus</i>	0.0027%
465.	<b>House Crow</b> <i>Corvus splendens</i>	0.0000%

## EXOTIC: ESCAPEE

<b>Mute Swan</b> <i>Cygnus olor</i>	<b>0.1432%</b> frequency
<b>Graylag Goose</b> <i>Anser anser</i>	<b>0.1122%</b>
<b>Swan Goose</b> <i>Anser cygnoides</i>	<b>0.1005%</b>
<b>Black Swan</b> <i>Cygnus atratus</i>	<b>0.0561%</b>
<b>Helmeted Guineafowl</b> <i>Numida meleagris</i>	<b>0.0267%</b>
<b>Black-necked Swan</b> <i>Cygnus melancoryphus</i>	<b>0.0214%</b>
<b>Mandarin Duck</b> <i>Aix galericulata</i>	<b>0.0166%</b>
<b>Cockatiel</b> <i>Nymphicus hollandicus</i>	<b>0.0107%</b>
<b>Ruddy Shelduck</b> <i>Tadorna ferruginea</i>	<b>0.0096%</b>
<b>Trumpeter Swan</b> <i>Cygnus buccinator</i>	<b>0.0069%</b>
<b>Bar-headed Goose</b> <i>Anser indicus</i>	<b>0.0064%</b>
<b>Common Shelduck</b> <i>Tadorna tadorna</i>	<b>0.0064%</b>
<b>Coscoroba Swan</b> <i>Coscoroba coscoroba</i>	<b>0.0053%</b>
<b>Orange-cheeked Waxbill</b> <i>Estrilda melpoda</i>	<b>0.0053%</b>
<b>Yellow-fronted Canary</b> <i>Crithagra mozambica</i>	<b>0.0048%</b>
<b>Yellow-crowned Parrot</b> <i>Amazona ochrocephala</i>	<b>0.0037%</b>
<b>Pin-tailed Whydah</b> <i>Vidua macroura</i>	<b>0.0037%</b>
<b>Whooper Swan</b> <i>Cygnus cygnus</i>	<b>0.0032%</b>
<b>Great Black Hawk</b> <i>Buteogallus urubitinga</i>	<b>0.0032%</b>
<b>Black-casqued Hornbill</b> <i>Ceratogymna atrata</i>	<b>0.0032%</b>
<b>Lilac-crowned Parrot</b> <i>Amazona finschi</i>	<b>0.0032%</b>

<b>Northern Red Bishop</b> <i>Euplectes franciscanus</i>	0.0032%
<b>Silver-beaked Tanager</b> <i>Ramphocelus carbo</i>	0.0032%
<b>Crimson-fronted Parakeet</b> <i>Psittacara finschi</i>	0.0027%
<b>Green Peafowl</b> <i>Pavo muticus</i>	0.0021%
<b>Scaly-headed Parrot</b> <i>Pionus maximiliani</i>	0.0021%
<b>Green Parakeet</b> <i>Psittacara holochlorus</i>	0.0021%
<b>Ringed Teal</b> <i>Callonetta leucophrys</i>	0.0016%
<b>Southern Cordonbleu</b> <i>Uraeginthus angolensis</i>	0.0016%
<b>White-faced Whistling-Duck</b> <i>Dendrocygna viduata</i>	0.0011%
<b>Red-crested Pochard</b> <i>Netta rufina</i>	0.0011%
<b>Ring-necked Pheasant</b> <i>Phasianus colchicus</i>	0.0011%
<b>Plumed Whistling-Duck</b> <i>Dendrocygna eytoni</i>	0.0005%
<b>Maroon-bellied Parakeet</b> <i>Pyrrhura frontalis</i>	0.0005%
<b>Dusky-headed Parakeet</b> <i>Aratinga weddellii</i>	0.0005%
<b>Village Weaver</b> <i>Ploceus cucullatus</i>	0.0005%
<b>Southern Red Bishop</b> <i>Euplectes orix</i>	0.0005%
<b>Zebra Finch</b> <i>Taeniopygia guttata</i>	0.0005%
<b>Magpie Mannikin</b> <i>Spermestes fringilloides</i>	0.0005%
<b>Cuban Bullfinch</b> <i>Melopyrrha nigra</i>	0.0005%
<b>Chiloe Wigeon</b> <i>Mareca sibilatrix</i>	0.0000%
<b>Rosy-billed Pochard</b> <i>Netta peposaca</i>	0.0000%
<b>California Quail</b> <i>Callipepla californica</i>	0.0000%

<b>Red-legged Partridge</b> <i>Alectoris rufa</i>	0.0000%
<b>African Collared-Dove</b> <i>Streptopelia roseogrisea</i>	0.0000%
<b>African Sacred Ibis</b> <i>Threskiornis aethiopicus</i>	0.0000%
<b>Northern Red-billed Hornbill</b> <i>Tockus erythrorhynchus</i>	0.0000%
<b>Plum-headed Parakeet</b> <i>Psittacula cyanocephala</i>	0.0000%
<b>Rosy-faced Lovebird</b> <i>Agapornis roseicollis</i>	0.0000%
<b>Yellow-naped Parrot</b> <i>Amazona auropalliata</i>	0.0000%
<b>Turquoise-fronted Parrot</b> <i>Amazona aestiva</i>	0.0000%
<b>White-fronted Parrot</b> <i>Amazona albifrons</i>	0.0000%
<b>Hispaniolan Parrot</b> <i>Amazona ventralis</i>	0.0000%
<b>Orange-fronted Parakeet</b> <i>Eupsittula canicularis</i>	0.0000%
<b>Sun Parakeet</b> <i>Aratinga solstitialis</i>	0.0000%
<b>Red-shouldered Macaw</b> <i>Diopsittaca nobilis</i>	0.0000%
<b>Crested Myna</b> <i>Acridotheres cristatellus</i>	0.0000%
<b>Java Sparrow</b> <i>Padda oryzivora</i>	0.0000%
<b>Scarlet Ibis</b> <i>Eudocimus ruber</i>	0.0000%
<b>Cackling Goose</b> <i>Branta hutchinsii</i>	0.0000%

## HYBRIDS

Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	1.44% frequency ■
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0337% 



Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0123%
Brewster's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F1 hybrid)</i>	0.0080%
Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0064%
Golden-winged x Blue-winged Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera</i>	0.0037%
Lawrence's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F2 backcross)</i>	0.0032%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0016%
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	0.0011%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	0.0011%
Sandwich x Elegant Tern (hybrid) <i>Thalasseus sandvicensis x elegans</i>	0.0011%
Lazuli x Indigo Bunting (hybrid) <i>Passerina amoena x cyanea</i>	0.0011%
Graylag x Canada Goose (hybrid) <i>Anser anser x Branta canadensis</i>	0.0005%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	0.0000%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0000%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0000%