



Target Species

Based on 187,167 complete checklists

465 species observed in Florida, US (region/US-FL) in Oct that you need for your Florida Life List

1. Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	6.00% frequency
2. Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.3900%
3. Snow Goose <i>Anser caerulescens</i>	0.0102%
4. Ross's Goose <i>Anser rossii</i>	0.0000%
5. Greater White-fronted Goose <i>Anser albifrons</i>	0.0326%
6. Brant <i>Branta bernicla</i>	0.0005%
7. Canada Goose <i>Branta canadensis</i>	1.73%
8. Egyptian Goose <i>Alopochen aegyptiaca</i>	1.87%
9. Muscovy Duck <i>Cairina moschata</i>	5.01%
10. Wood Duck <i>Aix sponsa</i>	3.78%
11. Blue-winged Teal <i>Spatula discors</i>	6.04%
12. Cinnamon Teal <i>Spatula cyanoptera</i>	0.0198%
13. Northern Shoveler <i>Spatula clypeata</i>	0.8452%
14. Gadwall <i>Mareca strepera</i>	0.2207%
15. Eurasian Wigeon <i>Mareca penelope</i>	0.0075%
16. American Wigeon <i>Mareca americana</i>	0.2655%
17. Mallard <i>Anas platyrhynchos</i>	1.76%

18. American Black Duck <i>Anas rubripes</i>	0.0037%
19. Mottled Duck <i>Anas fulvigula</i>	5.94%
20. White-cheeked Pintail <i>Anas bahamensis</i>	0.0053%
21. Northern Pintail <i>Anas acuta</i>	0.2116%
22. Green-winged Teal <i>Anas crecca</i>	0.4354%
23. Canvasback <i>Aythya valisineria</i>	0.0134%
24. Redhead <i>Aythya americana</i>	0.2148%
25. Ring-necked Duck <i>Aythya collaris</i>	0.4141%
26. Greater Scaup <i>Aythya marila</i>	0.0203%
27. Lesser Scaup <i>Aythya affinis</i>	0.1298%
28. Common Eider <i>Somateria mollissima</i>	0.0037%
29. Harlequin Duck <i>Histrionicus histrionicus</i>	0.0005%
30. Surf Scoter <i>Melanitta perspicillata</i>	0.0134%
31. White-winged Scoter <i>Melanitta deglandi</i>	0.0123%
32. Black Scoter <i>Melanitta americana</i>	0.0246%
33. Long-tailed Duck <i>Clangula hyemalis</i>	0.0011%
34. Bufflehead <i>Bucephala albeola</i>	0.0005%
35. Common Goldeneye <i>Bucephala clangula</i>	0.0011%
36. Hooded Merganser <i>Lophodytes cucullatus</i>	0.0395%
37. Common Merganser <i>Mergus merganser</i>	0.0005%
38. Red-breasted Merganser <i>Mergus serrator</i>	0.0315%
39. Masked Duck <i>Nomonyx dominicus</i>	0.0021%
40. Ruddy Duck <i>Oxyura jamaicensis</i>	0.2094%

41. Northern Bobwhite <i>Colinus virginianus</i>	0.7389%
42. Wild Turkey <i>Meleagris gallopavo</i>	1.55%
43. American Flamingo <i>Phoenicopterus ruber</i>	0.2372%
44. Least Grebe <i>Tachybaptus dominicus</i>	0.0021%
45. Pied-billed Grebe <i>Podilymbus podiceps</i>	9.88%
46. Horned Grebe <i>Podiceps auritus</i>	0.0182%
47. Eared Grebe <i>Podiceps nigricollis</i>	0.0150%
48. Rock Pigeon <i>Columba livia</i>	6.86%
49. White-crowned Pigeon <i>Patagioenas leucocephala</i>	1.07%
50. Eurasian Collared-Dove <i>Streptopelia decaocto</i>	9.08%
51. Inca Dove <i>Columbina inca</i>	0.0080%
52. Common Ground Dove <i>Columbina passerina</i>	9.56%
53. Ruddy Quail-Dove <i>Geotrygon montana</i>	0.0005%
54. Key West Quail-Dove <i>Geotrygon chrysia</i>	0.0128%
55. White-winged Dove <i>Zenaida asiatica</i>	2.93%
56. Zenaida Dove <i>Zenaida aurita</i>	0.0011%
57. Mourning Dove <i>Zenaida macroura</i>	39.98%
58. Smooth-billed Ani <i>Crotophaga ani</i>	0.0411%
59. Groove-billed Ani <i>Crotophaga sulcirostris</i>	0.0481%
60. Yellow-billed Cuckoo <i>Coccyzus americanus</i>	3.55%
61. Mangrove Cuckoo <i>Coccyzus minor</i>	0.0572%
62. Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	0.0748%
63. Lesser Nighthawk <i>Chordeiles acutipennis</i>	0.0064%

64. Common Nighthawk <i>Chordeiles minor</i>	0.2655%
65. Antillean Nighthawk <i>Chordeiles gundlachii</i>	0.0005%
66. Chuck-will's-widow <i>Antrostomus carolinensis</i>	0.3681%
67. Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.2623%
68. Chimney Swift <i>Chaetura pelagica</i>	3.82%
69. Antillean Palm Swift <i>Tachornis phoenicobia</i>	0.0150%
70. Ruby-throated Hummingbird <i>Archilochus colubris</i>	8.26%
71. Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.0053%
72. Calliope Hummingbird <i>Selasphorus calliope</i>	0.0005%
73. Rufous Hummingbird <i>Selasphorus rufus</i>	0.1464%
74. Buff-bellied Hummingbird <i>Amazilia yucatanensis</i>	0.0289%
75. King Rail <i>Rallus elegans</i>	0.5060%
76. Clapper Rail <i>Rallus crepitans</i>	2.00%
77. Virginia Rail <i>Rallus limicola</i>	0.2842%
78. Sora <i>Porzana carolina</i>	1.42%
79. Common Gallinule <i>Gallinula galeata</i>	15.36%
80. American Coot <i>Fulica americana</i>	4.39%
81. Purple Gallinule <i>Porphyrio martinica</i>	2.29%
82. Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	0.8661%
83. Yellow Rail <i>Coturnicops noveboracensis</i>	0.0016%
84. Black Rail <i>Laterallus jamaicensis</i>	0.0032%
85. Limpkin <i>Aramus guarauna</i>	6.64%

86. Sandhill Crane <i>Antigone canadensis</i>	8.78%
87. Whooping Crane <i>Grus americana</i>	0.0657%
88. Black-necked Stilt <i>Himantopus mexicanus</i>	0.5006%
89. American Avocet <i>Recurvirostra americana</i>	0.7330%
90. American Oystercatcher <i>Haematopus palliatus</i>	1.60%
91. Black-bellied Plover <i>Pluvialis squatarola</i>	5.44%
92. American Golden-Plover <i>Pluvialis dominica</i>	0.0540%
93. Killdeer <i>Charadrius vociferus</i>	6.53%
94. Semipalmated Plover <i>Charadrius semipalmatus</i>	4.12%
95. Piping Plover <i>Charadrius melodus</i>	1.21%
96. Wilson's Plover <i>Anarhynchus wilsonia</i>	1.18%
97. Snowy Plover <i>Anarhynchus nivosus</i>	0.7320%
98. Upland Sandpiper <i>Bartramia longicauda</i>	0.0048%
99. Whimbrel <i>Numenius phaeopus</i>	0.2939%
100. Long-billed Curlew <i>Numenius americanus</i>	0.0855%
101. Bar-tailed Godwit <i>Limosa lapponica</i>	0.1122%
102. Hudsonian Godwit <i>Limosa haemastica</i>	0.0689%
103. Marbled Godwit <i>Limosa fedoa</i>	1.47%
104. Short-billed Dowitcher <i>Limnodromus griseus</i>	2.78%
105. Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	0.6240%
106. American Woodcock <i>Scolopax minor</i>	0.0433%
107. Wilson's Snipe <i>Gallinago delicata</i>	1.95%
108. Wilson's Phalarope <i>Phalaropus tricolor</i>	0.0668%

109.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0086%
110.	Red-necked Phalarope <i>Phalaropus lobatus</i>	0.0459%
111.	Spotted Sandpiper <i>Actitis macularius</i>	2.71%
112.	Solitary Sandpiper <i>Tringa solitaria</i>	0.4034%
113.	Gray-tailed Tattler <i>Tringa brevipes</i>	0.0374%
114.	Lesser Yellowlegs <i>Tringa flavipes</i>	2.23%
115.	Willet <i>Tringa semipalmata</i>	8.26%
116.	Greater Yellowlegs <i>Tringa melanoleuca</i>	3.52%
117.	Ruddy Turnstone <i>Arenaria interpres</i>	6.37%
118.	Red Knot <i>Calidris canutus</i>	1.15%
119.	Surfbird <i>Calidris virgata</i>	0.0037%
120.	Ruff <i>Calidris pugnax</i>	0.0053%
121.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0011%
122.	Stilt Sandpiper <i>Calidris himantopus</i>	0.3499%
123.	Buff-breasted Sandpiper <i>Calidris subruficollis</i>	0.0107%
124.	Sanderling <i>Calidris alba</i>	6.75%
125.	Dunlin <i>Calidris alpina</i>	1.59%
126.	Purple Sandpiper <i>Calidris maritima</i>	0.0401%
127.	Baird's Sandpiper <i>Calidris bairdii</i>	0.0257%
128.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.0379%
129.	Least Sandpiper <i>Calidris minutilla</i>	4.41%
130.	Pectoral Sandpiper <i>Calidris melanotos</i>	0.5402%
131.	Western Sandpiper <i>Calidris mauri</i>	1.90%

132.	Semipalmated Sandpiper <i>Calidris pusilla</i>	0.6502%
133.	Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0091%
134.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.0716%
135.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.0908%
136.	South Polar Skua <i>Stercorarius maccormicki</i>	0.0005%
137.	Atlantic Puffin <i>Fratercula arctica</i>	0.0000%
138.	Razorbill <i>Alca torda</i>	0.0011%
139.	Dovekie <i>Alle alle</i>	0.0021%
140.	Little Gull <i>Hydrocoloeus minutus</i>	0.0000%
141.	Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0011%
142.	Sabine's Gull <i>Xema sabini</i>	0.0251%
143.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	0.0486%
144.	Black-headed Gull <i>Chroicocephalus ridibundus</i>	0.0011%
145.	Gray Gull <i>Leucophaeus modestus</i>	0.0192%
146.	Laughing Gull <i>Leucophaeus atricilla</i>	15.50%
147.	Franklin's Gull <i>Leucophaeus pipixcan</i>	0.0839%
148.	Heermann's Gull <i>Larus heermanni</i>	0.0299%
149.	Ring-billed Gull <i>Larus delawarensis</i>	1.45%
150.	Herring Gull <i>Larus argentatus</i>	1.58%
151.	Great Black-backed Gull <i>Larus marinus</i>	0.3329%
152.	Glaucous Gull <i>Larus hyperboreus</i>	0.0037%
153.	Lesser Black-backed Gull <i>Larus fuscus</i>	1.37%
154.	Slaty-backed Gull <i>Larus schistisagus</i>	0.0005%

155. Iceland Gull <i>Larus glaucoides</i>	0.0011%
156. Black Skimmer <i>Rynchops niger</i>	2.58%
157. Brown Noddy <i>Anous stolidus</i>	0.0096%
158. Sooty Tern <i>Onychoprion fuscatus</i>	0.0208%
159. Bridled Tern <i>Onychoprion anaethetus</i>	0.0192%
160. Least Tern <i>Sternula antillarum</i>	0.0091%
161. Large-billed Tern <i>Phaetusa simplex</i>	0.0155%
162. Gull-billed Tern <i>Gelochelidon nilotica</i>	0.0652%
163. Caspian Tern <i>Hydroprogne caspia</i>	2.41%
164. Black Tern <i>Chlidonias niger</i>	0.1272%
165. Forster's Tern <i>Sterna forsteri</i>	4.30%
166. Arctic Tern <i>Sterna paradisaea</i>	0.0027%
167. Common Tern <i>Sterna hirundo</i>	1.12%
168. Roseate Tern <i>Sterna dougallii</i>	0.0011%
169. Sandwich Tern <i>Thalasseus sandvicensis</i>	5.26%
170. Elegant Tern <i>Thalasseus elegans</i>	0.0203%
171. Royal Tern <i>Thalasseus maximus</i>	8.78%
172. Red-billed Tropicbird <i>Phaethon aethereus</i>	0.0000%
173. Red-throated Loon <i>Gavia stellata</i>	0.0005%
174. Common Loon <i>Gavia immer</i>	0.0946%
175. Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.0027%
176. Leach's Storm-Petrel <i>Hydrobates leucorhous</i>	0.0043%
177. Band-rumped Storm-Petrel <i>Hydrobates castro</i>	0.0027%

178. Northern Fulmar <i>Fulmarus glacialis</i>	0.0048%
179. Black-capped Petrel <i>Pterodroma hasitata</i>	0.0144%
180. Cory's Shearwater <i>Calonectris diomedea</i>	0.1373%
181. Great Shearwater <i>Ardenna gravis</i>	0.0374%
182. Sooty Shearwater <i>Ardenna grisea</i>	0.0102%
183. Manx Shearwater <i>Puffinus puffinus</i>	0.0069%
184. Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0086%
185. Wood Stork <i>Mycteria americana</i>	10.65%
186. Magnificent Frigatebird <i>Fregata magnificens</i>	3.05%
187. Northern Gannet <i>Morus bassanus</i>	0.1608%
188. Red-footed Booby <i>Sula sula</i>	0.0005%
189. Brown Booby <i>Sula leucogaster</i>	0.1149%
190. Masked Booby <i>Sula dactylatra</i>	0.0379%
191. Anhinga <i>Anhinga anhinga</i>	23.50%
192. Great Cormorant <i>Phalacrocorax carbo</i>	0.0075%
193. Double-crested Cormorant <i>Nannopterum auritum</i>	18.92%
194. Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0219%
195. American White Pelican <i>Pelecanus erythrorhynchos</i>	1.73%
196. Brown Pelican <i>Pelecanus occidentalis</i>	13.60%
197. American Bittern <i>Botaurus lentiginosus</i>	1.03%
198. Least Bittern <i>Ixobrychus exilis</i>	0.8068%
199. Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	2.85%

200.	Black-crowned Night Heron <i>Nycticorax nycticorax</i>	3.55%
201.	Little Blue Heron <i>Egretta caerulea</i>	23.94%
202.	Tricolored Heron <i>Egretta tricolor</i>	18.07%
203.	Reddish Egret <i>Egretta rufescens</i>	3.16%
204.	Snowy Egret <i>Egretta thula</i>	19.26%
205.	Green Heron <i>Butorides virescens</i>	9.02%
206.	Western Cattle Egret <i>Bubulcus ibis</i>	9.97%
207.	Great Egret <i>Ardea alba</i>	34.18%
208.	Great Blue Heron <i>Ardea herodias</i>	27.66%
209.	White Ibis <i>Eudocimus albus</i>	33.83%
210.	Glossy Ibis <i>Plegadis falcinellus</i>	6.79%
211.	White-faced Ibis <i>Plegadis chihi</i>	0.0930%
212.	Roseate Spoonbill <i>Platalea ajaja</i>	4.65%
213.	Black Vulture <i>Coragyps atratus</i>	21.74%
214.	Turkey Vulture <i>Cathartes aura</i>	28.37%
215.	Osprey <i>Pandion haliaetus</i>	28.84%
216.	White-tailed Kite <i>Elanus leucurus</i>	0.0518%
217.	Swallow-tailed Kite <i>Elanoides forficatus</i>	0.0369%
218.	Golden Eagle <i>Aquila chrysaetos</i>	0.0016%
219.	Snail Kite <i>Rostrhamus sociabilis</i>	0.9232%
220.	Double-toothed Kite <i>Harpagus bidentatus</i>	0.0005%
221.	Mississippi Kite <i>Ictinia mississippiensis</i>	0.1394%

222.	Northern Harrier <i>Circus hudsonius</i>	4.82%
223.	Sharp-shinned Hawk <i>Accipiter striatus</i>	2.52%
224.	Cooper's Hawk <i>Accipiter cooperii</i>	6.60%
225.	Bald Eagle <i>Haliaeetus leucocephalus</i>	12.14%
226.	Red-shouldered Hawk <i>Buteo lineatus</i>	30.05%
227.	Broad-winged Hawk <i>Buteo platypterus</i>	1.53%
228.	Short-tailed Hawk <i>Buteo brachyurus</i>	1.65%
229.	Swainson's Hawk <i>Buteo swainsoni</i>	0.1571%
230.	Red-tailed Hawk <i>Buteo jamaicensis</i>	3.90%
231.	Barn Owl <i>Tyto alba</i>	0.1870%
232.	Eastern Screech-Owl <i>Megascops asio</i>	0.6470%
233.	Great Horned Owl <i>Bubo virginianus</i>	1.91%
234.	Burrowing Owl <i>Athene cunicularia</i>	0.2212%
235.	Barred Owl <i>Strix varia</i>	3.89%
236.	Short-eared Owl <i>Asio flammeus</i>	0.0011%
237.	Belted Kingfisher <i>Megaceryle alcyon</i>	23.81%
238.	Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	4.49%
239.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	2.13%
240.	Red-bellied Woodpecker <i>Melanerpes carolinus</i>	55.34%
241.	Downy Woodpecker <i>Dryobates pubescens</i>	30.28%
242.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.2148%
243.	Hairy Woodpecker <i>Dryobates villosus</i>	0.1988%

244. Pileated Woodpecker <i>Dryocopus pileatus</i>	20.21%
245. Northern Flicker <i>Colaptes auratus</i>	6.47%
246. Crested Caracara <i>Caracara plancus</i>	0.5941%
247. Yellow-headed Caracara <i>Daptrius chimachima</i>	0.0000%
248. American Kestrel <i>Falco sparverius</i>	12.25%
249. Merlin <i>Falco columbarius</i>	4.82%
250. Peregrine Falcon <i>Falco peregrinus</i>	4.06%
251. Monk Parakeet <i>Myiopsitta monachus</i>	1.75%
252. White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0134%
253. Nanday Parakeet <i>Aratinga nenday</i>	1.73%
254. Mitred Parakeet <i>Psittacara mitratus</i>	0.2746%
255. Olive-sided Flycatcher <i>Contopus cooperi</i>	0.0353%
256. Western Wood-Pewee <i>Contopus sordidulus</i>	0.0064%
257. Eastern Wood-Pewee <i>Contopus virens</i>	6.01%
258. Cuban Pewee <i>Contopus caribaeus</i>	0.0005%
259. Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0673%
260. Acadian Flycatcher <i>Empidonax virescens</i>	2.16%
261. Alder Flycatcher <i>Empidonax alnorum</i>	0.0337%
262. Willow Flycatcher <i>Empidonax traillii</i>	0.0134%
263. Least Flycatcher <i>Empidonax minimus</i>	0.3382%
264. Hammond's Flycatcher <i>Empidonax hammondii</i>	0.0053%
265. Western Flycatcher <i>Empidonax difficilis</i>	0.0005%

266. Eastern Phoebe <i>Sayornis phoebe</i>	21.94%
267. Say's Phoebe <i>Sayornis saya</i>	0.0155%
268. Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	0.2821%
269. Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.0492%
270. Great Crested Flycatcher <i>Myiarchus crinitus</i>	2.96%
271. Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	0.0059%
272. La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0112%
273. Sulphur-bellied Flycatcher <i>Myiodynastes luteiventris</i>	0.0102%
274. Variegated Flycatcher <i>Empidonomus varius</i>	0.0807%
275. Tropical Kingbird <i>Tyrannus melancholicus</i>	0.0342%
276. Cassin's Kingbird <i>Tyrannus vociferans</i>	0.0032%
277. Western Kingbird <i>Tyrannus verticalis</i>	0.1929%
278. Eastern Kingbird <i>Tyrannus tyrannus</i>	0.4242%
279. Gray Kingbird <i>Tyrannus dominicensis</i>	0.3820%
280. Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.3195%
281. Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0593%
282. White-eyed Vireo <i>Vireo griseus</i>	22.28%
283. Thick-billed Vireo <i>Vireo crassirostris</i>	0.0235%
284. Bell's Vireo <i>Vireo bellii</i>	0.0812%
285. Yellow-throated Vireo <i>Vireo flavifrons</i>	2.59%
286. Blue-headed Vireo <i>Vireo solitarius</i>	1.62%
287. Philadelphia Vireo <i>Vireo philadelphicus</i>	0.6315%

288.	Warbling Vireo <i>Vireo gilvus</i>	0.0230%
289.	Red-eyed Vireo <i>Vireo olivaceus</i>	10.39%
290.	Yellow-green Vireo <i>Vireo flavoviridis</i>	0.0069%
291.	Black-whiskered Vireo <i>Vireo altiloquus</i>	0.0219%
292.	Loggerhead Shrike <i>Lanius ludovicianus</i>	8.30%
293.	Blue Jay <i>Cyanocitta cristata</i>	54.79%
294.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	0.8698%
295.	American Crow <i>Corvus brachyrhynchos</i>	21.23%
296.	Fish Crow <i>Corvus ossifragus</i>	23.90%
297.	Carolina Chickadee <i>Poecile carolinensis</i>	15.84%
298.	Tufted Titmouse <i>Baeolophus bicolor</i>	26.40%
299.	Horned Lark <i>Eremophila alpestris</i>	0.0011%
300.	Bank Swallow <i>Riparia riparia</i>	0.3938%
301.	Tree Swallow <i>Tachycineta bicolor</i>	4.03%
302.	Violet-green Swallow <i>Tachycineta thalassina</i>	0.0016%
303.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0059%
304.	Purple Martin <i>Progne subis</i>	0.0903%
305.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	1.43%
306.	Barn Swallow <i>Hirundo rustica</i>	5.05%
307.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.4403%
308.	Cave Swallow <i>Petrochelidon fulva</i>	0.0951%
309.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.0508%

310.	Ruby-crowned Kinglet <i>Corthylio calendula</i>	5.59%
311.	Golden-crowned Kinglet <i>Regulus satrapa</i>	0.1037%
312.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.6240%
313.	Brown-headed Nuthatch <i>Sitta pusilla</i>	2.09%
314.	Red-breasted Nuthatch <i>Sitta canadensis</i>	0.1186%
315.	Brown Creeper <i>Certhia americana</i>	0.0086%
316.	Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	45.00%
317.	House Wren <i>Troglodytes aedon</i>	15.98%
318.	Winter Wren <i>Troglodytes hiemalis</i>	0.0262%
319.	Sedge Wren <i>Cistothorus stellaris</i>	1.02%
320.	Marsh Wren <i>Cistothorus palustris</i>	2.23%
321.	Carolina Wren <i>Thryothorus ludovicianus</i>	33.15%
322.	Bewick's Wren <i>Thryomanes bewickii</i>	0.0000%
323.	European Starling <i>Sturnus vulgaris</i>	10.53%
324.	Common Myna <i>Acridotheres tristis</i>	0.1528%
325.	Gray Catbird <i>Dumetella carolinensis</i>	40.76%
326.	Brown Thrasher <i>Toxostoma rufum</i>	12.71%
327.	Sage Thrasher <i>Oreoscoptes montanus</i>	0.0005%
328.	Bahama Mockingbird <i>Mimus gundlachii</i>	0.0005%
329.	Northern Mockingbird <i>Mimus polyglottos</i>	53.20%
330.	Eastern Bluebird <i>Sialia sialis</i>	9.93%
331.	Varied Thrush <i>Ixoreus naevius</i>	0.0011%
332.	Veery <i>Catharus fuscescens</i>	1.09%

333.	Gray-cheeked Thrush <i>Catharus minimus</i>	1.27%
334.	Bicknell's Thrush <i>Catharus bicknelli</i>	0.0021%
335.	Swainson's Thrush <i>Catharus ustulatus</i>	5.52%
336.	Hermit Thrush <i>Catharus guttatus</i>	0.4130%
337.	Wood Thrush <i>Hylocichla mustelina</i>	1.39%
338.	American Robin <i>Turdus migratorius</i>	0.2704%
339.	Red-legged Thrush <i>Turdus plumbeus</i>	0.0363%
340.	European Robin <i>Erithacus rubecula</i>	0.0005%
341.	Northern Wheatear <i>Oenanthe oenanthe</i>	0.0192%
342.	Cedar Waxwing <i>Bombycilla cedrorum</i>	0.0598%
343.	Tricolored Munia <i>Lonchura malacca</i>	0.0005%
344.	House Sparrow <i>Passer domesticus</i>	3.89%
345.	White Wagtail <i>Motacilla alba</i>	0.0005%
346.	American Pipit <i>Anthus rubescens</i>	0.0492%
347.	Sprague's Pipit <i>Anthus spragueii</i>	0.0005%
348.	Evening Grosbeak <i>Coccothraustes vespertinus</i>	0.0005%
349.	House Finch <i>Haemorhous mexicanus</i>	8.50%
350.	Purple Finch <i>Haemorhous purpureus</i>	0.0016%
351.	Pine Siskin <i>Spinus pinus</i>	0.0053%
352.	American Goldfinch <i>Spinus tristis</i>	0.0422%
353.	Lapland Longspur <i>Calcarius lapponicus</i>	0.0053%
354.	Chestnut-collared Longspur <i>Calcarius ornatus</i>	0.0000%
355.	Bachman's Sparrow <i>Peucaea aestivalis</i>	0.2570%

356.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.1266%
357.	Chipping Sparrow <i>Spizella passerina</i>	0.4611%
358.	Clay-colored Sparrow <i>Spizella pallida</i>	0.2452%
359.	Field Sparrow <i>Spizella pusilla</i>	0.0427%
360.	Lark Sparrow <i>Chondestes grammacus</i>	0.0887%
361.	American Tree Sparrow <i>Spizelloides arborea</i>	0.0000%
362.	Dark-eyed Junco <i>Junco hyemalis</i>	0.0037%
363.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.2410%
364.	Harris's Sparrow <i>Zonotrichia querula</i>	0.0005%
365.	White-throated Sparrow <i>Zonotrichia albicollis</i>	0.0860%
366.	Vesper Sparrow <i>Pooecetes gramineus</i>	0.0481%
367.	LeConte's Sparrow <i>Ammospiza leconteii</i>	0.0016%
368.	Seaside Sparrow <i>Ammospiza maritima</i>	0.1058%
369.	Nelson's Sparrow <i>Ammospiza nelsoni</i>	0.1608%
370.	Saltmarsh Sparrow <i>Ammospiza caudacuta</i>	0.0529%
371.	Savannah Sparrow <i>Passerculus sandwichensis</i>	2.04%
372.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0075%
373.	Song Sparrow <i>Melospiza melodia</i>	0.2907%
374.	Lincoln's Sparrow <i>Melospiza lincolnii</i>	0.0695%
375.	Swamp Sparrow <i>Melospiza georgiana</i>	2.40%
376.	Spotted Towhee <i>Pipilo maculatus</i>	0.0000%
377.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	6.04%
378.	Western Spindalis <i>Spindalis zena</i>	0.0096%

379.	Yellow-breasted Chat <i>Icteria virens</i>	0.1699%
380.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.0358%
381.	Bobolink <i>Dolichonyx oryzivorus</i>	0.6422%
382.	Western Meadowlark <i>Sturnella neglecta</i>	0.0000%
383.	Eastern Meadowlark <i>Sturnella magna</i>	2.41%
384.	Orchard Oriole <i>Icterus spurius</i>	0.0812%
385.	Hooded Oriole <i>Icterus cucullatus</i>	0.0000%
386.	Bullock's Oriole <i>Icterus bullockii</i>	0.0278%
387.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.6652%
388.	Baltimore Oriole <i>Icterus galbula</i>	2.53%
389.	Red-winged Blackbird <i>Agelaius phoeniceus</i>	18.15%
390.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.0379%
391.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.0518%
392.	Brown-headed Cowbird <i>Molothrus ater</i>	2.13%
393.	Rusty Blackbird <i>Euphagus carolinus</i>	0.0027%
394.	Brewer's Blackbird <i>Euphagus cyanocephalus</i>	0.0064%
395.	Common Grackle <i>Quiscalus quiscula</i>	22.55%
396.	Boat-tailed Grackle <i>Quiscalus major</i>	22.48%
397.	Ovenbird <i>Seiurus aurocapilla</i>	11.05%
398.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	1.82%
399.	Louisiana Waterthrush <i>Parkesia motacilla</i>	0.2319%
400.	Northern Waterthrush <i>Parkesia noveboracensis</i>	4.06%

401.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.5300%
402.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.5113%
403.	Black-and-white Warbler <i>Mniotilta varia</i>	18.51%
404.	Prothonotary Warbler <i>Protonotaria citrea</i>	0.3211%
405.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.2848%
406.	Tennessee Warbler <i>Leiothlypis peregrina</i>	5.04%
407.	Orange-crowned Warbler <i>Leiothlypis celata</i>	0.7469%
408.	Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.3996%
409.	Connecticut Warbler <i>Oporornis agilis</i>	0.0069%
410.	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0043%
411.	Mourning Warbler <i>Geothlypis philadelphia</i>	0.0240%
412.	Kentucky Warbler <i>Geothlypis formosa</i>	0.0743%
413.	Common Yellowthroat <i>Geothlypis trichas</i>	22.18%
414.	Hooded Warbler <i>Setophaga citrina</i>	2.47%
415.	American Redstart <i>Setophaga ruticilla</i>	21.12%
416.	Kirtland's Warbler <i>Setophaga kirtlandii</i>	0.0144%
417.	Cape May Warbler <i>Setophaga tigrina</i>	4.26%
418.	Cerulean Warbler <i>Setophaga cerulea</i>	0.0198%
419.	Northern Parula <i>Setophaga americana</i>	15.31%
420.	Magnolia Warbler <i>Setophaga magnolia</i>	6.40%
421.	Bay-breasted Warbler <i>Setophaga castanea</i>	2.62%
422.	Blackburnian Warbler <i>Setophaga fusca</i>	1.67%
423.	Yellow Warbler <i>Setophaga petechia</i>	2.75%

424.	Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	3.00%
425.	Blackpoll Warbler <i>Setophaga striata</i>	0.6604%
426.	Black-throated Blue Warbler <i>Setophaga caerulescens</i>	9.53%
427.	Palm Warbler <i>Setophaga palmarum</i>	39.84%
428.	Pine Warbler <i>Setophaga pinus</i>	11.93%
429.	Yellow-rumped Warbler <i>Setophaga coronata</i>	5.03%
430.	Yellow-throated Warbler <i>Setophaga dominica</i>	15.07%
431.	Prairie Warbler <i>Setophaga discolor</i>	12.62%
432.	Black-throated Gray Warbler <i>Setophaga nigrescens</i>	0.0454%
433.	Townsend's Warbler <i>Setophaga townsendi</i>	0.0107%
434.	Black-throated Green Warbler <i>Setophaga virens</i>	2.25%
435.	Canada Warbler <i>Cardellina canadensis</i>	0.1079%
436.	Wilson's Warbler <i>Cardellina pusilla</i>	0.3548%
437.	Summer Tanager <i>Piranga rubra</i>	4.51%
438.	Scarlet Tanager <i>Piranga olivacea</i>	3.48%
439.	Western Tanager <i>Piranga ludoviciana</i>	0.0497%
440.	Northern Cardinal <i>Cardinalis cardinalis</i>	55.55%
441.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	3.65%
442.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0000%
443.	Blue Grosbeak <i>Passerina caerulea</i>	1.82%
444.	Lazuli Bunting <i>Passerina amoena</i>	0.0107%
445.	Indigo Bunting <i>Passerina cyanea</i>	8.78%

446.	Painted Bunting <i>Passerina ciris</i>	6.53%
447.	Dickcissel <i>Spiza americana</i>	0.1015%
448.	Red-legged Honeycreeper <i>Cyanerpes cyaneus</i>	0.1010%
449.	Bananaquit <i>Coereba flaveola</i>	0.0021%
450.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0102%
EXOTIC: PROVISIONAL		
451.	Indian Peafowl <i>Pavo cristatus</i>	0.2297% frequency
452.	Red Junglefowl <i>Gallus gallus</i>	0.1336%
453.	Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0187%
454.	Budgerigar <i>Melopsittacus undulatus</i>	0.0027%
455.	Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.2287%
456.	Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0299%
457.	Orange-winged Parrot <i>Amazona amazonica</i>	0.1272%
458.	Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0668%
459.	Chestnut-fronted Macaw <i>Ara severus</i>	0.0449%
460.	Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.3371%
461.	Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.1378%
462.	White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0155%
463.	House Crow <i>Corvus splendens</i>	0.0000%
464.	Common Hill Myna <i>Gracula religiosa</i>	0.0748%
465.	Scaly-breasted Munia <i>Lonchura punctulata</i>	0.4814%

EXOTIC: ESCAPEE

Plumed Whistling-Duck <i>Dendrocygna eytoni</i>	0.0005% frequency
White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0011%
Bar-headed Goose <i>Anser indicus</i>	0.0064%
Graylag Goose <i>Anser anser</i>	0.1122%
Swan Goose <i>Anser cygnoides</i>	0.1005%
Mute Swan <i>Cygnus olor</i>	0.1432%
Black Swan <i>Cygnus atratus</i>	0.0561%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0214%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0069%
Whooper Swan <i>Cygnus cygnus</i>	0.0032%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0053%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0096%
Common Shelduck <i>Tadorna tadorna</i>	0.0064%
Ringed Teal <i>Callonetta leucophrys</i>	0.0016%
Mandarin Duck <i>Aix galericulata</i>	0.0166%
Chiloe Wigeon <i>Mareca sibilatrix</i>	0.0000%
Red-crested Pochard <i>Netta rufina</i>	0.0011%
Rosy-billed Pochard <i>Netta peposaca</i>	0.0000%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0267%
California Quail <i>Callipepla californica</i>	0.0000%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0011%
Green Peafowl <i>Pavo muticus</i>	0.0021%

Red-legged Partridge <i>Alectoris rufa</i>	0.0000%
African Collared-Dove <i>Streptopelia roseo-grisea</i>	0.0000%
African Sacred Ibis <i>Threskiornis aethiopicus</i>	0.0000%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0032%
Northern Red-billed Hornbill <i>Tockus erythrorhynchus</i>	0.0000%
Black-casqued Hornbill <i>Ceratogymna atrata</i>	0.0032%
Cockatiel <i>Nymphicus hollandicus</i>	0.0107%
Plum-headed Parakeet <i>Psittacula cyanocephala</i>	0.0000%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0000%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0021%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0032%
Yellow-naped Parrot <i>Amazona auropalliata</i>	0.0000%
Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0037%
Turquoise-fronted Parrot <i>Amazona aestiva</i>	0.0000%
White-fronted Parrot <i>Amazona albifrons</i>	0.0000%
Hispaniolan Parrot <i>Amazona ventralis</i>	0.0000%
Maroon-bellied Parakeet <i>Pyrrhura frontalis</i>	0.0005%
Orange-fronted Parakeet <i>Eupsittula canicularis</i>	0.0000%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0005%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0000%
Red-shouldered Macaw <i>Diopsittaca nobilis</i>	0.0000%

Green Parakeet <i>Psittacara holochlorus</i>	0.0021%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0027%
Crested Myna <i>Acridotheres cristatellus</i>	0.0000%
Village Weaver <i>Ploceus cucullatus</i>	0.0005%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0032%
Southern Red Bishop <i>Euplectes orix</i>	0.0005%
Zebra Finch <i>Taeniopygia guttata</i>	0.0005%
Magpie Mannikin <i>Spermestes fringilloides</i>	0.0005%
Java Sparrow <i>Padda oryzivora</i>	0.0000%
Orange-cheeked Waxbill <i>Estrilda melpoda</i>	0.0053%
Southern Cordonbleu <i>Uraeginthus angolensis</i>	0.0016%
Pin-tailed Whydah <i>Vidua macroura</i>	0.0037%
Yellow-fronted Canary <i>Crithagra mozambica</i>	0.0048%
Silver-beaked Tanager <i>Ramphocelus carbo</i>	0.0032%
Cuban Bullfinch <i>Melopyrrha nigra</i>	0.0005%
Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%
Cackling Goose <i>Branta hutchinsii</i>	0.0000%

HYBRIDS

Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0064% frequency
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	0.0011%
Graylag x Canada Goose (hybrid) <i>Anser anser x Branta canadensis</i>	0.0005%

Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	0.0011%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	0.0000%
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0337%
Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	1.44%
Sandwich x Elegant Tern (hybrid) <i>Thalasseus sandvicensis x elegans</i>	0.0011%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0016%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0000%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0123%
Golden-winged x Blue-winged Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera</i>	0.0037%
Brewster's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F1 hybrid)</i>	0.0080%
Lawrence's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F2 backcross)</i>	0.0032%
Lazuli x Indigo Bunting (hybrid) <i>Passerina amoena x cyanea</i>	0.0011%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0000%