



Target Species

Based on 148,396 complete checklists























417 species observed in Florida, US (region/US-FL) in **Sep** that you need for your **Florida Life List**

1. Northern Cardinal <i>Cardinalis cardinalis</i>	56.22% frequency
2. Red-bellied Woodpecker <i>Melanerpes carolinus</i>	52.79%
3. Blue Jay <i>Cyanocitta cristata</i>	51.59%
4. Mourning Dove <i>Zenaida macroura</i>	46.96%
5. Northern Mockingbird <i>Mimus polyglottos</i>	44.77%
6. Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	41.34%
7. Carolina Wren <i>Thryothorus ludovicianus</i>	34.90%
8. White Ibis <i>Eudocimus albus</i>	32.34%
9. Great Egret <i>Ardea alba</i>	32.04%
10. Downy Woodpecker <i>Dryobates pubescens</i>	31.67%
11. Red-shouldered Hawk <i>Buteo lineatus</i>	29.66%
12. Tufted Titmouse <i>Baeolophus bicolor</i>	28.00%
13. Osprey <i>Pandion haliaetus</i>	27.16%
14. Little Blue Heron <i>Egretta caerulea</i>	23.34%
15. Great Blue Heron <i>Ardea herodias</i>	23.32%
16. Pileated Woodpecker <i>Dryocopus pileatus</i>	22.38%
17. Anhinga <i>Anhinga anhinga</i>	22.19%
18. Fish Crow <i>Corvus ossifragus</i>	21.61%

19. Red-eyed Vireo <i>Vireo olivaceus</i>	21.15%
20. White-eyed Vireo <i>Vireo griseus</i>	20.59%
21. American Crow <i>Corvus brachyrhynchos</i>	20.56%
22. Snowy Egret <i>Egretta thula</i>	19.91%
23. Northern Parula <i>Setophaga americana</i>	19.29%
24. Turkey Vulture <i>Cathartes aura</i>	18.88%
25. Common Grackle <i>Quiscalus quiscula</i>	18.46%
26. Laughing Gull <i>Leucophaeus atricilla</i>	18.40%
27. Boat-tailed Grackle <i>Quiscalus major</i>	18.02%
28. Black Vulture <i>Coragyps atratus</i>	17.81%
29. Tricolored Heron <i>Egretta tricolor</i>	17.44%
30. Carolina Chickadee <i>Poecile carolinensis</i>	16.87%
31. American Redstart <i>Setophaga ruticilla</i>	16.45%
32. Yellow-throated Warbler <i>Setophaga dominica</i>	16.43%
33. Prairie Warbler <i>Setophaga discolor</i>	16.36%
34. Belted Kingfisher <i>Megasceryle alcyon</i>	15.96%
35. Barn Swallow <i>Hirundo rustica</i>	15.52%
36. Common Gallinule <i>Gallinula galeata</i>	14.19%
37. Double-crested Cormorant <i>Nannopterum auritum</i>	13.63%
38. Brown Pelican <i>Pelecanus occidentalis</i>	12.99%
39. Ovenbird <i>Seiurus aurocapilla</i>	12.60%
40. Common Ground Dove <i>Columbina passerina</i>	11.77%
41. Common Yellowthroat <i>Geothlypis trichas</i>	11.71%

42.	Black-and-white Warbler <i>Mniotilta varia</i>	11.67%
43.	Brown Thrasher <i>Toxostoma rufum</i>	11.54%
44.	Red-winged Blackbird <i>Agelaius phoeniceus</i>	11.28%
45.	Green Heron <i>Butorides virescens</i>	11.24%
46.	European Starling <i>Sturnus vulgaris</i>	10.93%
47.	Western Cattle Egret <i>Bubulcus ibis</i>	10.65%
48.	Eurasian Collared-Dove <i>Streptopelia decaocto</i>	10.46%
49.	Royal Tern <i>Thalasseus maximus</i>	10.00%
50.	Ruby-throated Hummingbird <i>Archilochus colubris</i>	9.84%
51.	Willet <i>Tringa semipalmata</i>	9.42%
52.	Chimney Swift <i>Chaetura pelagica</i>	8.96%
53.	Killdeer <i>Charadrius vociferus</i>	8.11%
54.	Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	8.05%
55.	House Finch <i>Haemorhous mexicanus</i>	8.00%
56.	Bald Eagle <i>Haliaeetus leucocephalus</i>	7.96%
57.	Loggerhead Shrike <i>Lanius ludovicianus</i>	7.81%
58.	Sandhill Crane <i>Antigone canadensis</i>	7.70%
59.	Sanderling <i>Calidris alba</i>	7.67%
60.	Ruddy Turnstone <i>Arenaria interpres</i>	7.58%
61.	Eastern Bluebird <i>Sialia sialis</i>	7.55%
62.	Sandwich Tern <i>Thalasseus sandvicensis</i>	7.26%
63.	Wood Stork <i>Mycteria americana</i>	7.15%

64.	Rock Pigeon <i>Columba livia</i>	7.00%
65.	Great Crested Flycatcher <i>Myiarchus crinitus</i>	6.97%
66.	Yellow Warbler <i>Setophaga petechia</i>	6.89%
67.	Northern Waterthrush <i>Parkesia noveboracensis</i>	6.59%
68.	Limpkin <i>Aramus guarauna</i>	6.30%
69.	Least Sandpiper <i>Calidris minutilla</i>	6.20%
70.	Summer Tanager <i>Piranga rubra</i>	6.20%
71.	Black-bellied Plover <i>Pluvialis squatarola</i>	6.19%
72.	Pine Warbler <i>Setophaga pinus</i>	6.10%
73.	Semipalmated Plover <i>Charadrius semipalmatus</i>	5.94%
74.	Mottled Duck <i>Anas fulvigula</i>	5.87%
75.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	5.47%
76.	Glossy Ibis <i>Plegadis falcinellus</i>	5.39%
77.	Eastern Wood-Pewee <i>Contopus virens</i>	5.27%
78.	Cooper's Hawk <i>Accipiter cooperii</i>	5.15%
79.	Eastern Kingbird <i>Tyrannus tyrannus</i>	5.11%
80.	Palm Warbler <i>Setophaga palmarum</i>	5.04%
81.	Black-throated Blue Warbler <i>Setophaga caeruleascens</i>	4.98%
82.	Roseate Spoonbill <i>Platalea ajaja</i>	4.61%
83.	Muscovy Duck <i>Cairina moschata</i>	4.54%
84.	Spotted Sandpiper <i>Actitis macularius</i>	4.53%
85.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	4.52%

86.	Yellow-throated Vireo <i>Vireo flavifrons</i>	4.46% 
87.	Forster's Tern <i>Sterna forsteri</i>	4.39% 
88.	Acadian Flycatcher <i>Empidonax virescens</i>	4.37% 
89.	Blue-winged Teal <i>Spatula discors</i>	4.36% 
90.	Pied-billed Grebe <i>Podilymbus podiceps</i>	4.32% 
91.	Barred Owl <i>Strix varia</i>	4.31% 
92.	Gray Catbird <i>Dumetella carolinensis</i>	4.13% 
93.	Wood Duck <i>Aix sponsa</i>	3.89% 
94.	Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	3.73% 
95.	Veery <i>Catharus fuscescens</i>	3.72% 
96.	House Sparrow <i>Passer domesticus</i>	3.72% 
97.	Short-billed Dowitcher <i>Limnodromus griseus</i>	3.58% 
98.	Black Skimmer <i>Rynchops niger</i>	3.50% 
99.	Reddish Egret <i>Egretta rufescens</i>	3.45% 
100.	Black-crowned Night Heron <i>Nycticorax nycticorax</i>	3.42% 
101.	Hooded Warbler <i>Setophaga citrina</i>	3.39% 
102.	White-winged Dove <i>Zenaida asiatica</i>	3.25% 
103.	Red-tailed Hawk <i>Buteo jamaicensis</i>	3.05% 
104.	Magnificent Frigatebird <i>Fregata magnificens</i>	3.05% 
105.	Cape May Warbler <i>Setophaga tigrina</i>	3.03% 
106.	Baltimore Oriole <i>Icterus galbula</i>	3.02% 
107.	Northern Flicker <i>Colaptes auratus</i>	2.96% 

108.	Western Sandpiper <i>Calidris mauri</i>	2.91%
109.	Swainson's Thrush <i>Catharus ustulatus</i>	2.90%
110.	Blackburnian Warbler <i>Setophaga fusca</i>	2.89%
111.	American Kestrel <i>Falco sparverius</i>	2.80%
112.	Semipalmated Sandpiper <i>Calidris pusilla</i>	2.72%
113.	Prothonotary Warbler <i>Protonotaria citrea</i>	2.70%
114.	Purple Gallinule <i>Porphyrio martinica</i>	2.54%
115.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	2.46%
116.	Greater Yellowlegs <i>Tringa melanoleuca</i>	2.46%
117.	Bobolink <i>Dolichonyx oryzivorus</i>	2.41%
118.	Lesser Yellowlegs <i>Tringa flavipes</i>	2.34%
119.	Purple Martin <i>Progne subis</i>	2.32%
120.	Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	2.26%
121.	Gray Kingbird <i>Tyrannus dominicensis</i>	2.23%
122.	Black Tern <i>Chlidonias niger</i>	2.22%
123.	Common Tern <i>Sterna hirundo</i>	2.15%
124.	Merlin <i>Falco columbarius</i>	2.14%
125.	Common Nighthawk <i>Chordeiles minor</i>	1.99%
126.	Clapper Rail <i>Rallus crepitans</i>	1.98%
127.	Yellow-billed Cuckoo <i>Coccyzus americanus</i>	1.98%
128.	Pectoral Sandpiper <i>Calidris melanotos</i>	1.90%
129.	Tennessee Warbler <i>Leiothlypis peregrina</i>	1.84%

130.	Caspian Tern <i>Hydroprogne caspia</i>	1.83%
131.	Brown-headed Nuthatch <i>Sitta pusilla</i>	1.82%
132.	Great Horned Owl <i>Bubo virginianus</i>	1.76%
133.	Wild Turkey <i>Meleagris gallopavo</i>	1.76%
134.	Marbled Godwit <i>Limosa fedoa</i>	1.74%
135.	Canada Goose <i>Branta canadensis</i>	1.71%
136.	Monk Parakeet <i>Myiopsitta monachus</i>	1.70%
137.	Nanday Parakeet <i>Aratinga nenday</i>	1.69%
138.	Magnolia Warbler <i>Setophaga magnolia</i>	1.69%
139.	Blue Grosbeak <i>Passerina caerulea</i>	1.68%
140.	Egyptian Goose <i>Alopochen aegyptiaca</i>	1.67%
141.	Wilson's Plover <i>Anarhynchus wilsonia</i>	1.67%
142.	American Oystercatcher <i>Haematopus palliatus</i>	1.64%
143.	Bank Swallow <i>Riparia riparia</i>	1.60%
144.	American Coot <i>Fulica americana</i>	1.57%
145.	Mallard <i>Anas platyrhynchos</i>	1.52%
146.	Peregrine Falcon <i>Falco peregrinus</i>	1.45%
147.	Tree Swallow <i>Tachycineta bicolor</i>	1.44%
148.	Piping Plover <i>Charadrius melodus</i>	1.42%
149.	White-crowned Pigeon <i>Patagioenas leucocephala</i>	1.41%
150.	Eastern Meadowlark <i>Sturnella magna</i>	1.35%
151.	Solitary Sandpiper <i>Tringa solitaria</i>	1.33%
152.	Painted Bunting <i>Passerina ciris</i>	1.31%

153.	Northern Harrier <i>Circus hudsonius</i>	1.25%
154.	Red Knot <i>Calidris canutus</i>	1.19%
155.	Brown-headed Cowbird <i>Molothrus ater</i>	1.18%
156.	Northern Bobwhite <i>Colinus virginianus</i>	1.13%
157.	Louisiana Waterthrush <i>Parkesia motacilla</i>	1.10%
158.	Scarlet Tanager <i>Piranga olivacea</i>	1.10%
159.	Black-necked Stilt <i>Himantopus mexicanus</i>	1.08%
160.	Short-tailed Hawk <i>Buteo brachyurus</i>	1.08%
161.	Least Bittern <i>Ixobrychus exilis</i>	1.06%
162.	Indigo Bunting <i>Passerina cyanea</i>	1.05%
163.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	1.05%
164.	Snowy Plover <i>Anarhynchus nivosus</i>	1.05%
165.	Least Tern <i>Sternula antillarum</i>	0.9865%
166.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.9825%
167.	Lesser Black-backed Gull <i>Larus fuscus</i>	0.9333%
168.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.9030%
169.	Ring-billed Gull <i>Larus delawarensis</i>	0.8976%
170.	Chuck-will's-widow <i>Antrostomus carolinensis</i>	0.8821%
171.	Eastern Screech-Owl <i>Megascops asio</i>	0.8342%
172.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	0.8019%
173.	Herring Gull <i>Larus argentatus</i>	0.7972%
174.	Snail Kite <i>Rostrhamus sociabilis</i>	0.7325%

175.	Kentucky Warbler <i>Geothlypis formosa</i>	0.7177%
176.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.7076%
177.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	0.6766%
178.	Stilt Sandpiper <i>Calidris himantopus</i>	0.6476%
179.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.6442%
180.	American Avocet <i>Recurvirostra americana</i>	0.5613%
181.	King Rail <i>Rallus elegans</i>	0.5337%
182.	Crested Caracara <i>Caracara plancus</i>	0.5337%
183.	Whimbrel <i>Numenius phaeopus</i>	0.5303%
184.	American Flamingo <i>Phoenicopterus ruber</i>	0.5047%
185.	Sharp-shinned Hawk <i>Accipiter striatus</i>	0.4899%
186.	House Wren <i>Troglodytes aedon</i>	0.4737%
187.	Broad-winged Hawk <i>Buteo platypterus</i>	0.4717%
188.	Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.4576%
189.	Cerulean Warbler <i>Setophaga cerulea</i>	0.4576%
190.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.4313%
191.	Wilson's Snipe <i>Gallinago delicata</i>	0.4205%
192.	Gray-cheeked Thrush <i>Catharus minimus</i>	0.4030%
193.	American White Pelican <i>Pelecanus erythrorhynchos</i>	0.3996%
194.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.3909%
195.	Sora <i>Porzana carolina</i>	0.3780%
196.	Canada Warbler <i>Cardellina canadensis</i>	0.3646%

197.	Swallow-tailed Kite <i>Elanoides forficatus</i>	0.3598%
198.	Least Flycatcher <i>Empidonax minimus</i>	0.3598%
199.	American Bittern <i>Botaurus lentiginosus</i>	0.3538%
200.	Buff-breasted Sandpiper <i>Calidris subruficollis</i>	0.3423%
201.	Alder Flycatcher <i>Empidonax alnorum</i>	0.3221%
202.	Bachman's Sparrow <i>Peucaea aestivalis</i>	0.3221%
203.	Great Black-backed Gull <i>Larus marinus</i>	0.3147%
204.	Orchard Oriole <i>Icterus spurius</i>	0.2844%
205.	Northern Shoveler <i>Spatula clypeata</i>	0.2756%
206.	Mississippi Kite <i>Ictinia mississippiensis</i>	0.2682%
207.	Gull-billed Tern <i>Gelochelidon nilotica</i>	0.2601%
208.	Wood Thrush <i>Hylocichla mustelina</i>	0.2291%
209.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.2230%
210.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	0.2224%
211.	Black-throated Green Warbler <i>Setophaga virens</i>	0.2217%
212.	Barn Owl <i>Tyto alba</i>	0.2143%
213.	Burrowing Owl <i>Athene cunicularia</i>	0.2035%
214.	Wilson's Warbler <i>Cardellina pusilla</i>	0.1995%
215.	Eastern Phoebe <i>Sayornis phoebe</i>	0.1988%
216.	Marsh Wren <i>Cistothorus palustris</i>	0.1927%
217.	Sooty Tern <i>Onychoprion fuscatus</i>	0.1914%
218.	Black-whiskered Vireo <i>Vireo altiloquus</i>	0.1840%
219.	American Golden-Plover <i>Pluvialis dominica</i>	0.1833%

220.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.1772%
221.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.1745%
222.	Mitred Parakeet <i>Psittacara mitratus</i>	0.1705%
223.	Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.1705%
224.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	0.1563%
225.	Yellow-breasted Chat <i>Icteria virens</i>	0.1543%
226.	Red-necked Phalarope <i>Phalaropus lobatus</i>	0.1476%
227.	Hairy Woodpecker <i>Dryobates villosus</i>	0.1476%
228.	Brown Booby <i>Sula leucogaster</i>	0.1395%
229.	Common Myna <i>Acridotheres tristis</i>	0.1368%
230.	Blackpoll Warbler <i>Setophaga striata</i>	0.1274%
231.	Dunlin <i>Calidris alpina</i>	0.1253%
232.	Bridled Tern <i>Onychoprion anaethetus</i>	0.1166%
233.	Cave Swallow <i>Petrochelidon fulva</i>	0.1166%
234.	Baird's Sandpiper <i>Calidris bairdii</i>	0.1132%
235.	Brown Noddy <i>Anous stolidus</i>	0.1112%
236.	Ruby-crowned Kinglet <i>Corthylio calendula</i>	0.1058%
237.	Blue-headed Vireo <i>Vireo solitarius</i>	0.1045%
238.	Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.1024%
239.	Upland Sandpiper <i>Bartramia longicauda</i>	0.1011%
240.	Cory's Shearwater <i>Calonectris diomedea</i>	0.0991%
241.	Gray Gull <i>Leucophaeus modestus</i>	0.0943%
242.	Lark Sparrow <i>Chondestes grammacus</i>	0.0943%

243.	Olive-sided Flycatcher <i>Contopus cooperi</i>	0.0910%
244.	Smooth-billed Ani <i>Crotophaga ani</i>	0.0896%
245.	Ring-necked Duck <i>Aythya collaris</i>	0.0863%
246.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.0863%
247.	American Robin <i>Turdus migratorius</i>	0.0856%
248.	Dickcissel <i>Spiza americana</i>	0.0822%
249.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.0815%
250.	Seaside Sparrow <i>Ammospiza maritima</i>	0.0782%
251.	Mangrove Cuckoo <i>Coccyzus minor</i>	0.0762%
252.	Rufous Hummingbird <i>Selasphorus rufus</i>	0.0728%
253.	Townsend's Warbler <i>Setophaga townsendi</i>	0.0681%
254.	Clay-colored Sparrow <i>Spizella pallida</i>	0.0654%
255.	Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	0.0647%
256.	White-tailed Kite <i>Elanus leucurus</i>	0.0627%
257.	Philadelphia Vireo <i>Vireo philadelphicus</i>	0.0606%
258.	Long-billed Curlew <i>Numenius americanus</i>	0.0600%
259.	Whooping Crane <i>Grus americana</i>	0.0593%
260.	Green-winged Teal <i>Anas crecca</i>	0.0553%
261.	Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0539%
262.	Yellow-rumped Warbler <i>Setophaga coronata</i>	0.0532%
263.	Bay-breasted Warbler <i>Setophaga castanea</i>	0.0526%
264.	Lesser Scaup <i>Aythya affinis</i>	0.0505%
265.	Willow Flycatcher <i>Empidonax traillii</i>	0.0478%

266.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.0472%
267.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0445%
268.	Virginia Rail <i>Rallus limicola</i>	0.0431%
269.	Western Kingbird <i>Tyrannus verticalis</i>	0.0431%
270.	Bell's Vireo <i>Vireo bellii</i>	0.0431%
271.	Heermann's Gull <i>Larus heermanni</i>	0.0418%
272.	Masked Booby <i>Sula dactylatra</i>	0.0418%
273.	Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0391%
274.	Common Loon <i>Gavia immer</i>	0.0377%
275.	Ruddy Duck <i>Oxyura jamaicensis</i>	0.0371%
276.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.0344%
277.	Great Shearwater <i>Ardenna gravis</i>	0.0337%
278.	Orange-crowned Warbler <i>Leiothlypis celata</i>	0.0337%
279.	Hermit Warbler <i>Setophaga occidentalis</i>	0.0323%
280.	Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0283%
281.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.0276%
282.	Savannah Sparrow <i>Passerculus sandwichensis</i>	0.0263%
283.	Hudsonian Godwit <i>Limosa haemastica</i>	0.0236%
284.	White-faced Ibis <i>Plegadis chihi</i>	0.0236%
285.	Chipping Sparrow <i>Spizella passerina</i>	0.0236%
286.	Black-capped Petrel <i>Pterodroma hasitata</i>	0.0222%
287.	Warbling Vireo <i>Vireo gilvus</i>	0.0222%

288.	Greater Scaup <i>Aythya marila</i>	0.0209%
289.	Northern Gannet <i>Morus bassanus</i>	0.0209%
290.	Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	0.0202%
291.	American Goldfinch <i>Spinus tristis</i>	0.0189%
292.	Cedar Waxwing <i>Bombycilla cedrorum</i>	0.0182%
293.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.0182%
294.	American Woodcock <i>Scolopax minor</i>	0.0175%
295.	Sabine's Gull <i>Xema sabini</i>	0.0175%
296.	Inca Dove <i>Columbina inca</i>	0.0169%
297.	Roseate Tern <i>Sterna dougallii</i>	0.0169%
298.	Cuban Pewee <i>Contopus caribaeus</i>	0.0155%
299.	Red-breasted Merganser <i>Mergus serrator</i>	0.0148%
300.	Sedge Wren <i>Cistothorus stellaris</i>	0.0148%
301.	Large-billed Tern <i>Phaetusa simplex</i>	0.0142%
302.	Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.0142%
303.	Bar-tailed Godwit <i>Limosa lapponica</i>	0.0135%
304.	Franklin's Gull <i>Leucophaeus pipixcan</i>	0.0135%
305.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0135%
306.	Northern Pintail <i>Anas acuta</i>	0.0128%
307.	Glaucous Gull <i>Larus hyperboreus</i>	0.0128%
308.	Mourning Warbler <i>Geothlypis philadelphia</i>	0.0128%
309.	Field Sparrow <i>Spizella pusilla</i>	0.0121%

310.	Redhead <i>Aythya americana</i>	0.0115%
311.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.0115%
312.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0108%
313.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0108%
314.	Band-rumped Storm-Petrel <i>Hydrobates castro</i>	0.0094%
315.	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0094%
316.	Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0088%
317.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0081%
318.	Cinnamon Teal <i>Spatula cyanoptera</i>	0.0074%
319.	Gadwall <i>Mareca strepera</i>	0.0074%
320.	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	0.0074%
321.	Nelson's Sparrow <i>Ammodramus nelsoni</i>	0.0074%
322.	American Wigeon <i>Mareca americana</i>	0.0067%
323.	Sulphur-bellied Flycatcher <i>Myiodynastes luteiventris</i>	0.0067%
324.	Western Tanager <i>Piranga ludoviciana</i>	0.0067%
325.	Eared Grebe <i>Podiceps nigricollis</i>	0.0061%
326.	Elegant Tern <i>Thalasseus elegans</i>	0.0061%
327.	Leach's Storm-Petrel <i>Hydrobates leucorhous</i>	0.0061%
328.	Sooty Shearwater <i>Ardenna grisea</i>	0.0061%
329.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.0061%
330.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0061%
331.	Hooded Merganser <i>Lophodytes cucullatus</i>	0.0054%

332.	Arctic Tern <i>Sterna paradisaea</i>	0.0054%
333.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.0054%
334.	Red-breasted Nuthatch <i>Sitta canadensis</i>	0.0054%
335.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.0054%
336.	Antillean Nighthawk <i>Chordeiles gundlachii</i>	0.0047%
337.	Black Rail <i>Laterallus jamaicensis</i>	0.0047%
338.	Ruff <i>Calidris pugnax</i>	0.0047%
339.	South Polar Skua <i>Stercorarius maccormicki</i>	0.0047%
340.	Connecticut Warbler <i>Oporornis agilis</i>	0.0047%
341.	Least Grebe <i>Tachybaptus dominicus</i>	0.0040%
342.	Key West Quail-Dove <i>Geotrygon chrysia</i>	0.0040%
343.	Manx Shearwater <i>Puffinus puffinus</i>	0.0040%
344.	Western Flycatcher <i>Empidonax difficilis</i>	0.0040%
345.	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	0.0040%
346.	Swamp Sparrow <i>Melospiza georgiana</i>	0.0040%
347.	Zenaida Dove <i>Zenaida aurita</i>	0.0034%
348.	Swainson's Hawk <i>Buteo swainsoni</i>	0.0034%
349.	Western Wood-Pewee <i>Contopus sordidulus</i>	0.0034%
350.	Hermit Thrush <i>Catharus guttatus</i>	0.0034%
351.	Western Spindalis <i>Spindalis zena</i>	0.0034%
352.	Black-throated Gray Warbler <i>Setophaga nigrescens</i>	0.0034%
353.	Horned Grebe <i>Podiceps auritus</i>	0.0027%

354.	Siberian Sand-Plover <i>Anarhynchus mongolus</i>	0.0027%
355.	Red-footed Booby <i>Sula sula</i>	0.0027%
356.	Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.0027%
357.	Vesper Sparrow <i>Pooecetes gramineus</i>	0.0027%
358.	Snow Goose <i>Anser caerulescens</i>	0.0020%
359.	Common Eider <i>Somateria mollissima</i>	0.0020%
360.	White-winged Scoter <i>Melanitta deglandi</i>	0.0020%
361.	Groove-billed Ani <i>Crotophaga sulcirostris</i>	0.0020%
362.	Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.0020%
363.	Song Sparrow <i>Melospiza melodia</i>	0.0020%
364.	Greater White-fronted Goose <i>Anser albifrons</i>	0.0014%
365.	Eurasian Wigeon <i>Mareca penelope</i>	0.0014%
366.	American Black Duck <i>Anas rubripes</i>	0.0014%
367.	Black Scoter <i>Melanitta americana</i>	0.0014%
368.	Bufflehead <i>Bucephala albeola</i>	0.0014%
369.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	0.0014%
370.	White-tailed Tropicbird <i>Phaethon lepturus</i>	0.0014%
371.	Say's Phoebe <i>Sayornis saya</i>	0.0014%
372.	Yellow-green Vireo <i>Vireo flavoviridis</i>	0.0014%
373.	Brown Creeper <i>Certhia americana</i>	0.0014%
374.	Northern Wheatear <i>Oenanthe oenanthe</i>	0.0014%
375.	Bananaquit <i>Coereba flaveola</i>	0.0014%

376.	Yellow-faced Grassquit <i>Tiaris olivaceus</i>	0.0014%
377.	Harlequin Duck <i>Histrionicus histrionicus</i>	0.0007%
378.	Antillean Palm Swift <i>Tachornis phoenicobia</i>	0.0007%
379.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0007%
380.	Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0007%
381.	Northern Fulmar <i>Fulmarus glacialis</i>	0.0007%
382.	Variegated Flycatcher <i>Empidonomus varius</i>	0.0007%
383.	Horned Lark <i>Eremophila alpestris</i>	0.0007%
384.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0007%
385.	Golden-crowned Kinglet <i>Regulus satrapa</i>	0.0007%
386.	American Pipit <i>Anthus rubescens</i>	0.0007%
387.	Purple Finch <i>Haemorhous purpureus</i>	0.0007%
388.	Lark Bunting <i>Calamospiza melanocorys</i>	0.0007%
389.	Bullock's Oriole <i>Icterus bullockii</i>	0.0007%
390.	White-collared Swift <i>Streptoprocne zonaris</i>	0.0000%
391.	Broad-billed Hummingbird <i>Cynanthus latirostris</i>	0.0000%
392.	Buff-bellied Hummingbird <i>Amazilia yucatanensis</i>	0.0000%
393.	Yellow Rail <i>Coturnicops noveboracensis</i>	0.0000%
394.	Sharp-tailed Sandpiper <i>Calidris acuminata</i>	0.0000%
395.	California Gull <i>Larus californicus</i>	0.0000%
396.	Slaty-backed Gull <i>Larus schistisagus</i>	0.0000%
397.	Pine Siskin <i>Spinus pinus</i>	0.0000%
398.	Saltmarsh Sparrow <i>Ammospiza caudacuta</i>	0.0000%

399.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0000%
400.	Bachman's Warbler <i>Vermivora bachmanii</i>	0.0000%
401.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0000%
EXOTIC: PROVISIONAL		
402.	Scaly-breasted Munia <i>Lonchura punctulata</i>	0.4448% frequency
403.	Indian Peafowl <i>Pavo cristatus</i>	0.2999%
404.	Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.2790%
405.	Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.1900%
406.	Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.1570%
407.	Orange-winged Parrot <i>Amazona amazonica</i>	0.1348%
408.	Common Hill Myna <i>Gracula religiosa</i>	0.1024%
409.	Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0788%
410.	Red Junglefowl <i>Gallus gallus</i>	0.0782%
411.	Chestnut-fronted Macaw <i>Ara severus</i>	0.0465%
412.	Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0222%
413.	White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0182%
414.	Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0094%
415.	Budgerigar <i>Melopsittacus undulatus</i>	0.0040%
416.	White-cheeked Pintail <i>Anas bahamensis</i>	0.0007%
417.	House Crow <i>Corvus splendens</i>	0.0007%

EXOTIC: ESCAPEE

Mute Swan <i>Cygnus olor</i>	0.1429% frequency
Graylag Goose <i>Anser anser</i>	0.0863%
Swan Goose <i>Anser cygnoides</i>	0.0782%
Black Swan <i>Cygnus atratus</i>	0.0377%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0357%
Bar-headed Goose <i>Anser indicus</i>	0.0182%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0155%
Cockatiel <i>Nymphicus hollandicus</i>	0.0148%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0074%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0074%
Whooper Swan <i>Cygnus cygnus</i>	0.0067%
Mandarin Duck <i>Aix galericulata</i>	0.0067%
Green Parakeet <i>Psittacara holochlorus</i>	0.0054%
Cuban Grassquit <i>Phonipara canora</i>	0.0054%
Pin-tailed Whydah <i>Vidua macroura</i>	0.0047%
Common Shelduck <i>Tadorna tadorna</i>	0.0040%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0040%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0040%
Lavender Waxbill <i>Glaucostrelda caerulescens</i>	0.0040%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0034%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0027%
Yellow-collared Lovebird <i>Agapornis personatus</i>	0.0027%

Diamond Dove <i>Geopelia cuneata</i>	0.0020%
Zebra Finch <i>Taeniopygia guttata</i>	0.0020%
Red-cheeked Cordonbleu <i>Uraeginthus bengalus</i>	0.0020%
Yellow-fronted Canary <i>Crithagra mozambica</i>	0.0020%
Saffron Finch <i>Sicalis flaveola</i>	0.0020%
African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0014%
Gray Crowned-Crane <i>Balearica regulorum</i>	0.0014%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0014%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0014%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0014%
Village Weaver <i>Ploceus cucullatus</i>	0.0014%
Orange-cheeked Waxbill <i>Estrilda melpoda</i>	0.0014%
White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0007%
Radjah Shelduck <i>Radjah radjah</i>	0.0007%
Red-crested Pochard <i>Netta rufina</i>	0.0007%
Gray Partridge <i>Perdix perdix</i>	0.0007%
Green Peafowl <i>Pavo muticus</i>	0.0007%
Plum-headed Parakeet <i>Psittacula cyanocephala</i>	0.0007%
Fischer's Lovebird <i>Agapornis fischeri</i>	0.0007%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0007%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0007%

Red-and-green Macaw <i>Ara chloropterus</i>	0.0007%
Long-tailed Glossy Starling <i>Lamprolornis caudatus</i>	0.0007%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0007%
Venezuelan Troupial <i>Icterus icterus</i>	0.0007%
Chiloe Wigeon <i>Mareca sibilatrix</i>	0.0000%
Red-legged Partridge <i>Alectoris rufa</i>	0.0000%
Galah <i>Eolophus roseicapilla</i>	0.0000%
Green-cheeked Parakeet <i>Pyrrhura molinae</i>	0.0000%
Gouldian Finch <i>Chloebia gouldiae</i>	0.0000%
Common Waxbill <i>Estrilda astrild</i>	0.0000%
Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%

HYBRIDS

Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	1.55% frequency ■
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0337%
Lawrence's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F2 backcross)</i>	0.0169%
Brewster's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F1 hybrid)</i>	0.0115%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0094%
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	0.0047%
Golden-winged x Blue-winged Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera</i>	0.0047%

Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0040%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	0.0034%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0020%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0014%
Tropical x Gray Kingbird (hybrid) <i>Tyrannus melancholicus x dominicensis</i>	0.0014%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	0.0007%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0000%