



Target Species

Based on 148,396 complete checklists

417 species observed in Florida, US (region/US-FL) in **Sep** that you need for your **Florida Life List**

1. Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	8.05% frequency
2. Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.4576%
3. Snow Goose <i>Anser caerulescens</i>	0.0020%
4. Greater White-fronted Goose <i>Anser albifrons</i>	0.0014%
5. Canada Goose <i>Branta canadensis</i>	1.71%
6. Egyptian Goose <i>Alopochen aegyptiaca</i>	1.67%
7. Muscovy Duck <i>Cairina moschata</i>	4.54%
8. Wood Duck <i>Aix sponsa</i>	3.89%
9. Blue-winged Teal <i>Spatula discors</i>	4.36%
10. Cinnamon Teal <i>Spatula cyanoptera</i>	0.0074%
11. Northern Shoveler <i>Spatula clypeata</i>	0.2756%
12. Gadwall <i>Mareca strepera</i>	0.0074%
13. Eurasian Wigeon <i>Mareca penelope</i>	0.0014%
14. American Wigeon <i>Mareca americana</i>	0.0067%
15. Mallard <i>Anas platyrhynchos</i>	1.52%
16. American Black Duck <i>Anas rubripes</i>	0.0014%
17. Mottled Duck <i>Anas fulvigula</i>	5.87%

18.	Northern Pintail <i>Anas acuta</i>	0.0128%
19.	Green-winged Teal <i>Anas crecca</i>	0.0553%
20.	Redhead <i>Aythya americana</i>	0.0115%
21.	Ring-necked Duck <i>Aythya collaris</i>	0.0863%
22.	Greater Scaup <i>Aythya marila</i>	0.0209%
23.	Lesser Scaup <i>Aythya affinis</i>	0.0505%
24.	Common Eider <i>Somateria mollissima</i>	0.0020%
25.	Harlequin Duck <i>Histrionicus histrionicus</i>	0.0007%
26.	White-winged Scoter <i>Melanitta deglandi</i>	0.0020%
27.	Black Scoter <i>Melanitta americana</i>	0.0014%
28.	Bufflehead <i>Bucephala albeola</i>	0.0014%
29.	Hooded Merganser <i>Lophodytes cucullatus</i>	0.0054%
30.	Red-breasted Merganser <i>Mergus serrator</i>	0.0148%
31.	Ruddy Duck <i>Oxyura jamaicensis</i>	0.0371%
32.	Northern Bobwhite <i>Colinus virginianus</i>	1.13%
33.	Wild Turkey <i>Meleagris gallopavo</i>	1.76%
34.	American Flamingo <i>Phoenicopterus ruber</i>	0.5047%
35.	Least Grebe <i>Tachybaptus dominicus</i>	0.0040%
36.	Pied-billed Grebe <i>Podilymbus podiceps</i>	4.32%
37.	Horned Grebe <i>Podiceps auritus</i>	0.0027%
38.	Eared Grebe <i>Podiceps nigricollis</i>	0.0061%
39.	Rock Pigeon <i>Columba livia</i>	7.00%
40.	White-crowned Pigeon <i>Patagioenas leucocephala</i>	1.41%

41. Eurasian Collared-Dove <i>Streptopelia decaocto</i>	10.46%
42. Inca Dove <i>Columbina inca</i>	0.0169%
43. Common Ground Dove <i>Columbina passerina</i>	11.77%
44. Key West Quail-Dove <i>Geotrygon chrysis</i>	0.0040%
45. White-winged Dove <i>Zenaida asiatica</i>	3.25%
46. Zenaida Dove <i>Zenaida aurita</i>	0.0034%
47. Mourning Dove <i>Zenaida macroura</i>	46.96%
48. Smooth-billed Ani <i>Crotophaga ani</i>	0.0896%
49. Groove-billed Ani <i>Crotophaga sulcirostris</i>	0.0020%
50. Yellow-billed Cuckoo <i>Coccyzus americanus</i>	1.98%
51. Mangrove Cuckoo <i>Coccyzus minor</i>	0.0762%
52. Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	0.0647%
53. Common Nighthawk <i>Chordeiles minor</i>	1.99%
54. Antillean Nighthawk <i>Chordeiles gundlachii</i>	0.0047%
55. Chuck-will's-widow <i>Antrostomus carolinensis</i>	0.8821%
56. Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.1024%
57. White-collared Swift <i>Streptoprocne zonaris</i>	0.0000%
58. Chimney Swift <i>Chaetura pelagica</i>	8.96%
59. Antillean Palm Swift <i>Tachornis phoenicobia</i>	0.0007%
60. Ruby-throated Hummingbird <i>Archilochus colubris</i>	9.84%
61. Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.0020%
62. Rufous Hummingbird <i>Selasphorus rufus</i>	0.0728%

63.	Broad-billed Hummingbird <i>Cyananthus latirostris</i>	0.0000%
64.	Buff-bellied Hummingbird <i>Amazilia yucatanensis</i>	0.0000%
65.	King Rail <i>Rallus elegans</i>	0.5337%
66.	Clapper Rail <i>Rallus crepitans</i>	1.98%
67.	Virginia Rail <i>Rallus limicola</i>	0.0431%
68.	Sora <i>Porzana carolina</i>	0.3780%
69.	Common Gallinule <i>Gallinula galeata</i>	14.19%
70.	American Coot <i>Fulica americana</i>	1.57%
71.	Purple Gallinule <i>Porphyrio martinica</i>	2.54%
72.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	0.6766%
73.	Yellow Rail <i>Coturnicops noveboracensis</i>	0.0000%
74.	Black Rail <i>Laterallus jamaicensis</i>	0.0047%
75.	Limpkin <i>Aramus guarauna</i>	6.30%
76.	Sandhill Crane <i>Antigone canadensis</i>	7.70%
77.	Whooping Crane <i>Grus americana</i>	0.0593%
78.	Black-necked Stilt <i>Himantopus mexicanus</i>	1.08%
79.	American Avocet <i>Recurvirostra americana</i>	0.5613%
80.	American Oystercatcher <i>Haematopus palliatus</i>	1.64%
81.	Black-bellied Plover <i>Pluvialis squatarola</i>	6.19%
82.	American Golden-Plover <i>Pluvialis dominica</i>	0.1833%
83.	Killdeer <i>Charadrius vociferus</i>	8.11%
84.	Semipalmated Plover <i>Charadrius semipalmatus</i>	5.94%

85. Piping Plover <i>Charadrius melodus</i>	1.42%
86. Siberian Sand-Plover <i>Anarhynchus mongolus</i>	0.0027%
87. Wilson's Plover <i>Anarhynchus wilsonia</i>	1.67%
88. Snowy Plover <i>Anarhynchus nivosus</i>	1.05%
89. Upland Sandpiper <i>Bartramia longicauda</i>	0.1011%
90. Whimbrel <i>Numenius phaeopus</i>	0.5303%
91. Long-billed Curlew <i>Numenius americanus</i>	0.0600%
92. Bar-tailed Godwit <i>Limosa lapponica</i>	0.0135%
93. Hudsonian Godwit <i>Limosa haemastica</i>	0.0236%
94. Marbled Godwit <i>Limosa fedoa</i>	1.74%
95. Short-billed Dowitcher <i>Limnodromus griseus</i>	3.58%
96. Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	0.2224%
97. American Woodcock <i>Scolopax minor</i>	0.0175%
98. Wilson's Snipe <i>Gallinago delicata</i>	0.4205%
99. Wilson's Phalarope <i>Phalaropus tricolor</i>	0.2230%
100. Red Phalarope <i>Phalaropus fulicarius</i>	0.0108%
101. Red-necked Phalarope <i>Phalaropus lobatus</i>	0.1476%
102. Spotted Sandpiper <i>Actitis macularius</i>	4.53%
103. Solitary Sandpiper <i>Tringa solitaria</i>	1.33%
104. Lesser Yellowlegs <i>Tringa flavipes</i>	2.34%
105. Willet <i>Tringa semipalmata</i>	9.42%
106. Greater Yellowlegs <i>Tringa melanoleuca</i>	2.46%
107. Ruddy Turnstone <i>Arenaria interpres</i>	7.58%

108.	Red Knot <i>Calidris canutus</i>	1.19%
109.	Ruff <i>Calidris pugnax</i>	0.0047%
110.	Sharp-tailed Sandpiper <i>Calidris acuminata</i>	0.0000%
111.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0007%
112.	Stilt Sandpiper <i>Calidris himantopus</i>	0.6476%
113.	Buff-breasted Sandpiper <i>Calidris subruficollis</i>	0.3423%
114.	Sanderling <i>Calidris alba</i>	7.67%
115.	Dunlin <i>Calidris alpina</i>	0.1253%
116.	Baird's Sandpiper <i>Calidris bairdii</i>	0.1132%
117.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.1772%
118.	Least Sandpiper <i>Calidris minutilla</i>	6.20%
119.	Pectoral Sandpiper <i>Calidris melanotos</i>	1.90%
120.	Western Sandpiper <i>Calidris mauri</i>	2.91%
121.	Semipalmated Sandpiper <i>Calidris pusilla</i>	2.72%
122.	Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0283%
123.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.0863%
124.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.0815%
125.	South Polar Skua <i>Stercorarius maccormicki</i>	0.0047%
126.	Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0007%
127.	Sabine's Gull <i>Xema sabini</i>	0.0175%
128.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	0.0014%
129.	Gray Gull <i>Leucophaeus modestus</i>	0.0943%
130.	Laughing Gull <i>Leucophaeus atricilla</i>	18.40%

131. Franklin's Gull <i>Leucophaeus pipixcan</i>	0.0135%
132. Heermann's Gull <i>Larus heermanni</i>	0.0418%
133. Ring-billed Gull <i>Larus delawarensis</i>	0.8976%
134. Herring Gull <i>Larus argentatus</i>	0.7972%
135. Great Black-backed Gull <i>Larus marinus</i>	0.3147%
136. Glaucous Gull <i>Larus hyperboreus</i>	0.0128%
137. Lesser Black-backed Gull <i>Larus fuscus</i>	0.9333%
138. California Gull <i>Larus californicus</i>	0.0000%
139. Slaty-backed Gull <i>Larus schistisagus</i>	0.0000%
140. Black Skimmer <i>Rynchops niger</i>	3.50%
141. Brown Noddy <i>Anous stolidus</i>	0.1112%
142. Sooty Tern <i>Onychoprion fuscatus</i>	0.1914%
143. Bridled Tern <i>Onychoprion anaethetus</i>	0.1166%
144. Least Tern <i>Sternula antillarum</i>	0.9865%
145. Large-billed Tern <i>Phaetusa simplex</i>	0.0142%
146. Gull-billed Tern <i>Gelochelidon nilotica</i>	0.2601%
147. Caspian Tern <i>Hydroprogne caspia</i>	1.83%
148. Black Tern <i>Chlidonias niger</i>	2.22%
149. Forster's Tern <i>Sterna forsteri</i>	4.39%
150. Arctic Tern <i>Sterna paradisaea</i>	0.0054%
151. Common Tern <i>Sterna hirundo</i>	2.15%
152. Roseate Tern <i>Sterna dougallii</i>	0.0169%
153. Sandwich Tern <i>Thalasseus sandvicensis</i>	7.26%

154. Elegant Tern <i>Thalasseus elegans</i>	0.0061%
155. Royal Tern <i>Thalasseus maximus</i>	10.00%
156. White-tailed Tropicbird <i>Phaethon lepturus</i>	0.0014%
157. Common Loon <i>Gavia immer</i>	0.0377%
158. Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.0142%
159. Leach's Storm-Petrel <i>Hydrobates leucorhous</i>	0.0061%
160. Band-rumped Storm-Petrel <i>Hydrobates castro</i>	0.0094%
161. Northern Fulmar <i>Fulmarus glacialis</i>	0.0007%
162. Black-capped Petrel <i>Pterodroma hasitata</i>	0.0222%
163. Cory's Shearwater <i>Calonectris diomedea</i>	0.0991%
164. Great Shearwater <i>Ardenna gravis</i>	0.0337%
165. Sooty Shearwater <i>Ardenna grisea</i>	0.0061%
166. Manx Shearwater <i>Puffinus puffinus</i>	0.0040%
167. Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0391%
168. Wood Stork <i>Mycteria americana</i>	7.15%
169. Magnificent Frigatebird <i>Fregata magnificens</i>	3.05%
170. Northern Gannet <i>Morus bassanus</i>	0.0209%
171. Red-footed Booby <i>Sula sula</i>	0.0027%
172. Brown Booby <i>Sula leucogaster</i>	0.1395%
173. Masked Booby <i>Sula dactylatra</i>	0.0418%
174. Anhinga <i>Anhinga anhinga</i>	22.19%
175. Double-crested Cormorant <i>Nannopterum auritum</i>	13.63%
176. Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0088%

177.	American White Pelican <i>Pelecanus erythrorhynchos</i>	0.3996%
178.	Brown Pelican <i>Pelecanus occidentalis</i>	12.99%
179.	American Bittern <i>Botaurus lentiginosus</i>	0.3538%
180.	Least Bittern <i>Ixobrychus exilis</i>	1.06%
181.	Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	3.73%
182.	Black-crowned Night Heron <i>Nycticorax nycticorax</i>	3.42%
183.	Little Blue Heron <i>Egretta caerulea</i>	23.34%
184.	Tricolored Heron <i>Egretta tricolor</i>	17.44%
185.	Reddish Egret <i>Egretta rufescens</i>	3.45%
186.	Snowy Egret <i>Egretta thula</i>	19.91%
187.	Green Heron <i>Butorides virescens</i>	11.24%
188.	Western Cattle Egret <i>Bubulcus ibis</i>	10.65%
189.	Great Egret <i>Ardea alba</i>	32.04%
190.	Great Blue Heron <i>Ardea herodias</i>	23.32%
191.	White Ibis <i>Eudocimus albus</i>	32.34%
192.	Glossy Ibis <i>Plegadis falcinellus</i>	5.39%
193.	White-faced Ibis <i>Plegadis chihi</i>	0.0236%
194.	Roseate Spoonbill <i>Platalea ajaja</i>	4.61%
195.	Black Vulture <i>Coragyps atratus</i>	17.81%
196.	Turkey Vulture <i>Cathartes aura</i>	18.88%
197.	Osprey <i>Pandion haliaetus</i>	27.16%
198.	White-tailed Kite <i>Elanus leucurus</i>	0.0627%

199.	Swallow-tailed Kite <i>Elanoides forficatus</i>	0.3598%
200.	Snail Kite <i>Rostrhamus sociabilis</i>	0.7325%
201.	Mississippi Kite <i>Ictinia mississippiensis</i>	0.2682%
202.	Northern Harrier <i>Circus hudsonius</i>	1.25%
203.	Sharp-shinned Hawk <i>Accipiter striatus</i>	0.4899%
204.	Cooper's Hawk <i>Accipiter cooperii</i>	5.15%
205.	Bald Eagle <i>Haliaeetus leucocephalus</i>	7.96%
206.	Red-shouldered Hawk <i>Buteo lineatus</i>	29.66%
207.	Broad-winged Hawk <i>Buteo platypterus</i>	0.4717%
208.	Short-tailed Hawk <i>Buteo brachyurus</i>	1.08%
209.	Swainson's Hawk <i>Buteo swainsoni</i>	0.0034%
210.	Red-tailed Hawk <i>Buteo jamaicensis</i>	3.05%
211.	Barn Owl <i>Tyto alba</i>	0.2143%
212.	Eastern Screech-Owl <i>Megascops asio</i>	0.8342%
213.	Great Horned Owl <i>Bubo virginianus</i>	1.76%
214.	Burrowing Owl <i>Athene cunicularia</i>	0.2035%
215.	Barred Owl <i>Strix varia</i>	4.31%
216.	Belted Kingfisher <i>Megaceryle alcyon</i>	15.96%
217.	Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	0.0202%
218.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	2.46%
219.	Red-bellied Woodpecker <i>Melanerpes carolinus</i>	52.79%
220.	Downy Woodpecker <i>Dryobates pubescens</i>	31.67%

221.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.1745%
222.	Hairy Woodpecker <i>Dryobates villosus</i>	0.1476%
223.	Pileated Woodpecker <i>Dryocopus pileatus</i>	22.38%
224.	Northern Flicker <i>Colaptes auratus</i>	2.96%
225.	Crested Caracara <i>Caracara plancus</i>	0.5337%
226.	American Kestrel <i>Falco sparverius</i>	2.80%
227.	Merlin <i>Falco columbarius</i>	2.14%
228.	Peregrine Falcon <i>Falco peregrinus</i>	1.45%
229.	Monk Parakeet <i>Myiopsitta monachus</i>	1.70%
230.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0135%
231.	Nanday Parakeet <i>Aratinga nenday</i>	1.69%
232.	Mitred Parakeet <i>Psittacara mitratus</i>	0.1705%
233.	Olive-sided Flycatcher <i>Contopus cooperi</i>	0.0910%
234.	Western Wood-Pewee <i>Contopus sordidulus</i>	0.0034%
235.	Eastern Wood-Pewee <i>Contopus virens</i>	5.27%
236.	Cuban Pewee <i>Contopus caribaeus</i>	0.0155%
237.	Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0539%
238.	Acadian Flycatcher <i>Empidonax virens</i>	4.37%
239.	Alder Flycatcher <i>Empidonax alnorum</i>	0.3221%
240.	Willow Flycatcher <i>Empidonax traillii</i>	0.0478%
241.	Least Flycatcher <i>Empidonax minimus</i>	0.3598%
242.	Western Flycatcher <i>Empidonax difficilis</i>	0.0040%

243.	Eastern Phoebe <i>Sayornis phoebe</i>	0.1988%
244.	Say's Phoebe <i>Sayornis saya</i>	0.0014%
245.	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	0.0074%
246.	Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.0027%
247.	Great Crested Flycatcher <i>Myiarchus crinitus</i>	6.97%
248.	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	0.0040%
249.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0108%
250.	Sulphur-bellied Flycatcher <i>Myiodynastes luteiventris</i>	0.0067%
251.	Variegated Flycatcher <i>Empidonomus varius</i>	0.0007%
252.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.0115%
253.	Western Kingbird <i>Tyrannus verticalis</i>	0.0431%
254.	Eastern Kingbird <i>Tyrannus tyrannus</i>	5.11%
255.	Gray Kingbird <i>Tyrannus dominicensis</i>	2.23%
256.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.0054%
257.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0081%
258.	White-eyed Vireo <i>Vireo griseus</i>	20.59%
259.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0445%
260.	Bell's Vireo <i>Vireo bellii</i>	0.0431%
261.	Yellow-throated Vireo <i>Vireo flavifrons</i>	4.46%
262.	Blue-headed Vireo <i>Vireo solitarius</i>	0.1045%
263.	Philadelphia Vireo <i>Vireo philadelphicus</i>	0.0606%
264.	Warbling Vireo <i>Vireo gilvus</i>	0.0222%























265.	Red-eyed Vireo <i>Vireo olivaceus</i>	21.15%
266.	Yellow-green Vireo <i>Vireo flavoviridis</i>	0.0014%
267.	Black-whiskered Vireo <i>Vireo altiloquus</i>	0.1840%
268.	Loggerhead Shrike <i>Lanius ludovicianus</i>	7.81%
269.	Blue Jay <i>Cyanocitta cristata</i>	51.59%
270.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	0.8019%
271.	American Crow <i>Corvus brachyrhynchos</i>	20.56%
272.	Fish Crow <i>Corvus ossifragus</i>	21.61%
273.	Carolina Chickadee <i>Poecile carolinensis</i>	16.87%
274.	Tufted Titmouse <i>Baeolophus bicolor</i>	28.00%
275.	Horned Lark <i>Eremophila alpestris</i>	0.0007%
276.	Bank Swallow <i>Riparia riparia</i>	1.60%
277.	Tree Swallow <i>Tachycineta bicolor</i>	1.44%
278.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0007%
279.	Purple Martin <i>Progne subis</i>	2.32%
280.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	1.05%
281.	Barn Swallow <i>Hirundo rustica</i>	15.52%
282.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.9030%
283.	Cave Swallow <i>Petrochelidon fulva</i>	0.1166%
284.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.0344%
285.	Ruby-crowned Kinglet <i>Corthylio calendula</i>	0.1058%
286.	Golden-crowned Kinglet <i>Regulus satrapa</i>	0.0007%

287.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.7076%
288.	Brown-headed Nuthatch <i>Sitta pusilla</i>	1.82%
289.	Red-breasted Nuthatch <i>Sitta canadensis</i>	0.0054%
290.	Brown Creeper <i>Certhia americana</i>	0.0014%
291.	Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	41.34%
292.	House Wren <i>Troglodytes aedon</i>	0.4737%
293.	Sedge Wren <i>Cistothorus stellaris</i>	0.0148%
294.	Marsh Wren <i>Cistothorus palustris</i>	0.1927%
295.	Carolina Wren <i>Thryothorus ludovicianus</i>	34.90%
296.	European Starling <i>Sturnus vulgaris</i>	10.93%
297.	Common Myna <i>Acridotheres tristis</i>	0.1368%
298.	Gray Catbird <i>Dumetella carolinensis</i>	4.13%
299.	Brown Thrasher <i>Toxostoma rufum</i>	11.54%
300.	Northern Mockingbird <i>Mimus polyglottos</i>	44.77%
301.	Eastern Bluebird <i>Sialia sialis</i>	7.55%
302.	Veery <i>Catharus fuscescens</i>	3.72%
303.	Gray-cheeked Thrush <i>Catharus minimus</i>	0.4030%
304.	Swainson's Thrush <i>Catharus ustulatus</i>	2.90%
305.	Hermit Thrush <i>Catharus guttatus</i>	0.0034%
306.	Wood Thrush <i>Hylocichla mustelina</i>	0.2291%
307.	American Robin <i>Turdus migratorius</i>	0.0856%
308.	Northern Wheatear <i>Oenanthe oenanthe</i>	0.0014%
309.	Cedar Waxwing <i>Bombycilla cedrorum</i>	0.0182%

310.	House Sparrow <i>Passer domesticus</i>	3.72%
311.	American Pipit <i>Anthus rubescens</i>	0.0007%
312.	House Finch <i>Haemorhous mexicanus</i>	8.00%
313.	Purple Finch <i>Haemorhous purpureus</i>	0.0007%
314.	Pine Siskin <i>Spinus pinus</i>	0.0000%
315.	American Goldfinch <i>Spinus tristis</i>	0.0189%
316.	Bachman's Sparrow <i>Peucaea aestivalis</i>	0.3221%
317.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.0061%
318.	Chipping Sparrow <i>Spizella passerina</i>	0.0236%
319.	Clay-colored Sparrow <i>Spizella pallida</i>	0.0654%
320.	Field Sparrow <i>Spizella pusilla</i>	0.0121%
321.	Lark Sparrow <i>Chondestes grammacus</i>	0.0943%
322.	Lark Bunting <i>Calamospiza melanocorys</i>	0.0007%
323.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.0054%
324.	Vesper Sparrow <i>Pooecetes gramineus</i>	0.0027%
325.	Seaside Sparrow <i>Ammospiza maritima</i>	0.0782%
326.	Nelson's Sparrow <i>Ammospiza nelsoni</i>	0.0074%
327.	Saltmarsh Sparrow <i>Ammospiza caudacuta</i>	0.0000%
328.	Savannah Sparrow <i>Passerculus sandwichensis</i>	0.0263%
329.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0000%
330.	Song Sparrow <i>Melospiza melodia</i>	0.0020%
331.	Swamp Sparrow <i>Melospiza georgiana</i>	0.0040%
332.	Eastern Towhee <i>Pipilo erythrophthalmus</i>	5.47%

333.	Western Spindalis <i>Spindalis zena</i>	0.0034%
334.	Yellow-breasted Chat <i>Icteria virens</i>	0.1543%
335.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.0276%
336.	Bobolink <i>Dolichonyx oryzivorus</i>	2.41%
337.	Eastern Meadowlark <i>Sturnella magna</i>	1.35%
338.	Orchard Oriole <i>Icterus spurius</i>	0.2844%
339.	Bullock's Oriole <i>Icterus bullockii</i>	0.0007%
340.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.6442%
341.	Baltimore Oriole <i>Icterus galbula</i>	3.02%
342.	Red-winged Blackbird <i>Agelaius phoeniceus</i>	11.28%
343.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.0182%
344.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.0472%
345.	Brown-headed Cowbird <i>Molothrus ater</i>	1.18%
346.	Common Grackle <i>Quiscalus quiscula</i>	18.46%
347.	Boat-tailed Grackle <i>Quiscalus major</i>	18.02%
348.	Ovenbird <i>Seiurus aurocapilla</i>	12.60%
349.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	4.52%
350.	Louisiana Waterthrush <i>Parkesia motacilla</i>	1.10%
351.	Northern Waterthrush <i>Parkesia noveboracensis</i>	6.59%
352.	Bachman's Warbler <i>Vermivora bachmanii</i>	0.0000%
353.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.3909%
354.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.9825%

355. Black-and-white Warbler <i>Mniotilta varia</i>	11.67%
356. Prothonotary Warbler <i>Protonotaria citrea</i>	2.70%
357. Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.4313%
358. Tennessee Warbler <i>Leiothlypis peregrina</i>	1.84%
359. Orange-crowned Warbler <i>Leiothlypis celata</i>	0.0337%
360. Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.1705%
361. Connecticut Warbler <i>Oporornis agilis</i>	0.0047%
362. MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0094%
363. Mourning Warbler <i>Geothlypis philadelphia</i>	0.0128%
364. Kentucky Warbler <i>Geothlypis formosa</i>	0.7177%
365. Common Yellowthroat <i>Geothlypis trichas</i>	11.71%
366. Hooded Warbler <i>Setophaga citrina</i>	3.39%
367. American Redstart <i>Setophaga ruticilla</i>	16.45%
368. Cape May Warbler <i>Setophaga tigrina</i>	3.03%
369. Cerulean Warbler <i>Setophaga cerulea</i>	0.4576%
370. Northern Parula <i>Setophaga americana</i>	19.29%
371. Magnolia Warbler <i>Setophaga magnolia</i>	1.69%
372. Bay-breasted Warbler <i>Setophaga castanea</i>	0.0526%
373. Blackburnian Warbler <i>Setophaga fusca</i>	2.89%
374. Yellow Warbler <i>Setophaga petechia</i>	6.89%
375. Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	2.26%
376. Blackpoll Warbler <i>Setophaga striata</i>	0.1274%

377.	Black-throated Blue Warbler <i>Setophaga caerulescens</i>	4.98% 
378.	Palm Warbler <i>Setophaga palmarum</i>	5.04% 
379.	Pine Warbler <i>Setophaga pinus</i>	6.10% 
380.	Yellow-rumped Warbler <i>Setophaga coronata</i>	0.0532% 
381.	Yellow-throated Warbler <i>Setophaga dominica</i>	16.43% 
382.	Prairie Warbler <i>Setophaga discolor</i>	16.36% 
383.	Black-throated Gray Warbler <i>Setophaga nigrescens</i>	0.0034% 
384.	Townsend's Warbler <i>Setophaga townsendi</i>	0.0681% 
385.	Hermit Warbler <i>Setophaga occidentalis</i>	0.0323% 
386.	Black-throated Green Warbler <i>Setophaga virens</i>	0.2217% 
387.	Canada Warbler <i>Cardellina canadensis</i>	0.3646% 
388.	Wilson's Warbler <i>Cardellina pusilla</i>	0.1995% 
389.	Summer Tanager <i>Piranga rubra</i>	6.20% 
390.	Scarlet Tanager <i>Piranga olivacea</i>	1.10% 
391.	Western Tanager <i>Piranga ludoviciana</i>	0.0067% 
392.	Northern Cardinal <i>Cardinalis cardinalis</i>	56.22% 
393.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	0.1563% 
394.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0000% 
395.	Blue Grosbeak <i>Passerina caerulea</i>	1.68% 
396.	Indigo Bunting <i>Passerina cyanea</i>	1.05% 
397.	Painted Bunting <i>Passerina ciris</i>	1.31% 
398.	Dickcissel <i>Spiza americana</i>	0.0822% 

399.	Bananaquit <i>Coereba flaveola</i>	0.0014%
400.	Yellow-faced Grassquit <i>Tiaris olivaceus</i>	0.0014%
401.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0061%
EXOTIC: PROVISIONAL		
402.	White-cheeked Pintail <i>Anas bahamensis</i>	0.0007% frequency
403.	Indian Peafowl <i>Pavo cristatus</i>	0.2999%
404.	Red Junglefowl <i>Gallus gallus</i>	0.0782%
405.	Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0222%
406.	Budgerigar <i>Melopsittacus undulatus</i>	0.0040%
407.	Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.1900%
408.	Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0094%
409.	Orange-winged Parrot <i>Amazona amazonica</i>	0.1348%
410.	Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0788%
411.	Chestnut-fronted Macaw <i>Ara severus</i>	0.0465%
412.	Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.2790%
413.	Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.1570%
414.	White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0182%
415.	House Crow <i>Corvus splendens</i>	0.0007%
416.	Common Hill Myna <i>Gracula religiosa</i>	0.1024%
417.	Scaly-breasted Munia <i>Lonchura punctulata</i>	0.4448%

EXOTIC: ESCAPEE

White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0007% frequency
Bar-headed Goose <i>Anser indicus</i>	0.0182%
Graylag Goose <i>Anser anser</i>	0.0863%
Swan Goose <i>Anser cygnoides</i>	0.0782%
Mute Swan <i>Cygnus olor</i>	0.1429%
Black Swan <i>Cygnus atratus</i>	0.0377%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0155%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0074%
Whooper Swan <i>Cygnus cygnus</i>	0.0067%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0034%
Radjah Shelduck <i>Radjah radjah</i>	0.0007%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0074%
Common Shelduck <i>Tadorna tadorna</i>	0.0040%
Mandarin Duck <i>Aix galericulata</i>	0.0067%
Chiloe Wigeon <i>Mareca sibilatrix</i>	0.0000%
Red-crested Pochard <i>Netta rufina</i>	0.0007%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0357%
Gray Partridge <i>Perdix perdix</i>	0.0007%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0040%
Green Peafowl <i>Pavo muticus</i>	0.0007%
Red-legged Partridge <i>Alectoris rufa</i>	0.0000%
African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0014%

Diamond Dove <i>Geopelia cuneata</i>	0.0020%
Gray Crowned-Crane <i>Balearica regulorum</i>	0.0014%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0027%
Cockatiel <i>Nymphicus hollandicus</i>	0.0148%
Galah <i>Eolophus roseicapilla</i>	0.0000%
Plum-headed Parakeet <i>Psittacula cyanocephala</i>	0.0007%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0040%
Fischer's Lovebird <i>Agapornis fischeri</i>	0.0007%
Yellow-collared Lovebird <i>Agapornis personatus</i>	0.0027%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0014%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0007%
Green-cheeked Parakeet <i>Pyrrhura molinae</i>	0.0000%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0007%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0014%
Red-and-green Macaw <i>Ara chloropterus</i>	0.0007%
Green Parakeet <i>Psittacara holochlorus</i>	0.0054%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0014%
Long-tailed Glossy Starling <i>Lamprotornis caudatus</i>	0.0007%
Village Weaver <i>Ploceus cucullatus</i>	0.0014%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0007%
Zebra Finch <i>Taeniopygia guttata</i>	0.0020%
Gouldian Finch <i>Chloebia gouldiae</i>	0.0000%

Lavender Waxbill <i>Glaucostriilda caerulescens</i>	0.0040%
Orange-cheeked Waxbill <i>Estrilda melpoda</i>	0.0014%
Common Waxbill <i>Estrilda astrild</i>	0.0000%
Red-cheeked Cordonbleu <i>Uraeginthus bengalus</i>	0.0020%
Pin-tailed Whydah <i>Vidua macroura</i>	0.0047%
Yellow-fronted Canary <i>Crithagra mozambica</i>	0.0020%
Venezuelan Troupial <i>Icterus icterus</i>	0.0007%
Saffron Finch <i>Sicalis flaveola</i>	0.0020%
Cuban Grassquit <i>Phonipara canora</i>	0.0054%
Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%

HYBRIDS

Graylag x Swan Goose (hybrid) <i>Anser anser</i> x <i>cygnoides</i>	0.0040% frequency
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides</i> x <i>Branta canadensis</i>	0.0047%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser</i> sp. (Domestic type) x <i>Branta canadensis</i>	0.0034%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors</i> x <i>cyanoptera</i>	0.0007%
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata</i> x <i>Anas platyrhynchos</i>	0.0337%
Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos</i> x <i>fulvigula</i>	1.55%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum</i> x <i>brasilianum</i>	0.0020%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea</i> x <i>thula</i>	0.0014%

Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0094%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0000%
Tropical x Gray Kingbird (hybrid) <i>Tyrannus melancholicus x dominicensis</i>	0.0014%
Golden-winged x Blue-winged Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera</i>	0.0047%
Brewster's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F1 hybrid)</i>	0.0115%
Lawrence's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F2 backcross)</i>	0.0169%
