



Target Species

Based on 2,709,298 complete checklists

555 species observed in Florida, US (region/US-FL) that you need for your Florida Life List























1. Northern Cardinal <i>Cardinalis cardinalis</i>	48.93% frequency
2. Red-bellied Woodpecker <i>Melanerpes carolinus</i>	43.41%
3. Mourning Dove <i>Zenaida macroura</i>	42.90%
4. Northern Mockingbird <i>Mimus polyglottos</i>	39.81%
5. Blue Jay <i>Cyanocitta cristata</i>	36.94%
6. Great Egret <i>Ardea alba</i>	34.30%
7. White Ibis <i>Eudocimus albus</i>	34.28%
8. Turkey Vulture <i>Cathartes aura</i>	33.06%
9. Osprey <i>Pandion haliaetus</i>	30.52%
10. Great Blue Heron <i>Ardea herodias</i>	28.77%
11. Fish Crow <i>Corvus ossifragus</i>	28.14%
12. Palm Warbler <i>Setophaga palmarum</i>	27.07%
13. Carolina Wren <i>Thryothorus ludovicianus</i>	26.46%
14. Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	25.63%
15. Red-shouldered Hawk <i>Buteo lineatus</i>	25.45%
16. Double-crested Cormorant <i>Nannopterum auritum</i>	25.36%
17. Anhinga <i>Anhinga anhinga</i>	25.30%
18. Boat-tailed Grackle <i>Quiscalus major</i>	25.18%

19. Little Blue Heron <i>Egretta caerulea</i>	24.89%
20. Common Grackle <i>Quiscalus quiscula</i>	22.72%
21. Black Vulture <i>Coragyps atratus</i>	22.67%
22. Red-winged Blackbird <i>Agelaius phoeniceus</i>	21.83%
23. Snowy Egret <i>Egretta thula</i>	21.50%
24. Gray Catbird <i>Dumetella carolinensis</i>	20.76%
25. Tufted Titmouse <i>Baeolophus bicolor</i>	20.65%
26. Yellow-rumped Warbler <i>Setophaga coronata</i>	20.53%
27. Tricolored Heron <i>Egretta tricolor</i>	20.16%
28. Downy Woodpecker <i>Dryobates pubescens</i>	20.03%
29. Laughing Gull <i>Leucophaeus atricilla</i>	19.45%
30. American Crow <i>Corvus brachyrhynchos</i>	18.65%
31. Common Gallinule <i>Gallinula galeata</i>	18.19%
32. Brown Pelican <i>Pelecanus occidentalis</i>	16.85%
33. Pileated Woodpecker <i>Dryocopus pileatus</i>	15.02%
34. Eastern Phoebe <i>Sayornis phoebe</i>	14.23%
35. Northern Parula <i>Setophaga americana</i>	14.11%
36. Belted Kingfisher <i>Megaceryle alcyon</i>	13.50%
37. Western Cattle Egret <i>Bubulcus ibis</i>	12.98%
38. White-eyed Vireo <i>Vireo griseus</i>	12.41%
39. Carolina Chickadee <i>Poecile carolinensis</i>	11.92%
40. Wood Stork <i>Mycteria americana</i>	11.89%
41. European Starling <i>Sturnus vulgaris</i>	11.87%

42. Common Yellowthroat <i>Geothlypis trichas</i>	11.60%
43. Green Heron <i>Butorides virescens</i>	11.43%
44. Pied-billed Grebe <i>Podilymbus podiceps</i>	11.16%
45. Great Crested Flycatcher <i>Myiarchus crinitus</i>	10.90%
46. Eurasian Collared-Dove <i>Streptopelia decaocto</i>	10.69%
47. Bald Eagle <i>Haliaeetus leucocephalus</i>	10.50%
48. Ring-billed Gull <i>Larus delawarensis</i>	10.31%
49. Glossy Ibis <i>Plegadis falcinellus</i>	10.12%
50. Sandhill Crane <i>Antigone canadensis</i>	10.01%
51. Common Ground Dove <i>Columbina passerina</i>	9.85%
52. Killdeer <i>Charadrius vociferus</i>	9.76%
53. Royal Tern <i>Thalasseus maximus</i>	9.66%
54. Eastern Bluebird <i>Sialia sialis</i>	9.58%
55. Pine Warbler <i>Setophaga pinus</i>	9.37%
56. American Coot <i>Fulica americana</i>	9.06%
57. Mottled Duck <i>Anas fulvigula</i>	8.83%
58. Black-and-white Warbler <i>Mniotilta varia</i>	8.73%
59. Loggerhead Shrike <i>Lanius ludovicianus</i>	8.55%
60. American Kestrel <i>Falco sparverius</i>	8.52%
61. Willet <i>Tringa semipalmata</i>	8.18%
62. Limpkin <i>Aramus guarauna</i>	8.14%
63. Brown Thrasher <i>Toxostoma rufum</i>	7.64%
64. Tree Swallow <i>Tachycineta bicolor</i>	7.46%

65. Rock Pigeon <i>Columba livia</i>	7.22%
66. House Wren <i>Troglodytes aedon</i>	7.07%
67. Blue-winged Teal <i>Spatula discors</i>	6.85%
68. American Robin <i>Turdus migratorius</i>	6.79%
69. Eastern Towhee <i>Pipilo erythrophthalmus</i>	6.67%
70. House Finch <i>Haemorhous mexicanus</i>	6.61%
71. Yellow-throated Warbler <i>Setophaga dominica</i>	6.56%
72. Prairie Warbler <i>Setophaga discolor</i>	6.46%
73. Sanderling <i>Calidris alba</i>	6.44%
74. Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	6.41%
75. Ruddy Turnstone <i>Arenaria interpres</i>	6.39%
76. Roseate Spoonbill <i>Platalea ajaja</i>	6.37%
77. Ruby-crowned Kinglet <i>Corthylio calendula</i>	6.29%
78. Forster's Tern <i>Sterna forsteri</i>	5.79%
79. Black-bellied Plover <i>Pluvialis squatarola</i>	5.32%
80. American Redstart <i>Setophaga ruticilla</i>	5.29%
81. Barn Swallow <i>Hirundo rustica</i>	5.23%
82. Ruby-throated Hummingbird <i>Archilochus colubris</i>	5.14%
83. Chimney Swift <i>Chaetura pelagica</i>	4.91%
84. Black-crowned Night Heron <i>Nycticorax nycticorax</i>	4.79%
85. House Sparrow <i>Passer domesticus</i>	4.77%
86. Muscovy Duck <i>Cairina moschata</i>	4.76%

87.	American White Pelican <i>Pelecanus erythrorhynchos</i>	4.54%
88.	Least Sandpiper <i>Calidris minutilla</i>	4.45%
89.	Greater Yellowlegs <i>Tringa melanoleuca</i>	4.35%
90.	Painted Bunting <i>Passerina ciris</i>	4.35%
91.	Swallow-tailed Kite <i>Elanoides forficatus</i>	4.29%
92.	Northern Harrier <i>Circus hudsonius</i>	4.17%
93.	Red-eyed Vireo <i>Vireo olivaceus</i>	4.14%
94.	Brown-headed Cowbird <i>Molothrus ater</i>	4.13%
95.	Purple Martin <i>Progne subis</i>	4.04%
96.	American Goldfinch <i>Spinus tristis</i>	3.94%
97.	Wood Duck <i>Aix sponsa</i>	3.83%
98.	Black Skimmer <i>Rynchops niger</i>	3.83%
99.	Northern Flicker <i>Colaptes auratus</i>	3.81%
100.	Eastern Meadowlark <i>Sturnella magna</i>	3.76%
101.	White-winged Dove <i>Zenaida asiatica</i>	3.75%
102.	Purple Gallinule <i>Porphyrio martinica</i>	3.75%
103.	Semipalmated Plover <i>Charadrius semipalmatus</i>	3.73%
104.	Red-tailed Hawk <i>Buteo jamaicensis</i>	3.70%
105.	Sandwich Tern <i>Thalasseus sandvicensis</i>	3.69%
106.	Chipping Sparrow <i>Spizella passerina</i>	3.67%
107.	Barred Owl <i>Strix varia</i>	3.60%
108.	Yellow-bellied Sapsucker <i>Sphyrapicus varius</i>	3.58%

109.	Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	3.53% 
110.	Savannah Sparrow <i>Passerculus sandwichensis</i>	3.53% 
111.	Cooper's Hawk <i>Accipiter cooperii</i>	3.51% 
112.	Blue-headed Vireo <i>Vireo solitarius</i>	3.47% 
113.	Cedar Waxwing <i>Bombycilla cedrorum</i>	3.38% 
114.	Herring Gull <i>Larus argentatus</i>	3.33% 
115.	Spotted Sandpiper <i>Actitis macularius</i>	3.28% 
116.	Reddish Egret <i>Egretta rufescens</i>	3.26% 
117.	Swamp Sparrow <i>Melospiza georgiana</i>	3.20% 
118.	Ovenbird <i>Seiurus aurocapilla</i>	3.16% 
119.	Lesser Yellowlegs <i>Tringa flavipes</i>	3.07% 
120.	Magnificent Frigatebird <i>Fregata magnificens</i>	3.02% 
121.	Least Tern <i>Sternula antillarum</i>	2.94% 
122.	Lesser Scaup <i>Aythya affinis</i>	2.84% 
123.	Mallard <i>Anas platyrhynchos</i>	2.84% 
124.	Black-necked Stilt <i>Himantopus mexicanus</i>	2.83% 
125.	Indigo Bunting <i>Passerina cyanea</i>	2.72% 
126.	Dunlin <i>Calidris alpina</i>	2.69% 
127.	Caspian Tern <i>Hydroprogne caspia</i>	2.63% 
128.	Summer Tanager <i>Piranga rubra</i>	2.61% 
129.	Ring-necked Duck <i>Aythya collaris</i>	2.50% 
130.	Short-billed Dowitcher <i>Limnodromus griseus</i>	2.50% 

131.	Hooded Merganser <i>Lophodytes cucullatus</i>	2.46%
132.	Nanday Parakeet <i>Aratinga nenday</i>	2.43%
133.	Red-breasted Merganser <i>Mergus serrator</i>	2.39%
134.	Black-throated Blue Warbler <i>Setophaga caerulescens</i>	2.20%
135.	Canada Goose <i>Branta canadensis</i>	2.13%
136.	Wilson's Snipe <i>Gallinago delicata</i>	2.11%
137.	Yellow-throated Vireo <i>Vireo flavifrons</i>	2.02%
138.	Red-headed Woodpecker <i>Melanerpes erythrocephalus</i>	2.01%
139.	Orange-crowned Warbler <i>Leiothlypis celata</i>	1.95%
140.	Northern Shoveler <i>Spatula clypeata</i>	1.95%
141.	Brown-headed Nuthatch <i>Sitta pusilla</i>	1.95%
142.	Northern Bobwhite <i>Colinus virginianus</i>	1.94%
143.	Wild Turkey <i>Meleagris gallopavo</i>	1.94%
144.	Sora <i>Porzana carolina</i>	1.80%
145.	Monk Parakeet <i>Myiopsitta monachus</i>	1.75%
146.	Northern Waterthrush <i>Parkesia noveboracensis</i>	1.74%
147.	Common Loon <i>Gavia immer</i>	1.71%
148.	Great Horned Owl <i>Bubo virginianus</i>	1.70%
149.	Eastern Kingbird <i>Tyrannus tyrannus</i>	1.70%
150.	Marsh Wren <i>Cistothorus palustris</i>	1.68%
151.	Western Sandpiper <i>Calidris mauri</i>	1.63%
152.	Cape May Warbler <i>Setophaga tigrina</i>	1.63%

153.	Egyptian Goose <i>Alopochen aegyptiaca</i>	1.62%
154.	Clapper Rail <i>Rallus crepitans</i>	1.61%
155.	American Oystercatcher <i>Haematopus palliatus</i>	1.58%
156.	Common Nighthawk <i>Chordeiles minor</i>	1.56%
157.	Yellow-billed Cuckoo <i>Coccyzus americanus</i>	1.54%
158.	Gray Kingbird <i>Tyrannus dominicensis</i>	1.54%
159.	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	1.52%
160.	Merlin <i>Falco columbarius</i>	1.42%
161.	Least Bittern <i>Ixobrychus exilis</i>	1.39%
162.	Baltimore Oriole <i>Icterus galbula</i>	1.37%
163.	Bufflehead <i>Bucephala albeola</i>	1.36%
164.	Gray-headed Swamphen <i>Porphyrio poliocephalus</i>	1.36%
165.	Lesser Black-backed Gull <i>Larus fuscus</i>	1.34%
166.	Wilson's Plover <i>Anarhynchus wilsonia</i>	1.32%
167.	Hermit Thrush <i>Catharus guttatus</i>	1.30%
168.	Bonaparte's Gull <i>Chroicocephalus philadelphia</i>	1.28%
169.	Snail Kite <i>Rostrhamus sociabilis</i>	1.27%
170.	Blue Grosbeak <i>Passerina caerulea</i>	1.19%
171.	Green-winged Teal <i>Anas crecca</i>	1.18%
172.	Hooded Warbler <i>Setophaga citrina</i>	1.14%
173.	Yellow Warbler <i>Setophaga petechia</i>	1.12%
174.	Florida Scrub-Jay <i>Aphelocoma coerulescens</i>	1.11%

175.	Blackpoll Warbler <i>Setophaga striata</i>	1.10%
176.	Marbled Godwit <i>Limosa fedoa</i>	1.10%
177.	American Bittern <i>Botaurus lentiginosus</i>	1.08%
178.	Peregrine Falcon <i>Falco peregrinus</i>	1.04%
179.	Short-tailed Hawk <i>Buteo brachyurus</i>	1.01%
180.	Sharp-shinned Hawk <i>Accipiter striatus</i>	0.9887%
181.	Redhead <i>Aythya americana</i>	0.9739%
182.	Worm-eating Warbler <i>Helmitheros vermivorum</i>	0.9729%
183.	Eastern Wood-Pewee <i>Contopus virens</i>	0.9723%
184.	Crested Caracara <i>Caracara plancus</i>	0.9709%
185.	Northern Gannet <i>Morus bassanus</i>	0.9688%
186.	Red Knot <i>Calidris canutus</i>	0.9661%
187.	American Wigeon <i>Mareca americana</i>	0.9652%
188.	Song Sparrow <i>Melospiza melodia</i>	0.9628%
189.	Semipalmated Sandpiper <i>Calidris pusilla</i>	0.9414%
190.	Prothonotary Warbler <i>Protonotaria citrea</i>	0.9357%
191.	Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	0.9284%
192.	Magnolia Warbler <i>Setophaga magnolia</i>	0.9280%
193.	Piping Plover <i>Charadrius melodus</i>	0.8806%
194.	Ruddy Duck <i>Oxyura jamaicensis</i>	0.8793%
195.	Mississippi Kite <i>Ictinia mississippiensis</i>	0.8744%
196.	White-crowned Pigeon <i>Patagioenas leucocephala</i>	0.8487%
197.	Sedge Wren <i>Cistothorus stellaris</i>	0.8479%

198.	Chuck-will's-widow <i>Antrostomus carolinensis</i>	0.8282%
199.	Bachman's Sparrow <i>Peucaea aestivalis</i>	0.7997%
200.	American Avocet <i>Recurvirostra americana</i>	0.7879%
201.	Swainson's Thrush <i>Catharus ustulatus</i>	0.7825%
202.	Solitary Sandpiper <i>Tringa solitaria</i>	0.7761%
203.	Eastern Screech-Owl <i>Megascops asio</i>	0.7609%
204.	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	0.7568%
205.	Horned Grebe <i>Podiceps auritus</i>	0.7404%
206.	Black-throated Green Warbler <i>Setophaga virens</i>	0.7072%
207.	Snowy Plover <i>Anarhynchus nivosus</i>	0.6996%
208.	Tennessee Warbler <i>Leiothlypis peregrina</i>	0.6819%
209.	Great Black-backed Gull <i>Larus marinus</i>	0.6676%
210.	Scarlet Tanager <i>Piranga olivacea</i>	0.6600%
211.	Orchard Oriole <i>Icterus spurius</i>	0.6265%
212.	Gadwall <i>Mareca strepera</i>	0.6104%
213.	Acadian Flycatcher <i>Empidonax virescens</i>	0.6029%
214.	King Rail <i>Rallus elegans</i>	0.5954%
215.	Northern Pintail <i>Anas acuta</i>	0.5834%
216.	Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	0.5806%
217.	Common Tern <i>Sterna hirundo</i>	0.5753%
218.	Bobolink <i>Dolichonyx oryzivorus</i>	0.5329%
219.	Burrowing Owl <i>Athene cunicularia</i>	0.5133%
220.	Broad-winged Hawk <i>Buteo platypterus</i>	0.4657%

221.	White-breasted Nuthatch <i>Sitta carolinensis</i>	0.4613%
222.	White-throated Sparrow <i>Zonotrichia albicollis</i>	0.4482%
223.	Veery <i>Catharus fuscescens</i>	0.4359%
224.	Stilt Sandpiper <i>Calidris himantopus</i>	0.4331%
225.	Black Tern <i>Chlidonias niger</i>	0.4213%
226.	Pectoral Sandpiper <i>Calidris melanotos</i>	0.4151%
227.	Red-cockaded Woodpecker <i>Dryobates borealis</i>	0.4141%
228.	Louisiana Waterthrush <i>Parkesia motacilla</i>	0.4075%
229.	Chestnut-sided Warbler <i>Setophaga pensylvanica</i>	0.4047%
230.	Grasshopper Sparrow <i>Ammodramus savannarum</i>	0.3784%
231.	Whimbrel <i>Numenius phaeopus</i>	0.3658%
232.	Western Kingbird <i>Tyrannus verticalis</i>	0.3639%
233.	Spot-breasted Oriole <i>Icterus pectoralis</i>	0.3565%
234.	Bank Swallow <i>Riparia riparia</i>	0.3375%
235.	Blackburnian Warbler <i>Setophaga fusca</i>	0.3370%
236.	Greater Scaup <i>Aythya marila</i>	0.3287%
237.	Vesper Sparrow <i>Pooecetes gramineus</i>	0.3265%
238.	Wood Thrush <i>Hylocichla mustelina</i>	0.3196%
239.	Black Scoter <i>Melanitta americana</i>	0.3186%
240.	White-crowned Sparrow <i>Zonotrichia leucophrys</i>	0.3113%
241.	Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	0.3096%
242.	Black-whiskered Vireo <i>Vireo altiloquus</i>	0.3044%
243.	Canvasback <i>Aythya valisineria</i>	0.3015%

244.	Gull-billed Tern <i>Gelochelidon nilotica</i>	0.2926%
245.	Gray-cheeked Thrush <i>Catharus minimus</i>	0.2926%
246.	Bay-breasted Warbler <i>Setophaga castanea</i>	0.2831%
247.	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	0.2806%
248.	Common Myna <i>Acridotheres tristis</i>	0.2696%
249.	Virginia Rail <i>Rallus limicola</i>	0.2630%
250.	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	0.2611%
251.	Barn Owl <i>Tyto alba</i>	0.2424%
252.	Hairy Woodpecker <i>Dryobates villosus</i>	0.2211%
253.	American Flamingo <i>Phoenicopterus ruber</i>	0.2173%
254.	Mitred Parakeet <i>Psittacara mitratus</i>	0.2152%
255.	American Pipit <i>Anthus rubescens</i>	0.2106%
256.	Bronzed Cowbird <i>Molothrus aeneus</i>	0.2023%
257.	Blue-winged Warbler <i>Vermivora cyanoptera</i>	0.2015%
258.	Field Sparrow <i>Spizella pusilla</i>	0.1955%
259.	Kentucky Warbler <i>Geothlypis formosa</i>	0.1784%
260.	Pine Siskin <i>Spinus pinus</i>	0.1776%
261.	Swainson's Warbler <i>Limnothlypis swainsonii</i>	0.1726%
262.	Sooty Tern <i>Onychoprion fuscatus</i>	0.1685%
263.	Yellow-breasted Chat <i>Icteria virens</i>	0.1681%
264.	Cave Swallow <i>Petrochelidon fulva</i>	0.1657%
265.	Brown Booby <i>Sula leucogaster</i>	0.1617%
266.	Seaside Sparrow <i>Ammospiza maritima</i>	0.1576%

267.	Eastern Whip-poor-will <i>Antrostomus vociferus</i>	0.1547%
268.	Common Goldeneye <i>Bucephala clangula</i>	0.1502%
269.	Golden-crowned Kinglet <i>Regulus satrapa</i>	0.1459%
270.	White-rumped Sandpiper <i>Calidris fuscicollis</i>	0.1449%
271.	Ash-throated Flycatcher <i>Myiarchus cinerascens</i>	0.1420%
272.	Mangrove Cuckoo <i>Coccyzus minor</i>	0.1377%
273.	Least Flycatcher <i>Empidonax minimus</i>	0.1345%
274.	Brown Noddy <i>Anous stolidus</i>	0.1318%
275.	Whooping Crane <i>Grus americana</i>	0.1310%
276.	Tropical Kingbird <i>Tyrannus melancholicus</i>	0.1297%
277.	Snow Goose <i>Anser caerulescens</i>	0.1195%
278.	Nelson's Sparrow <i>Ammospiza nelsoni</i>	0.1040%
279.	Rufous Hummingbird <i>Selasphorus rufus</i>	0.1034%
280.	Wilson's Warbler <i>Cardellina pusilla</i>	0.1032%
281.	White-tailed Kite <i>Elanus leucurus</i>	0.1011%
282.	Dickcissel <i>Spiza americana</i>	0.0994%
283.	Western Tanager <i>Piranga ludoviciana</i>	0.0993%
284.	Smooth-billed Ani <i>Crotophaga ani</i>	0.0982%
285.	Shiny Cowbird <i>Molothrus bonariensis</i>	0.0973%
286.	Surf Scoter <i>Melanitta perspicillata</i>	0.0957%
287.	Red-whiskered Bulbul <i>Pycnonotus jocosus</i>	0.0937%
288.	Nashville Warbler <i>Leiothlypis ruficapilla</i>	0.0922%
289.	Lincoln's Sparrow <i>Melospiza lincolnii</i>	0.0887%

290.	Purple Finch <i>Haemorhous purpureus</i>	0.0851%
291.	Clay-colored Sparrow <i>Spizella pallida</i>	0.0846%
292.	Masked Booby <i>Sula dactylatra</i>	0.0823%
293.	White-faced Ibis <i>Plegadis chihi</i>	0.0797%
294.	Yellow-headed Blackbird <i>Xanthocephalus xanthocephalus</i>	0.0790%
295.	Golden-winged Warbler <i>Vermivora chrysoptera</i>	0.0783%
296.	Pomarine Jaeger <i>Stercorarius pomarinus</i>	0.0757%
297.	Parasitic Jaeger <i>Stercorarius parasiticus</i>	0.0747%
298.	Cinnamon Teal <i>Spatula cyanoptera</i>	0.0721%
299.	Cerulean Warbler <i>Setophaga cerulea</i>	0.0718%
300.	Red-breasted Nuthatch <i>Sitta canadensis</i>	0.0711%
301.	Purple Sandpiper <i>Calidris maritima</i>	0.0695%
302.	American Woodcock <i>Scolopax minor</i>	0.0692%
303.	Roseate Tern <i>Sterna dougallii</i>	0.0677%
304.	Swainson's Hawk <i>Buteo swainsoni</i>	0.0623%
305.	Wilson's Phalarope <i>Phalaropus tricolor</i>	0.0623%
306.	Bridled Tern <i>Onychoprion anaethetus</i>	0.0620%
307.	Antillean Nighthawk <i>Chordeiles gundlachii</i>	0.0611%
308.	Philadelphia Vireo <i>Vireo philadelphicus</i>	0.0609%
309.	Rusty Blackbird <i>Euphagus carolinus</i>	0.0598%
310.	Lark Sparrow <i>Chondestes grammacus</i>	0.0580%
311.	Neotropic Cormorant <i>Nannopterum brasilianum</i>	0.0554%

312.	Long-billed Curlew <i>Numenius americanus</i>	0.0524%
313.	Saltmarsh Sparrow <i>Ammospiza caudacuta</i>	0.0522%
314.	American Golden-Plover <i>Pluvialis dominica</i>	0.0504%
315.	Upland Sandpiper <i>Bartramia longicauda</i>	0.0497%
316.	Franklin's Gull <i>Leucophaeus pipixcan</i>	0.0496%
317.	La Sagra's Flycatcher <i>Myiarchus sagrae</i>	0.0481%
318.	Bahama Mockingbird <i>Mimus gundlachii</i>	0.0464%
319.	Cory's Shearwater <i>Calonectris diomedea</i>	0.0450%
320.	Long-tailed Duck <i>Clangula hyemalis</i>	0.0447%
321.	Groove-billed Ani <i>Crotophaga sulcirostris</i>	0.0418%
322.	Buff-bellied Hummingbird <i>Amazilia yucatanensis</i>	0.0411%
323.	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	0.0405%
324.	American Black Duck <i>Anas rubripes</i>	0.0386%
325.	White-winged Scoter <i>Melanitta deglandi</i>	0.0386%
326.	Henslow's Sparrow <i>Centronyx henslowii</i>	0.0385%
327.	Western Spindalis <i>Spindalis zena</i>	0.0383%
328.	Audubon's Shearwater <i>Puffinus lherminieri</i>	0.0374%
329.	Black-chinned Hummingbird <i>Archilochus alexandri</i>	0.0365%
330.	Bell's Vireo <i>Vireo bellii</i>	0.0355%
331.	Winter Wren <i>Troglodytes hiemalis</i>	0.0345%
332.	Connecticut Warbler <i>Oporornis agilis</i>	0.0345%
333.	White-winged Parakeet <i>Brotogeris versicolurus</i>	0.0337%

334.	Dark-eyed Junco <i>Junco hyemalis</i>	0.0325%
335.	Black-faced Grassquit <i>Melanospiza bicolor</i>	0.0322%
336.	Greater White-fronted Goose <i>Anser albifrons</i>	0.0309%
337.	Buff-breasted Sandpiper <i>Calidris subruficollis</i>	0.0309%
338.	Common Eider <i>Somateria mollissima</i>	0.0308%
339.	Canada Warbler <i>Cardellina canadensis</i>	0.0295%
340.	Large-billed Tern <i>Phaetusa simplex</i>	0.0285%
341.	Alder Flycatcher <i>Empidonax alnorum</i>	0.0285%
342.	Fork-tailed Flycatcher <i>Tyrannus savana</i>	0.0281%
343.	Great Shearwater <i>Ardenna gravis</i>	0.0280%
344.	Short-eared Owl <i>Asio flammeus</i>	0.0278%
345.	Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	0.0267%
346.	Eared Grebe <i>Podiceps nigricollis</i>	0.0260%
347.	Iceland Gull <i>Larus glaucooides</i>	0.0259%
348.	Thick-billed Vireo <i>Vireo crassirostris</i>	0.0258%
349.	Ruff <i>Calidris pugnax</i>	0.0257%
350.	Brewer's Blackbird <i>Euphagus cyanocephalus</i>	0.0252%
351.	Least Grebe <i>Tachybaptus dominicus</i>	0.0251%
352.	Cassin's Kingbird <i>Tyrannus vociferans</i>	0.0251%
353.	Red-necked Phalarope <i>Phalaropus lobatus</i>	0.0242%
354.	Red-throated Loon <i>Gavia stellata</i>	0.0238%
355.	Glaucous Gull <i>Larus hyperboreus</i>	0.0234%
356.	Black Rail <i>Laterallus jamaicensis</i>	0.0234%

357.	Heermann's Gull <i>Larus heermanni</i>	0.0233%
358.	Eurasian Wigeon <i>Mareca penelope</i>	0.0222%
359.	Bullock's Oriole <i>Icterus bullockii</i>	0.0220%
360.	Black-legged Kittiwake <i>Rissa tridactyla</i>	0.0219%
361.	Ross's Goose <i>Anser rossii</i>	0.0211%
362.	Warbling Vireo <i>Vireo gilvus</i>	0.0210%
363.	Lesser Nighthawk <i>Chordeiles acutipennis</i>	0.0203%
364.	Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	0.0200%
365.	LeConte's Sparrow <i>Ammospiza leconteii</i>	0.0199%
366.	Vaux's Swift <i>Chaetura vauxi</i>	0.0198%
367.	Brown Creeper <i>Certhia americana</i>	0.0190%
368.	Black Noddy <i>Anous minutus</i>	0.0186%
369.	Great Cormorant <i>Phalacrocorax carbo</i>	0.0184%
370.	Black-throated Gray Warbler <i>Setophaga nigrescens</i>	0.0175%
371.	White Wagtail <i>Motacilla alba</i>	0.0171%
372.	Bananaquit <i>Coereba flaveola</i>	0.0162%
373.	Yellow-bellied Flycatcher <i>Empidonax flaviventris</i>	0.0153%
374.	Harlequin Duck <i>Histrionicus histrionicus</i>	0.0152%
375.	Razorbill <i>Alca torda</i>	0.0149%
376.	Baird's Sandpiper <i>Calidris bairdii</i>	0.0148%
377.	Calliope Hummingbird <i>Selasphorus calliope</i>	0.0148%
378.	Leach's Storm-Petrel <i>Hydrobates leucorhous</i>	0.0145%

379.	Zenaida Dove <i>Zenaida aurita</i>	0.0142%
380.	Cuban Pewee <i>Contopus caribaeus</i>	0.0142%
381.	Brant <i>Branta bernicla</i>	0.0140%
382.	Tricolored Munia <i>Lonchura malacca</i>	0.0137%
383.	Red-legged Thrush <i>Turdus plumbeus</i>	0.0136%
384.	Arctic Tern <i>Sterna paradisaea</i>	0.0131%
385.	Great-tailed Grackle <i>Quiscalus mexicanus</i>	0.0128%
386.	Green-tailed Towhee <i>Pipilo chlorurus</i>	0.0121%
387.	Willow Flycatcher <i>Empidonax traillii</i>	0.0121%
388.	Black-headed Gull <i>Chroicocephalus ridibundus</i>	0.0120%
389.	Red-necked Grebe <i>Podiceps grisegena</i>	0.0120%
390.	Bar-tailed Godwit <i>Limosa lapponica</i>	0.0119%
391.	Yellow-green Vireo <i>Vireo flavoviridis</i>	0.0117%
392.	White-cheeked Pintail <i>Anas bahamensis</i>	0.0117%
393.	Hudsonian Godwit <i>Limosa haemastica</i>	0.0112%
394.	Red-legged Honeycreeper <i>Cyanerpes cyaneus</i>	0.0111%
395.	Say's Phoebe <i>Sayornis saya</i>	0.0108%
396.	Fox Sparrow <i>Passerella iliaca</i>	0.0108%
397.	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	0.0107%
398.	Harris's Sparrow <i>Zonotrichia querula</i>	0.0105%
399.	Broad-billed Hummingbird <i>Cynanthus latirostris</i>	0.0104%
400.	Lazuli Bunting <i>Passerina amoena</i>	0.0104%
401.	Band-rumped Storm-Petrel <i>Hydrobates castro</i>	0.0103%

402.	Lapland Longspur <i>Calcarius lapponicus</i>	0.0096%
403.	Hammond's Flycatcher <i>Empidonax hammondii</i>	0.0093%
404.	Couch's Kingbird <i>Tyrannus couchii</i>	0.0092%
405.	Key West Quail-Dove <i>Geotrygon chrysis</i>	0.0092%
406.	Horned Lark <i>Eremophila alpestris</i>	0.0090%
407.	Townsend's Warbler <i>Setophaga townsendi</i>	0.0088%
408.	Gray Gull <i>Leucophaeus modestus</i>	0.0087%
409.	Mountain Bluebird <i>Sialia currucoides</i>	0.0087%
410.	Western Flycatcher <i>Empidonax difficilis</i>	0.0086%
411.	Piratic Flycatcher <i>Legatus leucophaeus</i>	0.0085%
412.	Olive-sided Flycatcher <i>Contopus cooperi</i>	0.0083%
413.	Kirtland's Warbler <i>Setophaga kirtlandii</i>	0.0081%
414.	King Eider <i>Somateria spectabilis</i>	0.0080%
415.	Sabine's Gull <i>Xema sabini</i>	0.0075%
416.	Antillean Palm Swift <i>Tachornis phoenicobia</i>	0.0073%
417.	Pacific Golden-Plover <i>Pluvialis fulva</i>	0.0072%
418.	Black-capped Petrel <i>Pterodroma hasitata</i>	0.0070%
419.	Yellow-headed Caracara <i>Daptrius chimachima</i>	0.0070%
420.	Pacific Loon <i>Gavia pacifica</i>	0.0067%
421.	Sooty Shearwater <i>Ardenna grisea</i>	0.0066%
422.	Sprague's Pipit <i>Anthus spragueii</i>	0.0065%
423.	Snowy Owl <i>Bubo scandiacus</i>	0.0064%
424.	Budgerigar <i>Melopsittacus undulatus</i>	0.0063%

425.	Masked Duck <i>Nomonyx dominicus</i>	0.0061%
426.	Elegant Tern <i>Thalasseus elegans</i>	0.0058%
427.	Variegated Flycatcher <i>Empidonomus varius</i>	0.0057%
428.	Red-billed Tropicbird <i>Phaethon aethereus</i>	0.0056%
429.	Gray-tailed Tattler <i>Tringa brevipes</i>	0.0054%
430.	California Gull <i>Larus californicus</i>	0.0053%
431.	Red-footed Booby <i>Sula sula</i>	0.0049%
432.	Red Phalarope <i>Phalaropus fulicarius</i>	0.0049%
433.	Common Merganser <i>Mergus merganser</i>	0.0046%
434.	Snow Bunting <i>Plectrophenax nivalis</i>	0.0042%
435.	White-tailed Tropicbird <i>Phaethon lepturus</i>	0.0040%
436.	Dark-billed Cuckoo <i>Coccyzus melacoryphus</i>	0.0039%
437.	Hooded Oriole <i>Icterus cucullatus</i>	0.0039%
438.	Bicknell's Thrush <i>Catharus bicknelli</i>	0.0038%
439.	Cuban Vireo <i>Vireo gundlachii</i>	0.0038%
440.	Spotted Towhee <i>Pipilo maculatus</i>	0.0037%
441.	Inca Dove <i>Columbina inca</i>	0.0037%
442.	Long-tailed Jaeger <i>Stercorarius longicaudus</i>	0.0034%
443.	Tundra Swan <i>Cygnus columbianus</i>	0.0033%
444.	Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	0.0031%
445.	Lesser Goldfinch <i>Spinus psaltria</i>	0.0028%
446.	Mourning Warbler <i>Geothlypis philadelphia</i>	0.0028%

447.	Bahama Woodstar <i>Nesophlox evelynae</i>	0.0027%
448.	Curlew Sandpiper <i>Calidris ferruginea</i>	0.0027%
449.	South Polar Skua <i>Stercorarius maccormicki</i>	0.0026%
450.	Loggerhead Kingbird <i>Tyrannus caudifasciatus</i>	0.0026%
451.	Northern Wheatear <i>Oenanthe oenanthe</i>	0.0026%
452.	Scott's Oriole <i>Icterus parisorum</i>	0.0024%
453.	Manx Shearwater <i>Puffinus puffinus</i>	0.0021%
454.	Little Bunting <i>Emberiza pusilla</i>	0.0021%
455.	Western Grebe <i>Aechmophorus occidentalis</i>	0.0021%
456.	Greater Sand-Plover <i>Anarhynchus leschenaultii</i>	0.0019%
457.	Hermit Warbler <i>Setophaga occidentalis</i>	0.0018%
458.	Western Meadowlark <i>Sturnella neglecta</i>	0.0016%
459.	Townsend's Solitaire <i>Myadestes townsendi</i>	0.0015%
460.	Allen's Hummingbird <i>Selasphorus sasin</i>	0.0014%
461.	Golden-crowned Sparrow <i>Zonotrichia atricapilla</i>	0.0014%
462.	Sulphur-bellied Flycatcher <i>Myiodynastes luteiventris</i>	0.0012%
463.	Rough-legged Hawk <i>Buteo lagopus</i>	0.0011%
464.	Yellow-faced Grassquit <i>Tiaris olivaceus</i>	0.0010%
465.	Bahama Swallow <i>Tachycineta cyaneoviridis</i>	0.0010%
466.	Eurasian Kestrel <i>Falco tinnunculus</i>	0.0009%
467.	Yellow Rail <i>Coturnicops noveboracensis</i>	0.0009%
468.	Thick-billed Murre <i>Uria lomvia</i>	0.0009%

469.	Costa's Hummingbird <i>Calypte costae</i>	0.0008%
470.	Golden Eagle <i>Aquila chrysaetos</i>	0.0007%
471.	Lark Bunting <i>Calamospiza melanocorys</i>	0.0007%
472.	Cackling Goose <i>Branta hutchinsii</i>	0.0006%
473.	Western Wood-Pewee <i>Contopus sordidulus</i>	0.0006%
474.	Anna's Hummingbird <i>Calypte anna</i>	0.0006%
475.	Sage Thrasher <i>Oreoscoptes montanus</i>	0.0006%
476.	Red-necked Stint <i>Calidris ruficollis</i>	0.0005%
477.	Broad-tailed Hummingbird <i>Selasphorus platycercus</i>	0.0005%
478.	Varied Thrush <i>Ixoreus naevius</i>	0.0005%
479.	Northern Fulmar <i>Fulmarus glacialis</i>	0.0004%
480.	Kelp Gull <i>Larus dominicanus</i>	0.0004%
481.	Mangrove Swallow <i>Tachycineta albilinea</i>	0.0004%
482.	Surfbird <i>Calidris virgata</i>	0.0003%
483.	Little Gull <i>Hydrocoloeus minutus</i>	0.0003%
484.	Evening Grosbeak <i>Coccothraustes vespertinus</i>	0.0003%
485.	Northern Lapwing <i>Vanellus vanellus</i>	0.0003%
486.	Dovekie <i>Alle alle</i>	0.0003%
487.	Slaty-backed Gull <i>Larus schistisagus</i>	0.0003%
488.	Long-billed Murrelet <i>Brachyramphus perdix</i>	0.0002%
489.	White-tipped Dove <i>Leptotila verreauxi</i>	0.0002%
490.	Violet-green Swallow <i>Tachycineta thalassina</i>	0.0002%

491.	Bewick's Wren <i>Thryomanes bewickii</i>	0.0002%
492.	Ruddy Quail-Dove <i>Geotrygon montana</i>	0.0002%
493.	Siberian Sand-Plover <i>Anarhynchus mongolus</i>	0.0002%
494.	Black-tailed Godwit <i>Limosa limosa</i>	0.0002%
495.	Ivory-billed Woodpecker <i>Campephilus principalis</i>	0.0002%
496.	Pearly-eyed Thrasher <i>Margarops fuscatus</i>	0.0002%
497.	Mountain Plover <i>Anarhynchus montanus</i>	0.0001%
498.	Wedge-tailed Shearwater <i>Ardenna pacifica</i>	0.0001%
499.	European Storm-Petrel <i>Hydrobates pelagicus</i>	0.0001%
500.	Ferruginous Hawk <i>Buteo regalis</i>	0.0001%
501.	Long-eared Owl <i>Asio otus</i>	0.0001%
502.	Scaly-naped Pigeon <i>Patagioenas squamosa</i>	0.0000%
503.	Black Swift <i>Cypseloides niger</i>	0.0000%
504.	White-collared Swift <i>Streptoprocne zonaris</i>	0.0000%
505.	Atlantic Puffin <i>Fratercula arctica</i>	0.0000%
506.	Black Guillemot <i>Cephus grylle</i>	0.0000%
507.	Common Murre <i>Uria aalge</i>	0.0000%
508.	Black-tailed Gull <i>Larus crassirostris</i>	0.0000%
509.	Yellow-legged Gull <i>Larus michahellis</i>	0.0000%
510.	Atlantic Yellow-nosed Albatross <i>Thalassarche chlororhynchos</i>	0.0000%
511.	Fea's Petrel <i>Pterodroma feae</i>	0.0000%
512.	Double-toothed Kite <i>Harpagus bidentatus</i>	0.0000%

513.	American Goshawk <i>Accipiter atricapillus</i>	0.0000%
514.	Flammulated Owl <i>Psiloscopus flammeolus</i>	0.0000%
515.	Northern Saw-whet Owl <i>Aegolius acadicus</i>	0.0000%
516.	Carolina Parakeet <i>Conuropsis carolinensis</i>	0.0000%
517.	Brown-chested Martin <i>Progne tapera</i>	0.0000%
518.	Rock Wren <i>Salpinctes obsoletus</i>	0.0000%
519.	European Robin <i>Erithacus rubecula</i>	0.0000%
520.	Common Redpoll <i>Acanthis flammea</i>	0.0000%
521.	Chestnut-collared Longspur <i>Calcarius ornatus</i>	0.0000%
522.	American Tree Sparrow <i>Spizelloides arborea</i>	0.0000%
523.	Golden-cheeked Warbler <i>Setophaga chrysoparia</i>	0.0000%
524.	European Turtle-Dove <i>Streptopelia turtur</i>	0.0000%
525.	Sharp-tailed Sandpiper <i>Calidris acuminata</i>	0.0000%
526.	Gray-hooded Gull <i>Chroicocephalus cirrocephalus</i>	0.0000%
527.	Belcher's Gull <i>Larus belcheri</i>	0.0000%
528.	Short-tailed Shearwater <i>Ardenna tenuirostris</i>	0.0000%
529.	Scarlet Ibis <i>Eudocimus ruber</i>	0.0000%
530.	Zone-tailed Hawk <i>Buteo albonotatus</i>	0.0000%
531.	Stygian Owl <i>Asio stygius</i>	0.0000%
532.	Golden-fronted Woodpecker <i>Melanerpes aurifrons</i>	0.0000%
533.	Cuban Martin <i>Progne cryptoleuca</i>	0.0000%
534.	Southern Martin <i>Progne elegans</i>	0.0000%

535.	Curve-billed Thrasher <i>Toxostoma curvirostre</i>	0.0000%
536.	Smith's Longspur <i>Calcarius pictus</i>	0.0000%
537.	Black-throated Sparrow <i>Amphispiza bilineata</i>	0.0000%
538.	Tawny-shouldered Blackbird <i>Agelaius humeralis</i>	0.0000%
539.	Bachman's Warbler <i>Vermivora bachmanii</i>	0.0000%
EXOTIC: PROVISIONAL		
540.	Indian Peafowl <i>Pavo cristatus</i>	0.4024% frequency
541.	Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	0.3174%
542.	Scaly-breasted Munia <i>Lonchura punctulata</i>	0.2807%
543.	Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	0.2042%
544.	Red-masked Parakeet <i>Psittacara erythrogenys</i>	0.1474%
545.	Red Junglefowl <i>Gallus gallus</i>	0.1402%
546.	Orange-winged Parrot <i>Amazona amazonica</i>	0.1101%
547.	Blue-and-yellow Macaw <i>Ara ararauna</i>	0.0647%
548.	Chestnut-fronted Macaw <i>Ara severus</i>	0.0599%
549.	Common Hill Myna <i>Gracula religiosa</i>	0.0557%
550.	Red-crowned Parrot <i>Amazona viridigenalis</i>	0.0388%
551.	White-eyed Parakeet <i>Psittacara leucophthalmus</i>	0.0363%
552.	Rose-ringed Parakeet <i>Psittacula krameri</i>	0.0284%
553.	House Crow <i>Corvus splendens</i>	0.0104%
554.	Great White Pelican <i>Pelecanus onocrotalus</i>	0.0033%
555.	Brewer's Sparrow <i>Spizella breweri</i>	0.0000%

EXOTIC: ESCAPEE

Mute Swan <i>Cygnus olor</i>	0.2380% frequency
Graylag Goose <i>Anser anser</i>	0.1351%
Swan Goose <i>Anser cygnoides</i>	0.1216%
Black Swan <i>Cygnus atratus</i>	0.0891%
Helmeted Guineafowl <i>Numida meleagris</i>	0.0354%
Black-necked Swan <i>Cygnus melancoryphus</i>	0.0323%
Trumpeter Swan <i>Cygnus buccinator</i>	0.0223%
Mandarin Duck <i>Aix galericulata</i>	0.0142%
Whooper Swan <i>Cygnus cygnus</i>	0.0126%
Ruddy Shelduck <i>Tadorna ferruginea</i>	0.0122%
Common Shelduck <i>Tadorna tadorna</i>	0.0096%
Cockatiel <i>Nymphicus hollandicus</i>	0.0084%
Coscoroba Swan <i>Coscoroba coscoroba</i>	0.0074%
Crimson-fronted Parakeet <i>Psittacara finschi</i>	0.0070%
Green Parakeet <i>Psittacara holochlorus</i>	0.0066%
Lilac-crowned Parrot <i>Amazona finschi</i>	0.0059%
White-faced Whistling-Duck <i>Dendrocygna viduata</i>	0.0058%
Tropical Mockingbird <i>Mimus gilvus</i>	0.0049%
Yellow-crowned Parrot <i>Amazona ochrocephala</i>	0.0044%
Ring-necked Pheasant <i>Phasianus colchicus</i>	0.0039%
Bar-headed Goose <i>Anser indicus</i>	0.0038%

Zebra Finch <i>Taeniopygia guttata</i>	0.0038%
Red-crested Pochard <i>Netta rufina</i>	0.0037%
Ringed Teal <i>Callonetta leucophrys</i>	0.0033%
Turquoise-fronted Parrot <i>Amazona aestiva</i>	0.0033%
African Collared-Dove <i>Streptopelia roseogrisea</i>	0.0027%
Red-legged Partridge <i>Alectoris rufa</i>	0.0023%
Northern Red Bishop <i>Euplectes franciscanus</i>	0.0022%
Great Black Hawk <i>Buteogallus urubitinga</i>	0.0022%
Scaly-headed Parrot <i>Pionus maximiliani</i>	0.0019%
Pin-tailed Whydah <i>Vidua macroura</i>	0.0019%
Rosy-faced Lovebird <i>Agapornis roseicollis</i>	0.0018%
Yellow-collared Lovebird <i>Agapornis personatus</i>	0.0016%
Saffron Finch <i>Sicalis flaveola</i>	0.0016%
Pied Crow <i>Corvus albus</i>	0.0014%
Green Peafowl <i>Pavo muticus</i>	0.0013%
White-fronted Parrot <i>Amazona albifrons</i>	0.0012%
Giant Wood-Rail <i>Aramides ypecaha</i>	0.0010%
Yellow-fronted Canary <i>Crithagra mozambica</i>	0.0008%
Silver-beaked Tanager <i>Ramphocelus carbo</i>	0.0008%
African Sacred Ibis <i>Threskiornis aethiopicus</i>	0.0007%
San Blas Jay <i>Cyanocorax sanblasianus</i>	0.0007%
Orange-cheeked Waxbill <i>Estrilda melpoda</i>	0.0007%

Blue-gray Tanager <i>Thraupis episcopus</i>	0.0006%
Cuban Grassquit <i>Phonipara canora</i>	0.0006%
Yellow-headed Parrot <i>Amazona oratrix</i>	0.0006%
Barnacle Goose <i>Branta leucopsis</i>	0.0005%
Diamond Dove <i>Geopelia cuneata</i>	0.0005%
Village Weaver <i>Ploceus cucullatus</i>	0.0005%
Fischer's Lovebird <i>Agapornis fischeri</i>	0.0005%
Plumed Whistling-Duck <i>Dendrocygna eytoni</i>	0.0004%
Rosy-billed Pochard <i>Netta peposaca</i>	0.0004%
Dusky-headed Parakeet <i>Aratinga weddellii</i>	0.0004%
Cuban Bullfinch <i>Melopyrrha nigra</i>	0.0004%
Yellow-naped Parrot <i>Amazona auropalliata</i>	0.0003%
Black-casqued Hornbill <i>Ceratogymna atrata</i>	0.0003%
Lavender Waxbill <i>Glaucostrelda caerulescens</i>	0.0003%
Red-cheeked Cordonbleu <i>Uraeginthus bengalus</i>	0.0003%
Chiloe Wigeon <i>Mareca sibilatrix</i>	0.0003%
Gray Crowned-Crane <i>Balearica regulorum</i>	0.0003%
Yellow-rumped Cacique <i>Cacicus cela</i>	0.0003%
Red-lored Parrot <i>Amazona autumnalis</i>	0.0002%
Mealy Parrot <i>Amazona farinosa</i>	0.0002%
Sun Parakeet <i>Aratinga solstitialis</i>	0.0002%
Orange-fronted Parakeet <i>Eupsittula canicularis</i>	0.0002%

Scarlet Macaw <i>Ara macao</i>	0.0002%
West Indian Whistling-Duck <i>Dendrocygna arborea</i>	0.0001%
Hawaiian Goose <i>Branta sandvicensis</i>	0.0001%
Radjah Shelduck <i>Radjah radjah</i>	0.0001%
Harris's Hawk <i>Parabuteo unicinctus</i>	0.0001%
Sulphur-crested Cockatoo <i>Cacatua galerita</i>	0.0001%
Eastern Rosella <i>Platycercus eximius</i>	0.0001%
Southern Cordonbleu <i>Uraeginthus angolensis</i>	0.0001%
Red-billed Firefinch <i>Lagonosticta senegala</i>	0.0001%
Blue-winged Goose <i>Cyanochen cyanoptera</i>	0.0001%
Black-necked Stork <i>Ephippiorhynchus asiaticus</i>	0.0001%
Yellow-fronted Parrot <i>Poicephalus flavifrons</i>	0.0001%
Maroon-bellied Parakeet <i>Pyrrhura frontalis</i>	0.0001%
Peach-fronted Parakeet <i>Eupsittula aurea</i>	0.0001%
Military Macaw <i>Ara militaris</i>	0.0001%
Red-and-green Macaw <i>Ara chloropterus</i>	0.0001%
Scarlet-fronted Parakeet <i>Psittacara wagleri</i>	0.0001%
Long-tailed Glossy Starling <i>Lamprotornis caudatus</i>	0.0001%
Magpie Mannikin <i>Spermestes fringilloides</i>	0.0001%
European Goldfinch <i>Carduelis carduelis</i>	0.0001%
Magpie Goose <i>Anseranas semipalmata</i>	0.0000%
Orinoco Goose <i>Oressochen jubatus</i>	0.0000%

Blue-billed Teal <i>Spatula hottentota</i>	0.0000%
Chestnut Teal <i>Anas castanea</i>	0.0000%
Common Pochard <i>Aythya ferina</i>	0.0000%
Gray Partridge <i>Perdix perdix</i>	0.0000%
Japanese Quail <i>Coturnix japonica</i>	0.0000%
Chukar <i>Alectoris chukar</i>	0.0000%
Alexandrine Parakeet <i>Psittacula eupatria</i>	0.0000%
Plum-headed Parakeet <i>Psittacula cyanocephala</i>	0.0000%
Malabar Parakeet <i>Psittacula columboides</i>	0.0000%
Red-breasted Parakeet <i>Psittacula alexandri</i>	0.0000%
Crimson Rosella <i>Platycercus elegans</i>	0.0000%
Little Lorikeet <i>Parvipsitta pusilla</i>	0.0000%
Dusky Lory <i>Pseudeos fuscata</i>	0.0000%
Gray Parrot <i>Psittacus erithacus</i>	0.0000%
Hispaniolan Parrot <i>Amazona ventralis</i>	0.0000%
Black-headed Parrot <i>Pionites melanocephalus</i>	0.0000%
Green-cheeked Parakeet <i>Pyrrhura molinae</i>	0.0000%
Hyacinth Macaw <i>Anodorhynchus hyacinthinus</i>	0.0000%
Great Green Macaw <i>Ara ambiguus</i>	0.0000%
Hispaniolan Parakeet <i>Psittacara chloropterus</i>	0.0000%
Red-billed Leiothrix <i>Leiothrix lutea</i>	0.0000%
Superb Starling <i>Lamprotornis superbus</i>	0.0000%

Black-headed Weaver <i>Ploceus melanocephalus</i>	0.0000%
Southern Red Bishop <i>Euplectes orix</i>	0.0000%
Bronze Mannikin <i>Spermestes cucullata</i>	0.0000%
Black-and-white Mannikin <i>Spermestes bicolor</i>	0.0000%
Java Sparrow <i>Padda oryzivora</i>	0.0000%
Zebra Waxbill <i>Amandava subflava</i>	0.0000%
Red Avadavat <i>Amandava amandava</i>	0.0000%
Village Indigobird <i>Vidua chalybeata</i>	0.0000%
Island Canary <i>Serinus canaria</i>	0.0000%
Venezuelan Troupial <i>Icterus icterus</i>	0.0000%
Paradise Tanager <i>Tangara chilensis</i>	0.0000%
Emu <i>Dromaius novaehollandiae</i>	0.0000%
South African Shelduck <i>Tadorna cana</i>	0.0000%
California Quail <i>Callipepla californica</i>	0.0000%
Gambel's Quail <i>Callipepla gambelii</i>	0.0000%
Golden Pheasant <i>Chrysolophus pictus</i>	0.0000%
Green Pheasant <i>Phasianus versicolor</i>	0.0000%
Silver Pheasant <i>Lophura nycthemera</i>	0.0000%
Ring-necked Dove <i>Streptopelia capicola</i>	0.0000%
White-cheeked Turaco <i>Menelikornis leucotis</i>	0.0000%
African Woolly-necked Stork <i>Ciconia microscelis</i>	0.0000%
Eurasian Spoonbill <i>Platalea leucorodia</i>	0.0000%

Northern Red-billed Hornbill <i>Tockus erythrorhynchus</i>	0.0000%
Blue-bellied Roller <i>Coracias cyanogaster</i>	0.0000%
Galah <i>Eolophus roseicapilla</i>	0.0000%
White Cockatoo <i>Cacatua alba</i>	0.0000%
Chattering Lory <i>Lorius garrulus</i>	0.0000%
Red Lory <i>Eos bornea</i>	0.0000%
Red-spectacled Parrot <i>Amazona pretrei</i>	0.0000%
Yellow-shouldered Parrot <i>Amazona barbadensis</i>	0.0000%
Golden Parakeet <i>Guaruba guarouba</i>	0.0000%
Red-shouldered Macaw <i>Diopsittaca nobilis</i>	0.0000%
Black-throated Magpie-Jay <i>Calocitta colliei</i>	0.0000%
Black-billed Magpie <i>Pica hudsonia</i>	0.0000%
Crested Myna <i>Acridotheres cristatellus</i>	0.0000%
Gouldian Finch <i>Chloebia gouldiae</i>	0.0000%
Common Waxbill <i>Estrilda astrild</i>	0.0000%
Red-crested Cardinal <i>Paroaria coronata</i>	0.0000%
Purple Honeycreeper <i>Cyanerpes caeruleus</i>	0.0000%

HYBRIDS

Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	1.94% frequency ■
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0322%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	0.0127%

Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0089%
Graylag x Swan Goose (hybrid) <i>Anser anser x cygnoides</i>	0.0087%
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	0.0027%
Swan Goose x Canada Goose (hybrid) <i>Anser cygnoides x Branta canadensis</i>	0.0022%
Tropical x Gray Kingbird (hybrid) <i>Tyrannus melancholicus x dominicensis</i>	0.0021%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0019%
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	0.0019%
Brewster's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F1 hybrid)</i>	0.0018%
Herring x Glaucous Gull (hybrid) <i>Larus argentatus x hyperboreus</i>	0.0016%
Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	0.0013%
Lawrence's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F2 backcross)</i>	0.0013%
Herring x Lesser Black-backed Gull (hybrid) <i>Larus argentatus x fuscus</i>	0.0011%
Redhead x Ring-necked Duck (hybrid) <i>Aythya americana x collaris</i>	0.0009%
Graylag x Canada Goose (hybrid) <i>Anser anser x Branta canadensis</i>	0.0009%
Golden-winged x Blue-winged Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera</i>	0.0008%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0007%

Eurasian x American Wigeon (hybrid) <i>Mareca penelope x americana</i>	0.0006%
Indigo x Painted Bunting (hybrid) <i>Passerina cyanea x ciris</i>	0.0006%
Mallard x American Black Duck (hybrid) <i>Anas platyrhynchos x rubripes</i>	0.0005%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0005%
Mallard x Eastern Spot-billed Duck (hybrid) <i>Anas platyrhynchos x zonorhyncha</i>	0.0004%
Bahama x Northern Mockingbird (hybrid) <i>Mimus gundlachii x polyglottos</i>	0.0004%
Snow x Ross's Goose (hybrid) <i>Anser caerulescens x rossii</i>	0.0003%
Tropical x Northern Mockingbird (hybrid) <i>Mimus gilvus x polyglottos</i>	0.0003%
Blue-winged x Green-winged Teal (hybrid) <i>Spatula discors x Anas crecca</i>	0.0003%
Redhead x Lesser Scaup (hybrid) <i>Aythya americana x affinis</i>	0.0003%
Rufous x Allen's Hummingbird (hybrid) <i>Selasphorus rufus x sasin</i>	0.0003%
Canvasback x Redhead (hybrid) <i>Aythya valisineria x americana</i>	0.0002%
Magnolia x Palm Warbler (hybrid) <i>Setophaga magnolia x palmarum</i>	0.0002%
Blue-winged Teal x Northern Shoveler (hybrid) <i>Spatula discors x clypeata</i>	0.0002%
House x Fish Crow (hybrid) <i>Corvus splendens x ossifragus</i>	0.0002%
Sandwich x Elegant Tern (hybrid) <i>Thalasseus sandvicensis x elegans</i>	0.0002%
Crimson x Eastern Rosella (hybrid) <i>Platycercus elegans x eximius</i>	0.0002%

White-winged x Yellow-chevroned Parakeet (hybrid) <i>Brotogeris versicolurus x chiriri</i>	0.0002%
Clay-colored x Field Sparrow (hybrid) <i>Spizella pallida x pusilla</i>	0.0002%
Mallard x Ring-necked Duck (hybrid) <i>Anas platyrhynchos x Aythya collaris</i>	0.0001%
Ring-necked Duck x Lesser Scaup (hybrid) <i>Aythya collaris x affinis</i>	0.0001%
Redhead x scaup sp. (hybrid) <i>Aythya americana x marila/affinis</i>	0.0001%
Herring x Great Black-backed Gull (hybrid) <i>Larus argentatus x marinus</i>	0.0001%
Lazuli x Indigo Bunting (hybrid) <i>Passerina amoena x cyanea</i>	0.0001%
Tufted Duck x Lesser Scaup (hybrid) <i>Aythya fuligula x affinis</i>	0.0001%
Buff-breasted x White-rumped Sandpiper (hybrid) <i>Calidris subruficollis x fuscicollis</i>	0.0001%
Little Blue x Tricolored Heron (hybrid) <i>Egretta caerulea x tricolor</i>	0.0001%
Snowy x Little Egret (hybrid) <i>Egretta thula x garzetta</i>	0.0001%
Cliff x Cave Swallow (hybrid) <i>Petrochelidon pyrrhonota x fulva</i>	0.0001%
Yellow x Prairie Warbler (hybrid) <i>Setophaga petechia x discolor</i>	0.0001%
Trumpeter x Tundra Swan (hybrid) <i>Cygnus buccinator x columbianus</i>	0.0000%
Northern Shoveler x Mallard (hybrid) <i>Spatula clypeata x Anas platyrhynchos</i>	0.0000%
American Wigeon x Mallard (hybrid) <i>Mareca americana x Anas platyrhynchos</i>	0.0000%
American Wigeon x Northern Pintail (hybrid) <i>Mareca americana x Anas acuta</i>	0.0000%

Eurasian Collared-Dove x Mourning Dove (hybrid) <i>Streptopelia decaocto x Zenaida macroura</i>	0.0000%
Laughing x Ring-billed Gull (hybrid) <i>Leucophaeus atricilla x Larus delawarensis</i>	0.0000%
Yellow-bellied x Red-naped Sapsucker (hybrid) <i>Sphyrapicus varius x nuchalis</i>	0.0000%
Blue-and-yellow x Scarlet Macaw (hybrid) <i>Ara ararauna x macao</i>	0.0000%
Bullock's x Baltimore Oriole (hybrid) <i>Icterus bullockii x galbula</i>	0.0000%
Barnacle x Canada Goose (hybrid) <i>Branta leucopsis x canadensis</i>	0.0000%
Mallard x Northern Pintail (hybrid) <i>Anas platyrhynchos x acuta</i>	0.0000%
Canvasback x Ring-necked Duck (hybrid) <i>Aythya valisineria x collaris</i>	0.0000%
Scaled x Gambel's Quail (hybrid) <i>Callipepla squamata x gambelii</i>	0.0000%
Dunlin x White-rumped Sandpiper (hybrid) <i>Calidris alpina x fuscicollis</i>	0.0000%
Cerulean Warbler x Northern Parula (hybrid) <i>Setophaga cerulea x americana</i>	0.0000%