



## Target Species

Based on 2,709,298 complete checklists

**555** species observed in Florida, US (region/US-FL) that you need for your Florida Life List

1. <b>Black-bellied Whistling-Duck</b> <i>Dendrocygna autumnalis</i>	<b>6.41%</b> frequency
2. <b>Fulvous Whistling-Duck</b> <i>Dendrocygna bicolor</i>	<b>0.5806%</b>
3. <b>Snow Goose</b> <i>Anser caerulescens</i>	<b>0.1195%</b>
4. <b>Ross's Goose</b> <i>Anser rossii</i>	<b>0.0211%</b>
5. <b>Greater White-fronted Goose</b> <i>Anser albifrons</i>	<b>0.0309%</b>
6. <b>Brant</b> <i>Branta bernicla</i>	<b>0.0140%</b>
7. <b>Cackling Goose</b> <i>Branta hutchinsii</i>	<b>0.0006%</b>
8. <b>Canada Goose</b> <i>Branta canadensis</i>	<b>2.13%</b>
9. <b>Tundra Swan</b> <i>Cygnus columbianus</i>	<b>0.0033%</b>
10. <b>Egyptian Goose</b> <i>Alopochen aegyptiaca</i>	<b>1.62%</b>
11. <b>Muscovy Duck</b> <i>Cairina moschata</i>	<b>4.76%</b>
12. <b>Wood Duck</b> <i>Aix sponsa</i>	<b>3.83%</b>
13. <b>Blue-winged Teal</b> <i>Spatula discors</i>	<b>6.85%</b>
14. <b>Cinnamon Teal</b> <i>Spatula cyanoptera</i>	<b>0.0721%</b>
15. <b>Northern Shoveler</b> <i>Spatula clypeata</i>	<b>1.95%</b>
16. <b>Gadwall</b> <i>Mareca strepera</i>	<b>0.6104%</b>
17. <b>Eurasian Wigeon</b> <i>Mareca penelope</i>	<b>0.0222%</b>

18. <b>American Wigeon</b> <i>Mareca americana</i>	0.9652%
19. <b>Mallard</b> <i>Anas platyrhynchos</i>	2.84%
20. <b>American Black Duck</b> <i>Anas rubripes</i>	0.0386%
21. <b>Mottled Duck</b> <i>Anas fulvigula</i>	8.83%
22. <b>White-cheeked Pintail</b> <i>Anas bahamensis</i>	0.0117%
23. <b>Northern Pintail</b> <i>Anas acuta</i>	0.5834%
24. <b>Green-winged Teal</b> <i>Anas crecca</i>	1.18%
25. <b>Canvasback</b> <i>Aythya valisineria</i>	0.3015%
26. <b>Redhead</b> <i>Aythya americana</i>	0.9739%
27. <b>Ring-necked Duck</b> <i>Aythya collaris</i>	2.50%
28. <b>Greater Scaup</b> <i>Aythya marila</i>	0.3287%
29. <b>Lesser Scaup</b> <i>Aythya affinis</i>	2.84%
30. <b>King Eider</b> <i>Somateria spectabilis</i>	0.0080%
31. <b>Common Eider</b> <i>Somateria mollissima</i>	0.0308%
32. <b>Harlequin Duck</b> <i>Histrionicus histrionicus</i>	0.0152%
33. <b>Surf Scoter</b> <i>Melanitta perspicillata</i>	0.0957%
34. <b>White-winged Scoter</b> <i>Melanitta deglandi</i>	0.0386%
35. <b>Black Scoter</b> <i>Melanitta americana</i>	0.3186%
36. <b>Long-tailed Duck</b> <i>Clangula hyemalis</i>	0.0447%
37. <b>Bufflehead</b> <i>Bucephala albeola</i>	1.36%
38. <b>Common Goldeneye</b> <i>Bucephala clangula</i>	0.1502%
39. <b>Hooded Merganser</b> <i>Lophodytes cucullatus</i>	2.46%
40. <b>Common Merganser</b> <i>Mergus merganser</i>	0.0046%

41. <b>Red-breasted Merganser</b> <i>Mergus serrator</i>	2.39%
42. <b>Masked Duck</b> <i>Nomonyx dominicus</i>	0.0061%
43. <b>Ruddy Duck</b> <i>Oxyura jamaicensis</i>	0.8793%
44. <b>Northern Bobwhite</b> <i>Colinus virginianus</i>	1.94%
45. <b>Wild Turkey</b> <i>Meleagris gallopavo</i>	1.94%
46. <b>American Flamingo</b> <i>Phoenicopterus ruber</i>	0.2173%
47. <b>Least Grebe</b> <i>Tachybaptus dominicus</i>	0.0251%
48. <b>Pied-billed Grebe</b> <i>Podilymbus podiceps</i>	11.16%
49. <b>Horned Grebe</b> <i>Podiceps auritus</i>	0.7404%
50. <b>Red-necked Grebe</b> <i>Podiceps grisegena</i>	0.0120%
51. <b>Eared Grebe</b> <i>Podiceps nigricollis</i>	0.0260%
52. <b>Western Grebe</b> <i>Aechmophorus occidentalis</i>	0.0021%
53. <b>Rock Pigeon</b> <i>Columba livia</i>	7.22%
54. <b>Scaly-naped Pigeon</b> <i>Patagioenas squamosa</i>	0.0000%
55. <b>White-crowned Pigeon</b> <i>Patagioenas leucocephala</i>	0.8487%
56. <b>European Turtle-Dove</b> <i>Streptopelia turtur</i>	0.0000%
57. <b>Eurasian Collared-Dove</b> <i>Streptopelia decaocto</i>	10.69%
58. <b>Inca Dove</b> <i>Columbina inca</i>	0.0037%
59. <b>Common Ground Dove</b> <i>Columbina passerina</i>	9.85%
60. <b>Ruddy Quail-Dove</b> <i>Geotrygon montana</i>	0.0002%
61. <b>Key West Quail-Dove</b> <i>Geotrygon chrysia</i>	0.0092%
62. <b>White-tipped Dove</b> <i>Leptotila verreauxi</i>	0.0002%
63. <b>White-winged Dove</b> <i>Zenaida asiatica</i>	3.75%

64. <b>Zenaida Dove</b> <i>Zenaida aurita</i>	0.0142%
65. <b>Mourning Dove</b> <i>Zenaida macroura</i>	42.90%
66. <b>Smooth-billed Ani</b> <i>Crotophaga ani</i>	0.0982%
67. <b>Groove-billed Ani</b> <i>Crotophaga sulcirostris</i>	0.0418%
68. <b>Dark-billed Cuckoo</b> <i>Coccyzus melacoryphus</i>	0.0039%
69. <b>Yellow-billed Cuckoo</b> <i>Coccyzus americanus</i>	1.54%
70. <b>Mangrove Cuckoo</b> <i>Coccyzus minor</i>	0.1377%
71. <b>Black-billed Cuckoo</b> <i>Coccyzus erythrophthalmus</i>	0.0200%
72. <b>Lesser Nighthawk</b> <i>Chordeiles acutipennis</i>	0.0203%
73. <b>Common Nighthawk</b> <i>Chordeiles minor</i>	1.56%
74. <b>Antillean Nighthawk</b> <i>Chordeiles gundlachii</i>	0.0611%
75. <b>Chuck-will's-widow</b> <i>Antrostomus carolinensis</i>	0.8282%
76. <b>Eastern Whip-poor-will</b> <i>Antrostomus vociferus</i>	0.1547%
77. <b>Black Swift</b> <i>Cypseloides niger</i>	0.0000%
78. <b>White-collared Swift</b> <i>Streptoprocne zonaris</i>	0.0000%
79. <b>Chimney Swift</b> <i>Chaetura pelagica</i>	4.91%
80. <b>Vaux's Swift</b> <i>Chaetura vauxi</i>	0.0198%
81. <b>Antillean Palm Swift</b> <i>Tachornis phoenicobia</i>	0.0073%
82. <b>Ruby-throated Hummingbird</b> <i>Archilochus colubris</i>	5.14%
83. <b>Black-chinned Hummingbird</b> <i>Archilochus alexandri</i>	0.0365%
84. <b>Bahama Woodstar</b> <i>Nesophlox evelynae</i>	0.0027%
85. <b>Anna's Hummingbird</b> <i>Calypte anna</i>	0.0006%

86. <b>Costa's Hummingbird</b> <i>Calypte costae</i>	0.0008%
87. <b>Calliope Hummingbird</b> <i>Selasphorus calliope</i>	0.0148%
88. <b>Rufous Hummingbird</b> <i>Selasphorus rufus</i>	0.1034%
89. <b>Allen's Hummingbird</b> <i>Selasphorus sasin</i>	0.0014%
90. <b>Broad-tailed Hummingbird</b> <i>Selasphorus platycercus</i>	0.0005%
91. <b>Broad-billed Hummingbird</b> <i>Cynanthus latirostris</i>	0.0104%
92. <b>Buff-bellied Hummingbird</b> <i>Amazilia yucatanensis</i>	0.0411%
93. <b>King Rail</b> <i>Rallus elegans</i>	0.5954%
94. <b>Clapper Rail</b> <i>Rallus crepitans</i>	1.61%
95. <b>Virginia Rail</b> <i>Rallus limicola</i>	0.2630%
96. <b>Sora</b> <i>Porzana carolina</i>	1.80%
97. <b>Common Gallinule</b> <i>Gallinula galeata</i>	18.19%
98. <b>American Coot</b> <i>Fulica americana</i>	9.06%
99. <b>Purple Gallinule</b> <i>Porphyrio martinica</i>	3.75%
100. <b>Gray-headed Swamphen</b> <i>Porphyrio poliocephalus</i>	1.36%
101. <b>Yellow Rail</b> <i>Coturnicops noveboracensis</i>	0.0009%
102. <b>Black Rail</b> <i>Laterallus jamaicensis</i>	0.0234%
103. <b>Limpkin</b> <i>Aramus guarana</i>	8.14%
104. <b>Sandhill Crane</b> <i>Antigone canadensis</i>	10.01%
105. <b>Whooping Crane</b> <i>Grus americana</i>	0.1310%
106. <b>Black-necked Stilt</b> <i>Himantopus mexicanus</i>	2.83%
107. <b>American Avocet</b> <i>Recurvirostra americana</i>	0.7879%

108.	<b>American Oystercatcher</b> <i>Haematopus palliatus</i>	<b>1.58%</b>
109.	<b>Black-bellied Plover</b> <i>Pluvialis squatarola</i>	<b>5.32%</b>
110.	<b>American Golden-Plover</b> <i>Pluvialis dominica</i>	<b>0.0504%</b>
111.	<b>Pacific Golden-Plover</b> <i>Pluvialis fulva</i>	<b>0.0072%</b>
112.	<b>Killdeer</b> <i>Charadrius vociferus</i>	<b>9.76%</b>
113.	<b>Semipalmated Plover</b> <i>Charadrius semipalmatus</i>	<b>3.73%</b>
114.	<b>Piping Plover</b> <i>Charadrius melodus</i>	<b>0.8806%</b>
115.	<b>Northern Lapwing</b> <i>Vanellus vanellus</i>	<b>0.0003%</b>
116.	<b>Siberian Sand-Plover</b> <i>Anarhynchus mongolus</i>	<b>0.0002%</b>
117.	<b>Greater Sand-Plover</b> <i>Anarhynchus leschenaultii</i>	<b>0.0019%</b>
118.	<b>Wilson's Plover</b> <i>Anarhynchus wilsonia</i>	<b>1.32%</b>
119.	<b>Mountain Plover</b> <i>Anarhynchus montanus</i>	<b>0.0001%</b>
120.	<b>Snowy Plover</b> <i>Anarhynchus nivosus</i>	<b>0.6996%</b>
121.	<b>Upland Sandpiper</b> <i>Bartramia longicauda</i>	<b>0.0497%</b>
122.	<b>Whimbrel</b> <i>Numenius phaeopus</i>	<b>0.3658%</b>
123.	<b>Long-billed Curlew</b> <i>Numenius americanus</i>	<b>0.0524%</b>
124.	<b>Bar-tailed Godwit</b> <i>Limosa lapponica</i>	<b>0.0119%</b>
125.	<b>Black-tailed Godwit</b> <i>Limosa limosa</i>	<b>0.0002%</b>
126.	<b>Hudsonian Godwit</b> <i>Limosa haemastica</i>	<b>0.0112%</b>
127.	<b>Marbled Godwit</b> <i>Limosa fedoa</i>	<b>1.10%</b>
128.	<b>Short-billed Dowitcher</b> <i>Limnodromus griseus</i>	<b>2.50%</b>
129.	<b>Long-billed Dowitcher</b> <i>Limnodromus scolopaceus</i>	<b>0.9284%</b>
130.	<b>American Woodcock</b> <i>Scolopax minor</i>	<b>0.0692%</b>

131.	<b>Wilson's Snipe</b> <i>Gallinago delicata</i>	2.11%
132.	<b>Wilson's Phalarope</b> <i>Phalaropus tricolor</i>	0.0623%
133.	<b>Red Phalarope</b> <i>Phalaropus fulicarius</i>	0.0049%
134.	<b>Red-necked Phalarope</b> <i>Phalaropus lobatus</i>	0.0242%
135.	<b>Spotted Sandpiper</b> <i>Actitis macularius</i>	3.28%
136.	<b>Solitary Sandpiper</b> <i>Tringa solitaria</i>	0.7761%
137.	<b>Gray-tailed Tattler</b> <i>Tringa brevipes</i>	0.0054%
138.	<b>Lesser Yellowlegs</b> <i>Tringa flavipes</i>	3.07%
139.	<b>Willet</b> <i>Tringa semipalmata</i>	8.18%
140.	<b>Greater Yellowlegs</b> <i>Tringa melanoleuca</i>	4.35%
141.	<b>Ruddy Turnstone</b> <i>Arenaria interpres</i>	6.39%
142.	<b>Red Knot</b> <i>Calidris canutus</i>	0.9661%
143.	<b>Surfbird</b> <i>Calidris virgata</i>	0.0003%
144.	<b>Ruff</b> <i>Calidris pugnax</i>	0.0257%
145.	<b>Sharp-tailed Sandpiper</b> <i>Calidris acuminata</i>	0.0000%
146.	<b>Curlew Sandpiper</b> <i>Calidris ferruginea</i>	0.0027%
147.	<b>Stilt Sandpiper</b> <i>Calidris himantopus</i>	0.4331%
148.	<b>Red-necked Stint</b> <i>Calidris ruficollis</i>	0.0005%
149.	<b>Buff-breasted Sandpiper</b> <i>Calidris subruficollis</i>	0.0309%
150.	<b>Sanderling</b> <i>Calidris alba</i>	6.44%
151.	<b>Dunlin</b> <i>Calidris alpina</i>	2.69%
152.	<b>Purple Sandpiper</b> <i>Calidris maritima</i>	0.0695%
153.	<b>Baird's Sandpiper</b> <i>Calidris bairdii</i>	0.0148%


















154. <b>White-rumped Sandpiper</b> <i>Calidris fuscicollis</i>	0.1449%
155. <b>Least Sandpiper</b> <i>Calidris minutilla</i>	4.45%
156. <b>Pectoral Sandpiper</b> <i>Calidris melanotos</i>	0.4151%
157. <b>Western Sandpiper</b> <i>Calidris mauri</i>	1.63%
158. <b>Semipalmated Sandpiper</b> <i>Calidris pusilla</i>	0.9414%
159. <b>Long-tailed Jaeger</b> <i>Stercorarius longicaudus</i>	0.0034%
160. <b>Parasitic Jaeger</b> <i>Stercorarius parasiticus</i>	0.0747%
161. <b>Pomarine Jaeger</b> <i>Stercorarius pomarinus</i>	0.0757%
162. <b>South Polar Skua</b> <i>Stercorarius maccormicki</i>	0.0026%
163. <b>Atlantic Puffin</b> <i>Fratercula arctica</i>	0.0000%
164. <b>Long-billed Murrelet</b> <i>Brachyramphus perdix</i>	0.0002%
165. <b>Black Guillemot</b> <i>Cephus grylle</i>	0.0000%
166. <b>Razorbill</b> <i>Alca torda</i>	0.0149%
167. <b>Dovekie</b> <i>Alle alle</i>	0.0003%
168. <b>Thick-billed Murre</b> <i>Uria lomvia</i>	0.0009%
169. <b>Common Murre</b> <i>Uria aalge</i>	0.0000%
170. <b>Little Gull</b> <i>Hydrocoloeus minutus</i>	0.0003%
171. <b>Black-legged Kittiwake</b> <i>Rissa tridactyla</i>	0.0219%
172. <b>Sabine's Gull</b> <i>Xema sabini</i>	0.0075%
173. <b>Bonaparte's Gull</b> <i>Chroicocephalus philadelphia</i>	1.28%
174. <b>Black-headed Gull</b> <i>Chroicocephalus ridibundus</i>	0.0120%
175. <b>Gray-hooded Gull</b> <i>Chroicocephalus cirrocephalus</i>	0.0000%
176. <b>Gray Gull</b> <i>Leucophaeus modestus</i>	0.0087%



177. <b>Laughing Gull</b> <i>Leucophaeus atricilla</i>	<b>19.45%</b>
178. <b>Franklin's Gull</b> <i>Leucophaeus pipixcan</i>	<b>0.0496%</b>
179. <b>Belcher's Gull</b> <i>Larus belcheri</i>	<b>0.0000%</b>
180. <b>Black-tailed Gull</b> <i>Larus crassirostris</i>	<b>0.0000%</b>
181. <b>Heermann's Gull</b> <i>Larus heermanni</i>	<b>0.0233%</b>
182. <b>Ring-billed Gull</b> <i>Larus delawarensis</i>	<b>10.31%</b>
183. <b>Kelp Gull</b> <i>Larus dominicanus</i>	<b>0.0004%</b>
184. <b>Herring Gull</b> <i>Larus argentatus</i>	<b>3.33%</b>
185. <b>Yellow-legged Gull</b> <i>Larus michahellis</i>	<b>0.0000%</b>
186. <b>Great Black-backed Gull</b> <i>Larus marinus</i>	<b>0.6676%</b>
187. <b>Glaucous Gull</b> <i>Larus hyperboreus</i>	<b>0.0234%</b>
188. <b>Lesser Black-backed Gull</b> <i>Larus fuscus</i>	<b>1.34%</b>
189. <b>California Gull</b> <i>Larus californicus</i>	<b>0.0053%</b>
190. <b>Slaty-backed Gull</b> <i>Larus schistisagus</i>	<b>0.0003%</b>
191. <b>Iceland Gull</b> <i>Larus glaucoides</i>	<b>0.0259%</b>
192. <b>Black Skimmer</b> <i>Rynchops niger</i>	<b>3.83%</b>
193. <b>Brown Noddy</b> <i>Anous stolidus</i>	<b>0.1318%</b>
194. <b>Black Noddy</b> <i>Anous minutus</i>	<b>0.0186%</b>
195. <b>Sooty Tern</b> <i>Onychoprion fuscatus</i>	<b>0.1685%</b>
196. <b>Bridled Tern</b> <i>Onychoprion anaethetus</i>	<b>0.0620%</b>
197. <b>Least Tern</b> <i>Sternula antillarum</i>	<b>2.94%</b>
198. <b>Large-billed Tern</b> <i>Phaetusa simplex</i>	<b>0.0285%</b>
199. <b>Gull-billed Tern</b> <i>Gelochelidon nilotica</i>	<b>0.2926%</b>

200.	<b>Caspian Tern</b> <i>Hydroprogne caspia</i>	2.63%
201.	<b>Black Tern</b> <i>Chlidonias niger</i>	0.4213%
202.	<b>Forster's Tern</b> <i>Sterna forsteri</i>	5.79%
203.	<b>Arctic Tern</b> <i>Sterna paradisaea</i>	0.0131%
204.	<b>Common Tern</b> <i>Sterna hirundo</i>	0.5753%
205.	<b>Roseate Tern</b> <i>Sterna dougallii</i>	0.0677%
206.	<b>Sandwich Tern</b> <i>Thalasseus sandvicensis</i>	3.69%
207.	<b>Elegant Tern</b> <i>Thalasseus elegans</i>	0.0058%
208.	<b>Royal Tern</b> <i>Thalasseus maximus</i>	9.66%
209.	<b>White-tailed Tropicbird</b> <i>Phaethon lepturus</i>	0.0040%
210.	<b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>	0.0056%
211.	<b>Red-throated Loon</b> <i>Gavia stellata</i>	0.0238%
212.	<b>Pacific Loon</b> <i>Gavia pacifica</i>	0.0067%
213.	<b>Common Loon</b> <i>Gavia immer</i>	1.71%
214.	<b>Atlantic Yellow-nosed Albatross</b> <i>Thalassarche chlororhynchos</i>	0.0000%
215.	<b>Wilson's Storm-Petrel</b> <i>Oceanites oceanicus</i>	0.0267%
216.	<b>European Storm-Petrel</b> <i>Hydrobates pelagicus</i>	0.0001%
217.	<b>Leach's Storm-Petrel</b> <i>Hydrobates leucorhous</i>	0.0145%
218.	<b>Band-rumped Storm-Petrel</b> <i>Hydrobates castro</i>	0.0103%
219.	<b>Northern Fulmar</b> <i>Fulmarus glacialis</i>	0.0004%
220.	<b>Fea's Petrel</b> <i>Pterodroma feae</i>	0.0000%
221.	<b>Black-capped Petrel</b> <i>Pterodroma hasitata</i>	0.0070%

222.	<b>Cory's Shearwater</b> <i>Calonectris diomedea</i>	0.0450%
223.	<b>Great Shearwater</b> <i>Ardenna gravis</i>	0.0280%
224.	<b>Wedge-tailed Shearwater</b> <i>Ardenna pacifica</i>	0.0001%
225.	<b>Sooty Shearwater</b> <i>Ardenna grisea</i>	0.0066%
226.	<b>Short-tailed Shearwater</b> <i>Ardenna tenuirostris</i>	0.0000%
227.	<b>Manx Shearwater</b> <i>Puffinus puffinus</i>	0.0021%
228.	<b>Audubon's Shearwater</b> <i>Puffinus lherminieri</i>	0.0374%
229.	<b>Wood Stork</b> <i>Mycteria americana</i>	11.89%
230.	<b>Magnificent Frigatebird</b> <i>Fregata magnificens</i>	3.02%
231.	<b>Northern Gannet</b> <i>Morus bassanus</i>	0.9688%
232.	<b>Red-footed Booby</b> <i>Sula sula</i>	0.0049%
233.	<b>Brown Booby</b> <i>Sula leucogaster</i>	0.1617%
234.	<b>Masked Booby</b> <i>Sula dactylatra</i>	0.0823%
235.	<b>Anhinga</b> <i>Anhinga anhinga</i>	25.30%
236.	<b>Great Cormorant</b> <i>Phalacrocorax carbo</i>	0.0184%
237.	<b>Double-crested Cormorant</b> <i>Nannopterum auritum</i>	25.36%
238.	<b>Neotropic Cormorant</b> <i>Nannopterum brasilianum</i>	0.0554%
239.	<b>American White Pelican</b> <i>Pelecanus erythrorhynchos</i>	4.54%
240.	<b>Brown Pelican</b> <i>Pelecanus occidentalis</i>	16.85%
241.	<b>American Bittern</b> <i>Botaurus lentiginosus</i>	1.08%
242.	<b>Least Bittern</b> <i>Ixobrychus exilis</i>	1.39%
243.	<b>Yellow-crowned Night Heron</b> <i>Nyctanassa violacea</i>	3.53%

244.	<b>Black-crowned Night Heron</b> <i>Nycticorax nycticorax</i>	<b>4.79%</b> 
245.	<b>Little Blue Heron</b> <i>Egretta caerulea</i>	<b>24.89%</b> 
246.	<b>Tricolored Heron</b> <i>Egretta tricolor</i>	<b>20.16%</b> 
247.	<b>Reddish Egret</b> <i>Egretta rufescens</i>	<b>3.26%</b> 
248.	<b>Snowy Egret</b> <i>Egretta thula</i>	<b>21.50%</b> 
249.	<b>Green Heron</b> <i>Butorides virescens</i>	<b>11.43%</b> 
250.	<b>Western Cattle Egret</b> <i>Bubulcus ibis</i>	<b>12.98%</b> 
251.	<b>Great Egret</b> <i>Ardea alba</i>	<b>34.30%</b> 
252.	<b>Great Blue Heron</b> <i>Ardea herodias</i>	<b>28.77%</b> 
253.	<b>White Ibis</b> <i>Eudocimus albus</i>	<b>34.28%</b> 
254.	<b>Scarlet Ibis</b> <i>Eudocimus ruber</i>	<b>0.0000%</b>
255.	<b>Glossy Ibis</b> <i>Plegadis falcinellus</i>	<b>10.12%</b> 
256.	<b>White-faced Ibis</b> <i>Plegadis chihi</i>	<b>0.0797%</b> 
257.	<b>Roseate Spoonbill</b> <i>Platalea ajaja</i>	<b>6.37%</b> 
258.	<b>Black Vulture</b> <i>Coragyps atratus</i>	<b>22.67%</b> 
259.	<b>Turkey Vulture</b> <i>Cathartes aura</i>	<b>33.06%</b> 
260.	<b>Osprey</b> <i>Pandion haliaetus</i>	<b>30.52%</b> 
261.	<b>White-tailed Kite</b> <i>Elanus leucurus</i>	<b>0.1011%</b> 
262.	<b>Swallow-tailed Kite</b> <i>Elanoides forficatus</i>	<b>4.29%</b> 
263.	<b>Golden Eagle</b> <i>Aquila chrysaetos</i>	<b>0.0007%</b>
264.	<b>Snail Kite</b> <i>Rostrhamus sociabilis</i>	<b>1.27%</b> 
265.	<b>Double-toothed Kite</b> <i>Harpagus bidentatus</i>	<b>0.0000%</b>

266.	<b>Mississippi Kite</b> <i>Ictinia mississippiensis</i>	<b>0.8744%</b>
267.	<b>Northern Harrier</b> <i>Circus hudsonius</i>	<b>4.17%</b>
268.	<b>Sharp-shinned Hawk</b> <i>Accipiter striatus</i>	<b>0.9887%</b>
269.	<b>Cooper's Hawk</b> <i>Accipiter cooperii</i>	<b>3.51%</b>
270.	<b>American Goshawk</b> <i>Accipiter atricapillus</i>	<b>0.0000%</b>
271.	<b>Bald Eagle</b> <i>Haliaeetus leucocephalus</i>	<b>10.50%</b>
272.	<b>Red-shouldered Hawk</b> <i>Buteo lineatus</i>	<b>25.45%</b>
273.	<b>Broad-winged Hawk</b> <i>Buteo platypterus</i>	<b>0.4657%</b>
274.	<b>Short-tailed Hawk</b> <i>Buteo brachyurus</i>	<b>1.01%</b>
275.	<b>Swainson's Hawk</b> <i>Buteo swainsoni</i>	<b>0.0623%</b>
276.	<b>Zone-tailed Hawk</b> <i>Buteo albonotatus</i>	<b>0.0000%</b>
277.	<b>Red-tailed Hawk</b> <i>Buteo jamaicensis</i>	<b>3.70%</b>
278.	<b>Rough-legged Hawk</b> <i>Buteo lagopus</i>	<b>0.0011%</b>
279.	<b>Ferruginous Hawk</b> <i>Buteo regalis</i>	<b>0.0001%</b>
280.	<b>Barn Owl</b> <i>Tyto alba</i>	<b>0.2424%</b>
281.	<b>Flammulated Owl</b> <i>Psiloscopus flammeolus</i>	<b>0.0000%</b>
282.	<b>Eastern Screech-Owl</b> <i>Megascops asio</i>	<b>0.7609%</b>
283.	<b>Snowy Owl</b> <i>Bubo scandiacus</i>	<b>0.0064%</b>
284.	<b>Great Horned Owl</b> <i>Bubo virginianus</i>	<b>1.70%</b>
285.	<b>Burrowing Owl</b> <i>Athene cunicularia</i>	<b>0.5133%</b>
286.	<b>Barred Owl</b> <i>Strix varia</i>	<b>3.60%</b>
287.	<b>Long-eared Owl</b> <i>Asio otus</i>	<b>0.0001%</b>
288.	<b>Stygian Owl</b> <i>Asio stygius</i>	<b>0.0000%</b>

289.	<b>Short-eared Owl</b> <i>Asio flammeus</i>	0.0278%
290.	<b>Northern Saw-whet Owl</b> <i>Aegolius acadicus</i>	0.0000%
291.	<b>Belted Kingfisher</b> <i>Megaceryle alcyon</i>	13.50%
292.	<b>Yellow-bellied Sapsucker</b> <i>Sphyrapicus varius</i>	3.58%
293.	<b>Red-headed Woodpecker</b> <i>Melanerpes erythrocephalus</i>	2.01%
294.	<b>Golden-fronted Woodpecker</b> <i>Melanerpes aurifrons</i>	0.0000%
295.	<b>Red-bellied Woodpecker</b> <i>Melanerpes carolinus</i>	43.41%
296.	<b>Downy Woodpecker</b> <i>Dryobates pubescens</i>	20.03%
297.	<b>Red-cockaded Woodpecker</b> <i>Dryobates borealis</i>	0.4141%
298.	<b>Hairy Woodpecker</b> <i>Dryobates villosus</i>	0.2211%
299.	<b>Ivory-billed Woodpecker</b> <i>Campephilus principalis</i>	0.0002%
300.	<b>Pileated Woodpecker</b> <i>Dryocopus pileatus</i>	15.02%
301.	<b>Northern Flicker</b> <i>Colaptes auratus</i>	3.81%
302.	<b>Crested Caracara</b> <i>Caracara plancus</i>	0.9709%
303.	<b>Yellow-headed Caracara</b> <i>Daptrius chimachima</i>	0.0070%
304.	<b>Eurasian Kestrel</b> <i>Falco tinnunculus</i>	0.0009%
305.	<b>American Kestrel</b> <i>Falco sparverius</i>	8.52%
306.	<b>Merlin</b> <i>Falco columbarius</i>	1.42%
307.	<b>Peregrine Falcon</b> <i>Falco peregrinus</i>	1.04%
308.	<b>Budgerigar</b> <i>Melopsittacus undulatus</i>	0.0063%
309.	<b>Monk Parakeet</b> <i>Myiopsitta monachus</i>	1.75%
310.	<b>White-winged Parakeet</b> <i>Brotogeris versicolurus</i>	0.0337%

311. <b>Carolina Parakeet</b> <i>Conuropsis carolinensis</i>	0.0000%
312. <b>Nanday Parakeet</b> <i>Aratinga nenday</i>	2.43%
313. <b>Mitred Parakeet</b> <i>Psittacara mitratus</i>	0.2152%
314. <b>Olive-sided Flycatcher</b> <i>Contopus cooperi</i>	0.0083%
315. <b>Western Wood-Pewee</b> <i>Contopus sordidulus</i>	0.0006%
316. <b>Eastern Wood-Pewee</b> <i>Contopus virens</i>	0.9723%
317. <b>Cuban Pewee</b> <i>Contopus caribaeus</i>	0.0142%
318. <b>Yellow-bellied Flycatcher</b> <i>Empidonax flaviventris</i>	0.0153%
319. <b>Acadian Flycatcher</b> <i>Empidonax virescens</i>	0.6029%
320. <b>Alder Flycatcher</b> <i>Empidonax alnorum</i>	0.0285%
321. <b>Willow Flycatcher</b> <i>Empidonax traillii</i>	0.0121%
322. <b>Least Flycatcher</b> <i>Empidonax minimus</i>	0.1345%
323. <b>Hammond's Flycatcher</b> <i>Empidonax hammondii</i>	0.0093%
324. <b>Western Flycatcher</b> <i>Empidonax difficilis</i>	0.0086%
325. <b>Eastern Phoebe</b> <i>Sayornis phoebe</i>	14.23%
326. <b>Say's Phoebe</b> <i>Sayornis saya</i>	0.0108%
327. <b>Vermilion Flycatcher</b> <i>Pyrocephalus rubinus</i>	0.2611%
328. <b>Ash-throated Flycatcher</b> <i>Myiarchus cinerascens</i>	0.1420%
329. <b>Great Crested Flycatcher</b> <i>Myiarchus crinitus</i>	10.90%
330. <b>Brown-crested Flycatcher</b> <i>Myiarchus tyrannulus</i>	0.0405%
331. <b>La Sagra's Flycatcher</b> <i>Myiarchus sagrae</i>	0.0481%
332. <b>Sulphur-bellied Flycatcher</b> <i>Myiodynastes luteiventris</i>	0.0012%

333. <b>Piratic Flycatcher</b> <i>Legatus leucophaeus</i>	0.0085%
334. <b>Variiegated Flycatcher</b> <i>Empidonomus varius</i>	0.0057%
335. <b>Tropical Kingbird</b> <i>Tyrannus melancholicus</i>	0.1297%
336. <b>Couch's Kingbird</b> <i>Tyrannus couchii</i>	0.0092%
337. <b>Cassin's Kingbird</b> <i>Tyrannus vociferans</i>	0.0251%
338. <b>Western Kingbird</b> <i>Tyrannus verticalis</i>	0.3639%
339. <b>Eastern Kingbird</b> <i>Tyrannus tyrannus</i>	1.70%
340. <b>Gray Kingbird</b> <i>Tyrannus dominicensis</i>	1.54%
341. <b>Loggerhead Kingbird</b> <i>Tyrannus caudifasciatus</i>	0.0026%
342. <b>Scissor-tailed Flycatcher</b> <i>Tyrannus forficatus</i>	0.3096%
343. <b>Fork-tailed Flycatcher</b> <i>Tyrannus savana</i>	0.0281%
344. <b>White-eyed Vireo</b> <i>Vireo griseus</i>	12.41%
345. <b>Thick-billed Vireo</b> <i>Vireo crassirostris</i>	0.0258%
346. <b>Cuban Vireo</b> <i>Vireo gundlachi</i>	0.0038%
347. <b>Bell's Vireo</b> <i>Vireo bellii</i>	0.0355%
348. <b>Yellow-throated Vireo</b> <i>Vireo flavifrons</i>	2.02%
349. <b>Blue-headed Vireo</b> <i>Vireo solitarius</i>	3.47%
350. <b>Philadelphia Vireo</b> <i>Vireo philadelphicus</i>	0.0609%
351. <b>Warbling Vireo</b> <i>Vireo gilvus</i>	0.0210%
352. <b>Red-eyed Vireo</b> <i>Vireo olivaceus</i>	4.14%
353. <b>Yellow-green Vireo</b> <i>Vireo flavoviridis</i>	0.0117%
354. <b>Black-whiskered Vireo</b> <i>Vireo altiloquus</i>	0.3044%
355. <b>Loggerhead Shrike</b> <i>Lanius ludovicianus</i>	8.55%



356. <b>Blue Jay</b> <i>Cyanocitta cristata</i>	<b>36.94%</b>
357. <b>Florida Scrub-Jay</b> <i>Aphelocoma coerulescens</i>	<b>1.11%</b>
358. <b>American Crow</b> <i>Corvus brachyrhynchos</i>	<b>18.65%</b>
359. <b>Fish Crow</b> <i>Corvus ossifragus</i>	<b>28.14%</b>
360. <b>Carolina Chickadee</b> <i>Poecile carolinensis</i>	<b>11.92%</b>
361. <b>Tufted Titmouse</b> <i>Baeolophus bicolor</i>	<b>20.65%</b>
362. <b>Horned Lark</b> <i>Eremophila alpestris</i>	<b>0.0090%</b>
363. <b>Bank Swallow</b> <i>Riparia riparia</i>	<b>0.3375%</b>
364. <b>Tree Swallow</b> <i>Tachycineta bicolor</i>	<b>7.46%</b>
365. <b>Mangrove Swallow</b> <i>Tachycineta albilinea</i>	<b>0.0004%</b>
366. <b>Violet-green Swallow</b> <i>Tachycineta thalassina</i>	<b>0.0002%</b>
367. <b>Bahama Swallow</b> <i>Tachycineta cyaneoviridis</i>	<b>0.0010%</b>
368. <b>Purple Martin</b> <i>Progne subis</i>	<b>4.04%</b>
369. <b>Cuban Martin</b> <i>Progne cryptoleuca</i>	<b>0.0000%</b>
370. <b>Southern Martin</b> <i>Progne elegans</i>	<b>0.0000%</b>
371. <b>Brown-chested Martin</b> <i>Progne tapera</i>	<b>0.0000%</b>
372. <b>Northern Rough-winged Swallow</b> <i>Stelgidopteryx serripennis</i>	<b>1.52%</b>
373. <b>Barn Swallow</b> <i>Hirundo rustica</i>	<b>5.23%</b>
374. <b>Cliff Swallow</b> <i>Petrochelidon pyrrhonota</i>	<b>0.2806%</b>
375. <b>Cave Swallow</b> <i>Petrochelidon fulva</i>	<b>0.1657%</b>
376. <b>Red-whiskered Bulbul</b> <i>Pycnonotus jocosus</i>	<b>0.0937%</b>
377. <b>Ruby-crowned Kinglet</b> <i>Corthylio calendula</i>	<b>6.29%</b>

378.	<b>Golden-crowned Kinglet</b> <i>Regulus satrapa</i>	<b>0.1459%</b>
379.	<b>White-breasted Nuthatch</b> <i>Sitta carolinensis</i>	<b>0.4613%</b>
380.	<b>Brown-headed Nuthatch</b> <i>Sitta pusilla</i>	<b>1.95%</b>
381.	<b>Red-breasted Nuthatch</b> <i>Sitta canadensis</i>	<b>0.0711%</b>
382.	<b>Brown Creeper</b> <i>Certhia americana</i>	<b>0.0190%</b>
383.	<b>Blue-gray Gnatcatcher</b> <i>Poliophtila caerulea</i>	<b>25.63%</b>
384.	<b>Rock Wren</b> <i>Salpinctes obsoletus</i>	<b>0.0000%</b>
385.	<b>House Wren</b> <i>Troglodytes aedon</i>	<b>7.07%</b>
386.	<b>Winter Wren</b> <i>Troglodytes hiemalis</i>	<b>0.0345%</b>
387.	<b>Sedge Wren</b> <i>Cistothorus stellaris</i>	<b>0.8479%</b>
388.	<b>Marsh Wren</b> <i>Cistothorus palustris</i>	<b>1.68%</b>
389.	<b>Carolina Wren</b> <i>Thryothorus ludovicianus</i>	<b>26.46%</b>
390.	<b>Bewick's Wren</b> <i>Thryomanes bewickii</i>	<b>0.0002%</b>
391.	<b>European Starling</b> <i>Sturnus vulgaris</i>	<b>11.87%</b>
392.	<b>Common Myna</b> <i>Acridotheres tristis</i>	<b>0.2696%</b>
393.	<b>Gray Catbird</b> <i>Dumetella carolinensis</i>	<b>20.76%</b>
394.	<b>Pearly-eyed Thrasher</b> <i>Margarops fuscatus</i>	<b>0.0002%</b>
395.	<b>Curve-billed Thrasher</b> <i>Toxostoma curvirostre</i>	<b>0.0000%</b>
396.	<b>Brown Thrasher</b> <i>Toxostoma rufum</i>	<b>7.64%</b>
397.	<b>Sage Thrasher</b> <i>Oreoscoptes montanus</i>	<b>0.0006%</b>
398.	<b>Bahama Mockingbird</b> <i>Mimus gundlachii</i>	<b>0.0464%</b>
399.	<b>Northern Mockingbird</b> <i>Mimus polyglottos</i>	<b>39.81%</b>
400.	<b>Eastern Bluebird</b> <i>Sialia sialis</i>	<b>9.58%</b>

401.	<b>Mountain Bluebird</b> <i>Sialia currucoides</i>	0.0087%
402.	<b>Townsend's Solitaire</b> <i>Myadestes townsendi</i>	0.0015%
403.	<b>Varied Thrush</b> <i>Ixoreus naevius</i>	0.0005%
404.	<b>Veery</b> <i>Catharus fuscescens</i>	0.4359%
405.	<b>Gray-cheeked Thrush</b> <i>Catharus minimus</i>	0.2926%
406.	<b>Bicknell's Thrush</b> <i>Catharus bicknelli</i>	0.0038%
407.	<b>Swainson's Thrush</b> <i>Catharus ustulatus</i>	0.7825%
408.	<b>Hermit Thrush</b> <i>Catharus guttatus</i>	1.30%
409.	<b>Wood Thrush</b> <i>Hylocichla mustelina</i>	0.3196%
410.	<b>American Robin</b> <i>Turdus migratorius</i>	6.79%
411.	<b>Red-legged Thrush</b> <i>Turdus plumbeus</i>	0.0136%
412.	<b>European Robin</b> <i>Erithacus rubecula</i>	0.0000%
413.	<b>Northern Wheatear</b> <i>Oenanthe oenanthe</i>	0.0026%
414.	<b>Cedar Waxwing</b> <i>Bombycilla cedrorum</i>	3.38%
415.	<b>Tricolored Munia</b> <i>Lonchura malacca</i>	0.0137%
416.	<b>House Sparrow</b> <i>Passer domesticus</i>	4.77%
417.	<b>White Wagtail</b> <i>Motacilla alba</i>	0.0171%
418.	<b>American Pipit</b> <i>Anthus rubescens</i>	0.2106%
419.	<b>Sprague's Pipit</b> <i>Anthus spragueii</i>	0.0065%
420.	<b>Evening Grosbeak</b> <i>Coccothraustes vespertinus</i>	0.0003%
421.	<b>House Finch</b> <i>Haemorhous mexicanus</i>	6.61%
422.	<b>Purple Finch</b> <i>Haemorhous purpureus</i>	0.0851%
423.	<b>Common Redpoll</b> <i>Acanthis flammea</i>	0.0000%

424.	<b>Pine Siskin</b> <i>Spinus pinus</i>	0.1776%
425.	<b>Lesser Goldfinch</b> <i>Spinus psaltria</i>	0.0028%
426.	<b>American Goldfinch</b> <i>Spinus tristis</i>	3.94%
427.	<b>Lapland Longspur</b> <i>Calcarius lapponicus</i>	0.0096%
428.	<b>Chestnut-collared Longspur</b> <i>Calcarius ornatus</i>	0.0000%
429.	<b>Smith's Longspur</b> <i>Calcarius pictus</i>	0.0000%
430.	<b>Snow Bunting</b> <i>Plectrophenax nivalis</i>	0.0042%
431.	<b>Little Bunting</b> <i>Emberiza pusilla</i>	0.0021%
432.	<b>Bachman's Sparrow</b> <i>Peucaea aestivalis</i>	0.7997%
433.	<b>Grasshopper Sparrow</b> <i>Ammodramus savannarum</i>	0.3784%
434.	<b>Chipping Sparrow</b> <i>Spizella passerina</i>	3.67%
435.	<b>Clay-colored Sparrow</b> <i>Spizella pallida</i>	0.0846%
436.	<b>Field Sparrow</b> <i>Spizella pusilla</i>	0.1955%
437.	<b>Black-throated Sparrow</b> <i>Amphispiza bilineata</i>	0.0000%
438.	<b>Lark Sparrow</b> <i>Chondestes grammacus</i>	0.0580%
439.	<b>Lark Bunting</b> <i>Calamospiza melanocorys</i>	0.0007%
440.	<b>American Tree Sparrow</b> <i>Spizelloides arborea</i>	0.0000%
441.	<b>Fox Sparrow</b> <i>Passerella iliaca</i>	0.0108%
442.	<b>Dark-eyed Junco</b> <i>Junco hyemalis</i>	0.0325%
443.	<b>White-crowned Sparrow</b> <i>Zonotrichia leucophrys</i>	0.3113%
444.	<b>Golden-crowned Sparrow</b> <i>Zonotrichia atricapilla</i>	0.0014%
445.	<b>Harris's Sparrow</b> <i>Zonotrichia querula</i>	0.0105%
446.	<b>White-throated Sparrow</b> <i>Zonotrichia albicollis</i>	0.4482%

447.	<b>Vesper Sparrow</b> <i>Pooecetes gramineus</i>	<b>0.3265%</b>
448.	<b>LeConte's Sparrow</b> <i>Ammospiza leconteii</i>	<b>0.0199%</b>
449.	<b>Seaside Sparrow</b> <i>Ammospiza maritima</i>	<b>0.1576%</b>
450.	<b>Nelson's Sparrow</b> <i>Ammospiza nelsoni</i>	<b>0.1040%</b>
451.	<b>Saltmarsh Sparrow</b> <i>Ammospiza caudacuta</i>	<b>0.0522%</b>
452.	<b>Savannah Sparrow</b> <i>Passerculus sandwichensis</i>	<b>3.53%</b>
453.	<b>Henslow's Sparrow</b> <i>Centronyx henslowii</i>	<b>0.0385%</b>
454.	<b>Song Sparrow</b> <i>Melospiza melodia</i>	<b>0.9628%</b>
455.	<b>Lincoln's Sparrow</b> <i>Melospiza lincolnii</i>	<b>0.0887%</b>
456.	<b>Swamp Sparrow</b> <i>Melospiza georgiana</i>	<b>3.20%</b>
457.	<b>Green-tailed Towhee</b> <i>Pipilo chlorurus</i>	<b>0.0121%</b>
458.	<b>Spotted Towhee</b> <i>Pipilo maculatus</i>	<b>0.0037%</b>
459.	<b>Eastern Towhee</b> <i>Pipilo erythrophthalmus</i>	<b>6.67%</b>
460.	<b>Western Spindalis</b> <i>Spindalis zena</i>	<b>0.0383%</b>
461.	<b>Yellow-breasted Chat</b> <i>Icteria virens</i>	<b>0.1681%</b>
462.	<b>Yellow-headed Blackbird</b> <i>Xanthocephalus xanthocephalus</i>	<b>0.0790%</b>
463.	<b>Bobolink</b> <i>Dolichonyx oryzivorus</i>	<b>0.5329%</b>
464.	<b>Western Meadowlark</b> <i>Sturnella neglecta</i>	<b>0.0016%</b>
465.	<b>Eastern Meadowlark</b> <i>Sturnella magna</i>	<b>3.76%</b>
466.	<b>Orchard Oriole</b> <i>Icterus spurius</i>	<b>0.6265%</b>
467.	<b>Hooded Oriole</b> <i>Icterus cucullatus</i>	<b>0.0039%</b>
468.	<b>Bullock's Oriole</b> <i>Icterus bullockii</i>	<b>0.0220%</b>

469.	<b>Spot-breasted Oriole</b> <i>Icterus pectoralis</i>	0.3565%
470.	<b>Baltimore Oriole</b> <i>Icterus galbula</i>	1.37%
471.	<b>Scott's Oriole</b> <i>Icterus parisorum</i>	0.0024%
472.	<b>Red-winged Blackbird</b> <i>Agelaius phoeniceus</i>	21.83%
473.	<b>Tawny-shouldered Blackbird</b> <i>Agelaius humeralis</i>	0.0000%
474.	<b>Shiny Cowbird</b> <i>Molothrus bonariensis</i>	0.0973%
475.	<b>Bronzed Cowbird</b> <i>Molothrus aeneus</i>	0.2023%
476.	<b>Brown-headed Cowbird</b> <i>Molothrus ater</i>	4.13%
477.	<b>Rusty Blackbird</b> <i>Euphagus carolinus</i>	0.0598%
478.	<b>Brewer's Blackbird</b> <i>Euphagus cyanocephalus</i>	0.0252%
479.	<b>Common Grackle</b> <i>Quiscalus quiscula</i>	22.72%
480.	<b>Boat-tailed Grackle</b> <i>Quiscalus major</i>	25.18%
481.	<b>Great-tailed Grackle</b> <i>Quiscalus mexicanus</i>	0.0128%
482.	<b>Ovenbird</b> <i>Seiurus aurocapilla</i>	3.16%
483.	<b>Worm-eating Warbler</b> <i>Helmitheros vermivorum</i>	0.9729%
484.	<b>Louisiana Waterthrush</b> <i>Parkesia motacilla</i>	0.4075%
485.	<b>Northern Waterthrush</b> <i>Parkesia noveboracensis</i>	1.74%
486.	<b>Bachman's Warbler</b> <i>Vermivora bachmanii</i>	0.0000%
487.	<b>Golden-winged Warbler</b> <i>Vermivora chrysoptera</i>	0.0783%
488.	<b>Blue-winged Warbler</b> <i>Vermivora cyanoptera</i>	0.2015%
489.	<b>Black-and-white Warbler</b> <i>Mniotilta varia</i>	8.73%
490.	<b>Prothonotary Warbler</b> <i>Protonotaria citrea</i>	0.9357%
491.	<b>Swainson's Warbler</b> <i>Limnothlypis swainsonii</i>	0.1726%

492.	<b>Tennessee Warbler</b> <i>Leiothlypis peregrina</i>	<b>0.6819%</b>
493.	<b>Orange-crowned Warbler</b> <i>Leiothlypis celata</i>	<b>1.95%</b>
494.	<b>Nashville Warbler</b> <i>Leiothlypis ruficapilla</i>	<b>0.0922%</b>
495.	<b>Connecticut Warbler</b> <i>Oporornis agilis</i>	<b>0.0345%</b>
496.	<b>MacGillivray's Warbler</b> <i>Geothlypis tolmiei</i>	<b>0.0107%</b>
497.	<b>Mourning Warbler</b> <i>Geothlypis philadelphia</i>	<b>0.0028%</b>
498.	<b>Kentucky Warbler</b> <i>Geothlypis formosa</i>	<b>0.1784%</b>
499.	<b>Common Yellowthroat</b> <i>Geothlypis trichas</i>	<b>11.60%</b>
500.	<b>Hooded Warbler</b> <i>Setophaga citrina</i>	<b>1.14%</b>
501.	<b>American Redstart</b> <i>Setophaga ruticilla</i>	<b>5.29%</b>
502.	<b>Kirtland's Warbler</b> <i>Setophaga kirtlandii</i>	<b>0.0081%</b>
503.	<b>Cape May Warbler</b> <i>Setophaga tigrina</i>	<b>1.63%</b>
504.	<b>Cerulean Warbler</b> <i>Setophaga cerulea</i>	<b>0.0718%</b>
505.	<b>Northern Parula</b> <i>Setophaga americana</i>	<b>14.11%</b>
506.	<b>Magnolia Warbler</b> <i>Setophaga magnolia</i>	<b>0.9280%</b>
507.	<b>Bay-breasted Warbler</b> <i>Setophaga castanea</i>	<b>0.2831%</b>
508.	<b>Blackburnian Warbler</b> <i>Setophaga fusca</i>	<b>0.3370%</b>
509.	<b>Yellow Warbler</b> <i>Setophaga petechia</i>	<b>1.12%</b>
510.	<b>Chestnut-sided Warbler</b> <i>Setophaga pensylvanica</i>	<b>0.4047%</b>
511.	<b>Blackpoll Warbler</b> <i>Setophaga striata</i>	<b>1.10%</b>
512.	<b>Black-throated Blue Warbler</b> <i>Setophaga caerulea</i>	<b>2.20%</b>
513.	<b>Palm Warbler</b> <i>Setophaga palmarum</i>	<b>27.07%</b>

514.	<b>Pine Warbler</b> <i>Setophaga pinus</i>	<b>9.37%</b>
515.	<b>Yellow-rumped Warbler</b> <i>Setophaga coronata</i>	<b>20.53%</b>
516.	<b>Yellow-throated Warbler</b> <i>Setophaga dominica</i>	<b>6.56%</b>
517.	<b>Prairie Warbler</b> <i>Setophaga discolor</i>	<b>6.46%</b>
518.	<b>Black-throated Gray Warbler</b> <i>Setophaga nigrescens</i>	<b>0.0175%</b>
519.	<b>Townsend's Warbler</b> <i>Setophaga townsendi</i>	<b>0.0088%</b>
520.	<b>Hermit Warbler</b> <i>Setophaga occidentalis</i>	<b>0.0018%</b>
521.	<b>Golden-cheeked Warbler</b> <i>Setophaga chrysoparia</i>	<b>0.0000%</b>
522.	<b>Black-throated Green Warbler</b> <i>Setophaga virens</i>	<b>0.7072%</b>
523.	<b>Canada Warbler</b> <i>Cardellina canadensis</i>	<b>0.0295%</b>
524.	<b>Wilson's Warbler</b> <i>Cardellina pusilla</i>	<b>0.1032%</b>
525.	<b>Summer Tanager</b> <i>Piranga rubra</i>	<b>2.61%</b>
526.	<b>Scarlet Tanager</b> <i>Piranga olivacea</i>	<b>0.6600%</b>
527.	<b>Western Tanager</b> <i>Piranga ludoviciana</i>	<b>0.0993%</b>
528.	<b>Northern Cardinal</b> <i>Cardinalis cardinalis</i>	<b>48.93%</b>
529.	<b>Rose-breasted Grosbeak</b> <i>Pheucticus ludovicianus</i>	<b>0.7568%</b>
530.	<b>Black-headed Grosbeak</b> <i>Pheucticus melanocephalus</i>	<b>0.0031%</b>
531.	<b>Blue Grosbeak</b> <i>Passerina caerulea</i>	<b>1.19%</b>
532.	<b>Lazuli Bunting</b> <i>Passerina amoena</i>	<b>0.0104%</b>
533.	<b>Indigo Bunting</b> <i>Passerina cyanea</i>	<b>2.72%</b>
534.	<b>Painted Bunting</b> <i>Passerina ciris</i>	<b>4.35%</b>
535.	<b>Dickcissel</b> <i>Spiza americana</i>	<b>0.0994%</b>



536.	<b>Red-legged Honeycreeper</b> <i>Cyanerpes cyaneus</i>	0.0111%
537.	<b>Bananaquit</b> <i>Coereba flaveola</i>	0.0162%
538.	<b>Yellow-faced Grassquit</b> <i>Tiaris olivaceus</i>	0.0010%
539.	<b>Black-faced Grassquit</b> <i>Melanospiza bicolor</i>	0.0322%
<b>EXOTIC: PROVISIONAL</b>		
540.	<b>Indian Peafowl</b> <i>Pavo cristatus</i>	0.4024% frequency
541.	<b>Red Junglefowl</b> <i>Gallus gallus</i>	0.1402%
542.	<b>Great White Pelican</b> <i>Pelecanus onocrotalus</i>	0.0033%
543.	<b>Rose-ringed Parakeet</b> <i>Psittacula krameri</i>	0.0284%
544.	<b>Yellow-chevroned Parakeet</b> <i>Brotogeris chiriri</i>	0.2042%
545.	<b>Red-crowned Parrot</b> <i>Amazona viridigenalis</i>	0.0388%
546.	<b>Orange-winged Parrot</b> <i>Amazona amazonica</i>	0.1101%
547.	<b>Blue-and-yellow Macaw</b> <i>Ara ararauna</i>	0.0647%
548.	<b>Chestnut-fronted Macaw</b> <i>Ara severus</i>	0.0599%
549.	<b>Blue-crowned Parakeet</b> <i>Thectocercus acuticaudatus</i>	0.3174%
550.	<b>Red-masked Parakeet</b> <i>Psittacara erythrogenys</i>	0.1474%
551.	<b>White-eyed Parakeet</b> <i>Psittacara leucophthalmus</i>	0.0363%
552.	<b>House Crow</b> <i>Corvus splendens</i>	0.0104%
553.	<b>Common Hill Myna</b> <i>Gracula religiosa</i>	0.0557%
554.	<b>Scaly-breasted Munia</b> <i>Lonchura punctulata</i>	0.2807%
555.	<b>Brewer's Sparrow</b> <i>Spizella breweri</i>	0.0000%

**EXOTIC: ESCAPEE**

<b>Emu</b> <i>Dromaius novaehollandiae</i>	0.0000% frequency
<b>Magpie Goose</b> <i>Anseranas semipalmata</i>	0.0000%
<b>Plumed Whistling-Duck</b> <i>Dendrocygna eytoni</i>	0.0004%
<b>White-faced Whistling-Duck</b> <i>Dendrocygna viduata</i>	0.0058%
<b>West Indian Whistling-Duck</b> <i>Dendrocygna arborea</i>	0.0001%
<b>Bar-headed Goose</b> <i>Anser indicus</i>	0.0038%
<b>Graylag Goose</b> <i>Anser anser</i>	0.1351%
<b>Swan Goose</b> <i>Anser cygnoides</i>	0.1216%
<b>Barnacle Goose</b> <i>Branta leucopsis</i>	0.0005%
<b>Hawaiian Goose</b> <i>Branta sandvicensis</i>	0.0001%
<b>Blue-winged Goose</b> <i>Cyanochen cyanoptera</i>	0.0001%
<b>Mute Swan</b> <i>Cygnus olor</i>	0.2380%
<b>Black Swan</b> <i>Cygnus atratus</i>	0.0891%
<b>Black-necked Swan</b> <i>Cygnus melancoryphus</i>	0.0323%
<b>Trumpeter Swan</b> <i>Cygnus buccinator</i>	0.0223%
<b>Whooper Swan</b> <i>Cygnus cygnus</i>	0.0126%
<b>Coscoroba Swan</b> <i>Coscoroba coscoroba</i>	0.0074%
<b>Orinoco Goose</b> <i>Oressochen jubatus</i>	0.0000%
<b>Radjah Shelduck</b> <i>Radjah radjah</i>	0.0001%
<b>Ruddy Shelduck</b> <i>Tadorna ferruginea</i>	0.0122%
<b>South African Shelduck</b> <i>Tadorna cana</i>	0.0000%
<b>Common Shelduck</b> <i>Tadorna tadorna</i>	0.0096%

<b>Ringed Teal</b> <i>Callonetta leucophrys</i>	<b>0.0033%</b>
<b>Mandarin Duck</b> <i>Aix galericulata</i>	<b>0.0142%</b>
<b>Blue-billed Teal</b> <i>Spatula hottentota</i>	<b>0.0000%</b>
<b>Chiloe Wigeon</b> <i>Mareca sibilatrix</i>	<b>0.0003%</b>
<b>Chestnut Teal</b> <i>Anas castanea</i>	<b>0.0000%</b>
<b>Red-crested Pochard</b> <i>Netta rufina</i>	<b>0.0037%</b>
<b>Rosy-billed Pochard</b> <i>Netta peposaca</i>	<b>0.0004%</b>
<b>Common Pochard</b> <i>Aythya ferina</i>	<b>0.0000%</b>
<b>Helmeted Guineafowl</b> <i>Numida meleagris</i>	<b>0.0354%</b>
<b>California Quail</b> <i>Callipepla californica</i>	<b>0.0000%</b>
<b>Gambel's Quail</b> <i>Callipepla gambelii</i>	<b>0.0000%</b>
<b>Gray Partridge</b> <i>Perdix perdix</i>	<b>0.0000%</b>
<b>Golden Pheasant</b> <i>Chrysolophus pictus</i>	<b>0.0000%</b>
<b>Ring-necked Pheasant</b> <i>Phasianus colchicus</i>	<b>0.0039%</b>
<b>Green Pheasant</b> <i>Phasianus versicolor</i>	<b>0.0000%</b>
<b>Silver Pheasant</b> <i>Lophura nycthemera</i>	<b>0.0000%</b>
<b>Green Peafowl</b> <i>Pavo muticus</i>	<b>0.0013%</b>
<b>Japanese Quail</b> <i>Coturnix japonica</i>	<b>0.0000%</b>
<b>Red-legged Partridge</b> <i>Alectoris rufa</i>	<b>0.0023%</b>
<b>Chukar</b> <i>Alectoris chukar</i>	<b>0.0000%</b>
<b>African Collared-Dove</b> <i>Streptopelia roseogrisea</i>	<b>0.0027%</b>
<b>Ring-necked Dove</b> <i>Streptopelia capicola</i>	<b>0.0000%</b>

<b>Diamond Dove</b> <i>Geopelia cuneata</i>	0.0005%
<b>White-cheeked Turaco</b> <i>Menelikornis leucotis</i>	0.0000%
<b>Giant Wood-Rail</b> <i>Aramides ypecaha</i>	0.0010%
<b>Gray Crowned-Crane</b> <i>Balearica regulorum</i>	0.0003%
<b>African Woolly-necked Stork</b> <i>Ciconia microscelis</i>	0.0000%
<b>Black-necked Stork</b> <i>Ephippiorhynchus asiaticus</i>	0.0001%
<b>African Sacred Ibis</b> <i>Threskiornis aethiopicus</i>	0.0007%
<b>Eurasian Spoonbill</b> <i>Platalea leucorodia</i>	0.0000%
<b>Great Black Hawk</b> <i>Buteogallus urubitinga</i>	0.0022%
<b>Harris's Hawk</b> <i>Parabuteo unicinctus</i>	0.0001%
<b>Northern Red-billed Hornbill</b> <i>Tockus erythrorhynchus</i>	0.0000%
<b>Black-casqued Hornbill</b> <i>Ceratogymna atrata</i>	0.0003%
<b>Blue-bellied Roller</b> <i>Coracias cyanogaster</i>	0.0000%
<b>Cockatiel</b> <i>Nymphicus hollandicus</i>	0.0084%
<b>Galah</b> <i>Eolophus roseicapilla</i>	0.0000%
<b>White Cockatoo</b> <i>Cacatua alba</i>	0.0000%
<b>Sulphur-crested Cockatoo</b> <i>Cacatua galerita</i>	0.0001%
<b>Alexandrine Parakeet</b> <i>Psittacula eupatria</i>	0.0000%
<b>Plum-headed Parakeet</b> <i>Psittacula cyanocephala</i>	0.0000%
<b>Malabar Parakeet</b> <i>Psittacula columboides</i>	0.0000%
<b>Red-breasted Parakeet</b> <i>Psittacula alexandri</i>	0.0000%
<b>Crimson Rosella</b> <i>Platycercus elegans</i>	0.0000%

<b>Eastern Rosella</b> <i>Platycercus eximius</i>	<b>0.0001%</b>
<b>Chattering Lory</b> <i>Lorius garrulus</i>	<b>0.0000%</b>
<b>Little Lorikeet</b> <i>Parvipsitta pusilla</i>	<b>0.0000%</b>
<b>Dusky Lory</b> <i>Pseudeos fuscata</i>	<b>0.0000%</b>
<b>Red Lory</b> <i>Eos bornea</i>	<b>0.0000%</b>
<b>Rosy-faced Lovebird</b> <i>Agapornis roseicollis</i>	<b>0.0018%</b>
<b>Fischer's Lovebird</b> <i>Agapornis fischeri</i>	<b>0.0005%</b>
<b>Yellow-collared Lovebird</b> <i>Agapornis personatus</i>	<b>0.0016%</b>
<b>Gray Parrot</b> <i>Psittacus erithacus</i>	<b>0.0000%</b>
<b>Yellow-fronted Parrot</b> <i>Poicephalus flavifrons</i>	<b>0.0001%</b>
<b>Scaly-headed Parrot</b> <i>Pionus maximiliani</i>	<b>0.0019%</b>
<b>Red-spectacled Parrot</b> <i>Amazona pretrei</i>	<b>0.0000%</b>
<b>Lilac-crowned Parrot</b> <i>Amazona finschi</i>	<b>0.0059%</b>
<b>Red-lored Parrot</b> <i>Amazona autumnalis</i>	<b>0.0002%</b>
<b>Yellow-naped Parrot</b> <i>Amazona auropalliata</i>	<b>0.0003%</b>
<b>Yellow-headed Parrot</b> <i>Amazona oratrix</i>	<b>0.0006%</b>
<b>Yellow-crowned Parrot</b> <i>Amazona ochrocephala</i>	<b>0.0044%</b>
<b>Yellow-shouldered Parrot</b> <i>Amazona barbadensis</i>	<b>0.0000%</b>
<b>Turquoise-fronted Parrot</b> <i>Amazona aestiva</i>	<b>0.0033%</b>
<b>White-fronted Parrot</b> <i>Amazona albifrons</i>	<b>0.0012%</b>
<b>Hispaniolan Parrot</b> <i>Amazona ventralis</i>	<b>0.0000%</b>
<b>Mealy Parrot</b> <i>Amazona farinosa</i>	<b>0.0002%</b>

<b>Black-headed Parrot</b> <i>Pionites melanocephalus</i>	0.0000%
<b>Maroon-bellied Parakeet</b> <i>Pyrrhura frontalis</i>	0.0001%
<b>Green-cheeked Parakeet</b> <i>Pyrrhura molinae</i>	0.0000%
<b>Hyacinth Macaw</b> <i>Anodorhynchus hyacinthinus</i>	0.0000%
<b>Orange-fronted Parakeet</b> <i>Eupsittula canicularis</i>	0.0002%
<b>Peach-fronted Parakeet</b> <i>Eupsittula aurea</i>	0.0001%
<b>Dusky-headed Parakeet</b> <i>Aratinga weddellii</i>	0.0004%
<b>Sun Parakeet</b> <i>Aratinga solstitialis</i>	0.0002%
<b>Military Macaw</b> <i>Ara militaris</i>	0.0001%
<b>Great Green Macaw</b> <i>Ara ambiguus</i>	0.0000%
<b>Scarlet Macaw</b> <i>Ara macao</i>	0.0002%
<b>Red-and-green Macaw</b> <i>Ara chloropterus</i>	0.0001%
<b>Golden Parakeet</b> <i>Guaruba guarouba</i>	0.0000%
<b>Red-shouldered Macaw</b> <i>Diopsittaca nobilis</i>	0.0000%
<b>Green Parakeet</b> <i>Psittacara holochlorus</i>	0.0066%
<b>Crimson-fronted Parakeet</b> <i>Psittacara finschi</i>	0.0070%
<b>Scarlet-fronted Parakeet</b> <i>Psittacara wagleri</i>	0.0001%
<b>Hispaniolan Parakeet</b> <i>Psittacara chloropterus</i>	0.0000%
<b>Black-throated Magpie-Jay</b> <i>Calocitta colliei</i>	0.0000%
<b>San Blas Jay</b> <i>Cyanocorax sanblasianus</i>	0.0007%
<b>Black-billed Magpie</b> <i>Pica hudsonia</i>	0.0000%
<b>Pied Crow</b> <i>Corvus albus</i>	0.0014%

<b>Red-billed Leiothrix</b> <i>Leiothrix lutea</i>	0.0000%
<b>Crested Myna</b> <i>Acridotheres cristatellus</i>	0.0000%
<b>Long-tailed Glossy Starling</b> <i>Lamprotornis caudatus</i>	0.0001%
<b>Superb Starling</b> <i>Lamprotornis superbus</i>	0.0000%
<b>Tropical Mockingbird</b> <i>Mimus gilvus</i>	0.0049%
<b>Village Weaver</b> <i>Ploceus cucullatus</i>	0.0005%
<b>Black-headed Weaver</b> <i>Ploceus melanocephalus</i>	0.0000%
<b>Northern Red Bishop</b> <i>Euplectes franciscanus</i>	0.0022%
<b>Southern Red Bishop</b> <i>Euplectes orix</i>	0.0000%
<b>Zebra Finch</b> <i>Taeniopygia guttata</i>	0.0038%
<b>Bronze Mannikin</b> <i>Spermestes cucullata</i>	0.0000%
<b>Magpie Mannikin</b> <i>Spermestes fringilloides</i>	0.0001%
<b>Black-and-white Mannikin</b> <i>Spermestes bicolor</i>	0.0000%
<b>Java Sparrow</b> <i>Padda oryzivora</i>	0.0000%
<b>Gouldian Finch</b> <i>Chloebia gouldiae</i>	0.0000%
<b>Lavender Waxbill</b> <i>Glaucostreptus caeruleus</i>	0.0003%
<b>Orange-cheeked Waxbill</b> <i>Estrilda melpoda</i>	0.0007%
<b>Common Waxbill</b> <i>Estrilda astrild</i>	0.0000%
<b>Zebra Waxbill</b> <i>Amandava subflava</i>	0.0000%
<b>Red Avadavat</b> <i>Amandava amandava</i>	0.0000%
<b>Southern Cordonbleu</b> <i>Uraeginthus angolensis</i>	0.0001%
<b>Red-cheeked Cordonbleu</b> <i>Uraeginthus bengalus</i>	0.0003%

<b>Red-billed Firefinch</b> <i>Lagonosticta senegala</i>	<b>0.0001%</b>
<b>Pin-tailed Whydah</b> <i>Vidua macroura</i>	<b>0.0019%</b>
<b>Village Indigobird</b> <i>Vidua chalybeata</i>	<b>0.0000%</b>
<b>Yellow-fronted Canary</b> <i>Crithagra mozambica</i>	<b>0.0008%</b>
<b>European Goldfinch</b> <i>Carduelis carduelis</i>	<b>0.0001%</b>
<b>Island Canary</b> <i>Serinus canaria</i>	<b>0.0000%</b>
<b>Yellow-rumped Cacique</b> <i>Cacicus cela</i>	<b>0.0003%</b>
<b>Venezuelan Troupial</b> <i>Icterus icterus</i>	<b>0.0000%</b>
<b>Red-crested Cardinal</b> <i>Paroaria coronata</i>	<b>0.0000%</b>
<b>Silver-beaked Tanager</b> <i>Ramphocelus carbo</i>	<b>0.0008%</b>
<b>Blue-gray Tanager</b> <i>Thraupis episcopus</i>	<b>0.0006%</b>
<b>Paradise Tanager</b> <i>Tangara chilensis</i>	<b>0.0000%</b>
<b>Purple Honeycreeper</b> <i>Cyanerpes caeruleus</i>	<b>0.0000%</b>
<b>Saffron Finch</b> <i>Sicalis flaveola</i>	<b>0.0016%</b>
<b>Cuban Bullfinch</b> <i>Melopyrrha nigra</i>	<b>0.0004%</b>
<b>Cuban Grassquit</b> <i>Phonipara canora</i>	<b>0.0006%</b>

## HYBRIDS

<b>Snow x Ross's Goose (hybrid)</b> <i>Anser caerulescens x rossii</i>	<b>0.0003%</b> frequency
<b>Graylag x Swan Goose (hybrid)</b> <i>Anser anser x cygnoides</i>	<b>0.0087%</b>
<b>Swan Goose x Canada Goose (hybrid)</b> <i>Anser cygnoides x Branta canadensis</i>	<b>0.0022%</b>
<b>Graylag x Canada Goose (hybrid)</b> <i>Anser anser x Branta canadensis</i>	<b>0.0009%</b>



Domestic goose sp. x Canada Goose (hybrid) <i>Anser sp. (Domestic type) x Branta canadensis</i>	0.0013%
Barnacle x Canada Goose (hybrid) <i>Branta leucopsis x canadensis</i>	0.0000%
Trumpeter x Tundra Swan (hybrid) <i>Cygnus buccinator x columbianus</i>	0.0000%
Blue-winged x Cinnamon Teal (hybrid) <i>Spatula discors x cyanoptera</i>	0.0127%
Blue-winged Teal x Northern Shoveler (hybrid) <i>Spatula discors x clypeata</i>	0.0002%
Eurasian x American Wigeon (hybrid) <i>Mareca penelope x americana</i>	0.0006%
Muscovy Duck x Mallard (hybrid) <i>Cairina moschata x Anas platyrhynchos</i>	0.0322%
Northern Shoveler x Mallard (hybrid) <i>Spatula clypeata x Anas platyrhynchos</i>	0.0000%
American Wigeon x Mallard (hybrid) <i>Mareca americana x Anas platyrhynchos</i>	0.0000%
Mallard x Eastern Spot-billed Duck (hybrid) <i>Anas platyrhynchos x zonorhyncha</i>	0.0004%
Mallard x American Black Duck (hybrid) <i>Anas platyrhynchos x rubripes</i>	0.0005%
Mallard x Mottled Duck (hybrid) <i>Anas platyrhynchos x fulvigula</i>	1.94%
American Wigeon x Northern Pintail (hybrid) <i>Mareca americana x Anas acuta</i>	0.0000%
Mallard x Northern Pintail (hybrid) <i>Anas platyrhynchos x acuta</i>	0.0000%
Blue-winged x Green-winged Teal (hybrid) <i>Spatula discors x Anas crecca</i>	0.0003%
Canvasback x Redhead (hybrid) <i>Aythya valisineria x americana</i>	0.0002%

Mallard x Ring-necked Duck (hybrid) <i>Anas platyrhynchos x Aythya collaris</i>	0.0001%
Canvasback x Ring-necked Duck (hybrid) <i>Aythya valisineria x collaris</i>	0.0000%
Redhead x Ring-necked Duck (hybrid) <i>Aythya americana x collaris</i>	0.0009%
Redhead x Lesser Scaup (hybrid) <i>Aythya americana x affinis</i>	0.0003%
Ring-necked Duck x Lesser Scaup (hybrid) <i>Aythya collaris x affinis</i>	0.0001%
Tufted Duck x Lesser Scaup (hybrid) <i>Aythya fuligula x affinis</i>	0.0001%
Redhead x scaup sp. (hybrid) <i>Aythya americana x marila/affinis</i>	0.0001%
Scaled x Gambel's Quail (hybrid) <i>Callipepla squamata x gambelii</i>	0.0000%
Eurasian Collared-Dove x Mourning Dove (hybrid) <i>Streptopelia decaocto x Zenaida macroura</i>	0.0000%
Rufous x Allen's Hummingbird (hybrid) <i>Selasphorus rufus x sasin</i>	0.0003%
Buff-breasted x White-rumped Sandpiper (hybrid) <i>Calidris subruficollis x fuscicollis</i>	0.0001%
Dunlin x White-rumped Sandpiper (hybrid) <i>Calidris alpina x fuscicollis</i>	0.0000%
Laughing x Ring-billed Gull (hybrid) <i>Leucophaeus atricilla x Larus delawarensis</i>	0.0000%
Herring x Great Black-backed Gull (hybrid) <i>Larus argentatus x marinus</i>	0.0001%
Herring x Glaucous Gull (hybrid) <i>Larus argentatus x hyperboreus</i>	0.0016%
Herring x Lesser Black-backed Gull (hybrid) <i>Larus argentatus x fuscus</i>	0.0011%

Sandwich x Elegant Tern (hybrid) <i>Thalasseus sandvicensis x elegans</i>	0.0002%
Double-crested x Neotropic Cormorant (hybrid) <i>Nannopterum auritum x brasilianum</i>	0.0019%
Little Blue x Tricolored Heron (hybrid) <i>Egretta caerulea x tricolor</i>	0.0001%
Little Blue Heron x Snowy Egret (hybrid) <i>Egretta caerulea x thula</i>	0.0007%
Tricolored Heron x Snowy Egret (hybrid) <i>Egretta tricolor x thula</i>	0.0027%
Snowy x Little Egret (hybrid) <i>Egretta thula x garzetta</i>	0.0001%
Great Egret x Great Blue Heron (hybrid) <i>Ardea alba x herodias</i>	0.0089%
White x Scarlet Ibis (hybrid) <i>Eudocimus albus x ruber</i>	0.0005%
Glossy x White-faced Ibis (hybrid) <i>Plegadis falcinellus x chihi</i>	0.0019%
Yellow-bellied x Red-naped Sapsucker (hybrid) <i>Sphyrapicus varius x nuchalis</i>	0.0000%
Crimson x Eastern Rosella (hybrid) <i>Platycercus elegans x eximius</i>	0.0002%
White-winged x Yellow-chevroned Parakeet (hybrid) <i>Brotogeris versicolurus x chiriri</i>	0.0002%
Blue-and-yellow x Scarlet Macaw (hybrid) <i>Ara ararauna x macao</i>	0.0000%
Tropical x Gray Kingbird (hybrid) <i>Tyrannus melancholicus x dominicensis</i>	0.0021%
House x Fish Crow (hybrid) <i>Corvus splendens x ossifragus</i>	0.0002%
Cliff x Cave Swallow (hybrid) <i>Petrochelidon pyrrhonota x fulva</i>	0.0001%
Bahama x Northern Mockingbird (hybrid) <i>Mimus gundlachii x polyglottos</i>	0.0004%

Tropical x Northern Mockingbird (hybrid) <i>Mimus gilvus x polyglottos</i>	<b>0.0003%</b>
Clay-colored x Field Sparrow (hybrid) <i>Spizella pallida x pusilla</i>	<b>0.0002%</b>
Bullock's x Baltimore Oriole (hybrid) <i>Icterus bullockii x galbula</i>	<b>0.0000%</b>
Golden-winged x Blue-winged Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera</i>	<b>0.0008%</b>
Brewster's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F1 hybrid)</i>	<b>0.0018%</b>
Lawrence's Warbler (hybrid) <i>Vermivora chrysoptera x cyanoptera (F2 backcross)</i>	<b>0.0013%</b>
Cerulean Warbler x Northern Parula (hybrid) <i>Setophaga cerulea x americana</i>	<b>0.0000%</b>
Magnolia x Palm Warbler (hybrid) <i>Setophaga magnolia x palmarum</i>	<b>0.0002%</b>
Yellow x Prairie Warbler (hybrid) <i>Setophaga petechia x discolor</i>	<b>0.0001%</b>
Lazuli x Indigo Bunting (hybrid) <i>Passerina amoena x cyanea</i>	<b>0.0001%</b>
Indigo x Painted Bunting (hybrid) <i>Passerina cyanea x ciris</i>	<b>0.0006%</b>